

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.11.2025	50003037	Date of first issue: 05.11.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name PROMINO XTRA (ПРОМИНО ЕКСТРА)

Other means of identification

Product code 50003037

Unique Formula Identifier (UFI) : 017H-41G0-H905-OWA0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fungicide

Recommended restrictions on use : Use as recommended by the label.
For professional users only.

1.3 Details of the supplier of the safety data sheet

Supplier Address

FMC Agro Bulgaria EOOD
ISKARSKO SHOSE BLVD. NO.7
TRADE CENTER EUROPE
BUILDING 7, OFFICE 8, FLOOR 4
1528 Sofia
Bulgaria

Telephone: +359 (0) 2 818 5656
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
Bulgaria: +(359)-32570104 (CHEMTREC)

Medical emergency:
Clinic of Toxicology at the Hospital " N.I. Pirogov"
Emergency telephone/fax: +359 2 9154 233

National number: 112

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version 1.0	Revision Date: 05.11.2025	SDS Number: 50003037	Date of last issue: - Date of first issue: 05.11.2025
----------------	------------------------------	-------------------------	--

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Skin irritation, Category 2	H315: Causes skin irritation.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements :
H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.
P302 + P352 IF ON SKIN: Wash with plenty of water and soap.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P391 Collect spillage.

Disposal:

P501 Dispose of contents/container in accordance with national regulations at designated sites for hazardous or special waste.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version 1.0	Revision Date: 05.11.2025	SDS Number: 50003037	Date of last issue: - Date of first issue: 05.11.2025
----------------	------------------------------	-------------------------	--

Hazardous components which must be listed on the label:

1-butylpyrrolidin-2-one

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
1-butylpyrrolidin-2-one	3470-98-2 222-437-8	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Irrit. 2; H319	>= 50 - < 70
azoxystrobin (ISO)	131860-33-8 607-256-00-8	Acute Tox. 3; H331 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10 Acute toxicity estimate Acute inhalation tox-	>= 10 - < 20

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version 1.0 Revision Date: 05.11.2025 SDS Number: 50003037 Date of last issue: -
Date of first issue: 05.11.2025

		icity (dust/mist): 0,7 mg/l	
prothioconazole (ISO)	178928-70-6 613-337-00-9	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	>= 2,5 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Call a doctor immediately if allergic signs, particularly in the respiratory tract, are observed.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
Take off contaminated clothing and shoes immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- If inhaled : If inhaled, remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
Wash contaminated clothing before re-use.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.11.2025	50003037	Date of first issue: 05.11.2025

Keep eye wide open while rinsing.
Take victim immediately to hospital.

If swallowed : Keep respiratory tract clear.
Rinse mouth with water.
Drink plenty of water.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed.
Causes skin irritation.
Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.
Immediate medical attention is required in case of ingestion.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam
Dry chemical
Carbon dioxide (CO₂)
Water spray
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : High volume water jet
Do not spread spilled material with high-pressure water streams.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides
Sulphur oxides
Chlorinated compounds

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version 1.0	Revision Date: 05.11.2025	SDS Number: 50003037	Date of last issue: - Date of first issue: 05.11.2025
----------------	------------------------------	-------------------------	--

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
If it can be safely done, stop the leak.
Keep people away from and upwind of spill/leak.
Ensure adequate ventilation.
Refer to protective measures listed in sections 7 and 8.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : When using do not eat or drink. When using do not smoke.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version 1.0 Revision Date: 05.11.2025 SDS Number: 50003037 Date of last issue: -
Date of first issue: 05.11.2025

Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Recommended storage temperature : 10 - 30 °C

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
1-butylpyrrolidin-2-one	Workers	Inhalation	Long-term systemic effects	24,1 mg/m3
	Workers	Dermal	Long-term systemic effects	10 mg/m3
	Consumers	Inhalation	Long-term systemic effects	4,29 mg/m3
	Consumers	Dermal	Long-term systemic effects	5 mg/kg
	Consumers	Oral	Long-term systemic effects	4 mg/kg
	Consumers	Oral	Acute systemic effects	4 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
1-butylpyrrolidin-2-one	Fresh water	4 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version 1.0 Revision Date: 05.11.2025 SDS Number: 50003037 Date of last issue: -
Date of first issue: 05.11.2025

	Intermittent use (freshwater)	1 mg/l
	Marine water	0,400 mg/l
	Intermittent use (marine water)	0,100 mg/l
	Sewage treatment plant	30,62 mg/l
	Fresh water sediment	20,168 mg/kg
	Marine sediment	2,017 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.
Equipment should conform to EN 166

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Directive : Equipment should conform to EN 374

Remarks

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Gloves must be inspected prior to use. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin and body protection

: Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Preventive skin protection

Respiratory protection

: Apply technical measures to comply with the occupational exposure limits.
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Protective measures

: Ensure that eye flushing systems and safety showers are located close to the working place.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.11.2025	50003037	Date of first issue: 05.11.2025

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Form	: viscous liquid
Colour	: amber, brown
Odour	: sweet, mild
Odour Threshold	: No data available
Melting point/freezing point	: No data available
Boiling point/boiling range	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Flash point	: 114 °C Method: closed cup
Auto-ignition temperature	: 230 °C Method: DIN 51794
pH	: 4,1 - 9,9 Method: CIPAC MT 75.3
Viscosity	
Viscosity, dynamic	: 45 mPa.s (20 °C) Method: OECD Test Guideline 114 14 mPa.s (40 °C) Method: OECD Test Guideline 114
Viscosity, kinematic	: 43 mm ² /s (20 °C) Method: OECD Test Guideline 114 13 mm ² /s (40 °C) Method: OECD Test Guideline 114
Solubility(ies)	
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Vapour pressure	: No data available
Relative density	: No data available
Density	: ca. 1,04 g/cm ³ (20 °C)
Relative vapour density	: No data available
Particle characteristics	
Particle size	: Not applicable

9.2 Other information

Explosives	: Not explosive Method: Regulation (EC) No. 440/2008, Annex, A.14
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.11.2025	50003037	Date of first issue: 05.11.2025

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 523,21 mg/kg
Method: Calculation method
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method
Assessment: The substance or mixture has no acute inhalation toxicity

Components:

1-butylpyrrolidin-2-one:

Acute oral toxicity : LD50 (Rat, female): 300 - 2.000 mg/kg
Method: OECD Test Guideline 423
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC0 (Rat, male and female): > 5,1 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version 1.0	Revision Date: 05.11.2025	SDS Number: 50003037	Date of last issue: - Date of first issue: 05.11.2025
----------------	------------------------------	-------------------------	--

Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The component/mixture is minimally toxic after single contact with skin.

azoxystrobin (ISO):

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : Acute toxicity estimate: 0,7 mg/l
Test atmosphere: dust/mist
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

LC50 (Rat, male and female): 0,66 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: apathy, Breathing difficulties, Fatality

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

prothioconazole (ISO):

Acute oral toxicity : LD50 (Rat): > 6.200 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4,99 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Assessment: The component/mixture is minimally toxic after single contact with skin.

Skin corrosion/irritation

Causes skin irritation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.11.2025	50003037	Date of first issue: 05.11.2025

Product:

Species	:	human skin
Method	:	OECD Test Guideline 439
Result	:	irritating

Species	:	Human
Method	:	OECD Test Guideline 431
Result	:	Not corrosive

Components:

1-butylpyrrolidin-2-one:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation

azoxystrobin (ISO):

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
Remarks	:	Minimal effects that do not meet the threshold for classification.

prothioconazole (ISO):

Species	:	Rabbit
Result	:	No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Species	:	Chicken eye
Method	:	OECD Test Guideline 438
Result	:	Corrosive

Components:

1-butylpyrrolidin-2-one:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irritating to eyes.

azoxystrobin (ISO):

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
Remarks	:	Minimal effects that do not meet the threshold for classification.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.11.2025	50003037	Date of first issue: 05.11.2025

prothioconazole (ISO):

Species	:	Rabbit
Result	:	No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Components:

1-butylpyrrolidin-2-one:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitisation.

azoxystrobin (ISO):

Test Type	:	Buehler Test
Species	:	Guinea pig
Assessment	:	Not a skin sensitizer.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.

prothioconazole (ISO):

Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Not a skin sensitizer.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

1-butylpyrrolidin-2-one:

Genotoxicity in vitro	:	Test Type: reverse mutation assay Test system: Salmonella typhimurium Method: OECD Test Guideline 471 Result: negative
		Test Type: reverse mutation assay Test system: Salmonella typhimurium Method: Regulation (EC) No. 440/2008, Annex, B.13/14 (Ames test) Result: negative
		Test Type: Micronucleus test Test system: lymphocytes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version 1.0	Revision Date: 05.11.2025	SDS Number: 50003037	Date of last issue: - Date of first issue: 05.11.2025
----------------	------------------------------	-------------------------	--

Result: negative

Test Type: gene mutation test
Test system: mouse lymphoma cells
Method: OECD Test Guideline 476
Result: negative

Test Type: gene mutation test
Test system: mouse lymphoma cells
Method: Regulation (EC) No. 440/2008, Annex, B.17
Result: negative

Test Type: gene mutation test
Test system: mouse lymphoma cells
Method: OPPTS 870.5300
Result: negative

azoxystrobin (ISO):

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative

prothioconazole (ISO):

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Test system: rat hepatocytes
Result: equivocal

Test Type: in vitro DNA damage and/or repair study
Result: negative

Test Type: gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: chromosome aberration assay
Species: Rat
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version 1.0	Revision Date: 05.11.2025	SDS Number: 50003037	Date of last issue: - Date of first issue: 05.11.2025
----------------	------------------------------	-------------------------	--

Components:

azoxystrobin (ISO):

Method	: OECD Test Guideline 451
Result	: negative
Remarks	: No significant adverse effects were reported

Method	: OECD Test Guideline 453
Result	: negative
Remarks	: No significant adverse effects were reported

Carcinogenicity - Assessment	: Animal testing did not show any carcinogenic effects.
------------------------------	---

prothioconazole (ISO):

Species	: Mouse, male
Exposure time	: 80 w
Dose	: 0, 10, 70, 500 mg/kg/d
NOAEL	: 10 mg/kg bw/day
LOAEL	: 70 mg/kg body weight
Result	: negative

Carcinogenicity - Assessment	: Animal testing did not show any carcinogenic effects.
------------------------------	---

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

azoxystrobin (ISO):

Reproductive toxicity - Assessment	: Weight of evidence does not support classification for reproductive toxicity Did not show teratogenic effects in animal experiments.
------------------------------------	---

prothioconazole (ISO):

Effects on foetal development	: Species: Rat General Toxicity Maternal: NOAEL: 9,7 mg/kg bw/day Developmental Toxicity: NOAEL: 20 mg/kg bw/day
-------------------------------	--

Reproductive toxicity - Assessment	: Weight of evidence does not support classification for reproductive toxicity Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.
------------------------------------	--

STOT - single exposure

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version 1.0	Revision Date: 05.11.2025	SDS Number: 50003037	Date of last issue: - Date of first issue: 05.11.2025
----------------	------------------------------	-------------------------	--

Components:

azoxystrobin (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Components:

azoxystrobin (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

azoxystrobin (ISO):

Species : Rat
NOAEL : 21 mg/kg bw/day
Application Route : Oral
Exposure time : 90 d
Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 50 mg/kg bw/day
Application Route : Oral
Exposure time : 90 d
Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 25 mg/kg bw/day
Application Route : Oral
Exposure time : 1 yr
Remarks : No significant adverse effects were reported

prothioconazole (ISO):

Species : Rat
NOAEL : 50 mg/kg
LOAEL : 750 mg/kg
Exposure time : 53 w
Dose : 5, 50, 750 mg/kg
Target Organs : Liver, Kidney, Bladder

Aspiration toxicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.11.2025	50003037	Date of first issue: 05.11.2025

Components:

azoxystrobin (ISO):

The substance does not have properties associated with aspiration hazard potential.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 3,76 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 5,6 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Raphidocelis subcapitata (freshwater green alga)): 3,52 mg/l Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201

Components:

1-butylpyrrolidin-2-one:

Toxicity to fish	: NOEC (Oncorhynchus mykiss (rainbow trout)): 100 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203
	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.11.2025	50003037	Date of first issue: 05.11.2025

	Test Type: semi-static test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 24 h Test Type: static test Method: OECD Test Guideline 202 NOEC (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 24 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: NOEC (Pseudokirchneriella subcapitata (green algae)): 40 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 EC50 (Pseudokirchneriella subcapitata (green algae)): > 160 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201
Toxicity to microorganisms	: NOEC (activated sludge): 306,2 mg/l Exposure time: 28 h EC10 (activated sludge): > 315 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 NOEC (activated sludge): 315 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
Toxicity to fish (Chronic toxicity)	: NOEC: 82 mg/l Exposure time: 33 d Species: Pimephales promelas (fathead minnow) Test Type: flow-through test Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 100 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Method: OECD Test Guideline 211
azoxystrobin (ISO):	
Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 0,47 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version 1.0	Revision Date: 05.11.2025	SDS Number: 50003037	Date of last issue: - Date of first issue: 05.11.2025
----------------	------------------------------	-------------------------	--

	Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0,259 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
	EC50 (Americamysis bahia (mysid shrimp)): 0,055 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	: EC50 (Lemna gibba (duckweed)): 3,2 mg/l Exposure time: 14 d
	EC50 (Navicula pelliculosa (Diatom)): 0,146 mg/l Exposure time: 72 h
	NOEC (Navicula pelliculosa (Diatom)): 0,02 mg/l Exposure time: 72 h
	NOEC (Lemna gibba (duckweed)): 0,8 mg/l Exposure time: 14 d
M-Factor (Acute aquatic toxicity)	: 10
Toxicity to fish (Chronic toxicity)	: NOEC: 0,16 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainbow trout) Method: OECD Test Guideline 204
	NOEC: 0,147 mg/l Exposure time: 28 d Species: Pimephales promelas (fathead minnow)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0,044 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
	NOEC: 0,00954 mg/l Exposure time: 28 d Species: Americamysis bahia (mysid shrimp)
M-Factor (Chronic aquatic toxicity)	: 10
Toxicity to soil dwelling organisms	: LC50: 283 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms)
Toxicity to terrestrial organisms	: LD50: > 1.000 mg/kg Species: Anas platyrhynchos (Mallard duck)
	LD50: > 1.000 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version 1.0	Revision Date: 05.11.2025	SDS Number: 50003037	Date of last issue: - Date of first issue: 05.11.2025
----------------	------------------------------	-------------------------	--

Species: *Colinus virginianus* (Bobwhite quail)

LD50: > 5.200 ppm

Species: *Colinus virginianus* (Bobwhite quail)

Remarks: Dietary

LD50: > 200 µg/bee

Exposure time: 48 h

End point: Acute contact toxicity

Species: *Apis mellifera* (bees)

LD50: > 25 µg/bee

Exposure time: 48 h

End point: Acute oral toxicity

Species: *Apis mellifera* (bees)

prothioconazole (ISO):

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 1,83 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 1,3 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): 2,18 mg/l
Exposure time: 72 h

EC50 (*Skeletonema costatum* (Diatom)): 0,046 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 0,308 mg/l
Exposure time: 21 d
Species: *Oncorhynchus mykiss* (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,56 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : LC50: > 1.000 mg/kg
Exposure time: 14 d
Species: *Eisenia fetida* (earthworms)

Toxicity to terrestrial organisms : LD50: > 2.000 mg/kg
Species: *Colinus virginianus* (Bobwhite quail)

NOEC: 78 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version 1.0	Revision Date: 05.11.2025	SDS Number: 50003037	Date of last issue: - Date of first issue: 05.11.2025
----------------	------------------------------	-------------------------	--

Exposure time: 21 d
Species: *Anas platyrhynchos* (Mallard duck)

> 100 µg/bee
Species: *Apis mellifera* (bees)
Remarks: Contact

> 71 µg/bee
Species: *Apis mellifera* (bees)
Remarks: Oral

12.2 Persistence and degradability

Components:

azoxystrobin (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 52,11 d (25 °C)
pH: 9

prothioconazole (ISO):

Biodegradability : Result: Not readily biodegradable.

12.3 Bioaccumulative potential

Components:

1-butylpyrrolidin-2-one:

Bioaccumulation : Bioconcentration factor (BCF): 3,19
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 1,265 (20 °C)

azoxystrobin (ISO):

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2,5 (20 °C)

prothioconazole (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 19
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 3,82 (20 °C)
pH: 7

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version 1.0	Revision Date: 05.11.2025	SDS Number: 50003037	Date of last issue: - Date of first issue: 05.11.2025
----------------	------------------------------	-------------------------	--

12.4 Mobility in soil

Components:

azoxystrobin (ISO):

Distribution among environmental compartments : Remarks: Under normal conditions the substance has low to moderate mobility in soil.

prothioconazole (ISO):

Distribution among environmental compartments : Koc: 1765 ml/g, log Koc: 3,24
Remarks: Low mobility in soil

Stability in soil :

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Triple rinse containers.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.11.2025	50003037	Date of first issue: 05.11.2025

Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 3082
ADR	:	UN 3082
RID	:	UN 3082
IMDG	:	UN 3082
IATA	:	UN 3082

14.2 UN proper shipping name

ADN	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Azoxystrobin, Prothioconazole)
ADR	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Azoxystrobin, Prothioconazole)
RID	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Azoxystrobin, Prothioconazole)
IMDG	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Azoxystrobin, Prothioconazole)
IATA	:	Environmentally hazardous substance, liquid, n.o.s. (Azoxystrobin, Prothioconazole)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	:	9
ADR	:	9
RID	:	9
IMDG	:	9
IATA	:	9

14.4 Packing group

ADN	:	
Packing group	:	III
Classification Code	:	M6

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.11.2025	50003037	Date of first issue: 05.11.2025

Hazard Identification Number : 90
Labels : 9

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version 1.0	Revision Date: 05.11.2025	SDS Number: 50003037	Date of last issue: - Date of first issue: 05.11.2025
----------------	------------------------------	-------------------------	--

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
Regulation (EU) No 2024/590 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	E1	ENVIRONMENTAL HAZARDS
---	----	-----------------------

The components of this product are reported in the following inventories:

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL. 1-butylpyrrolidin-2-one azoxystrobin (ISO) prothioconazole (ISO)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.11.2025	50003037	Date of first issue: 05.11.2025

ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.
H315	: Causes skin irritation.
H319	: Causes serious eye irritation.
H331	: Toxic if inhaled.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Irrit.	: Eye irritation
Skin Irrit.	: Skin irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization;

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



PROMINO XTRA (ПРОМИНО ЕКСТРА)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.11.2025	50003037	Date of first issue: 05.11.2025

KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Acute Tox. 4	H302
Skin Irrit. 2	H315
Eye Dam. 1	H318
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Based on product data or assessment
Calculation method

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

BG / 6N