

SAFETY DATA SHEET



ARRIVO® 200 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	10.03.2026	50000380	Date of first issue: 21.08.2017

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product name ARRIVO® 200 EC

Other means of identification

Product code 50000380

Product Registration Number RSCO-INAC-0111-003-009-021

Recommended use of the chemical and restrictions on use

Recommended use Insecticide

Restrictions on use Use as recommended by the label.

Manufacturer or supplier's details

Manufacturer FMC QUÍMICA DO BRASIL LTDA.
AVENIDA DR. JOSÉ BONIFÁCIO
COUTINHO NOGUEIRA 150 - 1º
ANDAR - JARDIM MADALENA,
CAMPINAS SP BRASIL
TELEFONE: (19) 2042.4500
SDS-Info@fmc.com

Emergency telephone

For leak, fire, spill or accident emergencies, call:
800-681-9531 (CHEMTREC - Mexico)
1 703 / 741-5970 (CHEMTREC - International)

Medical emergency:
911
SINTOX (Toxicological Information Service): 800 009 2800; 55
5611 2634 and 55 5598 6659, service 24 hours a day, 365
days a year.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye : Category 2A

SAFETY DATA SHEET



ARRIVO® 200 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	10.03.2026	50000380	Date of first issue: 21.08.2017

irritation

Skin sensitization : Category 1

Carcinogenicity : Category 2

Specific target organ toxicity : Category 3 (Respiratory system)
- single exposure

Specific target organ toxicity : Category 2
- repeated exposure

Aspiration hazard : Category 1

GHS label elements

Hazard pictograms :



Signal Word : DANGER

Hazard Statements : H227 Combustible liquid.
H302 + H332 Harmful if swallowed or if inhaled.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H351 Suspected of causing cancer.
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
P302 + P352 IF ON SKIN: Wash with plenty of water.

SAFETY DATA SHEET



ARRIVO® 200 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	10.03.2026	50000380	Date of first issue: 21.08.2017

P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P331 Do NOT induce vomiting.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Solvent naphtha (petroleum), light arom.	64742-95-6	>= 70 -< 90
cypermethrin (ISO)	52315-07-8	>= 10 -< 20
calcium bis(dodecylbenzenesulphonate), branched	70528-83-5	>= 1 -< 3

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

SAFETY DATA SHEET



ARRIVO® 200 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	10.03.2026	50000380	Date of first issue: 21.08.2017

- | | |
|---|---|
| In case of skin contact | : Wash off with soap and water.
If symptoms persist, call a physician.
Wash contaminated clothing before re-use. |
| In case of eye contact | : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital. |
| Most important symptoms and effects, both acute and delayed | : Harmful if swallowed or if inhaled.
May be fatal if swallowed and enters airways.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
May cause respiratory irritation.
Suspected of causing cancer.
May cause damage to organs through prolonged or repeated exposure.
Swallowing or inhaling may result in sudden shortness of breath, coughing, nausea and or abdominal pain.
Exposure may result in tremors, decreased motor activity, and or impaired gait.
Exposure to skin may result in mild symptoms include itching, hives or rash, and skin redness. More severe symptoms include sneezing, itchy watery eyes, and difficulty breathing. |
| Protection of first-aiders | : Avoid inhalation, ingestion and contact with skin and eyes. |
| Notes to physician | : Treat symptomatically. |
-

SECTION 5. FIRE-FIGHTING MEASURES

- | | |
|---------------------------------------|---|
| Suitable extinguishing media | : Dry chemical, CO ₂ , water spray or regular foam. |
| Unsuitable extinguishing media | : Do not spread spilled material with high-pressure water streams. |
| Specific hazards during fire fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides |
| Specific extinguishing methods | : Remove undamaged containers from fire area if it is safe to do so. |
-

SAFETY DATA SHEET



ARRIVO® 200 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	10.03.2026	50000380	Date of first issue: 21.08.2017

Use a water spray to cool fully closed containers.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment : Firefighters should wear protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
Keep in suitable, closed containers for disposal.

For further cleaning instructions call CHEMTREC, 800-681-9531.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
Keep away from open flames, hot surfaces and sources of ignition.

Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

SAFETY DATA SHEET



ARRIVO® 200 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	10.03.2026	50000380	Date of first issue: 21.08.2017

For incompatible materials see section 10.

- Hygiene measures : Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
- Conditions for safe storage : No smoking.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
xylene	1330-20-7	Methylhippuric acid	Urine	End of shift	1.5 g/g creatinine	MX BEI
		Methylhippuric acids	Urine	End of shift (As soon as possible after exposure ceases)	0.3 g/g creatinine	ACGIH BEI

Personal protective equipment

- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Hand protection
Material : Protective gloves
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

SAFETY DATA SHEET



ARRIVO® 200 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	10.03.2026	50000380	Date of first issue: 21.08.2017

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Color : amber

Odor : hydrocarbon-like

Odor Threshold : No data available

pH : No data available

Melting point/ range : No data available

Boiling point/boiling range : No data available

Flash point : 64 °C
Method: closed cup

Evaporation rate : No data available

Flammability (liquids) : Sustains combustion

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 0.938 g/cm³

Solubility(ies)

SAFETY DATA SHEET



ARRIVO® 200 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	10.03.2026	50000380	Date of first issue: 21.08.2017

Water solubility	:	emulsifiable
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Molecular weight	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed. No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed. No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed. Vapors may form explosive mixture with air.
Conditions to avoid	:	Heat, flames and sparks. Avoid extreme temperatures. Avoid formation of aerosol.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact

ARRIVO® 200 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	10.03.2026	50000380	Date of first issue: 21.08.2017

Acute toxicity

Harmful if swallowed or if inhaled.

Product:

Acute oral toxicity	:	LD50 (Rat, male and female): 491.5 - 693.4 mg/kg Symptoms: Fatality, Convulsions, ataxia
Acute inhalation toxicity	:	LC50 (Rat): > 2.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit, male and female): > 2,000 mg/kg Symptoms: Irritation Assessment: The substance or mixture has no acute dermal toxicity Remarks: no mortality

Components:**Solvent naphtha (petroleum), light arom.:**

Acute oral toxicity	:	LD50 (Rat, female): 3,492 mg/kg Method: OECD Test Guideline 401 LD50 (Rat, male): 6,984 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 6.193 mg/l Exposure time: 4 h Test atmosphere: vapor Assessment: The substance or mixture has no acute inhalation toxicity Remarks: no mortality
Acute dermal toxicity	:	LD50 (Rabbit, male and female): > 3,160 mg/kg Assessment: The component/mixture is minimally toxic after single contact with skin.

cypermethrin (ISO):

Acute oral toxicity	:	LD50 (Rat, male): 247 mg/kg LD50 (Rat, female): 309 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, male and female): 2.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit, male and female): > 2,460 mg/kg

calcium bis(dodecylbenzenesulphonate), branched:

Acute oral toxicity	:	Acute toxicity estimate: 3,333 mg/kg
---------------------	---	--------------------------------------

SAFETY DATA SHEET



ARRIVO® 200 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	10.03.2026	50000380	Date of first issue: 21.08.2017

Acute dermal toxicity : Acute toxicity estimate: 1,470 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Product:

Result	: irritating
Remarks	: Based on data from a similar product.

Components:

Solvent naphtha (petroleum), light arom.:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Mild skin irritation

cypermethrin (ISO):

Species	: Rabbit
Result	: No skin irritation

calcium bis(dodecylbenzenesulphonate), branched:

Result	: Skin irritation
--------	-------------------

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species	: Rabbit
Result	: Eye irritation
Remarks	: Based on data from a similar product.

Components:

Solvent naphtha (petroleum), light arom.:

Species	: Rabbit
Result	: No eye irritation

cypermethrin (ISO):

Species	: Rabbit
Result	: Mild eye irritation

calcium bis(dodecylbenzenesulphonate), branched:

Result	: Irreversible effects on the eye
--------	-----------------------------------

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

SAFETY DATA SHEET



ARRIVO® 200 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	10.03.2026	50000380	Date of first issue: 21.08.2017

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Result	:	May cause sensitization by skin contact.
Remarks	:	Based on data from a similar product.
Remarks	:	Causes sensitization.

Components:

Solvent naphtha (petroleum), light arom.:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Not a skin sensitizer.

cypermethrin (ISO):

Species	:	Guinea pig
Result	:	May cause sensitization by skin contact.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Solvent naphtha (petroleum), light arom.:

Genotoxicity in vitro	:	Test Type: in vitro DNA damage and/or repair study Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Result: negative Test Type: reverse mutation assay Metabolic activation: with and without metabolic activation Result: negative
Genotoxicity in vivo	:	Test Type: Bone marrow chromosome aberration. Species: Rat (male and female) Application Route: Inhalation Result: negative

cypermethrin (ISO):

Genotoxicity in vitro	:	Test system: Salmonella typhimurium Result: negative
-----------------------	---	---

Carcinogenicity

Suspected of causing cancer.

Product:

Carcinogenicity - Assess-	:	Limited evidence of carcinogenicity in animal studies
---------------------------	---	---

SAFETY DATA SHEET



ARRIVO® 200 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	10.03.2026	50000380	Date of first issue: 21.08.2017

ment

Components:

Solvent naphtha (petroleum), light arom.:

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

cypermethrin (ISO):

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Solvent naphtha (petroleum), light arom.:

Effects on fertility : Test Type: Three-generation study
Species: Rat
Application Route: inhalation (vapor)
Fertility: NOAEC Mating/Fertility: 7.5 mg/l
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Species: Mouse
Application Route: inhalation (vapor)
General Toxicity Maternal: LOAEC: 500 part per million
Symptoms: Maternal effects.

STOT-single exposure

May cause respiratory irritation.

Product:

Assessment : May cause respiratory irritation.

Components:

Solvent naphtha (petroleum), light arom.:

Assessment : May cause respiratory irritation., May cause drowsiness or dizziness.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Product:

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

SAFETY DATA SHEET



ARRIVO® 200 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	10.03.2026	50000380	Date of first issue: 21.08.2017

Repeated dose toxicity

Components:

Solvent naphtha (petroleum), light arom.:

Species	: Rat, male and female
NOAEC	: 0.8 - 0.9 mg/l
Application Route	: Inhalation
Test atmosphere	: vapor
Remarks	: Based on data from similar materials

Species	: Rat, male
NOAEL	: 600 mg/kg
Application Route	: Oral
Remarks	: Based on data from similar materials

Aspiration toxicity

May be fatal if swallowed and enters airways.

Product:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Components:

Solvent naphtha (petroleum), light arom.:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks	: Solvents may degrease the skin.
---------	-----------------------------------

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Solvent naphtha (petroleum), light arom.:

Toxicity to fish	: NOEC (Oncorhynchus mykiss (rainbow trout)): 4.5 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
------------------	--

	LL50 (Pimephales promelas (fathead minnow)): 8.2 mg/l Exposure time: 96 h Test Type: semi-static test Remarks: Based on data from similar materials
--	--

ARRIVO® 200 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	10.03.2026	50000380	Date of first issue: 21.08.2017

- Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 4.5 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (microalgae)): 3.1 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- Toxicity to fish (Chronic toxicity) : NOELR (Pimephales promelas (fathead minnow)): 2.6 mg/l
Exposure time: 14 d
Method: OECD Test Guideline 204
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 2.6 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
- Toxicity to microorganisms : EC50 (Tetrahymena pyriformis): 15.41 mg/l
Exposure time: 40 h
Test Type: Growth inhibition
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

Ecotoxicology Assessment

- Acute aquatic toxicity : Toxic to aquatic life.
- Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

cypermethrin (ISO):

- Toxicity to fish : LC50 (Fish): 0.0028 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Crustaceans): 0.0003 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : NOEC (algae): 1.3 mg/l
Exposure time: 96 h

EC50 (algae): > 0.1 mg/l
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOEC (Fish): 0.00003 mg/l
Exposure time: 21 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Crustaceans): 0.00004 mg/l
Exposure time: 21 d

SAFETY DATA SHEET



ARRIVO® 200 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	10.03.2026	50000380	Date of first issue: 21.08.2017

calcium bis(dodecylbenzenesulphonate), branched:

Toxicity to fish	:	LC50 (Fish): > 1 - 10 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EC50 (algae): > 1 - 10 mg/l Exposure time: 72 h Remarks: Based on data from similar materials

Persistence and degradability

Components:

Solvent naphtha (petroleum), light arom.:

Biodegradability	:	Concentration: 49.2 mg/l Result: Inherently biodegradable. Biodegradation: 77.05 % Exposure time: 28 d Method: OECD Test Guideline 301F
------------------	---	---

cypermethrin (ISO):

Biodegradability	:	Result: Not readily biodegradable.
------------------	---	------------------------------------

calcium bis(dodecylbenzenesulphonate), branched:

Biodegradability	:	Result: Readily biodegradable.
------------------	---	--------------------------------

Bioaccumulative potential

Product:

Bioaccumulation	:	Remarks: No data available
-----------------	---	----------------------------

Components:

calcium bis(dodecylbenzenesulphonate), branched:

Bioaccumulation	:	Bioconcentration factor (BCF): 1 Remarks: Bioaccumulation is unlikely.
-----------------	---	---

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
-----------------------------------	---	---

SAFETY DATA SHEET



ARRIVO® 200 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	10.03.2026	50000380	Date of first issue: 21.08.2017

Very toxic to aquatic life with long lasting effects.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Appropriate personal protective equipment, as described in Sections 7 and 8, should be worn when handling materials for waste disposal.

The product should not be allowed to enter drains, water courses or the soil.

Do not contaminate ponds, waterways or ditches with chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Containers must be disposed of in accordance with local, state and federal regulations. It is prohibited to reuse, bury, burn or sell containers. Washable containers: Triple wash containers smaller than 20 liters and pressure wash containers of 20 liters or more. Triple wash: Add water up to $\frac{1}{4}$ of the container's capacity, close and shake for 30 seconds. Pour the wash water into the mixing tank, considering this volume of water within the recommended volume for mixing. Perform this procedure three times. Pressure washing: Activate the pressure washing device for 30 seconds, considering the volume of water used as part of the recommended volume for the mixture. For both procedures, make the container unusable by piercing it at the base without damaging the label. Non-washable containers: Containers that cannot be washed, make them unusable by perforating them without damaging the label. In all cases, deliver the containers to collection points indicated by the local container collection program. For more information on the Empty Pesticide Container Management Plan, visit <http://campolimpio.org.mx/>.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cypermethrin)

Class	: 9
-------	-----

SAFETY DATA SHEET



ARRIVO® 200 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	10.03.2026	50000380	Date of first issue: 21.08.2017

Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Cypermethrin)

Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (Cypermethrin)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

NOM-002-SCT

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (Cypermethrin)

Class : 9
Packing group : III
Labels : 9

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET



ARRIVO® 200 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	10.03.2026	50000380	Date of first issue: 21.08.2017

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

This document has been prepared in accordance with the Globally Harmonized System (GHS). The document consists of 16 points that cover the Official Mexican STANDARD NOM-018-STPS-2015 Harmonized system for the identification and communication of hazards and risks due to dangerous chemical substances in the workplace. 271000

NOM-165-SEMARNAT-2013, Norm establishing a list of substances subject to report for the Registry of Emissions and Pollutant Transfer

Components	CAS-No.	MPU (kg/year)	Transfer/Release (kg/year)
ethylene oxide	75-21-8	2500 kg/year	100 kg/year
cumene	98-82-8	5000 kg/year	1000 kg/year
xylene	1330-20-7	5000 kg/year	1000 kg/year

MPU: Applicable reporting threshold when the substance, pure or in mixture in a composition of more than 1% by weight, is used for industrial activities at facilities that are subject to report or are produced by them

Federal Law for the control of chemical precursors, : Not applicable
essential chemical products and machinery for producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
AICS	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. cypermethrin
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: On the inventory, or in compliance with the inventory

SAFETY DATA SHEET



ARRIVO® 200 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	10.03.2026	50000380	Date of first issue: 21.08.2017

SECTION 16. OTHER INFORMATION

Revision Date : 10.03.2026

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

MX BEI : Official Mexican Norm NOM-047-SSA1-2011, Environmental Health - Biological exposure indices for workers occupationally exposed to chemical agents

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fit-

SAFETY DATA SHEET



ARRIVO® 200 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	10.03.2026	50000380	Date of first issue: 21.08.2017

ness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

MX / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2026 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet