

SAFETY DATA SHEET



EXIREL®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000082	Date of first issue: 28.08.2025

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : EXIREL®

Manufacturer or supplier's details

Company address	: FMC IP Technology LLC Vernier Branch Chemin de Blandonnet 8, 1214 Vernier Switzerland	<u>Manufacture address:</u> FMC Corporation Agricultural Products Group 100 Niagara Street Middleport, NY 14105 USA
Telephone	: +45 9690 9690	
Emergency telephone number	: +44 20 3885 0382 (CHEMTREC's European Regional Toll-Free Number) 1 703 / 741-5970 (CHEMTREC - International) 1 703 / 527-3887 (CHEMTREC - Alternate)	
Medical Emergency Number	: All other countries: +1 651 / 632-6793 (Collect)	
E-mail address	: SDS-Info@fmc.com	

Recommended use of the chemical and restrictions on use

Recommended use	: Insecticide
Restrictions on use	: Use as recommended by the label.

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Inhalation)	: Category 5
Skin irritation	: Category 2
Skin sensitisation	: Category 1
Short-term (acute) aquatic hazard	: Category 1
Long-term (chronic) aquatic hazard	: Category 1

GHS-Labeling

Hazard pictograms	:	 
-------------------	---	---

Signal word	: Warning
-------------	-----------

SAFETY DATA SHEET



EXIREL®

Version 1.0 Revision Date: 28.08.2025 SDS Number: 50000082 Date of last issue: -
Date of first issue: 28.08.2025

Hazard statements : H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H333 May be harmful if inhaled.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P261 Avoid breathing mist or vapours.
P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves.
Response:
P304 + P312 IF INHALED: Call a POISON CENTER/ doctor if you feel unwell.
P391 Collect spillage.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Components

Chemical name	CAS-No.	Classification	MAC value mg/m ³ / TSEL value	Concentration (% w/w)
Fatty acids, soya, Me esters	68919-53-9	Acute Tox.5; H303 Acute Tox.4; H312 Eye Irrit.2B; H320	No data available	>= 30 - < 50
water	7732-18-5	No data available	No data available	>= 30 - < 50
Cyantraniliprole	736994-63-1	Aquatic Acute1; H400 Aquatic Chronic1; H410	No data available	>= 10 - < 20
propane-1,2-diol	57-55-6	No data available	MPC-STEL: 7 mg/m ³ Class 3 - Moder- ately dangerous Data Source: RU OEL	>= 1 - < 10
calcium dodecylbenzenesulphonate	26264-06-2	Acute Tox.4; H302 Skin Irrit.2; H315 Eye Dam.1;	No data available	>= 1 - < 2.5

SAFETY DATA SHEET



EXIREL®

Version
1.0Revision Date:
28.08.2025SDS Number:
50000082Date of last issue: -
Date of first issue: 28.08.2025

		H318 Aquatic Acute2; H401		
2-ethylhexan-1-ol	104-76-7	Flam. Liq.4; H227 Acute Tox.5; H303 Acute Tox.4; H332 Skin Irrit.2; H315 Eye Irrit.2A; H319 STOT SE3; H335 (Respiratory system) Aquatic Acute3; H402	MPC-STEL: 10 mg/m ³ Class 3 - Moder- ately dangerous, Substances which require special skin and eye protection Data Source: RU OEL	>= 0.25 - < 1
Xanthan gum	11138-66-2	No data available	TSEL: 10 mg/m ³ Data Source: RU TSEL	< 0.1
methanol	67-56-1	Flam. Liq.2; H225 Acute Tox.3; H301 Acute Tox.3; H331 Acute Tox.3; H311 STOT SE1; H370 (Central nerv- ous system, Eyes)	MPC-TWA: 5 mg/m ³ Class 3 - Moder- ately dangerous, Substances which require special skin and eye protection Data Source: RU OEL MPC-STEL: 15 mg/m ³ Class 3 - Moder- ately dangerous, Substances which require special skin and eye protection Data Source: RU OEL	< 0.1
Distillates (petroleum), hydro- treated light; Kerosine — unspecified	64742-47-8	Flam. Liq.4; H227 Asp. Tox.1; H304	MPC-TWA: 100 mg/m ³ Class 4 - Low hazard Data Source: RU OEL MPC-STEL: 300 mg/m ³ Class 4 - Low	< 0.1

SAFETY DATA SHEET



EXIREL®

Version 1.0 Revision Date: 28.08.2025 SDS Number: 50000082 Date of last issue: -
 Date of first issue: 28.08.2025

			hazard Data Source: RU OEL	
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox.4; H302 Eye Dam.1; H318 Skin Sens.1; H317 Aquatic Acute1; H400 Aquatic Chronic2; H411	No data available	≥ 0.0025 - < 0.025
sodium hydroxide	1310-73-2	Met. Corr.1; H290 Skin Corr.1A; H314 Eye Dam.1; H318	MPC-STEL: 0.5 mg/m ³ Class 2 - Highly dangerous, Sub- stances which require special skin and eye protection Data Source: RU OEL	< 0.1

For explanation of abbreviations see section 16.

4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
 Show this safety data sheet to the doctor in attendance.
 Do not leave the victim unattended.
- If inhaled : Remove to fresh air.
 If unconscious, place in recovery position and seek medical advice.
 If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : If on clothes, remove clothes.
 If on skin, rinse well with water.
 Wash off with soap and plenty of water.
 Get medical attention immediately if irritation develops and persists.
 Wash contaminated clothing before re-use.
- In case of eye contact : Flush eyes with water as a precaution.
 Remove contact lenses.
 Protect unharmed eye.
 Keep eye wide open while rinsing.

EXIREL®

Version 1.0	Revision Date: 28.08.2025	SDS Number: 50000082	Date of last issue: - Date of first issue: 28.08.2025
----------------	------------------------------	-------------------------	--

- If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Do not induce vomiting without medical advice.
Rinse mouth with water.
Obtain medical attention.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.
May cause an allergic skin reaction.
May be harmful if inhaled.
- Protection of first-aiders : No special precautions are necessary for first aid responders.
Avoid inhalation, ingestion and contact with skin and eyes.
Immediate medical attention is required in case of ingestion.
A specific antidote against this substance is not known. Gastric lavage and/or administration of activated charcoal can be considered.
- Notes to physician : Treat symptomatically.
Immediate medical attention is required in case of ingestion.
-

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
brominated compounds
Nitrogen oxides (NO_x)
Carbon oxides
Chlorinated compounds
Hydrogen chloride
Hydrogen cyanide
Sulphur oxides
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
-

6. ACCIDENTAL RELEASE MEASURES

EXIREL®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000082	Date of first issue: 28.08.2025

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Evacuate personnel to safe areas.
Ensure adequate ventilation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : The product is stable under normal conditions of warehouse storage.
Protect from frost and extreme heat.
Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000082	Date of first issue: 28.08.2025

Recommended storage temperature : > 0 - 30 °C

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Long sleeved clothing.
Impervious clothing
Footwear protecting against chemicals
Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

Hygiene measures : General industrial hygiene practice.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
Remove and wash contaminated clothing and gloves, including the inside, before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET



EXIREL®

Version 1.0	Revision Date: 28.08.2025	SDS Number: 50000082	Date of last issue: - Date of first issue: 28.08.2025
----------------	------------------------------	-------------------------	--

Physical state	: liquid
Colour	: off-white
Odour	: mild, phenol-like
Odour Threshold	: No data available
pH	: 5.6 Concentration: 10 g/l 1 % (as a dispersion)
Melting point/freezing point	: not determined
Boiling point/boiling range	: 97 °C
Flash point	: > 97 °C Method: closed cup
Flammability (liquids)	: may be ignitable, Based on available information, the classification criteria for flammability hazard are not met.
Self-ignition	: 358 °C
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Vapour pressure	: Not available for this mixture.
Relative vapour density	: not determined
Relative density	: 0.982
Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: Not available for this mixture.
Auto-ignition temperature	: No data available
Decomposition temperature	: not determined

SAFETY DATA SHEET



EXIREL®

Version 1.0	Revision Date: 28.08.2025	SDS Number: 50000082	Date of last issue: - Date of first issue: 28.08.2025
----------------	------------------------------	-------------------------	--

Viscosity	
Viscosity, dynamic	: not determined
Viscosity, kinematic	: 661 mm ² /s 25 rpm
	: 462 mm ² /s 50 rpm
	: 335 mm ² /s 100 rpm
Explosive properties	: Not explosive
Particle size	: Not applicable

10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Avoid extreme temperatures Avoid formation of aerosol. Heat, flames and sparks. Heating of the product will produce harmful and irritant vapours.
Incompatible materials	: Avoid strong acids, bases, and oxidizers
Hazardous decomposition products	: No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

May be harmful if inhaled.

Product:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 425 GLP: yes Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: LC50 (Rat): > 2.4 mg/l

SAFETY DATA SHEET



EXIREL®

Version 1.0	Revision Date: 28.08.2025	SDS Number: 50000082	Date of last issue: - Date of first issue: 28.08.2025
----------------	------------------------------	-------------------------	--

Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The component/mixture is minimally toxic after short term inhalation.
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity

Components:

Fatty acids, soya, Me esters:

Acute oral toxicity : LD50 (Rat): 5,000 - 15,000 mg/kg
Acute dermal toxicity : LD50 (Rabbit): 2,000 - 20,000 mg/kg

water:

Acute oral toxicity : Remarks: No data available
Acute inhalation toxicity : Remarks: No data available

Cyantraniliprole:

Acute oral toxicity : LD50 (Mouse, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: no mortality

LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal

EXIREL®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000082	Date of first issue: 28.08.2025

toxicity
Remarks: no mortality

propane-1,2-diol:

Acute oral toxicity : LD50 (Rat, male and female): 22,000 mg/kg

Acute inhalation toxicity : LC0 (Rabbit): 31.7 mg/l
Exposure time: 2 h
Test atmosphere: vapour
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

calcium dodecylbenzenesulphonate:

Acute oral toxicity : LD50 (Rat, male and female): 1,300 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: Not classified

Acute dermal toxicity : LD50 (Rat, male and female): > 2000 milligram per kilogram
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

2-ethylhexan-1-ol:

Acute oral toxicity : LD50 (Rat, male): 2,047 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4.3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 3,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Xanthan gum:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 21 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

methanol:

Acute oral toxicity : LD50 (Rat): 1,187 mg/kg

SAFETY DATA SHEET



EXIREL®

Version 1.0	Revision Date: 28.08.2025	SDS Number: 50000082	Date of last issue: - Date of first issue: 28.08.2025
----------------	------------------------------	-------------------------	--

Acute toxicity estimate (Humans): 100 mg/kg
Method: Expert judgement

Acute inhalation toxicity : LC50 (Rat, female): 82.1 mg/l
Exposure time: 4 h
Test atmosphere: vapour

LC50 (Rat, male): 92.6 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Acute toxicity estimate: 5 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Expert judgement

Acute dermal toxicity : LD50 (Rabbit): 17,100 mg/kg

Acute toxicity estimate: 300 mg/kg
Method: Expert judgement

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Acute oral toxicity : LD50 (Rat, male and female): > 15,000 mg/kg
Method: OECD Test Guideline 423
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC0 (Rat, male and female): > 5.28 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 403
Remarks: Based on data from similar materials
no mortality

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Causes skin irritation.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Irritating to skin.
GLP : yes

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000082	Date of first issue: 28.08.2025

Components:**Fatty acids, soya, Me esters:**

Result : slight irritation

Cyantraniliprole:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

propane-1,2-diol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

calcium dodecylbenzenesulphonate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

2-ethylhexan-1-ol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

Xanthan gum:

Species : Rabbit
Result : No skin irritation

methanol:

Species : Rabbit
Result : No skin irritation

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Assessment : Repeated exposure may cause skin dryness or cracking.

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit
Exposure time : 72 h
Method : OECD Test Guideline 404
Result : No skin irritation

sodium hydroxide:

Result : Corrosive after 3 minutes or less of exposure

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000082	Date of first issue: 28.08.2025

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
GLP	:	yes
Remarks	:	Minimal effects that do not meet the threshold for classification.

Components:**Fatty acids, soya, Me esters:**

Result	:	Irritation to eyes, reversing within 7 days
--------	---	---

Cyantraniliprole:

Species	:	Rabbit
Result	:	slight irritation
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
GLP	:	yes

propane-1,2-diol:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

calcium dodecylbenzenesulphonate:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

2-ethylhexan-1-ol:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

Xanthan gum:

Species	:	Rabbit
Result	:	No eye irritation

methanol:

Species	:	Rabbit
Result	:	No eye irritation

EXIREL®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000082	Date of first issue: 28.08.2025

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

1,2-benzisothiazol-3(2H)-one:

Species	: Bovine cornea
Result	: No eye irritation
Method	: OECD Test Guideline 437

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: EPA OPP 81-4

sodium hydroxide:

Result	: Irreversible effects on the eye
--------	-----------------------------------

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Test Type	: Buehler Test
Species	: Guinea pig
Assessment	: May cause sensitisation by skin contact.
Method	: OECD Test Guideline 406
Result	: Causes sensitisation.
GLP	: yes

Components:**Fatty acids, soya, Me esters:**

Result	: Does not cause skin sensitisation.
--------	--------------------------------------

Cyantraniliprole:

Test Type	: Local lymph node test
Exposure routes	: Dermal
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitisation.
GLP	: yes

Test Type	: Maximisation Test
Exposure routes	: Dermal
Species	: Guinea pig
Method	: OECD Test Guideline 406

SAFETY DATA SHEET



EXIREL®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000082	Date of first issue: 28.08.2025

Result : Does not cause skin sensitisation.
GLP : yes

Test Type : Buehler Test
Exposure routes : Dermal
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.
GLP : yes

propane-1,2-diol:

Test Type : Maximisation Test
Species : Guinea pig
Result : negative

calcium dodecylbenzenesulphonate:

Test Type : Maximisation Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Not a skin sensitizer.
Remarks : Based on data from similar materials

Xanthan gum:

Species : Guinea pig
Result : Does not cause skin sensitisation.

methanol:

Test Type : Maximisation Test
Species : Guinea pig
Result : Not a skin sensitizer.

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Test Type : Maximisation Test
Exposure routes : Intradermal
Species : Guinea pig
Result : Does not cause skin sensitisation.
Remarks : Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Test Type : Maximisation Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : May cause sensitisation by skin contact.

Species : Guinea pig
Method : FIFRA 81.06
Result : May cause sensitisation by skin contact.

sodium hydroxide:

Remarks : substance is corrosive

EXIREL®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000082	Date of first issue: 28.08.2025

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Germ cell mutagenicity - Assessment : Contains no ingredient listed as a mutagen

Components:**Cyantraniliprole:**

Genotoxicity in vitro : Test Type: reverse mutation assay
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: reverse mutation assay
Test system: Escherichia coli
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative
GLP: yes

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

propane-1,2-diol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Result: negative

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000082	Date of first issue: 28.08.2025

calcium dodecylbenzenesulphonate:

- Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials
- Genotoxicity in vivo : Test Type: chromosome aberration assay
Species: Rat (male and female)
Application Route: Oral
Exposure time: 90 d
Result: negative
Remarks: Based on data from similar materials
- Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

2-ethylhexan-1-ol:

- Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
- Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

methanol:

- Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster fibroblasts
Result: negative
- Test Type: reverse mutation assay
Test system: Salmonella typhimurium
Method: OECD Test Guideline 471
Result: negative
- Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

- Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials
- Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Intraperitoneal injection
Result: negative
Remarks: Based on data from similar materials

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000082	Date of first issue: 28.08.2025

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Cell type: Liver cells
Application Route: Ingestion
Exposure time: 4 h
Method: OECD Test Guideline 486
Result: negative

Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

sodium hydroxide:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Carcinogenicity - Assessment : Contains no ingredient listed as a carcinogen

Components:**Fatty acids, soya, Me esters:**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Cyantraniliprole:

Species : Rat, male
Application Route : Ingestion

SAFETY DATA SHEET



EXIREL®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000082	Date of first issue: 28.08.2025

Exposure time : 2 Years
NOAEL : 200 ppm
Method : OECD Test Guideline 453
Result : negative

Species : Rat, female
Application Route : Ingestion
Exposure time : 2 Years
NOAEL : 2,000 ppm
Method : OECD Test Guideline 453
Result : negative

Species : Mouse, male and female
Application Route : Ingestion
Exposure time : 18 month(s)
NOAEL : 7,000 ppm
Method : OECD Test Guideline 451
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

propane-1,2-diol:

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

calcium dodecylbenzenesulphonate:

Species : Rat, male and female
Application Route : Oral
Exposure time : 720 d
NOAEL : 250 mg/kg body weight
Result : negative
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

2-ethylhexan-1-ol:

Species : Rat
Application Route : Oral
Exposure time : 24 month(s)
Result : negative

Xanthan gum:

Species : Dog, male and female
Application Route : Ingestion
Result : negative

Species : Rat, male and female
Application Route : Ingestion

EXIREL®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000082	Date of first issue: 28.08.2025

Result : negative

methanol:

Species : Mouse, male and female
Application Route : inhalation (vapour)
Exposure time : 18 month(s)
NOAEC : 1.3 mg/l
Result : negative

Species : Rat, male and female
Application Route : inhalation (vapour)
Exposure time : 2 Years
NOAEC : 1.3 mg/l
Result : negative

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Species : Rat, male
Application Route : inhalation (vapour)
Exposure time : 105 weeks
NOAEC : 0.138 mg/l
Result : positive
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : The observed tumors do not appear to be relevant for men.

sodium hydroxide:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Based on available data, the classification criteria are not met.

Product:

Reproductive toxicity - Assessment : Contains no ingredient listed as toxic to reproduction

Components:**Cyantraniliprole:**

Effects on foetal development : Test Type: Pre-natal
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 1,000 mg/kg bw/day
Embryo-foetal toxicity: NOAEL: 1,000 mg/kg bw/day
Method: OECD Test Guideline 414
Result: negative

Test Type: Pre-natal
Species: Rabbit
Application Route: Oral
General Toxicity Maternal: NOAEL: 25 mg/kg bw/day

EXIREL®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000082	Date of first issue: 28.08.2025

Embryo-foetal toxicity: NOAEL: 100 mg/kg bw/day
Symptoms: Maternal effects
Method: OECD Test Guideline 414
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

propane-1,2-diol:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Mouse
Application Route: Oral
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: Animal testing did not show any effects on fertility.
Remarks: Based on data from similar materials

calcium dodecylbenzenesulphonate:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Application Route: Ingestion
General Toxicity - Parent: NOAEL: 400 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Ingestion
General Toxicity Maternal: NOAEL: 300 mg/kg body weight
Developmental Toxicity: NOAEL: 600 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

2-ethylhexan-1-ol:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: negative

Xanthan gum:

Effects on fertility : Test Type: Three-generation study
Species: Rat, male and female
Application Route: Ingestion
General Toxicity F2: NOAEL: 500 mg/kg body weight

EXIREL®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000082	Date of first issue: 28.08.2025

Fertility: NOAEL Parent: 500 mg/kg body weight
Symptoms: No effects on fertility, No effects on foetal development

Fertility: NOAEL F1: 500 mg/kg body weight

methanol:

Effects on fertility

: Test Type: one-generation reproductive toxicity
Species: Monkey, female
Application Route: inhalation (vapour)
General Toxicity F1: NOAEC: 2.39 mg/l
Result: negative

Test Type: Two-generation study
Species: Rat, male and female
Application Route: inhalation (vapour)
General Toxicity F1: LOAEC: 1.3 mg/l
General Toxicity F2: LOAEC: 1.3 mg/l
Result: negative

Effects on foetal development

: Test Type: Pre-natal
Species: Mouse
Application Route: inhalation (vapour)
Developmental Toxicity: NOAEC: 6.65 mg/L
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Test Type: Pre-natal
Species: Rat
Application Route: inhalation (vapour)
Developmental Toxicity: NOAEC: 1.33 mg/L
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Effects on fertility

: Test Type: Fertility
Species: Rat, male and female
Application Route: inhalation (vapour)
Duration of Single Treatment: 14 Weeks
General Toxicity - Parent: NOAEC: 2.2 mg/l
Result: negative

Effects on foetal development

: Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 500 mg/kg body weight
Teratogenicity: NOAEL: 2,000 mg/kg body weight
Remarks: Developmental effects are a consequence of maternal toxicity.

1,2-benzisothiazol-3(2H)-one:

Effects on fertility

: Species: Rat, male
Application Route: Ingestion

SAFETY DATA SHEET



EXIREL®

Version 1.0	Revision Date: 28.08.2025	SDS Number: 50000082	Date of last issue: - Date of first issue: 28.08.2025
----------------	------------------------------	-------------------------	--

General Toxicity - Parent: NOAEL: 18.5 mg/kg body weight
General Toxicity F1: NOAEL: 48 mg/kg body weight
Fertility: NOAEL: 112 mg/kg bw/day
Symptoms: No effects on reproduction parameters
Method: OPPTS 870.3800
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

sodium hydroxide:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

2-ethylhexan-1-ol:

Assessment : May cause respiratory irritation.

methanol:

Target Organs : Central nervous system, Eyes
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 1.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

EXIREL®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000082	Date of first issue: 28.08.2025

Repeated dose toxicity**Components:****Cyantraniliprole:**

Species	: Rat
NOAEL	: > 1,000 mg/kg
Application Route	: Oral
Exposure time	: 28 Days
Method	: OECD Test Guideline 407
Symptoms	: increased liver weight
Remarks	: Based on available data, the classification criteria are not met.

Species	: Rat, male and female
NOAEL	: 6.9 - 168 mg/kg bw/day
Application Route	: Ingestion
Exposure time	: 90 Days
Method	: OPPTS 870.3100
Remarks	: Effects are of limited toxicological significance.

Species	: Mouse, male and female
NOAEL	: 1091.8 mg/kg bw/day
Application Route	: Ingestion
Exposure time	: 90 Days
Method	: OPPTS 870.3100
Remarks	: Effects are of limited toxicological significance.

Species	: Dog, male and female
NOAEL	: 3.08 - 3.48 mg/kg bw/day
Application Route	: Ingestion
Exposure time	: 90 Days
Method	: OPPTS 870.3150
Remarks	: Effects are of limited toxicological significance.

Species	: Rat, male and female
NOAEL	: 8.3 - 106.6 mg/kg bw/day
Application Route	: Ingestion
Exposure time	: 2 yr
Method	: OPPTS 870.4300
Remarks	: Effects are of limited toxicological significance.

Species	: Mouse, male and female
NOAEL	: 768.8 - 903.8 mg/kg bw/day
Application Route	: Ingestion
Exposure time	: 18 Months
Method	: OPPTS 870.4200
Remarks	: Effects are of limited toxicological significance.

Species	: Dog, male and female
NOAEL	: 5.67 - 6 mg/kg bw/day
Application Route	: Ingestion
Exposure time	: 1 yr
Method	: OPPTS 870.4100
Remarks	: Effects are of limited toxicological significance.

SAFETY DATA SHEET



EXIREL®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000082	Date of first issue: 28.08.2025

Species	: Rat, male and female
NOAEL	: 1000 mg/kg
Application Route	: Dermal
Exposure time	: 28 Days
Method	: OECD Test Guideline 410
GLP	: yes
Symptoms	: Irritation
Remarks	: Effects are of limited toxicological significance.

propane-1,2-diol:

Species	: Rat, male and female
NOAEL	: 1,700 mg/kg
Application Route	: Oral
Exposure time	: 2 Years

Species	: Rat, male and female
NOAEL	: 1,000 mg/kg
LOAEL	: 160 mg/kg
Application Route	: Inhalation
Exposure time	: 90 Days

calcium dodecylbenzenesulphonate:

Species	: Rat, male and female
NOAEL	: 85 mg/kg
LOAEL	: 145 mg/kg
Application Route	: Oral
Exposure time	: 9 Months
Remarks	: Based on data from similar materials

Species	: Rat, male
LOAEL	: 286 mg/kg
Application Route	: Skin contact
Exposure time	: 15 Days
Remarks	: Based on data from similar materials

Species	: Rat, male and female
NOAEL	: 100 mg/kg bw/day
LOAEL	: 200 mg/kg bw/day
Application Route	: Oral - gavage
Exposure time	: 28 - 54 Days
Method	: OECD Test Guideline 422
Remarks	: Based on data from similar materials

2-ethylhexan-1-ol:

Species	: Rat
	: 250 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Method	: OECD Test Guideline 408

methanol:

Species	: Monkey
---------	----------

SAFETY DATA SHEET



EXIREL®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000082	Date of first issue: 28.08.2025

LOAEL	:	2,340 mg/kg
Application Route	:	Ingestion
Exposure time	:	3 days
Species	:	Rat
NOEC	:	0.13 mg/l
LOAEL	:	1.3 mg/l
Application Route	:	inhalation (vapour)
Exposure time	:	12 months
Remarks	:	No toxicologically significant effects were found.

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Species	:	Rat
NOAEL	:	>= 200 ppm
Application Route	:	inhalation (vapour)
Exposure time	:	13 weeks
Remarks	:	Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Species	:	Rat, male and female
NOAEL	:	15 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 d
Method	:	OECD Test Guideline 407
Symptoms	:	Irritation
Species	:	Rat, male and female
NOAEL	:	69 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 d
Symptoms	:	Irritation, Reduced body weight

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Experience with human exposure

Components:

methanol:

Ingestion	:	Target Organs: Eyes
	:	Remarks: Based on Human Evidence

SAFETY DATA SHEET



EXIREL®

Version 1.0	Revision Date: 28.08.2025	SDS Number: 50000082	Date of last issue: - Date of first issue: 28.08.2025
----------------	------------------------------	-------------------------	--

sodium hydroxide:

General Information	: Symptoms: corrosive effects
Inhalation	: Target Organs: Respiratory Tract Symptoms: corrosive effects
Skin contact	: Target Organs: Skin Symptoms: corrosive effects
Eye contact	: Target Organs: Eyes Symptoms: corrosive effects
Ingestion	: Target Organs: Gastrointestinal tract Symptoms: corrosive effects

Neurological effects

Components:

Cyantraniliprole:

No neurotoxicity observed in animal studies

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	: LC50 (Cyprinus carpio (Carp)): 130 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.232 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 3.39 mg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.00969 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 GLP: yes

SAFETY DATA SHEET



EXIREL®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000082	Date of first issue: 28.08.2025

Components:

Fatty acids, soya, Me esters:

Toxicity to fish : LC50 (Fish): > 1,000 mg/l
Exposure time: 96 h

LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l
Exposure time: 48 h
Method: ISO 7346/2

Toxicity to daphnia and other aquatic invertebrates : EC50 (Crustaceans): 800 - 5,243 mg/l
Exposure time: 48 h

water:

Toxicity to fish : Remarks: No data available

Cyantraniliprole:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 12.6 mg/l
Exposure time: 96 h
Method: US EPA Test Guideline OPP 72-1
GLP: yes

LC50 (Ictalurus punctatus (channel catfish)): > 10 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0204 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 13 mg/l
Exposure time: 72 h

ErC50 (Lemna gibba (duckweed)): 0.278 mg/l
Exposure time: 7 d

EyC50 (Lemna gibba (duckweed)): 0.060 mg/l
Exposure time: 7 d

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Cyprinodon variegatus (sheepshead minnow)): 2.9 mg/l
Exposure time: 28 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 0.11 mg/l
Exposure time: 21 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 1.01 mg/l
Exposure time: 90 d
Test Type: Early Life-Stage
Method: US EPA Test Guideline OPP 72-4
GLP: yes

SAFETY DATA SHEET



EXIREL®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000082	Date of first issue: 28.08.2025

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.00656 mg/l
End point: Growth
Exposure time: 21 d
Test Type: Static-Renewal
Method: US EPA Test Guideline OPPTS 850.1300
GLP: yes

LOEC (Daphnia magna (Water flea)): 0.00969 mg/l
End point: Growth
Exposure time: 21 d
Test Type: Static-Renewal
Method: US EPA Test Guideline OPPTS 850.1300
GLP: yes

NOEC (Daphnia magna (Water flea)): 0.00447 mg/l
Exposure time: 21 d

NOEC (Americamysis bahia (mysid shrimp)): 0.72 mg/l
End point: reproduction
Exposure time: 35 d
Test Type: flow-through test
Method: US EPA Test Guideline OPP 72-4
GLP: yes

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : NOEC (Eisenia fetida (earthworms)): 1,000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 222
GLP: yes

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on carbon mineralization.

Toxicity to terrestrial organisms : LD50 (Apis mellifera (bees)): > 0.0934 µg/bee
Exposure time: 72 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214
GLP: yes

LD50 (Apis mellifera (bees)): > 0.1055 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213
GLP: yes

LD50 (Colinus virginianus): > 2,250 mg/kg
End point: Acute oral toxicity
Method: US EPA Test Guideline OPPTS 850.2100

SAFETY DATA SHEET



EXIREL®

Version 1.0	Revision Date: 28.08.2025	SDS Number: 50000082	Date of last issue: - Date of first issue: 28.08.2025
----------------	------------------------------	-------------------------	--

GLP: yes

NOEC (Anas platyrhynchos (Mallard duck)): 1,000 ppm
End point: Reproduction Test
Method: OECD Test Guideline 206
GLP: yes

propane-1,2-diol:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	(Mysidopsis bahia (opossum shrimp)): 18,800 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 34,100 mg/l Exposure time: 48 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 13,020 mg/l Exposure time: 7 d
Toxicity to microorganisms	:	EC50 (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h

calcium dodecylbenzenesulphonate:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 10 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials LC50 (Pimephales promelas (fathead minnow)): 4.6 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 3.5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 7.9 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials EC50 (Pseudokirchneriella subcapitata (green algae)): 65.4 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other	:	NOEC (Daphnia magna (Water flea)): 1.65 mg/l

SAFETY DATA SHEET



EXIREL®

Version 1.0	Revision Date: 28.08.2025	SDS Number: 50000082	Date of last issue: - Date of first issue: 28.08.2025
----------------	------------------------------	-------------------------	--

aquatic invertebrates (Chronic toxicity)

Exposure time: 21 d
Remarks: Based on data from similar materials

NOEC (Daphnia magna (Water flea)): 1.18 mg/l
Exposure time: 21 d
Remarks: Based on data from similar materials

Toxicity to microorganisms

: EC50 (activated sludge): 500 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to soil dwelling organisms

: LC50 (Eisenia fetida (earthworms)): 1,000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms

: LD50 (Colinus virginianus (Bobwhite quail)): 1,356 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 223

2-ethylhexan-1-ol:

Toxicity to fish

: LC50 (Leuciscus idus (Golden orfe)): 17.1 - 28.2 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 39 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants

: EC10 (Desmodesmus subspicatus (green algae)): 3.2 mg/l
Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): 11.5 mg/l
Exposure time: 72 h

Toxicity to microorganisms

: EC50 (Anabaena flos-aquae (cyanobacterium)): 16.6 mg/l
Exposure time: 72 h

Xanthan gum:

Toxicity to fish

: LC50 (Oncorhynchus mykiss (rainbow trout)): 490 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 980 mg/l
Exposure time: 48 h

methanol:

Toxicity to fish

: LC50 (Pimephales promelas (fathead minnow)): 15,400 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 18,260 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants

: EC50 (Selenastrum capricornutum (green algae)): ca. 22,000 mg/l
Exposure time: 96 h

SAFETY DATA SHEET



EXIREL®

Version 1.0	Revision Date: 28.08.2025	SDS Number: 50000082	Date of last issue: - Date of first issue: 28.08.2025
----------------	------------------------------	-------------------------	--

Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 450 mg/l Exposure time: 28 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 208 mg/l Exposure time: 21 d
Toxicity to microorganisms	: EC50 (activated sludge): 19,800 mg/l Exposure time: 96 h

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Toxicity to fish	: LL50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l Exposure time: 96 h Test Type: semi-static test Remarks: water accommodated fractions (WAF)
Toxicity to daphnia and other aquatic invertebrates	: LL50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h Test Type: static test Remarks: water accommodated fractions (WAF)
Toxicity to algae/aquatic plants	: NOELR (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 EL50 (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOELR (Oncorhynchus mykiss (rainbow trout)): 0.173 mg/l Exposure time: 28 d Method: QSAR Remarks: No toxicity at the limit of solubility water accommodated fractions (WAF)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOELR (Daphnia magna (Water flea)): 1.22 mg/l Exposure time: 21 d Method: QSAR Remarks: No toxicity at the limit of solubility water accommodated fractions (WAF)
Toxicity to microorganisms	: EL50 (Tetrahymena pyriformis): > 1,000 mg/l Exposure time: 48 h Method: QSAR

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish	: LC50 (Cyprinodon variegatus (sheepshead minnow)): 16.7 mg/l Exposure time: 96 h Test Type: static test
------------------	--

SAFETY DATA SHEET



EXIREL®

Version 1.0	Revision Date: 28.08.2025	SDS Number: 50000082	Date of last issue: - Date of first issue: 28.08.2025
----------------	------------------------------	-------------------------	--

LC50 (Oncorhynchus mykiss (rainbow trout)): 2.15 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.9 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.070 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.04 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

EC50 (activated sludge): 12.8 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability

Components:

Fatty acids, soya, Me esters:

Biodegradability : Result: Readily biodegradable.

Cyantraniliprole:

Biodegradability : Remarks: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 9.09 - 37.7 d
Remarks: Fresh water

Degradation half life (DT50): 76.6 - 119 d
Remarks: Soil

Degradation half life (DT50): 22.8 - 25.1 d
Remarks: total system

propane-1,2-diol:

SAFETY DATA SHEET



EXIREL®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000082	Date of first issue: 28.08.2025

Biodegradability : Result: Readily biodegradable.
Biodegradation: 23.6 %
Exposure time: 64 d
Method: OECD Test Guideline 306

calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301E

2-ethylhexan-1-ol:

Biodegradability : Result: Readily biodegradable.

Xanthan gum:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 88 %
Exposure time: 28 d
Method: OECD Test Guideline 301E

methanol:

Biodegradability : Result: Readily biodegradable.

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Biodegradability : Concentration: 50 mg/l
Result: Readily biodegradable.
Biodegradation: 89.9 %
Exposure time: 28 d
Method: OECD Test Guideline 301

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable
Method: OECD Test Guideline 301C

Bioaccumulative potential

Components:

Fatty acids, soya, Me esters:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Cyantraniliprole:

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Bioconcentration factor (BCF): < 1
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 1.97 (22 °C)
pH: 4

log Pow: 2.07 (22 °C)
pH: 7

SAFETY DATA SHEET



EXIREL®

Version 1.0	Revision Date: 28.08.2025	SDS Number: 50000082	Date of last issue: - Date of first issue: 28.08.2025
----------------	------------------------------	-------------------------	--

log Pow: 1.74 (22 °C)
pH: 9

propane-1,2-diol:

Partition coefficient: n-octanol/water : log Pow: -1.07

calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 70.79
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4.77 (25 °C)

2-ethylhexan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 2.9 (25 °C)

Xanthan gum:

Bioaccumulation : Remarks: Does not bioaccumulate.

methanol:

Partition coefficient: n-octanol/water : log Pow: -0.77 (20 °C)

Distillates (petroleum), hydro- treated light; Kerosine — unspecified:

Bioaccumulation : Bioconcentration factor (BCF): 144.3
Method: QSAR

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 6.62
Exposure time: 56 d
Method: OECD Test Guideline 305
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0.7 (20 °C)
pH: 7

log Pow: 0.99 (20 °C)
pH: 5

Mobility in soil

Components:

Cyantraniliprole:

SAFETY DATA SHEET



EXIREL®

Version 1.0	Revision Date: 28.08.2025	SDS Number: 50000082	Date of last issue: - Date of first issue: 28.08.2025
----------------	------------------------------	-------------------------	--

Distribution among environmental compartments : Koc: 241 ml/g, log Koc: 2.38
Kd: 3.73 ml/g
Remarks: Mobile in soils

1,2-benzisothiazol-3(2H)-one:

Distribution among environmental compartments : Koc: 9.33 ml/g, log Koc: 0.97
Method: OECD Test Guideline 121
Remarks: Highly mobile in soils

Other adverse effects

Product:

Additional ecological information : Environmental hazards
Do not apply directly to water.
Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

Toxic to bees.
Do not apply this product if bees are visiting the treatment area.
See product label for additional application instructions relating to environmental precautions.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

Hygienic standards:

(Allowable concentration in air, water, including fishery waters, soil)

Components	Air	Water	Soil	Data Source
propane-1,2-diol 57-55-6	TSEL: 0.03 mg/m ³	MPC: 0.5 Milligrams per cubed decimeter Limiting health hazard indicator: toxic Hazard class: 4 MPC: 0.3 Milligrams per cubed decimeter Limiting health hazard indicator: toxic Hazard class: 4 MAC: 0.6 mg/l Limiting health hazard indicator: general sanitary Hazard class: Class 3 - moderately	No data available	List 2 List 4 List 5

SAFETY DATA SHEET



EXIREL®

Version 1.0 Revision Date: 28.08.2025 SDS Number: 50000082 Date of last issue: -
Date of first issue: 28.08.2025

		dangerous		
2-ethylhexan-1-ol 104-76-7	MPC - maximum: 0.15 mg/m ³ Limiting health hazard indicator: reflectory Hazard class: Class 4 - low hazard	MPC: 0.09 Milligrams per cubed decimeter Limiting health hazard indicator: toxic Hazard class: 4 MPC: 0.01 Milligrams per cubed decimeter Limiting health hazard indicator: sanitary and toxicological effects Hazard class: 3 MAC: 0.15 mg/l Limiting health hazard indicator: general sanitary Hazard class: Class 3 - moderately dangerous	No data available	List 1 List 4 List 5
Xanthan gum 11138-66-2	TSEL: 0.15 mg/m ³	MPC: 0.5 Milligrams per cubed decimeter Limiting health hazard indicator: sanitary - violation of environmental conditions: changing trophic water bodies fishery; hydrochemical parameters: oxygen, nitrogen, phosphorus, pH, impaired self-purification of water bodies of water fishery: BOD5 (biochemical oxygen demand for 5 days), the number of saprophytic microflora Hazard class: 3 MAC: 1 mg/l Limiting health hazard indicator: organoleptic; gives	No data available	List 2 List 4 List 5

SAFETY DATA SHEET



EXIREL®

Version
1.0Revision Date:
28.08.2025SDS Number:
50000082Date of last issue: -
Date of first issue: 28.08.2025

		colour to water Hazard class: Class 4 - low hazard		
methanol 67-56-1	MPC - maximum: 1 mg/m ³ Limiting health hazard indicator: Reflectory-resorptive Hazard class: Class 3 - moderately dangerous MPC - average: 0.5 mg/m ³ Limiting health hazard indicator: Reflectory-resorptive Hazard class: Class 3 - moderately dangerous MPC - average chronic: 0.2 mg/m ³ Limiting health hazard indicator: Reflectory-resorptive Hazard class: Class 3 - moderately dangerous	MPC: 0.1 Milligrams per cubed decimeter Limiting health hazard indicator: sanitary - violation of environmental conditions: changing trophic water bodies fishery; hydrochemical parameters: oxygen, nitrogen, phosphorus, pH, impaired self-purification of water bodies of water fishery: BOD5 (biochemical oxygen demand for 5 days), the number of saprophytic microflora Hazard class: 4 MPC: 0.1 Milligrams per cubed decimeter Limiting health hazard indicator: sanitary and toxicological effects Hazard class: 4 MAC: 3 mg/l Limiting health hazard indicator: sanitary-toxicological Hazard class: Class 2 - highly dangerous	No data available	List 1 List 4 List 5
Distillates (petroleum), hydro- treated light; Kerosine — unspecified 64742-47-8	TSEL: 1.2 mg/m ³	MPC: 0.05 Milligrams per cubed decimeter Limiting health hazard indicator: toxic Hazard class: 3 MPC: 1 Milligrams per	No data available	List 2 List 5

SAFETY DATA SHEET



EXIREL®

Version 1.0 Revision Date: 28.08.2025 SDS Number: 50000082 Date of last issue: -
Date of first issue: 28.08.2025

		cubed decimeter Limiting health hazard indicator: toxic Hazard class: 3		
sodium hydroxide 1310-73-2	TSEL: 0.01 mg/m3	No data available	No data available	List 2 List 5

For explanation of abbreviations see section 16.

13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
- Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

ADR

- UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Cyantraniliprole)
Class : 9
Packing group : III
Labels : 9
Hazard Identification Number : 90
Tunnel restriction code : (-)
Environmentally hazardous : yes

UNRTDG

- UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Cyantraniliprole)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

SAFETY DATA SHEET



EXIREL®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000082	Date of first issue: 28.08.2025

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Cyantraniliprole)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyantraniliprole)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.
ENCS	: Not in compliance with the inventory

EXIREL®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000082	Date of first issue: 28.08.2025

ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

16. OTHER INFORMATION**Full text of H-Statements**

H225	Highly flammable liquid and vapour.
H227	Combustible liquid.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H370	Causes damage to organs.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Met. Corr.	: Corrosive to metals
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation

SAFETY DATA SHEET



EXIREL®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000082	Date of first issue: 28.08.2025

- | | | |
|---------|---|---|
| STOT SE | : | Specific target organ toxicity - single exposure |
| List 1 | : | SanPiN 1.2.3685-21 Table 1.1, Table 1.10, & Table 1.11 Maximum permissible concentration (MPC) in the air of urban and rural settlements |
| List 2 | : | SanPiN 1.2.3685-21 Table 1.2, Table 1.12 & Table 1.13 Tentative Safe Exposure Levels (TSEL) in the air of urban and rural settlements |
| List 4 | : | SanPiN 1.2.3685-21 Table 3.13, Table 3.15, Table 3.16 & Table 3.17 Maximum permissible concentrations (MPC) of chemicals in the water of drinking systems of centralized, including hot, and non-centralized water supply, water of underground and surface water bodies of domestic drinking and cultural and domestic water use, water of swimming pools, water parks |
| List 5 | : | Order of the Russian Federal Fisheries Agency "Standards of maximum permissible concentrations of harmful substances in fishery water bodies" |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Other information :

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or

SAFETY DATA SHEET



EXIREL®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000082	Date of first issue: 28.08.2025

implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

AZ / 6N