

SAFETY DATA SHEET



MUSTANG MAX® 12 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000516	Date of first issue: 28.08.2025

SECTION 1. IDENTIFICATION

Product name : MUSTANG MAX® 12 EC

Other means of identification : FURY® 11.6 EC

Manufacturer or supplier's details

Company : FMC CORPORATION

Address : 2929 WALNUT STREET
PHILADELPHIA, PA 19104 USA
(215) 299-6000 (GENERAL INFORMATION)

Emergency telephone : +506-40003869
911

Medical Emergency Number : Costa Rica - National Center of Poisoning - (506) 2223-1028;
800-INTOXICA
Dominican Republic: DOMINICAN REPUBLIC - Center for
Drug Information and Poisoning - (809) 562-6601 Ext. 1801
El Salvador - Rosales National Hospital - (503) 2231-9262
Guatemala - Center of Toxicological Information and Assis-
tance - (502) 2251-3560 / 2232-0735
Honduras - Hospital School - (504) 232-6105
Nicaragua - National Center of Toxicology - (505) 2289-4700
ext. 1294 cel. 8755-0983
Panama Center of Research and Information on Medications
and Toxicology (507) 523-4948

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Skin corrosion/irritation : Category 3

Serious eye damage/eye irri-
tation : Category 2B

Skin sensitization : Sub-category 1B

SAFETY DATA SHEET



MUSTANG MAX® 12 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000516	Date of first issue: 28.08.2025

Carcinogenicity : Category 2

Specific target organ toxicity - single exposure : Category 2 (Nervous system)

Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

Specific target organ toxicity - repeated exposure : Category 2

Aspiration hazard : Category 1

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms : 

Signal Word : DANGER

Hazard Statements : H302 + H332 Harmful if swallowed or if inhaled.
H304 May be fatal if swallowed and enters airways.
H316 Causes mild skin irritation.
H317 May cause an allergic skin reaction.
H320 Causes eye irritation.
H335 May cause respiratory irritation.
H351 Suspected of causing cancer.
H371 May cause damage to organs (Nervous system).
H373 May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

SAFETY DATA SHEET



MUSTANG MAX® 12 EC

Version 1.0 Revision Date: 28.08.2025 SDS Number: 50000516 Date of last issue: -
Date of first issue: 28.08.2025

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P331 Do NOT induce vomiting.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5	>= 50 -< 70
Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified	64742-56-9	>= 20 -< 30
2-methylnaphthalene	91-57-6	>= 10 -< 20
Zeta cypermethrin	52315-07-8	>= 10 -< 20
1-methylnaphthalene	90-12-0	>= 5 -< 10
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	68584-23-6	>= 1 -< 2,5
2-ethylhexan-1-ol	104-76-7	>= 1 -< 2,5
naphthalene	91-20-3	>= 0,25 -< 1

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

SAFETY DATA SHEET



MUSTANG MAX® 12 EC

Version 1.0	Revision Date: 28.08.2025	SDS Number: 50000516	Date of last issue: - Date of first issue: 28.08.2025
----------------	------------------------------	-------------------------	--

- Show this material safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and water.
If symptoms persist, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Rinse mouth with water.
Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Swallowing or inhaling may result in sudden shortness of breath, coughing, nausea and or abdominal pain.
Exposure to skin may result in mild symptoms include itching, hives or rash, and skin redness. More severe symptoms include sneezing, itchy watery eyes, and difficulty breathing.
Harmful if swallowed or if inhaled.
May be fatal if swallowed and enters airways.
Causes mild skin irritation.
May cause an allergic skin reaction.
Causes eye irritation.
May cause respiratory irritation.
Suspected of causing cancer.
May cause damage to organs.
May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.

SAFETY DATA SHEET



MUSTANG MAX® 12 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000516	Date of first issue: 28.08.2025

- | | | |
|--|---|--|
| Specific hazards during fire fighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : | Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides
Nitrogen oxides (NOx)
Chlorinated compounds
Hydrogen chloride
Hydrogen cyanide |
| Specific extinguishing methods | : | Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : | Firefighters should wear protective clothing and self-contained breathing apparatus. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | | |
|---|---|---|
| Personal precautions, protective equipment and emergency procedures | : | Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Ensure adequate ventilation. |
| Environmental precautions | : | Prevent further leakage or spillage if safe to do so.
Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : | Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
Keep in suitable, closed containers for disposal. |

SECTION 7. HANDLING AND STORAGE

- | | | |
|---|---|---|
| Advice on protection against fire and explosion | : | Normal measures for preventive fire protection. |
| Advice on safe handling | : | Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes. |

SAFETY DATA SHEET



MUSTANG MAX® 12 EC

Version 1.0 Revision Date: 28.08.2025 SDS Number: 50000516 Date of last issue: -
Date of first issue: 28.08.2025

For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Do not store near acids.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5	TWA	200 mg/m ³ (total hydrocarbon vapor)	CR OEL
		Further information: Confirmed animal carcinogen, Risk of cutaneous absorption		
		TWA	200 mg/m ³ (total hydrocarbon vapor)	ACGIH
Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified	64742-56-9	TWA	5 mg/m ³	CR OEL
		Further information: Not classifiable as a human carcinogen		
		TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
2-methylnaphthalene	91-57-6	TWA	0,5 ppm	CR OEL
		Further information: Not classifiable as a human carcinogen, Risk of cutaneous absorption		
		TWA SL	0,05 ppm 3 mg/100 cm ²	ACGIH ACGIH
1-methylnaphthalene	90-12-0	TWA	0,5 ppm	CR OEL
		Further information: Not classifiable as a human		

SAFETY DATA SHEET



MUSTANG MAX® 12 EC

Version 1.0 Revision Date: 28.08.2025 SDS Number: 50000516 Date of last issue: -
Date of first issue: 28.08.2025

		carcinogen, Risk of cutaneous absorption		
		TWA	0,05 ppm	ACGIH
		SL	3 mg/100 cm ²	ACGIH
2-ethylhexan-1-ol	104-76-7	TWA	5 ppm	ACGIH
naphthalene	91-20-3	TWA	10 ppm	CR OEL
		Further information: Confirmed animal carcinogen, Risk of cutaneous absorption		
		TWA	10 ppm	ACGIH

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Hand protection
Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

Hygiene measures : Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Color : brown
amber

Odor : Aromatic

Odor Threshold : No data available

pH : 4,4 (22 °C)

Melting point/ range : No data available

SAFETY DATA SHEET



MUSTANG MAX® 12 EC

Version 1.0	Revision Date: 28.08.2025	SDS Number: 50000516	Date of last issue: - Date of first issue: 28.08.2025
----------------	------------------------------	-------------------------	--

Boiling point/boiling range : No data available

Flash point : > 110 °C
No data available

Evaporation rate : No data available

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 0,97 g/cm³

Solubility(ies)
Water solubility : emulsifiable

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Molecular weight : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

SAFETY DATA SHEET



MUSTANG MAX® 12 EC

Version 1.0	Revision Date: 28.08.2025	SDS Number: 50000516	Date of last issue: - Date of first issue: 28.08.2025
----------------	------------------------------	-------------------------	--

Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	Avoid extreme temperatures. Avoid formation of aerosol.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact

Acute toxicity

Harmful if swallowed or if inhaled.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Acute oral toxicity	:	LD50 (Rat, male and female): > 5.000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute inhalation toxicity	:	LC50 (Rat): > 4,688 mg/l Exposure time: 4 h Test atmosphere: vapor Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified:

Acute oral toxicity	:	LD50 (Rat, male and female): > 5.000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 5,53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rabbit, male and female): > 5.000 mg/kg Method: OECD Test Guideline 402

MUSTANG MAX® 12 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000516	Date of first issue: 28.08.2025

Remarks: Based on data from similar materials

2-methylnaphthalene:

Acute oral toxicity : LD50 (Rat): 1.630 mg/kg

Zeta cypermethrin:Acute oral toxicity : LD50 (Rat, female): 810 - 2.000 mg/kg
Method: OECD Test Guideline 425
Symptoms: abnormal posture, hypoactivity, ataxia, Tremors
GLP: yesLD50 (Rat, male and female): 69,2 - 142,3 mg/kg
Method: FIFRA 81.01
GLP: yesAcute inhalation toxicity : LC50 (Rat, male and female): 0,52 - 2,06 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yesAcute dermal toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 402
Symptoms: Irritation
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: no mortality**1-methylnaphthalene:**

Acute oral toxicity : LD50 (Rat): 1.840 mg/kg

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materialsAcute inhalation toxicity : LD50 (Rat, male and female): > 1,9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicityAcute dermal toxicity : LD50 (Rabbit, male and female): > 4.000 mg/kg
Remarks: Based on data from similar materials**2-ethylhexan-1-ol:**

Acute oral toxicity : LD50 (Rat, male): 2.047 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4,3 mg/l
Exposure time: 4 h

SAFETY DATA SHEET



MUSTANG MAX® 12 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000516	Date of first issue: 28.08.2025

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 3.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

naphthalene:

Acute oral toxicity : LD50 (Mouse, female): 710 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC0 (Rat, male and female): > 0,4 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 16.000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Causes mild skin irritation.

Product:

Result : Mild skin irritation

Remarks : May cause skin irritation and/or dermatitis.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species : Rabbit
Assessment : Repeated exposure may cause skin dryness or cracking.
Result : No skin irritation
Remarks : Minimal effects that do not meet the threshold for classification.
Based on data from similar materials

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

2-methylnaphthalene:

Result : Skin irritation

Zeta cypermethrin:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404

SAFETY DATA SHEET



MUSTANG MAX® 12 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000516	Date of first issue: 28.08.2025

Result : No skin irritation

1-methylnaphthalene:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Mild skin irritation

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Assessment : Irritating to skin.

2-ethylhexan-1-ol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

naphthalene:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Causes eye irritation.

Product:

Result : Irritation to eyes, reversing within 7 days
Remarks : Vapors may cause irritation to the eyes, respiratory system and the skin.

Remarks : Vapors may cause irritation to the eyes, respiratory system and the skin.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species : Rabbit
Assessment : No eye irritation
Remarks : Minimal effects that do not meet the threshold for classification.
Based on data from similar materials

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

Zeta cypermethrin:

Species : Rabbit
Result : slight irritation
Assessment : Not classified as irritant

SAFETY DATA SHEET



MUSTANG MAX® 12 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000516	Date of first issue: 28.08.2025

Species	:	Rabbit
Result	:	No eye irritation
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405

1-methylnaphthalene:

Species	:	Rabbit
Result	:	No eye irritation

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Assessment	:	Risk of serious damage to eyes.
------------	---	---------------------------------

2-ethylhexan-1-ol:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

naphthalene:

Species	:	Rabbit
Result	:	No eye irritation

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Result	:	Probability or evidence of low to moderate skin sensitization rate in humans
--------	---	--

Remarks	:	Causes sensitization.
---------	---	-----------------------

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Test Type	:	Maximization Test
Species	:	Guinea pig
Result	:	Not a skin sensitizer.
Remarks	:	Based on data from similar materials

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified:

Test Type	:	Buehler Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Not a skin sensitizer.
Remarks	:	Based on data from similar materials

SAFETY DATA SHEET



MUSTANG MAX® 12 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000516	Date of first issue: 28.08.2025

Zeta cypermethrin:

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Dermal
Species	: mice
Assessment	: May cause sensitization by skin contact.
Method	: OECD Test Guideline 429
Result	: May cause sensitization by skin contact.

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Test Type	: Buehler Test
Species	: Guinea pig
Result	: Not a skin sensitizer.
Remarks	: Based on data from similar materials

naphthalene:

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Genotoxicity in vitro	: Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
-----------------------	---

Genotoxicity in vivo	: Test Type: Bone marrow chromosome aberration. Species: Rat Application Route: inhalation (vapor) Result: negative
----------------------	--

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified:

Genotoxicity in vitro	: Test Type: reverse mutation assay Metabolic activation: Metabolic activation Method: OECD Test Guideline 471 Result: positive Remarks: Based on data from similar materials
-----------------------	---

Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse (male and female) Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials
----------------------	--

MUSTANG MAX® 12 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000516	Date of first issue: 28.08.2025

2-methylnaphthalene:

Genotoxicity in vitro : Test Type: sister chromatid exchange assay
Test system: Human lymphocytes
Result: negative

Test Type: Ames test
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

Zeta cypermethrin:

Genotoxicity in vitro : Test Type: Ames test
Result: negative

Test Type: unscheduled DNA synthesis assay
Test system: rat hepatocytes
Result: negative

Test Type: Chromosome aberration test in vitro
Metabolic activation: with and without metabolic activation
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: chromosome aberration assay
Species: Chinese hamster
Cell type: Bone marrow
Application Route: Oral
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

1-methylnaphthalene:

Genotoxicity in vitro : Test Type: sister chromatid exchange assay
Test system: Human lymphocytes
Result: negative

Test Type: Ames test
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Intraperitoneal injection

SAFETY DATA SHEET



MUSTANG MAX® 12 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000516	Date of first issue: 28.08.2025

Exposure time: 72 hrs
Method: Mutagenicity (micronucleus test)
Remarks: Based on data from similar materials

2-ethylhexan-1-ol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

naphthalene:

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Carcinogenicity

Suspected of causing cancer.

Product:

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species : Rat, male and female
Application Route : inhalation (vapor)
Exposure time : 12 month(s)
NOAEC : 1,8 mg/l
Result : negative
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified:

Species : Mouse, female
Application Route : Dermal
Exposure time : 78 weeks
Result : negative
Remarks : Based on data from similar materials

SAFETY DATA SHEET



MUSTANG MAX® 12 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000516	Date of first issue: 28.08.2025

2-methylnaphthalene:

Species	: Mouse, male
Application Route	: Oral
Exposure time	: 81 w
Dose	: 750, 1500 ppm
LOAEL	: 750 ppm
Result	: equivocal
Symptoms	: Tumor
Target Organs	: Lungs
Remarks	: Based on data from similar materials

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

Zeta cypermethrin:

Species	: Rat
Application Route	: Oral
Exposure time	: 24 month(s)
NOAEL	: 7,5 mg/kg bw/day
Result	: negative

1-methylnaphthalene:

Species	: Mouse, male
Application Route	: Oral
Exposure time	: 81 w
Dose	: 750, 1500 ppm
LOAEL	: 750 ppm
Result	: equivocal
Symptoms	: Tumor
Target Organs	: Lungs

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

2-ethylhexan-1-ol:

Species	: Rat
Application Route	: Oral
Exposure time	: 24 month(s)
Result	: negative

naphthalene:

Species	: Rat
Application Route	: Inhalation
Exposure time	: 2 Years
Result	: positive

Carcinogenicity - Assessment	: Limited evidence of carcinogenicity in animal studies
------------------------------	---

Reproductive toxicity

Based on available data, the classification criteria are not met.

MUSTANG MAX® 12 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000516	Date of first issue: 28.08.2025

Components:**Zeta cypermethrin:**

- Effects on fertility : Test Type: Two-generation study
Species: Rat
Application Route: Oral
General Toxicity F1: NOAEL: 22 mg/kg bw/day
Method: OECD Test Guideline 416
Result: negative
- Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 12,5 mg/kg bw/day
Developmental Toxicity: NOAEL: 35 mg/kg bw/day
Method: OECD Test Guideline 426
Result: negative
GLP: yes
- Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

- Effects on fertility : Test Type: one-generation reproductive toxicity
Species: Rat, male and female
Application Route: Oral
Method: OECD Test Guideline 415
Result: No effects on fertility and early embryonic development were detected.

2-ethylhexan-1-ol:

- Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: negative

naphthalene:

- Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Inhalation
Result: negative
- Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Method: OECD Test Guideline 414
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

SAFETY DATA SHEET



MUSTANG MAX® 12 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000516	Date of first issue: 28.08.2025

STOT-single exposure

May cause respiratory irritation.
May cause damage to organs (Nervous system).

Product:

Assessment : May cause respiratory irritation.

Components:

2-methylnaphthalene:

Assessment : May cause respiratory irritation.
May cause drowsiness or dizziness.

Zeta cypermethrin:

Target Organs : Nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 2.

Assessment : May cause respiratory irritation.

1-methylnaphthalene:

Assessment : May cause respiratory irritation.
May cause drowsiness or dizziness.

2-ethylhexan-1-ol:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Product:

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Components:

Zeta cypermethrin:

Target Organs : Nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Repeated dose toxicity

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species : Rat, male and female
NOAEC : 0,9 - 1,8 mg/l
Application Route : inhalation (vapor)
Exposure time : 12 Months

MUSTANG MAX® 12 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000516	Date of first issue: 28.08.2025

2-methylnaphthalene:

Species	: Mouse, female
LOAEL	: 50,3 mg/kg
Application Route	: Oral
Exposure time	: 81 w
Dose	: 0, 50.3, 107.6 mg/kg-d
Symptoms	: pulmonary effects, immune system effects

Species	: Mouse
Application Route	: Dermal
Exposure time	: 30 w
Number of exposures	: 2/w
Dose	: 119 mg/kg-application
Symptoms	: pulmonary effects
Remarks	: Based on data from similar materials

Zeta cypermethrin:

Species	: Dog
NOAEL	: 5 mg/kg
LOAEL	: 15 mg/kg
Application Route	: Oral
Exposure time	: 1 yr
Dose	: 1, 5, 15 mg/kg/d
Symptoms	: Gastrointestinal disturbance, Neurological disorders

Species	: Dog
NOAEL	: 6 mg/kg bw/day
LOAEL	: 18 mg/kg bw/day
Application Route	: Oral
Exposure time	: 90 d
Target Organs	: Nervous system

Species	: Rat
NOAEL	: 16.7 mg/kg bw/day
LOAEL	: 33.7 mg/kg bw/day
Application Route	: Oral
Exposure time	: 90 d
Target Organs	: Nervous system

Species	: Dog
NOAEL	: 6 mg/kg
LOAEL	: 18 mg/kg
Application Route	: Oral
Exposure time	: 1 yr
Dose	: 3, 6, 18, 33 mg/kg/d
Method	: EPA OPP 83-1
Symptoms	: Tremors

Species	: Rat
NOAEL	: 4,5 mg/kg
Application Route	: Oral
Exposure time	: 2 yr
Dose	: 0.6, 4.5, 30, 45 mg/kg/d
Target Organs	: Liver

MUSTANG MAX® 12 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000516	Date of first issue: 28.08.2025

1-methylnaphthalene:

Species	: Mouse, female
LOAEL	: 50,3 mg/kg
Application Route	: Oral
Exposure time	: 81 w
Dose	: 0, 50.3, 107.6 mg/kg-d
Symptoms	: pulmonary effects, immune system effects
Remarks	: Based on data from similar materials

Species	: Mouse
Application Route	: Dermal
Exposure time	: 30 w
Number of exposures	: 2/w
Dose	: 119 mg/kg-application
Symptoms	: pulmonary effects
Remarks	: Based on data from similar materials

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Species	: Rat, male and female
NOAEL	: 500 mg/kg
Application Route	: Oral
Method	: OECD Test Guideline 407
Remarks	: Based on data from similar materials

Species	: Rat, male and female
NOAEL	: 50 mg/m3
Application Route	: Inhalation
Method	: OECD Test Guideline 412
Remarks	: Based on data from similar materials

Species	: Rat, male and female
NOAEL	: > 1.000 mg/kg
Application Route	: Dermal
Method	: OECD Test Guideline 410
Remarks	: Based on data from similar materials

2-ethylhexan-1-ol:

Species	: Rat
	: 250 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Method	: OECD Test Guideline 408

Aspiration toxicity

May be fatal if swallowed and enters airways.

Product:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SAFETY DATA SHEET



MUSTANG MAX® 12 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000516	Date of first issue: 28.08.2025

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

May be fatal if swallowed and enters airways.

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified:

May be fatal if swallowed and enters airways.

Zeta cypermethrin:

The substance does not have properties associated with aspiration hazard potential.

1-methylnaphthalene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Experience with human exposure

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Skin contact : Symptoms: Repeated exposure may cause skin dryness or cracking.

2-methylnaphthalene:

Skin contact : Target Organs: Skin
Symptoms: Irritation

Zeta cypermethrin:

General Information : Symptoms: May cause paraesthesia

1-methylnaphthalene:

Skin contact : Target Organs: Skin
Symptoms: Irritation

Further information

Product:

Remarks : Solvents may degrease the skin.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Remarks : Vapour concentrations above recommended exposure levels are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, are anaesthetic and may have other central nervous system effects. Prolonged and/or repeated skin contact with low viscosity materials may defat the skin resulting in possible irritation and dermatitis. Small amounts of liquid aspirated into the lungs during ingestion or from vomit-

MUSTANG MAX® 12 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000516	Date of first issue: 28.08.2025

ing may cause chemical pneumonitis or pulmonary edema.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Toxicity to fish	:	LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): 1,4 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EL50 (Pseudokirchneriella subcapitata (green algae)): 1 - 3 mg/l Exposure time: 24 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	EL50 (Daphnia magna (Water flea)): 0,89 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	:	LL50 (Tetrahymena pyriformis): 677,9 mg/l Exposure time: 72 h Test Type: Growth inhibition

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified:

Toxicity to fish	:	LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 24 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	NOELR (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOELR (Oncorhynchus mykiss (rainbow trout)): 1.000 mg/l Exposure time: 14 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	(Daphnia magna (Water flea)): 10 mg/l Exposure time: 21 d Test Type: semi-static test

SAFETY DATA SHEET



MUSTANG MAX® 12 EC

Version 1.0	Revision Date: 28.08.2025	SDS Number: 50000516	Date of last issue: - Date of first issue: 28.08.2025
----------------	------------------------------	-------------------------	--

Method: OECD Test Guideline 211

Toxicity to microorganisms : NOEL: > 1,93 mg/l
Exposure time: 0,16 h

2-methylnaphthalene:

Toxicity to fish : LC50 (Fish): 2 mg/l
Exposure time: 96 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia): 1,49 mg/l
End point: Immobilization
Test Type: static test

Zeta cypermethrin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,69 µg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,141 µg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (algae): > 1 mg/l
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 0,015 µg/l
Exposure time: 21 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Crustaceans): 0,01 µg/l
Exposure time: 21 d

Toxicity to soil dwelling organisms : LC50 (worms): > 100 mg/kg
Exposure time: 14 d

Toxicity to terrestrial organisms : LD50 (Colinus virginianus (Bobwhite quail)): > 2.025 mg/kg

NOEC (Colinus virginianus (Bobwhite quail)): 150 mg/kg
End point: Reproduction Test

LD50 (Apis mellifera (bees)): 0,059 µg/bee

LC50 (Apis mellifera (bees)): 0,033 µg/bee

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

1-methylnaphthalene:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 9 mg/l
Exposure time: 48 h

MUSTANG MAX® 12 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000516	Date of first issue: 28.08.2025

Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,42 mg/l
End point: Immobilization
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 12 mg/l
Exposure time: 14 d
Test Type: static test

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Toxicity to fish : LL50 (Marine species): 10.000 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

LL50 (Pimephales promelas (fathead minnow)): 1.000 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1.000 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to microorganisms : NOEC (activated sludge): 10.000 mg/l
Method: OECD Test Guideline 209
GLP: yes

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

2-ethylhexan-1-ol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 17,1 - 28,2 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 39 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC10 (Desmodesmus subspicatus (green algae)): 3,2 mg/l
Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): 11,5 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50 (Anabaena flos-aquae (cyanobacterium)): 16,6 mg/l
Exposure time: 72 h

MUSTANG MAX® 12 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000516	Date of first issue: 28.08.2025

naphthalene:

- | | | |
|--|---|--|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): 1,6 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 2,16 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : | EC50 (Skeletonema costatum (marine diatom)): 0,4 - 0,5 mg/l
Exposure time: 72 h |
| M-Factor (Acute aquatic toxicity) | : | 1 |
| Toxicity to fish (Chronic toxicity) | : | NOEC (Oncorhynchus kisutch (coho salmon)): 0,37 mg/l
Exposure time: 40 d |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia pulex (Water flea)): 0,59 mg/l
Exposure time: 125 d |
| M-Factor (Chronic aquatic toxicity) | : | 1 |
| Toxicity to microorganisms | : | IC50 (Bacteria): 29 mg/l
Exposure time: 24 h |

Persistence and degradability**Components:****Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

- | | | |
|------------------|---|--|
| Biodegradability | : | Result: Readily biodegradable.
Biodegradation: 58,6 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials |
|------------------|---|--|

Distillates (petroleum), solvent-dewaxed light paraffinic; Baseoil — unspecified:

- | | | |
|------------------|---|--|
| Biodegradability | : | Result: Inherently biodegradable.
Biodegradation: 31 %
Exposure time: 28 d
Method: OECD Test Guideline 301F |
|------------------|---|--|

Zeta cypermethrin:

- | | | |
|------------------|---|------------------------------------|
| Biodegradability | : | Result: Not readily biodegradable. |
|------------------|---|------------------------------------|

1-methylnaphthalene:

- | | | |
|------------------|---|------------------------------------|
| Biodegradability | : | Result: Not readily biodegradable. |
|------------------|---|------------------------------------|

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

SAFETY DATA SHEET



MUSTANG MAX® 12 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000516	Date of first issue: 28.08.2025

Biodegradability : Result: Not readily biodegradable.

2-ethylhexan-1-ol:

Biodegradability : Result: Readily biodegradable.

naphthalene:

Biodegradability : Result: Inherently biodegradable.
Biodegradation: 67 %
Exposure time: 12 d

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Bioaccumulation : Remarks: The product/substance has a potential to bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3,72
Method: QSAR

2-methylnaphthalene:

Partition coefficient: n-octanol/water : log Pow: 3,86

Zeta cypermethrin:

Bioaccumulation : Remarks: Accumulation in aquatic organisms is expected.

Partition coefficient: n-octanol/water : log Pow: 5 - 6 (24 °C)

1-methylnaphthalene:

Partition coefficient: n-octanol/water : log Pow: 3,87

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Partition coefficient: n-octanol/water : log Pow: 22,1

2-ethylhexan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 2,9 (25 °C)

naphthalene:

Bioaccumulation : Species: Cyprinus carpio (Carp)

SAFETY DATA SHEET



MUSTANG MAX® 12 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000516	Date of first issue: 28.08.2025

Bioconcentration factor (BCF): 168

Partition coefficient: n-octanol/water : log Pow: 3,7

Mobility in soil

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Distribution among environmental compartments : Remarks: Expected to partition to sediment and wastewater solids. Moderately volatile.

Zeta cypermethrin:

Distribution among environmental compartments : Remarks: immobile

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

Components:

Zeta cypermethrin:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging : It is prohibited to reuse, bury, burn, or sell containers. Rinsable containers: Triple rinse containers of less than 20 liters and pressure rinse containers of 20 liters or more. Triple rinsing: Add water up to ¼ of the container's capacity, close and shake for 30 seconds. Pour the rinse water into the mixing tank, considering this volume of water within the recommended volume for mixing preparation. Perform this procedure three times. Pressure rinsing: Activate the pressure rinsing device for 30 seconds, considering the volume of water used as part of the recommended volume for mixing preparation. In both procedures, punctured the container on its base without

SAFETY DATA SHEET

MUSTANG MAX® 12 EC



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000516	Date of first issue: 28.08.2025

damaging the label. In all cases, take the empty containers to collection points indicated by the local empty containers program.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zeta cypermethrin)
	: ()
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: no

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Zeta cypermethrin)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Zeta cypermethrin)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET



MUSTANG MAX® 12 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000516	Date of first issue: 28.08.2025

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet has been prepared in accordance with Costa Rican legislation RTCR 481: 2015 and RTCR 478:2015.

Law on Narcotics, Psychotropic Substances, Drugs of Unauthorized Use, Money-Laundering and Related Activities.	: Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified acetic acid
--	--

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. Zeta cypermethrin
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date	: 28.08.2025
Date format	: dd.mm.yyyy

Further information


SAFETY DATA SHEET



MUSTANG MAX® 12 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000516	Date of first issue: 28.08.2025

NFPA:



HMIS® IV:

HEALTH	*	3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
CR OEL : Costa Rica. Maximum allowable occupational exposure limits in the workplace.

ACGIH / TWA : 8-hour, time-weighted average
ACGIH / SL : Threshold Limit Value-Surface Limit (TLV-SL)
CR OEL / TWA : Time weighted average 8-hr value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Tem-

SAFETY DATA SHEET



MUSTANG MAX® 12 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	28.08.2025	50000516	Date of first issue: 28.08.2025

perature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CR / EN