

SAFETY DATA SHEET

AZAKA®



Version 1.0	Revision Date: 2026/03/24	SDS Number: 50000700	Date of last issue: - Date of first issue: 2026/03/24
----------------	------------------------------	-------------------------	--

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : AZAKA®

Other means of identification : AZOXYSTROBIN 250 g/l SC

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Taiwan Co. Ltd.

Address : 3F, No. 179, Fuhuiyuan Blvd.,
Xitun Dist., Taichung City, 40758
Taiwan

Telephone : +886 4 2254 2785

Telefax : +886 4 2254 2831

E-mail address : SDS-Info@fmc.com

Emergency telephone : For leak, fire, spill or accident emergencies, call:
00801-14-8954 (CHEMTREC)

Medical emergency:
00886 2 28757525 (in case of chemical spill, fire or poisoning
accident)

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 5

Acute toxicity (Dermal) : Category 5

Short-term (acute) aquatic
hazard : Category 1

Long-term (chronic) aquatic
hazard : Category 1

GHS label elements

SAFETY DATA SHEET

AZAKA®



Version 1.0 Revision Date: 2026/03/24 SDS Number: 50000700 Date of last issue: -
Date of first issue: 2026/03/24

Hazard pictograms

:



Signal Word

:

WARNING

Hazard Statements

:

H303 + H313 May be harmful if swallowed or in contact with skin.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

:

Prevention:

P273 Avoid release to the environment.

Response:

P312 Call a POISON CENTER/ doctor if you feel unwell.

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

:

Mixture

Components

Hazardous ingredients	CAS-No.	Concentration (% w/w)
azoxystrobin (ISO)	131860-33-8	>= 20 -< 25
Alkylated Naphthalene Sulfonate Sodium Salt	68425-94-5	>= 2.5 -< 10
1,2-benzisothiazol-3(2H)-one	2634-33-5	>= 0.0025 -< 0.025

4. FIRST AID MEASURES

General advice

:

Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

First aid measures for different exposure routes

If inhaled

:

Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.

SAFETY DATA SHEET

AZAKA®



Version 1.0	Revision Date: 2026/03/24	SDS Number: 50000700	Date of last issue: - Date of first issue: 2026/03/24
----------------	------------------------------	-------------------------	--

- lance.
- In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Do not induce vomiting without medical advice.
- Most important symptoms and effects, both acute and delayed : May be harmful if swallowed or in contact with skin.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- Notes to physician : Treat symptomatically.
Immediate medical attention is required in case of ingestion.

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides
Nitrogen oxides (NO_x)
Sulfur oxides
Hydrogen cyanide
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Remove undamaged containers from fire area if it is safe to do

SAFETY DATA SHEET

AZAKA®



Version 1.0	Revision Date: 2026/03/24	SDS Number: 50000700	Date of last issue: - Date of first issue: 2026/03/24
----------------	------------------------------	-------------------------	--

so.
Use a water spray to cool fully closed containers.
Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Never return spills in original containers for re-use.
Pick up and transfer to properly labeled containers.
Collect as much of the spill as possible with a suitable absorbent material.

7. HANDLING AND STORAGE

Handling

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapors/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Storage

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with

Version 1.0	Revision Date: 2026/03/24	SDS Number: 50000700	Date of last issue: - Date of first issue: 2026/03/24
----------------	------------------------------	-------------------------	--

the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage.
Protect from frost and extreme heat.
Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Recommended storage temperature : 5 - 30 °C

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Biological occupational exposure limits

Contains no substances with biological exposure indices.

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
In the context of professional plant protection use as recommended, the end user must refer to the label and the instruc-

SAFETY DATA SHEET

AZAKA®



Version 1.0	Revision Date: 2026/03/24	SDS Number: 50000700	Date of last issue: - Date of first issue: 2026/03/24
----------------	------------------------------	-------------------------	--

tions for use.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
General industrial hygiene practice.
Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Color	: light brown
Odor	: Faint odour, ammoniacal
Odor Threshold	: not determined
pH	: 6.4 - 6.7 (20 °C) Concentration: 10 g/l 1 % (1% solution in water) 7.7 (20 °C) (undiluted)
Melting point/freezing point	: not determined
Initial boiling point and boiling range	: not determined
Flash point	: 157 °C Method: closed cup
Evaporation rate	: not determined
Flammability (liquids)	: Not applicable
Self-ignition	: > 400 °C
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined

SAFETY DATA SHEET

AZAKA®



Version 1.0	Revision Date: 2026/03/24	SDS Number: 50000700	Date of last issue: - Date of first issue: 2026/03/24
----------------	------------------------------	-------------------------	--

Vapor pressure	:	Not available for this mixture.
Relative vapor density	:	not determined
Relative density	:	not determined
Density	:	1.10 g/cm ³ (20 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	not determined
Viscosity		
Viscosity, dynamic	:	Non-newtonian fluid: viscosity is dependent on shear rate.
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Molecular weight	:	Not applicable
Particle size	:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	Heat, flames and sparks. Avoid extreme temperatures. Avoid formation of aerosol. Heating of the mixture may evolve harmful and irritant vapours.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.
Hazardous decomposition	:	Stable under recommended storage conditions.

Version 1.0	Revision Date: 2026/03/24	SDS Number: 50000700	Date of last issue: - Date of first issue: 2026/03/24
----------------	------------------------------	-------------------------	--

products

11. TOXICOLOGICAL INFORMATION

Symptoms of Overexposure : None known.

Acute toxicity

May be harmful if swallowed or in contact with skin.

Product:

Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 425 Assessment: The component/mixture is minimally toxic after single ingestion.
Acute inhalation toxicity	: LC50 (Rat): > 2.33 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Highest attainable concentration.
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The component/mixture is minimally toxic after single contact with skin.

Components:

azoxystrobin (ISO):

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: LC50 (Rat, male and female): 0.66 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Symptoms: apathy, Breathing difficulties, Fatality LC50 (Rat, female): 0.69 mg/l Exposure time: 4 h Test atmosphere: dust/mist LC50 (Rat, male): 0.96 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Method: OECD Test Guideline 402

SAFETY DATA SHEET

AZAKA®



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/03/24	50000700	Date of first issue: 2026/03/24

GLP: yes

Assessment: The component/mixture is minimally toxic after single contact with skin.

Remarks: no mortality

Alkylated Naphthalene Sulfonate Sodium Salt:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

1,2-benzisothiazol-3(2H)-one:

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : Based on available data, the classification criteria are not met.

Components:

azoxystrobin (ISO):

Species : Rabbit

Assessment : Not classified as irritant

Method : OECD Test Guideline 404

Remarks : Minimal effects that do not meet the threshold for classification.

Alkylated Naphthalene Sulfonate Sodium Salt:

Remarks : No data available

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit

Exposure time : 72 h

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Assessment : No eye irritation

Method : OECD Test Guideline 405

Remarks : Minimal effects that do not meet the threshold for classification.

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

AZAKA®



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/03/24	50000700	Date of first issue: 2026/03/24

Components:

azoxystrobin (ISO):

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
Remarks	:	Minimal effects that do not meet the threshold for classification.

Alkylated Naphthalene Sulfonate Sodium Salt:

Result	:	Eye irritation
--------	---	----------------

1,2-benzisothiazol-3(2H)-one:

Species	:	Bovine cornea
Result	:	No eye irritation
Method	:	OECD Test Guideline 437

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	EPA OPP 81-4

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Method	:	OECD Test Guideline 429
Result	:	Not a skin sensitizer.
Remarks	:	Based on available data, the classification criteria are not met.

Components:

azoxystrobin (ISO):

Test Type	:	Buehler Test
Species	:	Guinea pig
Assessment	:	Not a skin sensitizer.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitization.

1,2-benzisothiazol-3(2H)-one:

Test Type	:	Maximization Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	May cause sensitization by skin contact.

Species	:	Guinea pig
---------	---	------------

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/03/24	50000700	Date of first issue: 2026/03/24

Method : FIFRA 81.06
Result : May cause sensitization by skin contact.

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Product:

Genotoxicity in vitro : Remarks: The product contains no ingredients known to be mutagenic.

Components:**azoxystrobin (ISO):**

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Cell type: Liver cells
Application Route: Ingestion
Exposure time: 4 h
Method: OECD Test Guideline 486
Result: negative

Test Type: Micronucleus test
Species: Mouse
Application Route: Oral

SAFETY DATA SHEET



AZAKA®

Version 1.0	Revision Date: 2026/03/24	SDS Number: 50000700	Date of last issue: - Date of first issue: 2026/03/24
----------------	------------------------------	-------------------------	--

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Product:

Remarks : The product contains no ingredients known to be carcinogenic.

Components:

azoxystrobin (ISO):

Method : OECD Test Guideline 451

Result : negative

Remarks : No significant adverse effects were reported

Method : OECD Test Guideline 453

Result : negative

Remarks : No significant adverse effects were reported

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Not classified based on available information.

Product:

Effects on fertility : Remarks: The product contains no ingredients found to have adverse effects on reproduction.

Components:

azoxystrobin (ISO):

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity
Did not show teratogenic effects in animal experiments.

1,2-benzisothiazol-3(2H)-one:

Effects on fertility : Species: Rat, male
Application Route: Ingestion
General Toxicity Parent: NOAEL: 18.5 mg/kg body weight
General Toxicity F1: NOAEL: 48 mg/kg body weight
Fertility: NOAEL: 112 mg/kg bw/day
Symptoms: No effects on reproduction parameters.
Method: OPPTS 870.3800
Result: negative

SAFETY DATA SHEET

AZAKA®



Version 1.0	Revision Date: 2026/03/24	SDS Number: 50000700	Date of last issue: - Date of first issue: 2026/03/24
----------------	------------------------------	-------------------------	--

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:

azoxystrobin (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Components:

azoxystrobin (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

azoxystrobin (ISO):

Species : Rat
NOAEL : 21 mg/kg bw/day
Application Route : Oral
Exposure time : 90 d
Remarks : No significant adverse effects were reported

Species : Dog
NOAEL : 50 mg/kg bw/day
Application Route : Oral
Exposure time : 90 d
Remarks : No significant adverse effects were reported

Species : Dog

SAFETY DATA SHEET



AZAKA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/03/24	50000700	Date of first issue: 2026/03/24

NOAEL	: 25 mg/kg bw/day
Application Route	: Oral
Exposure time	: 1 yr
Remarks	: No significant adverse effects were reported

1,2-benzisothiazol-3(2H)-one:

Species	: Rat, male and female
NOAEL	: 15 mg/kg
Application Route	: Ingestion
Exposure time	: 28 d
Method	: OECD Test Guideline 407
Symptoms	: Irritation

Species	: Rat, male and female
NOAEL	: 69 mg/kg
Application Route	: Ingestion
Exposure time	: 90 d
Symptoms	: Irritation, Reduced body weight

Aspiration toxicity

Not classified based on available information.

Product:

The mixture does not have properties associated with aspiration hazard potential.

Components:

azoxystrobin (ISO):

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks	: Symptoms and effects, acute and delayed: Inhalation may result in difficulty breathing. Ingestion may cause diarrhoea. Eye contact may cause irritation.
---------	---

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 1.91 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.67 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 0.37 mg/l

SAFETY DATA SHEET

AZAKA®



Version 1.0	Revision Date: 2026/03/24	SDS Number: 50000700	Date of last issue: - Date of first issue: 2026/03/24
----------------	------------------------------	-------------------------	--

Exposure time: 72 h

EC50 (Navicula pelliculosa (Diatom)): 3.10 mg/l
Exposure time: 72 h

EC50 (Lemna gibba (duckweed)): 15.4 mg/l
Exposure time: 7 d

Toxicity to soil dwelling organisms : LD50 (Eisenia fetida (earthworms)): > 1,000 mg/kg
Exposure time: 14 d

Toxicity to terrestrial organisms : LD50 (Apis mellifera (bees)): > 432 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity

LD50 (Apis mellifera (bees)): > 519 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

azoxystrobin (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.47 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.259 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

EC50 (Americamysis bahia (mysid shrimp)): 0.055 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Lemna gibba (duckweed)): 3.2 mg/l
Exposure time: 14 d

EC50 (Navicula pelliculosa (Diatom)): 0.146 mg/l
Exposure time: 72 h

NOEC (Navicula pelliculosa (Diatom)): 0.02 mg/l
Exposure time: 72 h

NOEC (Lemna gibba (duckweed)): 0.8 mg/l
Exposure time: 14 d

M-Factor (Acute aquatic toxicity) : 1

SAFETY DATA SHEET

AZAKA®



Version 1.0	Revision Date: 2026/03/24	SDS Number: 50000700	Date of last issue: - Date of first issue: 2026/03/24
----------------	------------------------------	-------------------------	--

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.16 mg/l
Exposure time: 28 d
Method: OECD Test Guideline 204

NOEC (Pimephales promelas (fathead minnow)): 0.147 mg/l
Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.044 mg/l
Exposure time: 21 d

NOEC (Americamysis bahia (mysid shrimp)): 0.00954 mg/l
Exposure time: 28 d

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): 283 mg/kg
Exposure time: 14 d

Toxicity to terrestrial organisms : LD50 (Anas platyrhynchos (Mallard duck)): > 1,000 mg/kg

LD50 (Colinus virginianus (Bobwhite quail)): > 1,000 mg/kg

LD50 (Colinus virginianus (Bobwhite quail)): > 5,200 ppm
Remarks: Dietary

LD50 (Apis mellifera (bees)): > 200 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity

LD50 (Apis mellifera (bees)): > 25 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity

Alkylated Naphthalene Sulfonate Sodium Salt:

Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

SAFETY DATA SHEET



AZAKA®

Version 1.0	Revision Date: 2026/03/24	SDS Number: 50000700	Date of last issue: - Date of first issue: 2026/03/24
----------------	------------------------------	-------------------------	--

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): > 10 - 100 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16.7 mg/l
Exposure time: 96 h
Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2.15 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.9 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.070 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.04 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

EC50 (activated sludge): 12.8 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability

Product:

Biodegradability : Remarks: Product contains minor amounts of not readily bio-

SAFETY DATA SHEET

AZAKA®



Version 1.0	Revision Date: 2026/03/24	SDS Number: 50000700	Date of last issue: - Date of first issue: 2026/03/24
----------------	------------------------------	-------------------------	--

degradable components, which may not be degradable in waste water treatment plants.

Components:

azoxystrobin (ISO):

Biodegradability	:	Result: Not readily biodegradable.
Stability in water	:	Degradation half life: 52.11 d (25 °C) pH: 9

Alkylated Naphthalene Sulfonate Sodium Salt:

Biodegradability	:	Result: Not readily biodegradable. Remarks: Based on data from similar materials
------------------	---	---

1,2-benzisothiazol-3(2H)-one:

Biodegradability	:	Result: rapidly biodegradable Method: OECD Test Guideline 301C
------------------	---	---

Bioaccumulative potential

Components:

azoxystrobin (ISO):

Bioaccumulation	:	Remarks: Bioaccumulation is unlikely.
Partition coefficient: n-octanol/water	:	log Pow: 2.5 (20 °C)

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation	:	Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 6.62 Exposure time: 56 d Method: OECD Test Guideline 305 Remarks: Not persistent, bioaccumulative, and toxic (PBT).
Partition coefficient: n-octanol/water	:	log Pow: 0.7 (20 °C) pH: 7 log Pow: 0.99 (20 °C) pH: 5

Mobility in soil

Components:

azoxystrobin (ISO):

Distribution among environmental compartments	:	Remarks: Under normal conditions the substance has low to moderate mobility in soil.
---	---	--

1,2-benzisothiazol-3(2H)-one:

SAFETY DATA SHEET

AZAKA®



Version 1.0	Revision Date: 2026/03/24	SDS Number: 50000700	Date of last issue: - Date of first issue: 2026/03/24
----------------	------------------------------	-------------------------	--

Distribution among environmental compartments : Koc: 9.33 ml/g, log Koc: 0.97
Method: OECD Test Guideline 121
Remarks: Highly mobile in soils

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Azoxystrobin)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Azoxystrobin)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964

SAFETY DATA SHEET



AZAKA®

Version 1.0	Revision Date: 2026/03/24	SDS Number: 50000700	Date of last issue: - Date of first issue: 2026/03/24
----------------	------------------------------	-------------------------	--

Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Azoxystrobin)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Regulations on Occupational Safety and Health Facilities	: applicable
Standards for the Storage, Cleanup, Handling and Disposal of Industrial Waste	: applicable
Regulations on Labelling and Hazard Communication of Hazardous Chemicals	: applicable
Rules on Road Traffic Safety	: applicable
Standards of Permissible Exposure Limits in Workplace	: Contains no substances with occupational exposure limit values.
Rules on the Prevention of Poisoning from Organic Solvents.	: Not applicable
Standard for the Control of Designated Hazardous and Dangerous Chemicals	: Not applicable
Standards for Establishing Places for Manufacturing, Storing, Processing Public Hazardous Substances and Flammable Pressurized Gases, and Regulations on Safety Control of such Places	: Quantity subject to control
Toxic and Concerned Chemical Substances Control Act	
Toxic chemical substances	: Not applicable
Concerned chemical substances	: Not applicable
Regulations for Governing Designating and Handling of Priority Management Chemicals	: Not applicable
Rules on Labour Health Protection	: Not applicable
List of Hazardous Waste Generated during Industrial Processes (Table 1)	: Not applicable

SAFETY DATA SHEET

AZAKA®



Version 1.0	Revision Date: 2026/03/24	SDS Number: 50000700	Date of last issue: - Date of first issue: 2026/03/24
----------------	------------------------------	-------------------------	--

The ingredients of this product are reported in the following inventories:

TW TCSI	: Not in compliance with the inventory
US TSCA	: Product contains substance(s) not listed on TSCA inventory.
AU AIIC	: Not in compliance with the inventory
CA. DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. azoxystrobin (ISO) mixture of polyorganosiloxanes and fillers Alkoxylated surfactant
JP ENCS	: Not in compliance with the inventory
JP ISHL	: Not in compliance with the inventory
KR KECI	: Not in compliance with the inventory
PH PICCS	: Not in compliance with the inventory
CN IECSC	: Not in compliance with the inventory
NZ NZIoC	: Not in compliance with the inventory
TH TECI	: Not in compliance with the inventory

16. OTHER INFORMATION

Organization that prepared the SDS	: FMC Corporation
Contact person	: Bee Huang
Revision Date	: 2026/03/24
Date format	: yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

SAFETY DATA SHEET



AZAKA®

Version 1.0	Revision Date: 2026/03/24	SDS Number: 50000700	Date of last issue: - Date of first issue: 2026/03/24
----------------	------------------------------	-------------------------	--

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

TW / EN