

# SAFETY DATA SHEET

## ABAMECTIN 18 g/L EW



|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 2026/02/19     | 50000641    | Date of first issue: 2026/02/19 |

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ABAMECTIN 18 g/L EW

Other means of identification : None

#### Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

#### Manufacturer or supplier's details

Company : FMC Taiwan Co. Ltd.

Address : 3F, No. 179, Fuhuiyuan Blvd.,  
Xitun Dist., Taichung City, 40758  
Taiwan

Telephone : +886 4 2254 2785

Telefax : +886 4 2254 2831

E-mail address : SDS-Info@fmc.com

Emergency telephone : For leak, fire, spill or accident emergencies, call:  
00801-14-8954 (CHEMTREC)

Medical emergency:  
00886 2 28757525 (in case of chemical spill, fire or poisoning  
accident)

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 5

Acute toxicity (Dermal) : Category 5

Skin corrosion/irritation : Category 3

Serious eye damage/eye irritation : Category 2A

# SAFETY DATA SHEET

## ABAMECTIN 18 g/L EW



|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 2026/02/19     | 50000641    | Date of first issue: 2026/02/19 |

Specific target organ toxicity - repeated exposure : Category 2

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

### GHS label elements

Hazard pictograms : 

Signal Word : WARNING

Hazard Statements : H302 Harmful if swallowed.  
H313 + H333 May be harmful in contact with skin or if inhaled.  
H316 Causes mild skin irritation.  
H319 Causes serious eye irritation.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**  
P260 Do not breathe mist or vapors.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P273 Avoid release to the environment.  
P280 Wear eye protection/ face protection.  
**Response:**  
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P304 + P312 IF INHALED: Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 Call a POISON CENTER/ doctor if you feel unwell.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P391 Collect spillage.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

# SAFETY DATA SHEET



## ABAMECTIN 18 g/L EW

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>2026/02/19 | SDS Number:<br>50000641 | Date of last issue: -<br>Date of first issue: 2026/02/19 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

### Other hazards which do not result in classification

None known.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Components

| Hazardous ingredients                                                                                     | CAS-No.     | Concentration (% w/w) |
|-----------------------------------------------------------------------------------------------------------|-------------|-----------------------|
| Abamectin                                                                                                 | 71751-41-2  | $\geq 1$ -< 2.5       |
| Distillates (petroleum), hydrotreated middle;<br>Gasoil — unspecified                                     | 64742-46-7  | $\geq 1$ -< 10        |
| Poly(oxy-1,2-ethanediyl), .alpha.-phosphono-<br>.omega.-[2,4,6-tris(1-phenylethyl)phenoxy]-<br>octan-1-ol | 114535-82-9 | $\geq 2.5$ -< 10      |
|                                                                                                           | 111-87-5    | $\geq 2.5$ -< 10      |

### 4. FIRST AID MEASURES

General advice : Move out of dangerous area.  
Show this material safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.

#### First aid measures for different exposure routes

If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.

If swallowed : Induce vomiting immediately and call a physician.  
Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.

Most important symptoms and effects, both acute and delayed : Harmful if swallowed.  
May be harmful in contact with skin or if inhaled.  
Causes mild skin irritation.  
Causes serious eye irritation.  
May cause damage to organs through prolonged or repeated exposure.

Notes to physician : Treat symptomatically.

**ABAMECTIN 18 g/L EW**

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>2026/02/19 | SDS Number:<br>50000641 | Date of last issue: -<br>Date of first issue: 2026/02/19 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

---

---

**5. FIRE-FIGHTING MEASURES**

- Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.
- Unsuitable extinguishing media : High volume water jet  
Do not spread spilled material with high-pressure water streams.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.  
Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
phosphorus oxides
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

---

**6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Use personal protective equipment.  
If it can be safely done, stop the leak.  
Do not touch or walk through the spilled material.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

---

**7. HANDLING AND STORAGE****Handling**

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapors/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.

# SAFETY DATA SHEET



## ABAMECTIN 18 g/L EW

Version 1.0      Revision Date: 2026/02/19      SDS Number: 50000641      Date of last issue: -  
Date of first issue: 2026/02/19

Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.

### Storage

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

| Components                                                         | CAS-No.    | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis  |
|--------------------------------------------------------------------|------------|----------------------------------|------------------------------------------------|--------|
| Distillates (petroleum), hydrotreated middle; Gasoil — unspecified | 64742-46-7 | TWA (Mist)                       | 5 mg/m <sup>3</sup>                            | TW OEL |
|                                                                    |            | STEL (Mist)                      | 10 mg/m <sup>3</sup>                           | TW OEL |

### Biological occupational exposure limits

Contains no substances with biological exposure indices.

### Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

# SAFETY DATA SHEET

## ABAMECTIN 18 g/L EW



|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>2026/02/19 | SDS Number:<br>50000641 | Date of last issue: -<br>Date of first issue: 2026/02/19 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

When using do not smoke.  
Wash hands before breaks and at the end of workday.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                                  |                                                            |
|--------------------------------------------------|------------------------------------------------------------|
| Physical state                                   | : liquid                                                   |
| Color                                            | : off-white                                                |
| Odor                                             | : hydrocarbon-like, slight, Aromatic                       |
| pH                                               | : 6.5 (25 °C)                                              |
| Initial boiling point and boiling range          | : > 104 °C                                                 |
| Flash point                                      | : > 104 °C                                                 |
| Flammability (solid, gas)                        | : Not applicable                                           |
| Self-ignition                                    | : > 400 °C                                                 |
| Upper explosion limit / Upper flammability limit | : No data available                                        |
| Lower explosion limit / Lower flammability limit | : No data available                                        |
| Vapor pressure                                   | : No data available                                        |
| Relative density                                 | : No data available                                        |
| Density                                          | : 0.95 g/cm <sup>3</sup> (20 °C)                           |
| Solubility(ies)<br>Water solubility              | : dispersible                                              |
| Partition coefficient: n-octanol/water           | : No data available                                        |
| Autoignition temperature                         | : > 400 °C                                                 |
| Viscosity<br>Viscosity, dynamic                  | : 15,000 mPa.s                                             |
| Explosive properties                             | : Not explosive                                            |
| Oxidizing properties                             | : The substance or mixture is not classified as oxidizing. |

# SAFETY DATA SHEET

## ABAMECTIN 18 g/L EW



|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>2026/02/19 | SDS Number:<br>50000641 | Date of last issue: -<br>Date of first issue: 2026/02/19 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

### 10. STABILITY AND REACTIVITY

|                                    |                                                                                                       |
|------------------------------------|-------------------------------------------------------------------------------------------------------|
| Reactivity                         | : No decomposition if stored and applied as directed.                                                 |
| Chemical stability                 | : No decomposition if stored and applied as directed.                                                 |
| Possibility of hazardous reactions | : No decomposition if stored and applied as directed.                                                 |
| Conditions to avoid                | : Protect from frost, heat and sunlight.                                                              |
| Incompatible materials             | : Strong acids and strong bases<br>Strong oxidizing agents                                            |
| Hazardous decomposition products   | : Stable under recommended storage conditions.<br>No decomposition if stored and applied as directed. |

### 11. TOXICOLOGICAL INFORMATION

Symptoms of Overexposure : None known.

#### Acute toxicity

Harmful if swallowed.

May be harmful in contact with skin or if inhaled.

#### Product:

|                           |                                                                                                                  |
|---------------------------|------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity       | : LD50 (Rat): 1,260 mg/kg<br>Method: OECD Test Guideline 425                                                     |
| Acute inhalation toxicity | : LC50 (Rat): > 5.62 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: OECD Test Guideline 403 |
| Acute dermal toxicity     | : LD50 (Rat): > 2,000 mg/kg<br>Method: OECD Test Guideline 402                                                   |

#### Components:

##### Abamectin:

|                     |                                                                                                                 |
|---------------------|-----------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity | : LD50 (Rat): 340 mg/kg<br>Method: OECD Test Guideline 425<br>Symptoms: Fatality                                |
|                     | LD50 (Rat): 300 - 2,000 mg/kg<br>Method: OECD Test Guideline 423<br>Symptoms: ataxia, apathy, Tremors, Fatality |

# SAFETY DATA SHEET



## ABAMECTIN 18 g/L EW

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>2026/02/19 | SDS Number:<br>50000641 | Date of last issue: -<br>Date of first issue: 2026/02/19 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

---

Acute inhalation toxicity : LC50 (Rat, male): 0.052 - 0.54 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat, female): 1,414 mg/kg  
Method: OECD Test Guideline 402  
Symptoms: apathy, ataxia, Fatality

LD50 (Rat): 944 mg/kg  
Method: OECD Test Guideline 402  
Symptoms: apathy, ataxia, Breathing difficulties, Fatality

### **Distillates (petroleum), hydrotreated middle; Gasoil — unspecified:**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.53 mg/l  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: Based on data from similar materials

### **Poly(oxy-1,2-ethanediyl), .alpha.-phosphono-.omega.-[2,4,6-tris(1-phenylethyl)phenoxy]-:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 401

### **octan-1-ol:**

Acute oral toxicity : LD50 (Rat, male): 1,800 mg/kg  
LD50 (Rat, female): 720 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2.05 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: US EPA Test Guideline OPPTS 870.1300  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 1,500 - < 2,000 mg/kg

### **Skin corrosion/irritation**

Causes mild skin irritation.

# SAFETY DATA SHEET



## ABAMECTIN 18 g/L EW

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 2026/02/19     | 50000641    | Date of first issue: 2026/02/19 |

---

### **Product:**

|         |   |                                              |
|---------|---|----------------------------------------------|
| Method  | : | OECD Test Guideline 404                      |
| Result  | : | Mild skin irritation                         |
| Remarks | : | May cause skin irritation and/or dermatitis. |

### **Components:**

#### **Abamectin:**

|            |   |                               |
|------------|---|-------------------------------|
| Species    | : | Rabbit                        |
| Assessment | : | Not classified as irritant    |
| Method     | : | OECD Test Guideline 404       |
| Result     | : | slight or no skin irritation. |

#### **Distillates (petroleum), hydrotreated middle; Gasoil — unspecified:**

|         |   |                                      |
|---------|---|--------------------------------------|
| Species | : | Rabbit                               |
| Result  | : | No skin irritation                   |
| Remarks | : | Based on data from similar materials |

#### **Poly(oxy-1,2-ethanediyl), .alpha.-phosphono-.omega.-[2,4,6-tris(1-phenylethyl)phenoxy]-:**

|         |   |                         |
|---------|---|-------------------------|
| Species | : | Rabbit                  |
| Method  | : | OECD Test Guideline 404 |
| Result  | : | No skin irritation      |

#### **octan-1-ol:**

|         |   |                         |
|---------|---|-------------------------|
| Species | : | Rabbit                  |
| Method  | : | OECD Test Guideline 404 |
| Result  | : | Mild skin irritation    |

### **Serious eye damage/eye irritation**

Causes serious eye irritation.

### **Product:**

|        |   |                         |
|--------|---|-------------------------|
| Result | : | irritating              |
| Method | : | OECD Test Guideline 405 |

### **Components:**

#### **Abamectin:**

|            |   |                             |
|------------|---|-----------------------------|
| Species    | : | Rabbit                      |
| Result     | : | Slight or no eye irritation |
| Assessment | : | Not classified as irritant  |
| Method     | : | OECD Test Guideline 405     |

#### **Distillates (petroleum), hydrotreated middle; Gasoil — unspecified:**

|         |   |                                      |
|---------|---|--------------------------------------|
| Species | : | Rabbit                               |
| Result  | : | No eye irritation                    |
| Remarks | : | Based on data from similar materials |

**ABAMECTIN 18 g/L EW**

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 2026/02/19     | 50000641    | Date of first issue: 2026/02/19 |

---

**Poly(oxy-1,2-ethanediyl), .alpha.-phosphono-.omega.-[2,4,6-tris(1-phenylethyl)phenoxy]-:**

|         |   |                         |
|---------|---|-------------------------|
| Species | : | Rabbit                  |
| Result  | : | Eye irritation          |
| Method  | : | OECD Test Guideline 405 |

**octan-1-ol:**

|         |   |                                              |
|---------|---|----------------------------------------------|
| Species | : | Rabbit                                       |
| Result  | : | Irritation to eyes, reversing within 21 days |
| Method  | : | OECD Test Guideline 405                      |

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Product:**

|        |   |                         |
|--------|---|-------------------------|
| Method | : | OECD Test Guideline 429 |
| Result | : | Not a skin sensitizer.  |

**Components:****Abamectin:**

|                    |   |                         |
|--------------------|---|-------------------------|
| Routes of exposure | : | Skin contact            |
| Species            | : | Guinea pig              |
| Method             | : | OECD Test Guideline 406 |
| Result             | : | Not a skin sensitizer.  |

**Distillates (petroleum), hydrotreated middle; Gasoil — unspecified:**

|           |   |                                      |
|-----------|---|--------------------------------------|
| Test Type | : | Buehler Test                         |
| Species   | : | Guinea pig                           |
| Result    | : | Does not cause skin sensitization.   |
| Remarks   | : | Based on data from similar materials |

**octan-1-ol:**

|           |   |                                      |
|-----------|---|--------------------------------------|
| Test Type | : | Maximization Test                    |
| Species   | : | Guinea pig                           |
| Method    | : | OECD Test Guideline 406              |
| Result    | : | Does not cause skin sensitization.   |
| Remarks   | : | Based on data from similar materials |

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Components:****Abamectin:**

# SAFETY DATA SHEET



## ABAMECTIN 18 g/L EW

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>2026/02/19 | SDS Number:<br>50000641 | Date of last issue: -<br>Date of first issue: 2026/02/19 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

---

Genotoxicity in vitro : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: mice  
Result: negative  
GLP: yes

Germ cell mutagenicity - Assessment : No genotoxic potential.

### **Distillates (petroleum), hydrotreated middle; Gasoil — unspecified:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

### **octan-1-ol:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse (male and female)  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **Abamectin:**

Method : OECD Test Guideline 451

# SAFETY DATA SHEET



## ABAMECTIN 18 g/L EW

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 2026/02/19     | 50000641    | Date of first issue: 2026/02/19 |

---

|                              |   |                                                                    |
|------------------------------|---|--------------------------------------------------------------------|
| Remarks                      | : | Not classified                                                     |
| Method                       | : | OECD Test Guideline 453                                            |
| Remarks                      | : | Not classified                                                     |
| Carcinogenicity - Assessment | : | Weight of evidence does not support classification as a carcinogen |

### **Distillates (petroleum), hydrotreated middle; Gasoil — unspecified:**

|                   |   |                                      |
|-------------------|---|--------------------------------------|
| Species           | : | Mouse                                |
| Application Route | : | Dermal                               |
| Exposure time     | : | 78 weeks                             |
| Result            | : | negative                             |
| Remarks           | : | Based on data from similar materials |

### **Reproductive toxicity**

Not classified based on available information.

### **Components:**

#### **Abamectin:**

|                                    |   |                                                                                                                        |
|------------------------------------|---|------------------------------------------------------------------------------------------------------------------------|
| Reproductive toxicity - Assessment | : | Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments. |
|------------------------------------|---|------------------------------------------------------------------------------------------------------------------------|

### **Distillates (petroleum), hydrotreated middle; Gasoil — unspecified:**

|                              |   |                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Effects on fertility         | : | Test Type: Two-generation study<br>Species: Rat<br>Application Route: Ingestion<br>General Toxicity F1: NOAEL: 1,000 mg/kg bw/day<br>Method: OECD Test Guideline 416<br>Result: negative<br>Remarks: Based on data from similar materials                                                                                                       |
| Effects on fetal development | : | Test Type: Pre-natal<br>Species: Rat<br>Application Route: Dermal<br>General Toxicity Maternal: LOAEL: 8 mg/kg bw/day<br>Developmental Toxicity: LOAEL: 125 mg/kg bw/day<br>Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses<br>Remarks: Based on data from similar materials |

#### **octan-1-ol:**

|                      |   |                                                                                                                                                                                                                                                                             |
|----------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Effects on fertility | : | Test Type: one-generation reproductive toxicity<br>Species: Rat, male and female<br>Application Route: Oral<br>Dose: 10, 100, 1000 mg/kg bw/day<br>General Toxicity Parent: NOAEL: 1,000 mg/kg bw/day<br>General Toxicity F1: NOAEL: 1,000 mg/kg bw/day<br>Result: negative |
|----------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

# SAFETY DATA SHEET



## ABAMECTIN 18 g/L EW

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>2026/02/19 | SDS Number:<br>50000641 | Date of last issue: -<br>Date of first issue: 2026/02/19 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

---

Effects on fetal development : Species: Rat  
Application Route: Oral  
Dose: 0,130,650,975,1300 mg/kg bw/day  
Duration of Single Treatment: 20 d  
General Toxicity Maternal: LOAEL: 650 mg/kg bw/day  
Embryo-fetal toxicity.: NOAEL: 1,300 mg/kg bw/day  
Symptoms: Maternal effects.  
Method: OECD Test Guideline 414

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### Product:

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

#### Components:

##### **Abamectin:**

Target Organs : Nervous system  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

##### **octan-1-ol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Components:

##### **Abamectin:**

Species : Dog  
LOEL : 0.5 mg/kg  
Application Route : Oral  
Exposure time : 18 weeks  
Method : OECD Test Guideline 409

Species : Rat  
LOAEC : 0.0027 mg/l  
Application Route : Inhalation  
Exposure time : 30 d

Species : Rat, female  
NOAEL : 3.0 mg/kg  
LOAEL : 6.7 mg/kg

# SAFETY DATA SHEET



## ABAMECTIN 18 g/L EW

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 2026/02/19     | 50000641    | Date of first issue: 2026/02/19 |

---

|                   |                                     |
|-------------------|-------------------------------------|
| Application Route | : Oral                              |
| Exposure time     | : 28 d                              |
| Dose              | : 0, 3, 6.7, 8.9, 11.5 mg/kg bw/day |
| Method            | : OECD Test Guideline 407           |
| GLP               | : yes                               |
| Symptoms          | : Tremors, Fatality                 |

|                   |                                      |
|-------------------|--------------------------------------|
| Species           | : Rat, female                        |
| NOAEL             | : 3.8 mg/kg                          |
| LOAEL             | : 9.3 mg/kg                          |
| Application Route | : Oral                               |
| Exposure time     | : 90 d                               |
| Dose              | : 0, 1.8, 3.8, 9.3, 9.6 mg/kg bw/day |
| Method            | : OECD Test Guideline 408            |
| GLP               | : yes                                |

### **Distillates (petroleum), hydrotreated middle; Gasoil — unspecified:**

|                   |                                        |
|-------------------|----------------------------------------|
| Species           | : Rat, male                            |
| LOAEL             | : 125 mg/kg                            |
| Application Route | : Oral - gavage                        |
| Exposure time     | : 90 d                                 |
| Remarks           | : Based on data from similar materials |

### **octan-1-ol:**

|                   |                               |
|-------------------|-------------------------------|
| Species           | : Rat, male                   |
| NOAEL             | : 1127 mg/kg bw/day           |
| Application Route | : Oral                        |
| Exposure time     | : 13 Weeks                    |
| Dose              | : 182, 374, 1127 mg/kg bw/day |

|                   |                               |
|-------------------|-------------------------------|
| Species           | : Rat, female                 |
| NOAEL             | : 1243 mg/kg bw/day           |
| Application Route | : Oral                        |
| Exposure time     | : 13 Weeks                    |
| Dose              | : 216, 427, 1243 mg/kg bw/day |

### **Aspiration toxicity**

Not classified based on available information.

### **Components:**

#### **Abamectin:**

No aspiration toxicity classification

### **Distillates (petroleum), hydrotreated middle; Gasoil — unspecified:**

May be fatal if swallowed and enters airways.

### **Further information**

#### **Product:**

|         |                     |
|---------|---------------------|
| Remarks | : No data available |
|---------|---------------------|

# SAFETY DATA SHEET



## ABAMECTIN 18 g/L EW

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>2026/02/19 | SDS Number:<br>50000641 | Date of last issue: -<br>Date of first issue: 2026/02/19 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

### Components:

#### **Abamectin:**

Remarks : Exposure causes symptoms of nervous system depression, such as pupil dilation, vomiting, excitation, incoordination, tremors, lethargy, coma. High doses cause death by respiratory failure.

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### Product:

#### **Ecotoxicology Assessment**

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### Components:

#### **Abamectin:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0.027 - 0.044 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0008 - 0.0015 mg/l  
End point: Immobilization  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes

EC50 (Daphnia magna (Water flea)): 0.0002 - 0.00028 mg/l  
End point: Immobilization  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes

EC50 (Daphnia pulex (Water flea)): 0.000159 mg/l  
End point: Immobilization  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes

NOEC (Daphnia pulex (Water flea)): 0.000089 mg/l  
End point: Immobilization  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes

# SAFETY DATA SHEET



## ABAMECTIN 18 g/L EW

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>2026/02/19 | SDS Number:<br>50000641 | Date of last issue: -<br>Date of first issue: 2026/02/19 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

- Toxicity to algae/aquatic plants : EC50 (*Scenedesmus capricornutum* (fresh water algae)): 56.68 - 85.41 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes
- Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): 0.0044 mg/l  
Exposure time: 28 d  
Method: OECD Test Guideline 210
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.00003 mg/l  
End point: reproduction  
Exposure time: 21 d  
Method: OECD Test Guideline 202
- Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): 14.24 - 18.37 mg/kg  
Exposure time: 14 d  
Method: OECD Test Guideline 207  
  
Method: OECD Test Guideline 216  
Remarks: No significant adverse effect on Nitrogen mineralization.  
  
Method: OECD Test Guideline 217  
Remarks: No significant adverse effect on Carbon mineralization.
- Toxicity to terrestrial organisms : LD50 (*Apis mellifera* (bees)): 0.00071 - 0.00099 µg/bee  
Exposure time: 48 h  
End point: Acute contact toxicity  
Method: OECD Test Guideline 214  
  
LD50 (*Coturnix japonica* (Japanese quail)): > 5000 ppm  
Remarks: Dietary

### Ecotoxicology Assessment

- Acute aquatic toxicity : Very toxic to aquatic life.
- Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### Distillates (petroleum), hydrotreated middle; Gasoil — unspecified:

- Toxicity to fish : LL50 (*Pimephales promelas* (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: water accommodated fractions (WAF)
- Toxicity to daphnia and other aquatic invertebrates : EL50 (*Daphnia magna* (Water flea)): > 10,000 mg/l  
Exposure time: 48 h  
Remarks: water accommodated fractions (WAF)
- Toxicity to algae/aquatic plants : NOEL (*Pseudokirchneriella subcapitata* (microalgae)): > 100 mg/l

# SAFETY DATA SHEET



## ABAMECTIN 18 g/L EW

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>2026/02/19 | SDS Number:<br>50000641 | Date of last issue: -<br>Date of first issue: 2026/02/19 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

---

Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 10 mg/l  
Exposure time: 21 d

**Poly(oxy-1,2-ethanediyl), .alpha.-phosphono-.omega.-[2,4,6-tris(1-phenylethyl)phenoxy]-:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 100 - 500 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

**octan-1-ol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 13.3 mg/l  
Exposure time: 96 h  
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 20 mg/l  
Exposure time: 24 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC10 (Desmodesmus subspicatus (green algae)): 4.2 mg/l  
Exposure time: 48 h  
Test Type: static test

EC50 (Desmodesmus subspicatus (green algae)): 6.5 mg/l  
Exposure time: 48 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : (Protozoa): 44 mg/l  
Exposure time: 72 h  
Test Type: Cell multiplication inhibition test  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET



## ABAMECTIN 18 g/L EW

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 2026/02/19     | 50000641    | Date of first issue: 2026/02/19 |

---

### Persistence and degradability

#### Components:

##### **Abamectin:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: It undergoes degradation in the environment and in waste water treatment plants.

##### **Distillates (petroleum), hydrotreated middle; Gasoil — unspecified:**

Biodegradability : Result: Inherently biodegradable.  
Biodegradation: 31 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

##### **Poly(oxy-1,2-ethanediyl), .alpha.-phosphono-.omega.-[2,4,6-tris(1-phenylethyl)phenoxy]-:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 30 - 40 %  
Method: OECD Test Guideline 302B

##### **octan-1-ol:**

Biodegradability : Inoculum: activated sludge  
Result: Readily biodegradable.  
Biodegradation: 82.2 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### Bioaccumulative potential

#### Components:

##### **Abamectin:**

Bioaccumulation : Species: Danio rerio (zebra fish)  
Bioconcentration factor (BCF): 54  
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 5.5

##### **Distillates (petroleum), hydrotreated middle; Gasoil — unspecified:**

Partition coefficient: n-octanol/water : log Pow: 7 (20 °C)  
Method: QSAR

##### **octan-1-ol:**

Partition coefficient: n-octanol/water : log Pow: 3.5 (23 °C)  
pH: 5.7

# SAFETY DATA SHEET



## ABAMECTIN 18 g/L EW

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>2026/02/19 | SDS Number:<br>50000641 | Date of last issue: -<br>Date of first issue: 2026/02/19 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

---

### Mobility in soil

#### Components:

##### **Abamectin:**

Distribution among environmental compartments : Remarks: Mobile in soils

### Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### **UNRTDG**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Abamectin)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

#### **IATA-DGR**

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Abamectin)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964

# SAFETY DATA SHEET



## ABAMECTIN 18 g/L EW

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 2026/02/19     | 50000641    | Date of first issue: 2026/02/19 |

Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Abamectin)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

### National regulatory information

|                                                                                                                                                                  |                               |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| Regulations on Occupational Safety and Health Facilities                                                                                                         | : applicable                  |
| Standards for the Storage, Cleanup, Handling and Disposal of Industrial Waste                                                                                    | : applicable                  |
| Regulations on Labelling and Hazard Communication of Hazardous Chemicals                                                                                         | : applicable                  |
| Rules on Road Traffic Safety                                                                                                                                     | : applicable                  |
| Standards of Permissible Exposure Limits in Workplace                                                                                                            | : applicable                  |
| Rules on the Prevention of Poisoning from Organic Solvents.                                                                                                      | : Not applicable              |
| Standard for the Control of Designated Hazardous and Dangerous Chemicals                                                                                         | : Not applicable              |
| Establishment Standards and Safety Control Regulations for Manufacturing, Storing, Processing Public Hazardous Substances and Flammable Pressurized Gases Places | : Quantity subject to control |
| Toxic and Concerned Chemical Substances Control Act                                                                                                              |                               |
| Toxic chemical substances                                                                                                                                        | : Not applicable              |
| Concerned chemical substances                                                                                                                                    | : Not applicable              |
| Regulations for Governing Designating and Handling of Priority Management Chemicals                                                                              | : applicable                  |
| Rules on Labour Health Protection                                                                                                                                | : Not applicable              |

### The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

# SAFETY DATA SHEET



## ABAMECTIN 18 g/L EW

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>2026/02/19 | SDS Number:<br>50000641 | Date of last issue: -<br>Date of first issue: 2026/02/19 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

|       |                                                                                                                                                                                                                                      |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TSCA  | : Product contains substance(s) not listed on TSCA inventory.                                                                                                                                                                        |
| AIIC  | : Not in compliance with the inventory                                                                                                                                                                                               |
| DSL   | : This product contains the following components that are not on the Canadian DSL nor NDSL.<br><br>Poly(oxy-1,2-ethanediyl), $\alpha$ -[2,4,6-tris(1-phenylethyl)phenyl]- $\omega$ -hydroxy-, phosphate, potassium salt<br>Abamectin |
| ENCS  | : Not in compliance with the inventory                                                                                                                                                                                               |
| ISHL  | : Not in compliance with the inventory                                                                                                                                                                                               |
| KECI  | : Not in compliance with the inventory                                                                                                                                                                                               |
| PICCS | : Not in compliance with the inventory                                                                                                                                                                                               |
| IECSC | : Not in compliance with the inventory                                                                                                                                                                                               |
| NZIoC | : Not in compliance with the inventory                                                                                                                                                                                               |
| TECI  | : Not in compliance with the inventory                                                                                                                                                                                               |

### 16. OTHER INFORMATION

|                        |                   |
|------------------------|-------------------|
| Responsible Department | : FMC Corporation |
| Contact person         | : Bee Huang       |
| Revision Date          | : 2026/02/19      |
| Date format            | : yyyy/mm/dd      |

#### Full text of other abbreviations

|               |                                                         |
|---------------|---------------------------------------------------------|
| TW OEL        | : Standards of Permissible Exposure Limits in Workplace |
| TW OEL / TWA  | : 8-hour time weighted average                          |
| TW OEL / STEL | : time weighted average for short term exposure         |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-

# SAFETY DATA SHEET



## ABAMECTIN 18 g/L EW

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 2026/02/19     | 50000641    | Date of first issue: 2026/02/19 |

---

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

TW / EN