

SAFETY DATA SHEET



GAMIT® STAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : GAMIT® STAR

Manufacturer or supplier's details

Company : FMC QUÍMICA DO BRASIL LTDA.

Address : AVENIDA DR. JOSÉ BONIFÁCIO
COUTINHO NOGUEIRA 150 - 1º
ANDAR - JARDIM MADALENA,
CAMPINAS SP BRASIL
TELEFONE: (19) 2042.4500

Emergency telephone : Brazil: 0800 34 35 450 (24 hours)
+55-2139581449 (CHEMTREC)

Medical Emergency Number : 0800 7010 450

Recommended use of the chemical and restrictions on use

Recommended use : Herbicide

Restrictions on use : Use as recommended by the label.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 5

Acute toxicity (Dermal) : Category 5

Skin corrosion/irritation : Category 3

Serious eye damage/eye irritation : Category 2A

Carcinogenicity : Category 2

Specific target organ toxicity - single exposure : Category 3 (Respiratory system, Central nervous system)

Aspiration hazard : Category 1

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 1

SAFETY DATA SHEET



GAMIT® STAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms

:



Signal Word

: DANGER

Hazard Statements

: H227 Combustible liquid.
H303 + H313 May be harmful if swallowed or in contact with skin.
H304 May be fatal if swallowed and enters airways.
H316 Causes mild skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H351 Suspected of causing cancer.
H402 Harmful to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P302 + P312 IF ON SKIN: Call a POISON CENTER/ doctor if you feel unwell.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P331 Do NOT induce vomiting.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

SAFETY DATA SHEET



GAMIT® STAR

Version 1.0 Revision Date: 23.09.2025 SDS Number: 50003101 Date of last issue: -
Date of first issue: 23.09.2025

P391 Collect spillage.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
clomazone (ISO)	81777-89-1	Acute Tox. (Oral), 4 Acute Tox. (Dermal), 5 Aquatic Acute, 1 Aquatic Chronic, 1	$\geq 65 - < 75$
Solvent naphtha (petroleum), light arom.	64742-95-6	Flam. Liq., 3 Acute Tox. (Oral), 5 Acute Tox. (Inhalation), 4 Acute Tox. (Dermal), 5 Skin corrosion/irritation, 2 Serious eye damage/eye irritation, 2A Carc., 2 STOT SE, (Respiratory system, Central nervous system) , 3 Asp. Tox., 1 Aquatic Acute, 2 Aquatic Chronic, 2	$\geq 10 - < 20$
1,2,4-trimethylbenzene	95-63-6	Flam. Liq., 3 Acute Tox. (Inhalation), 4 Acute Tox. (Dermal), 5 Skin corrosion/irritation, 2 STOT SE, (Respiratory system) , 3 Asp. Tox., 1 Aquatic Acute, 2 Aquatic Chronic, 2	$\geq 5 - < 10$

SAFETY DATA SHEET



GAMIT® STAR

Version 1.0 Revision Date: 23.09.2025 SDS Number: 50003101 Date of last issue: -
Date of first issue: 23.09.2025

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts (alternate CAS 26264-06-2)	68584-23-6	Acute Tox. (Dermal), 5 Skin corrosion/irritation, 2 Serious eye damage/eye irritation, 1 Aquatic Acute, 2 Aquatic Chronic, 3	$\geq 2,5 - < 3$
2-ethylhexan-1-ol	104-76-7	Flam. Liq., 4 Acute Tox. (Oral), 5 Acute Tox. (Inhalation), 4 Skin corrosion/irritation, 2 Serious eye damage/eye irritation, 2A STOT SE, (Respiratory system) , 3 Aquatic Acute, 3	$\geq 1 - < 2,5$
cumene	98-82-8	Flam. Liq., 3 Acute Tox. (Oral), 5 Acute Tox. (Dermal), 5 Carc., 2 STOT SE, (Respiratory system) , 3 Asp. Tox., 1 Aquatic Acute, 2 Aquatic Chronic, 3	$\geq 0,1 - < 0,25$

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and water.
If symptoms persist, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

-
- | | |
|---|---|
| If swallowed | : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital. |
| Most important symptoms and effects, both acute and delayed | : May be harmful if swallowed or in contact with skin.
May be fatal if swallowed and enters airways.
Causes mild skin irritation.
Causes serious eye irritation.
May cause respiratory irritation.
May cause drowsiness or dizziness.
Suspected of causing cancer.
Swallowing or inhaling may result in sudden shortness of breath, coughing, nausea and or abdominal pain.
Skin contact may result in itching and redness. Eye contact may result in itching, watery eyes, light sensitivity, pain, and/or blurred vision. |
| Protection of first-aiders | : Avoid inhalation, ingestion and contact with skin and eyes. |
| Notes to physician | : Treat symptomatically. |
-

SECTION 5. FIRE-FIGHTING MEASURES

- | | |
|--|--|
| Suitable extinguishing media | : Dry chemical, CO ₂ , water spray or regular foam. |
| Unsuitable extinguishing media | : Do not spread spilled material with high-pressure water streams. |
| Specific hazards during fire fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides
Nitrogen oxides (NO _x) |
| Specific extinguishing methods | : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : Firefighters should wear protective clothing and self-contained breathing apparatus. |
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

SAFETY DATA SHEET



GAMIT® STAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

- | | |
|---|---|
| Personal precautions, protective equipment and emergency procedures | : Remove all sources of ignition.
Ensure adequate ventilation.
Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material. |
| Environmental precautions | : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
Keep in suitable, closed containers for disposal. |

SECTION 7. HANDLING AND STORAGE

- | | |
|---|---|
| Advice on protection against fire and explosion | : Do not spray on a naked flame or any incandescent material.
Keep away from open flames, hot surfaces and sources of ignition. |
| Advice on safe handling | : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations. |
| Hygiene measures | : Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday. |
| Conditions for safe storage | : No smoking.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards. |
| Materials to avoid | : Do not store near acids. |
| Further information on storage | : No decomposition if stored and applied as directed. |

SAFETY DATA SHEET



GAMIT® STAR

Version 1.0 Revision Date: 23.09.2025 SDS Number: 50003101 Date of last issue: -
Date of first issue: 23.09.2025

age stability

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
1,2,4-trimethylbenzene	95-63-6	TWA	10 ppm	ACGIH
2-ethylhexan-1-ol	104-76-7	TWA	5 ppm	ACGIH
cumene	98-82-8	LT	39 ppm 190 mg/m3	BR OEL
		Further information: Absorption through the skin, Degree of harmfulness: maximum		
		TWA	5 ppm	ACGIH

Personal protective equipment

- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Hand protection
Material : Protective gloves
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Protective measures : Plan first aid action before beginning work with this product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state : liquid
- Color : yellow
- Odor : characteristic
- Odor Threshold : No data available
- pH : 4,89
Concentration: 10 g/l
Method: CIPAC MT 75.3

SAFETY DATA SHEET

GAMIT® STAR



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

Melting point/ range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	61 °C Method: CIPAC MT 12.3
Evaporation rate	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1,11 g/cm ³ (ca. 20 °C) Method: OECD Test Guideline 109
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	22,1 mm ² /s (20 °C) 9,52 mm ² /s (40 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Surface tension	:	31 mN/m, 1 g/l, OECD Test Guideline 115
Molecular weight	:	Not applicable

GAMIT® STAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed. Vapors may form explosive mixture with air.
Conditions to avoid	:	Heat, flames and sparks. Avoid extreme temperatures. Avoid formation of aerosol.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity**

May be harmful if swallowed or in contact with skin.

Product:

Acute oral toxicity	:	LD50 (Rat, female): > 2.000 mg/kg Method: OECD Test Guideline 423 Symptoms: prostration Assessment: The component/mixture is minimally toxic after single ingestion. Remarks: no mortality
Acute inhalation toxicity	:	LC50 (Rat): > 5,69 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes Assessment: The substance or mixture has no acute inhalation toxicity Remarks: no mortality
Acute dermal toxicity	:	LD50 (Rat): > 4.000 mg/kg Method: OECD Test Guideline 402 Assessment: The component/mixture is minimally toxic after single contact with skin. Remarks: Based on data from a similar product. no mortality

Components:**clomazone (ISO):**

Acute oral toxicity	:	LD50 (Rat, female): 768 mg/kg Method: OECD Test Guideline 425
---------------------	---	--

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

LD50 (Rat, female): 300 - 2.000 mg/kg
Method: OECD Test Guideline 423
Target Organs: Liver
Assessment: The component/mixture is moderately toxic after single ingestion.

LD50 (Rat, female): 1.564 mg/kg
Symptoms: ataxia

Acute inhalation toxicity : LC50 (Rat, male and female): > 12,1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: apathy
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

LC50 (Rat): > 7,4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg
Method: US EPA Test Guideline OPP 81-2
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

LD50 (Rabbit, male and female): > 4.000 mg/kg
Method: OECD Test Guideline 402
Remarks: no mortality

Solvent naphtha (petroleum), light arom.:

Acute oral toxicity : LD50 (Rat, female): 3.492 mg/kg
Method: OECD Test Guideline 401

LD50 (Rat, male): 6.984 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 6,193 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rabbit, male and female): > 3.160 mg/kg
Assessment: The component/mixture is minimally toxic after

GAMIT® STAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

single contact with skin.

1,2,4-trimethylbenzene:

- Acute oral toxicity : LD50 (Rat, male): 6.000 mg/kg
Method: Fixed Dose Method
- Acute inhalation toxicity : LC50 (Rat, male and female): 10,2 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Remarks: Based on data from similar materials
- Acute dermal toxicity : LD50 (Rat, male and female): 3.440 mg/kg
Remarks: Based on data from similar materials

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

- Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials
- Acute inhalation toxicity : LD50 (Rat, male and female): > 1,9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rabbit, male and female): > 4.000 mg/kg
Remarks: Based on data from similar materials

2-ethylhexan-1-ol:

- Acute oral toxicity : LD50 (Rat, male): 2.047 mg/kg
- Acute inhalation toxicity : LC50 (Rat): 4,3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
- Acute dermal toxicity : LD50 (Rat, male and female): > 3.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

cumene:

- Acute oral toxicity : LD50 (Rat, male and female): 2.700 mg/kg
Method: OECD Test Guideline 401
Symptoms: Fatality
- Acute inhalation toxicity : LC0 (Rat): 39 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Remarks: no mortality
- Acute dermal toxicity : LD50 (Rabbit, male and female): 3.160 mg/kg

SAFETY DATA SHEET



GAMIT® STAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

Symptoms: Fatality

Skin corrosion/irritation

Causes mild skin irritation.

Product:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
Remarks	: Based on data from a similar product.

Assessment	: Causes mild skin irritation.
Remarks	: ANVISA assessment

Components:

clomazone (ISO):

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 404
Result	: slight or no skin irritation.

Solvent naphtha (petroleum), light arom.:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Mild skin irritation

Assessment	: Irritating to skin.
------------	-----------------------

1,2,4-trimethylbenzene:

Species	: Rabbit
Result	: Skin irritation
Remarks	: Based on data from similar materials

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Assessment	: Irritating to skin.
------------	-----------------------

2-ethylhexan-1-ol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

cumene:

Species	: Rabbit
Exposure time	: 72 h
Method	: OECD Test Guideline 404
Result	: No skin irritation

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Assessment	:	Irritating to eyes.
Method	:	OECD 429B

Components:**clomazone (ISO):**

Species	:	Rabbit
Result	:	Slight or no eye irritation
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
GLP	:	yes

Solvent naphtha (petroleum), light arom.:

Species	:	Rabbit
Result	:	No eye irritation
Assessment	:	Irritating to eyes.

1,2,4-trimethylbenzene:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Assessment	:	Risk of serious damage to eyes.
------------	---	---------------------------------

2-ethylhexan-1-ol:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

cumene:

Species	:	Rabbit
Result	:	No eye irritation
Exposure time	:	72 h
Method	:	OECD Test Guideline 405

Respiratory or skin sensitization**Skin sensitization**

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

GAMIT® STAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

Product:

Test Type	: Local lymph node test
Method	: OECD Test Guideline 429
Result	: Slightly sensitising
GLP	: yes
Remarks	: Not a skin sensitizer.
	: ANVISA assessment

Components:**clomazone (ISO):**

Test Type	: Buehler Test
Species	: Guinea pig
Assessment	: Not a skin sensitizer.
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.
GLP	: yes
Species	: Guinea pig
Assessment	: Not a skin sensitizer.
Method	: US EPA Test Guideline OPP 81-6
Result	: Not a skin sensitizer.

Solvent naphtha (petroleum), light arom.:

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.

1,2,4-trimethylbenzene:

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.
Remarks	: Based on data from similar materials

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Test Type	: Buehler Test
Species	: Guinea pig
Result	: Not a skin sensitizer.
Remarks	: Based on data from similar materials

cumene:

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Components:**clomazone (ISO):**

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay
Species: Rat
Method: OECD Test Guideline 473
Result: negative

Solvent naphtha (petroleum), light arom.:

Genotoxicity in vitro : Test Type: in vitro DNA damage and/or repair study
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration.
Species: Rat (male and female)
Application Route: Inhalation
Result: negative

1,2,4-trimethylbenzene:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Test Type: gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

GAMIT® STAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

Test Type: Chromosome aberration test in vitro
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Intraperitoneal injection
Exposure time: 72 hrs
Method: Mutagenicity (micronucleus test)
Remarks: Based on data from similar materials

2-ethylhexan-1-ol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

cumene:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Test Type: in vitro DNA damage and/or repair study
Method: OECD Test Guideline 482
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

GAMIT® STAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: inhalation (gas)
Exposure time: 6 h
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Suspected of causing cancer.

Components:**clomazone (ISO):**

Species : Rat, male and female
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Mouse
Method : OECD Test Guideline 453
Result : negative

Solvent naphtha (petroleum), light arom.:

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

1,2,4-trimethylbenzene:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

2-ethylhexan-1-ol:

Species : Rat
Application Route : Oral
Exposure time : 24 month(s)
Result : negative

cumene:

Species : Rat, male and female
Application Route : inhalation (gas)
Exposure time : 6 h
Method : OECD Test Guideline 451
Result : positive

Carcinogenicity - Assessment : Suspected human carcinogens

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:**clomazone (ISO):**

Effects on fertility	:	Test Type: Two-generation study Species: Rat, male and female Application Route: Oral Result: negative
Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rat Application Route: Oral Symptoms: Maternal effects. Result: negative Test Type: Embryo-fetal development Species: Rabbit Application Route: Oral Symptoms: Maternal effects. Result: negative

Solvent naphtha (petroleum), light arom.:

Effects on fertility	:	Test Type: Three-generation study Species: Rat Application Route: inhalation (vapor) Fertility: NOAEC Mating/Fertility: 7,5 mg/l Result: negative Remarks: Based on data from similar materials
Effects on fetal development	:	Species: Mouse Application Route: inhalation (vapor) General Toxicity Maternal: LOAEC: 500 part per million Symptoms: Maternal effects.

1,2,4-trimethylbenzene:

Effects on fertility	:	Test Type: Multi-generation study Species: Rat, male and female Application Route: inhalation (vapor) Dose: 0, 100, 500 and 1500 parts per million General Toxicity Parent: NOAEC: 500 Method: OECD Test Guideline 416 Result: negative
Effects on fetal development	:	Test Type: Developmental Toxicity Screening Test Species: Rat Application Route: inhalation (vapor) Dose: 0, 100, 300, 600, 900 parts per million Duration of Single Treatment: 15 d General Toxicity Maternal: LOAEC: 600 part per million Teratogenicity: NOAEC Mating/Fertility: 900 part per million Embryo-fetal toxicity.: LOAEC F1: 600 part per million Method: OECD Test Guideline 414

SAFETY DATA SHEET



GAMIT® STAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Effects on fertility : Test Type: one-generation reproductive toxicity
Species: Rat, male and female
Application Route: Oral
Method: OECD Test Guideline 415
Result: No effects on fertility and early embryonic development were detected.

2-ethylhexan-1-ol:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: negative

cumene:

Effects on fertility : Species: Rat, male and female
Application Route: inhalation (vapor)
Result: negative

Effects on fetal development : Species: Rat
Application Route: inhalation (vapor)
Duration of Single Treatment: 21 d
Method: OECD Test Guideline 414
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

May cause respiratory irritation.
May cause drowsiness or dizziness.

Product:

Assessment : May cause drowsiness or dizziness.
May cause respiratory irritation.
Remarks : ANVISA assessment

Components:

Solvent naphtha (petroleum), light arom.:

Assessment : May cause respiratory irritation.
May cause drowsiness or dizziness.

1,2,4-trimethylbenzene:

Assessment : May cause respiratory irritation.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

2-ethylhexan-1-ol:

Assessment : May cause respiratory irritation.

cumene:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Components:**1,2,4-trimethylbenzene:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

cumene:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity**Components:****clomazone (ISO):**

Species	: Rat, male and female
NOEL	: 1000 ppm
Application Route	: Oral
Exposure time	: 90 d
Symptoms	: increased liver weight

Species	: Rat
LOAEL	: 400 mg/kg
Exposure time	: 90 d
Method	: OECD Test Guideline 408
Symptoms	: Liver effects

Solvent naphtha (petroleum), light arom.:

Species	: Rat, male and female
NOAEC	: 0,8 - 0,9 mg/l
Application Route	: Inhalation
Test atmosphere	: vapor
Remarks	: Based on data from similar materials

Species	: Rat, male
NOAEL	: 600 mg/kg
Application Route	: Oral
Remarks	: Based on data from similar materials

1,2,4-trimethylbenzene:

Species : Rat, male and female

SAFETY DATA SHEET



GAMIT® STAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

NOAEL : 600 mg/kg
Application Route : Oral - gavage
Exposure time : 91 d
Dose : 0, 50, 200 & 600 mg/kg bw/day
Method : OECD Test Guideline 408
Remarks : Based on data from similar materials

Species : Rat, male and female
NOAEC : 1,8 mg/l
Application Route : inhalation (vapor)
Exposure time : 12 m
Dose : 0, 450, 900, 1800 mg/m3
Method : OECD Test Guideline 452

Species : Rat, male and female
NOAEC : 1,23 mg/l
Application Route : inhalation (vapor)
Exposure time : 3 m
Dose : 0, 123, 492 & 1230 mg/m3
Method : OECD Test Guideline 413

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Species : Rat, male and female
NOAEL : 500 mg/kg
Application Route : Oral
Method : OECD Test Guideline 407
Remarks : Based on data from similar materials

Species : Rat, male and female
NOAEL : 50 mg/m3
Application Route : Inhalation
Method : OECD Test Guideline 412
Remarks : Based on data from similar materials

Species : Rat, male and female
NOAEL : > 1.000 mg/kg
Application Route : Dermal
Method : OECD Test Guideline 410
Remarks : Based on data from similar materials

2-ethylhexan-1-ol:

Species : Rat
Dose : 250 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Method : OECD Test Guideline 408

cumene:

Species : Mouse, male and female
NOAEL : 125 ppm
LOAEL : 250 ppm
Application Route : inhalation (vapor)
Test atmosphere : vapor

SAFETY DATA SHEET



GAMIT® STAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

Method	: OECD Test Guideline 413
Species	: Rat, male and female
NOAEL	: 125 ppm
LOAEL	: 250 ppm
Application Route	: inhalation (vapor)
Test atmosphere	: vapor
Method	: OECD Test Guideline 413

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

clomazone (ISO):

The substance does not have properties associated with aspiration hazard potential.

Solvent naphtha (petroleum), light arom.:

May be fatal if swallowed and enters airways.

1,2,4-trimethylbenzene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

cumene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Further information

Product:

Remarks : Solvents may degrease the skin.

Components:

clomazone (ISO):

Remarks : When fed to animals, clomazone caused decreased activity, tearing eyes, bleeding from the nose and incoordination.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 30,74 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 34,7 mg/l

SAFETY DATA SHEET



GAMIT® STAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

aquatic invertebrates	End point: Immobilization Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to soil dwelling organisms	: Method: OECD Test Guideline 217 Remarks: No significant adverse effect on Carbon mineralization. Method: OECD Test Guideline 216 Remarks: No significant adverse effect on Nitrogen mineralization.
Toxicity to terrestrial organisms	: LD50 (<i>Apis mellifera</i> L.): > 140 End point: Acute contact toxicity Method: OECD Test Guideline 214 LD50 (<i>Apis mellifera</i> L.): > 142 End point: Acute oral toxicity Method: OECD Test Guideline 213

Components:

clomazone (ISO):

Toxicity to fish	: LC50 (<i>Menidia beryllina</i> (Silverside)): 6,3 mg/l Exposure time: 96 h LC50 (<i>Oncorhynchus mykiss</i> (rainbow trout)): > 45 mg/l Exposure time: 96 h LC50 (<i>Lepomis macrochirus</i> (Bluegill sunfish)): 34 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (<i>Daphnia magna</i> (Water flea)): 40,8 mg/l Exposure time: 48 h EC50 (<i>Daphnia</i>): 5,2 mg/l Exposure time: 48 h EC50 (<i>Daphnia magna</i> (Water flea)): 12,7 mg/l Exposure time: 48 h Test Type: static test EC50 (<i>Mysidopsis bahia</i> (opossum shrimp)): 9,8 mg/l Exposure time: 48 h LC50 (<i>Americamysis bahia</i> (mysid shrimp)): 0,57 mg/l Exposure time: 96 h Test Type: flow-through test
Toxicity to algae/aquatic plants	: EbC50 (<i>Selenastrum capricornutum</i> (green algae)): 2 mg/l Exposure time: 72 h ErC50 (<i>Selenastrum capricornutum</i> (green algae)): 4,1 mg/l Exposure time: 72 h

SAFETY DATA SHEET



GAMIT® STAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

ErC50 (Navicula pelliculosa (Freshwater diatom)): 0,136 mg/l
Exposure time: 120 h

EC50 (Lemna gibba (duckweed)): 13,9 mg/l
Exposure time: 7 d

NOEC (Navicula pelliculosa (Freshwater diatom)): 0,05 mg/l
End point: Growth rate
Exposure time: 120 h

NOEC (algae): 0,05 mg/l
Exposure time: 96 h

EC50 (Lemna gibba (duckweed)): 13,9 mg/l
Exposure time: 7 d

EC50 (algae): 0,136 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 2,3 mg/l
Exposure time: 21 d
Test Type: flow-through test

NOEC (Oncorhynchus mykiss (rainbow trout)): 2,29 mg/l
Exposure time: 57 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 2,2 mg/l
Exposure time: 21 d

NOEC (Americamysis bahia (mysid shrimp)): 0,032 mg/l
Exposure time: 28 d
Test Type: flow-through test

NOEC (Daphnia magna (Water flea)): 1,25 mg/l
Exposure time: 21 d
Test Type: static test

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): 391,2 mg/kg
Exposure time: 14 d

Toxicity to terrestrial organisms : LD50 (Anas platyrhynchos (Mallard duck)): > 2.510 mg/kg

LC50 (Anas platyrhynchos (Mallard duck)): > 5620 ppm
Remarks: Dietary

LD50 (Coturnix japonica (Japanese quail)): > 2000

SAFETY DATA SHEET



GAMIT® STAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

NOEC (Colinus virginianus): 94 mg/kg
End point: Reproduction Test

LC50 (Apis mellifera (bees)): > 85.29

LC50 (Apis mellifera (bees)): > 100
Remarks: Contact

Solvent naphtha (petroleum), light arom.:

Toxicity to fish : NOEC (Oncorhynchus mykiss (rainbow trout)): 4,5 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

LL50 (Pimephales promelas (fathead minnow)): 8,2 mg/l
Exposure time: 96 h
Test Type: semi-static test
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 4,5 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (microalgae)): 3,1 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOELR (Pimephales promelas (fathead minnow)): 2,6 mg/l
Exposure time: 14 d
Method: OECD Test Guideline 204
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 2,6 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (Tetrahymena pyriformis): 15,41 mg/l
Exposure time: 40 h
Test Type: Growth inhibition
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

GAMIT® STAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

1,2,4-trimethylbenzene:

- | | | |
|--|---|---|
| Toxicity to fish | : | LC50 (Pimephales promelas (fathead minnow)): 7,72 mg/l
Exposure time: 96 h
Test Type: flow-through test |
| Toxicity to daphnia and other aquatic invertebrates | : | LC50 (Daphnia magna (Water flea)): 3,6 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : | EC50 (green algae): 2,356 mg/l
Exposure time: 96 h
Method: QSAR |
| Toxicity to fish (Chronic toxicity) | : | Chronic Toxicity Value (Fish): 0,396 mg/l
Exposure time: 30 d
Method: QSAR |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | Chronic Toxicity Value (Daphnia magna (Water flea)): 0,367 mg/l
Exposure time: 16 d
Method: QSAR |
| Toxicity to microorganisms | : | (activated sludge): 500 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition |
| Toxicity to soil dwelling organisms | : | LC50 (Eisenia fetida (earthworms)): 141.598 parts per million
Exposure time: 14 d |
| Toxicity to terrestrial organisms | : | LD50 (Colinus virginianus (Bobwhite quail)): > 2.250 mg/kg |

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

- | | | |
|---|---|---|
| Toxicity to fish | : | LL50 (Marine species): 10.000 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

LL50 (Pimephales promelas (fathead minnow)): 1.000 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 1.000 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials |
| Toxicity to algae/aquatic plants | : | EL50 (Pseudokirchneriella subcapitata (green algae)): > 1.000 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials |
| Toxicity to microorganisms | : | NOEC (activated sludge): 10.000 mg/l
Method: OECD Test Guideline 209
GLP: yes |

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

2-ethylhexan-1-ol:Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 17,1 - 28,2 mg/l
Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 39 mg/l
Exposure time: 48 hToxicity to algae/aquatic plants : EC10 (Desmodesmus subspicatus (green algae)): 3,2 mg/l
Exposure time: 72 hEC50 (Desmodesmus subspicatus (green algae)): 11,5 mg/l
Exposure time: 72 hToxicity to microorganisms : EC50 (Anabaena flos-aquae (cyanobacterium)): 16,6 mg/l
Exposure time: 72 h**cumene:**Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 4,7 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,14 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 2,01 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0,38 mg/l
Exposure time: 28 d
Method: QSARToxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 0,6 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211Toxicity to microorganisms : EC50 (activated sludge): 2.000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209Toxicity to terrestrial organisms : LD50 (Agelaius phoeniceus (red-wing blackbird)): 98 mg/kg
Exposure time: 18 h

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

Persistence and degradability**Components:****clomazone (ISO):**

Biodegradability : Result: Not readily biodegradable.
Remarks: Substance/product is moderately persistent in the environment.
Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and water.

Solvent naphtha (petroleum), light arom.:

Biodegradability : Concentration: 49,2 mg/l
Result: Inherently biodegradable.
Biodegradation: 77,05 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

1,2,4-trimethylbenzene:

Biodegradability : Inoculum: activated sludge, non-adapted
Result: Inherently biodegradable.
Biodegradation: 69,67 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Biodegradability : Result: Not readily biodegradable.

2-ethylhexan-1-ol:

Biodegradability : Result: Readily biodegradable.

cumene:

Biodegradability : aerobic
Result: Readily biodegradable.
Biodegradation: 70 %
Exposure time: 20 d

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: No data available

Components:**clomazone (ISO):**

Bioaccumulation : Bioconcentration factor (BCF): 27 - 40
Remarks: Low potential for bioaccumulation

SAFETY DATA SHEET



GAMIT® STAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

Partition coefficient: n-octanol/water : log Pow: 2,365 (20 °C)
Method: OECD Test Guideline 107

log Pow: 2,61 - 2,69 (20 - 21 °C)
pH: 4 - 10
Method: Regulation (EC) No. 440/2008, Annex, A.8

1,2,4-trimethylbenzene:

Bioaccumulation : Species: Pimephales promelas (fathead minnow)
Bioconcentration factor (BCF): 243
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 3,63

Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts:

Partition coefficient: n-octanol/water : log Pow: 22,1

2-ethylhexan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 2,9 (25 °C)

cumene:

Bioaccumulation : Bioconcentration factor (BCF): 94,69

Partition coefficient: n-octanol/water : log Pow: 3,55 (20 °C)

Mobility in soil

Components:

clomazone (ISO):

Distribution among environmental compartments : Koc: 300 ml/g, log Koc: 2,47
Remarks: Moderately mobile in soils

Stability in soil :

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life.
Very toxic to aquatic life with long lasting effects.

Components:

clomazone (ISO):

Additional ecological information : An environmental hazard cannot be excluded in the event of

GAMIT® STAR

mation	unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.
--------	---

Disposal methods

Contaminated packaging : It is prohibited to reuse, bury, burn or sell packaging.

Pressure wash: Fit the empty package in the appropriate place of the funnel installed on the sprayer; Activate the mechanism to release the water jet; Direct the water jet to all the inside walls of the package, for 30 seconds; Wash water must be transferred to the sprayer tank; Make the plastic or metal packaging unusable by perforating the bottom. In both procedures, puncture the container at its base without damaging the label. Within a period of up to one year from the date of purchase, the user must return the empty packaging, with lid, to the establishment where the product was purchased or to the place indicated on the invoice, issued at the time of purchase. Activate the mechanism to release the water jet. Direct the water jet to all the inside walls of the package, for 30 seconds. Wash water must be transferred to the sprayer tank. Make the plastic or metal packaging unusable by perforating the bottom.

International Regulations

UNRTDG

Class : 9
Packing group : III

SAFETY DATA SHEET



GAMIT® STAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (Clomazone)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clomazone)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ANTT

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clomazone)

Class : 9
Packing group : III
Labels : 9
Hazard Identification Number : 90

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Law No. 14,785 of December 27, 2023. Decree 4,074 of January 4, 2002 and its regulatory standards. ANTT Resolution No. 5,998/22 of November 3, 2022. This SDS was prepared in accordance with the criteria of ABNT NBR 14725. The user is recommended to pay attention to local regulations.

National List of Carcinogenic Agents for Humans - (LINACH)

SAFETY DATA SHEET



GAMIT® STAR

Version 1.0	Revision Date: 23.09.2025	SDS Number: 50003101	Date of last issue: - Date of first issue: 23.09.2025
----------------	------------------------------	-------------------------	--

Group 2B: Possibly carcinogenic to humans
cumene

98-82-8

Brazil. List of chemicals controlled by the Federal Police : Not applicable

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. clomazone (ISO)
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date	: 23.09.2025
Date format	: dd.mm.yyyy

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
BR OEL	: Brazil. NR 15 - Unhealthy activities and operations
ACGIH / TWA	: 8-hour, time-weighted average
BR OEL / LT	: Up to 48 hours /week

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	23.09.2025	50003101	Date of first issue: 23.09.2025

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

BR / EN