

SAFETY DATA SHEET



REVEXAR®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.09.2025	50002607	Date of first issue: 04.09.2025

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product name REVEXAR®

Other means of identification

Product code 50002607

Product Registration Number RSCO-MEZC-INAC-0104A-0176-X0148-005-0.49

Recommended use of the chemical and restrictions on use

Recommended use Can be used as insecticide only.

Restrictions on use Use as recommended by the label.

Manufacturer or supplier's details**Manufacturer**

FMC AGROQUÍMICA DE MÉXICO,
S. DE R.L. DE C.V AV. VALLARTA NO.
6503, LOCAL A1-6, COL. CD. GRANJA,
45010 ZAPOPAN, JALISCO, MÉXICO
TEL.: 800 FMC AGRO (362 2476)
CONTACTOMEXICO@FMC.COM
SDS-Info@fmc.com

Emergency telephone

For leak, fire, spill or accident emergencies, call:
800-681-9531 (CHEMTREC - Mexico)
1 703 / 741-5970 (CHEMTREC - International)

Medical emergency:
911
SINTOX (Toxicological Information Service): 800 009 2800; 55
5611 2634 and 55 5598 6659, service 24 hours a day, 365
days a year.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Inhalation) : Category 5

GHS label elements

Signal Word : WARNING

Hazard Statements : H333 May be harmful if inhaled.

SAFETY DATA SHEET



REVEXAR®

Version 1.0 Revision Date: 04.09.2025 SDS Number: 50002607 Date of last issue: -
Date of first issue: 04.09.2025

Precautionary Statements : **Response:**
P304 + P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

Other hazards

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
calcium carbonate	471-34-1	≥ 90 - ≤ 100
Bifenthrin	82657-04-3	≥ 0.1 - < 1
Chlorantraniliprole	500008-45-7	≥ 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.
If unconscious, place in recovery position and seek medical advice.

In case of skin contact : Wash off with soap and water.
If symptoms persist, call a physician.
Wash contaminated clothing before re-use.

In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : Contact with skin may cause tingling, itching, burning, or numbness at the site of contact. Inhalation may irritate the nose, throat, and lungs. Swallowing large quantities may result in throat irritation, nausea, abdominal pain, and vomiting. Exposure may result in neurotoxicity with symptoms including tremors, impaired gait, and excessive salivation. Tremors may disappear with continued exposure.

SAFETY DATA SHEET



REVEXAR®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.09.2025	50002607	Date of first issue: 04.09.2025

May be harmful if inhaled.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : In case of poisoning, call the emergency numbers SINTOX (control center of intoxications): 800-00-928-00; (55) 5611 2634 and (55) 5598 6659, 24-hour service on 365 days of the year. For emergencies: 911.
Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fluorinated compounds
Halogenated compounds
Hazardous combustion products
Carbon oxides

Specific extinguishing methods : Use a water spray to cool fully closed containers.
Remove undamaged containers from fire area if it is safe to do so.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use personal protective equipment.
Avoid dust formation.
Avoid breathing dust.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Never return spills in original containers for re-use.
For disposal considerations see section 13.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform

REVEXAR®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.09.2025	50002607	Date of first issue: 04.09.2025

respective authorities.

Methods and materials for containment and cleaning up : For further cleaning instructions call CHEMTREC, 800-681-9531.

Never return spills in original containers for re-use.
Pick up and transfer to properly labeled containers without creating dust.
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
Avoid formation of respirable particles.
For personal protection see section 8.

For incompatible materials see section 10.

Avoid formation of respirable particles.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.

Hygiene measures : Avoid contact with skin, eyes and clothing.
Do not breathe dust.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SAFETY DATA SHEET



REVEXAR®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.09.2025	50002607	Date of first issue: 04.09.2025

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Particulates type

Hand protection
Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : solid

Form : granular

Color : green

Odor : odorless

SAFETY DATA SHEET



REVEXAR®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.09.2025	50002607	Date of first issue: 04.09.2025

Odor Threshold : No data available

pH : 8.86

Melting point/ range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Relative density : No data available

Density : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Surface tension : Not applicable

Molecular weight : Not applicable

SAFETY DATA SHEET



REVEXAR®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.09.2025	50002607	Date of first issue: 04.09.2025

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	Dust may form explosive mixture in air. No decomposition if stored and applied as directed.
Conditions to avoid	:	Avoid extreme temperatures. Avoid dust formation.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

May be harmful if inhaled.

Product:

Acute oral toxicity	:	LD50 (Rat, female): > 5,000 mg/kg Method: OECD Test Guideline 425 GLP: yes Assessment: The substance or mixture has no acute oral toxicity Remarks: no mortality
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 5.44 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Symptoms: Breathing difficulties GLP: yes
Acute dermal toxicity	:	LD50 (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 402 Symptoms: Irritation GLP: yes Assessment: The substance or mixture has no acute dermal toxicity

Components:

calcium carbonate:

Acute oral toxicity	:	LD50 (Rat, female): > 2,000 mg/kg Method: OECD Test Guideline 420
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 3 mg/l

SAFETY DATA SHEET



REVEXAR®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.09.2025	50002607	Date of first issue: 04.09.2025

Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Highest attainable concentration.

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402

Bifenthrin:

Acute oral toxicity : LD50 (Rat, male and female): 50.2 - 58.8 mg/kg
Symptoms: Convulsions, Tremors

Acute inhalation toxicity : LC50 (Rat, female): 0.6 - 1.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Tremors, Convulsions

LC50 (Rat, male): 1.10 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Tremors, Fatality

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Remarks: no mortality

Chlorantraniliprole:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity

LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Remarks: Information source: Internal study report

LD50 (Mouse, female): > 2,000 mg/kg
Method: OECD Test Guideline 425
GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity

SAFETY DATA SHEET



REVEXAR®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.09.2025	50002607	Date of first issue: 04.09.2025

Remarks: Information source: Internal study report

LC50 (Rat, male and female): > 5.1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

LC50 (Rat, male and female): > 5.0 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: GB 15670-1995
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Information source: Internal study report

LD50 (Rat, male and female): > 5,000 mg/kg
Method: GB 15670-1995
GLP: yes
Remarks: no mortality

LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Remarks: no mortality

Skin corrosion/irritation

Not classified based on available information.

Product:

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 404
Result	: No skin irritation
GLP	: yes

Components:

calcium carbonate:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

SAFETY DATA SHEET



REVEXAR®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.09.2025	50002607	Date of first issue: 04.09.2025

Bifenthrin:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: slight or no skin irritation.
GLP	: yes

Chlorantraniliprole:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
GLP	: yes
Remarks	: Information source: Internal study report

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
GLP	: yes

Species	: Rabbit
Method	: GB 15670-1995
Result	: No skin irritation
GLP	: yes

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species	: Rabbit
Result	: No eye irritation
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 405
GLP	: yes

Components:

calcium carbonate:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

Bifenthrin:

Species	: Rabbit
Result	: Slight or no eye irritation
Method	: OECD Test Guideline 405
GLP	: yes

Chlorantraniliprole:

Species	: Rabbit
---------	----------

SAFETY DATA SHEET



REVEXAR®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.09.2025	50002607	Date of first issue: 04.09.2025

Result	:	No eye irritation
Method	:	OECD Test Guideline 405
GLP	:	yes
Remarks	:	Information source: Internal study report

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Species	:	Rabbit
Result	:	Slight or no eye irritation
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
GLP	:	yes

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Test Type	:	Local lymph node assay (LLNA)
Routes of exposure	:	Skin contact
Species	:	Mouse
Assessment	:	Not a skin sensitizer.
Method	:	OECD Test Guideline 429
GLP	:	yes

Components:

calcium carbonate:

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Not a skin sensitizer.

Bifenthrin:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	May cause sensitization by skin contact.
GLP	:	yes

Chlorantraniliprole:

Test Type	:	Maximization Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406

SAFETY DATA SHEET



REVEXAR®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.09.2025	50002607	Date of first issue: 04.09.2025

Result : Does not cause skin sensitization.
GLP : yes
Remarks : Information source: Internal study report

Test Type : Local lymph node assay (LLNA)
Species : mice
Method : OECD Test Guideline 429
Result : Does not cause skin sensitization.

Germ cell mutagenicity

Not classified based on available information.

Components:

calcium carbonate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Bifenthrin:

Genotoxicity in vitro : Test Type: gene mutation test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: Mouse lymphoma assay
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Sex-linked Recessive Lethal Test
Species: Drosophila melanogaster (vinegar fly)
Result: negative

Test Type: unscheduled DNA synthesis assay
Species: Rat
Method: OECD Test Guideline 486
Result: negative

Chlorantraniliprole:

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 476
Result: negative

SAFETY DATA SHEET



REVEXAR®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.09.2025	50002607	Date of first issue: 04.09.2025

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:

Bifenthrin:

Species : Rat, female
Application Route : Oral
Exposure time : 2 Years
NOAEL : 3 mg/kg bw/day
Result : negative

Species : Mouse, male
Application Route : Oral
Exposure time : 18 month(s)
NOAEL : 7.6 mg/kg bw/day
Result : positive
Symptoms : malignant tumors

Chlorantraniliprole:

Species : Rat, male and female
Application Route : Oral
Exposure time : 2 Years
NOAEL : 805 - 1,076 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Species : Mouse, male and female
Application Route : Oral
Exposure time : 18 month(s)
NOAEL : 158 - 1,155 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Species : Dog
Exposure time : 1 Years
NOAEL : 1,164 mg/kg bw/day
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

REVEXAR®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.09.2025	50002607	Date of first issue: 04.09.2025

Reproductive toxicity

Not classified based on available information.

Components:**calcium carbonate:**

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Rat, male and female
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative

Effects on fetal development : Test Type: Pre-natal
Species: Rat
Application Route: Oral
Method: OECD Test Guideline 414
Result: negative

Bifenthrin:

Effects on fertility : Test Type: Two-generation study
Species: Rat
Application Route: Oral
General Toxicity Parent: NOAEL: 3 mg/kg bw/day
General Toxicity F1: NOAEL: 5 mg/kg bw/day
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
General Toxicity Maternal: NOAEL: 2.7 mg/kg bw/day
Teratogenicity: NOAEL: 2.7 mg/kg bw/day
Symptoms: Maternal effects.
Result: No teratogenic effects.

Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 1 mg/kg bw/day
Teratogenicity: NOAEL: 2 mg/kg bw/day
Result: No teratogenic effects.

Species: Rat
Application Route: Oral
General Toxicity Maternal: LOAEL: 7.2 mg/kg bw/day
Developmental Toxicity: LOAEL: 7.2 mg/kg bw/day
Embryo-fetal toxicity.: NOEL: 9.0 mg/kg bw/day
Method: OECD Test Guideline 426
Result: Animal testing did not show any effects on fertility.,
Some evidence of adverse effects on development, based on
animal experiments.

Chlorantraniliprole:

SAFETY DATA SHEET



REVEXAR®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.09.2025	50002607	Date of first issue: 04.09.2025

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
General Toxicity Parent: NOAEL: 20,000 ppm
General Toxicity F1: NOAEL: 20,000 ppm
Method: OECD Test Guideline 416
Result: negative

Effects on fetal development : Test Type: Pre-natal
Species: Rat
Application Route: Oral
Duration of Single Treatment: 6 - 20 Days
General Toxicity Maternal: NOEL: 1,000 mg/kg bw/day
Developmental Toxicity: NOEL: 1,000 mg/kg bw/day
Method: OECD Test Guideline 414
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Not classified based on available information.

Components:

Bifenthrin:

Target Organs : Central nervous system
Assessment : Causes damage to organs.

STOT-repeated exposure

Not classified based on available information.

Components:

Bifenthrin:

Target Organs : Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Repeated dose toxicity

Components:

calcium carbonate:

Species : Rat, male and female
NOAEL : 1,000 mg/kg
Application Route : Ingestion
Exposure time : 48 d
Method : OECD Test Guideline 422

Bifenthrin:

Species : Rat, male and female

SAFETY DATA SHEET



REVEXAR®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.09.2025	50002607	Date of first issue: 04.09.2025

NOEL : 100 ppm
Application Route : Oral - feed
Exposure time : 90 d
Remarks : No toxicologically significant effects were found.

Species : Dog, male and female
NOEL : 2.5 mg/kg bw/day
Application Route : Oral - feed
Exposure time : 13 w
Symptoms : Tremors

Chlorantraniliprole:

Species : Rat, male and female
NOEL : 1188 - 1526 mg/kg
Application Route : Oral
Exposure time : 90 Days
Method : OECD Test Guideline 408

Aspiration toxicity

Not classified based on available information.

Components:

Bifenthrin:

The substance does not have properties associated with aspiration hazard potential.

Chlorantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity


Components:

calcium carbonate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l
aquatic invertebrates
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC10 (Desmodesmus subspicatus (green algae)): > 14 mg/l

REVEXAR®

Toxicity to soil dwelling or- : LD50 (*Eisenia fetida* (earthworms)): > 16 mg/kg

SAFETY DATA SHEET



REVEXAR®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.09.2025	50002607	Date of first issue: 04.09.2025

ganisms

Exposure time: 14 d

Method: OECD Test Guideline 216

Remarks: No significant adverse effect on Nitrogen mineralization.

Toxicity to terrestrial organisms

: LD50 (*Colinus virginianus* (Bobwhite quail)): 1,800 mg/kg

LD50 (*Anas platyrhynchos* (Mallard duck)): > 2,150 mg/kg

LD50 (*Apis mellifera* (bees)): 0.1 - 0.35 µg/bee

Exposure time: 24 h

End point: Acute oral toxicity

Method: OECD Test Guideline 213

LD50 (*Apis mellifera* (bees)): 0.1 - 0.3 µg/bee

Exposure time: 24 h

End point: Acute contact toxicity

Method: OECD Test Guideline 214

Chlorantraniliprole:

Toxicity to fish

: LC50 (*Oncorhynchus mykiss* (rainbow trout)): 13.8 mg/l

Exposure time: 96 h

Test Type: static test

Method: OECD Test Guideline 203

Remarks: Information source: Internal study report

LC50 (*Lepomis macrochirus* (Bluegill sunfish)): > 15.1 mg/l

Exposure time: 96 h

Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Remarks: Information source: Internal study report

LC50 (*Cyprinodon* sp. (minnow)): > 12 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

: EC50 (*Daphnia magna* (Water flea)): 0.0116 mg/l

Exposure time: 48 h

Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

LC50 (*Hyalella azteca* (Amphipod)): 0.26 mg/l

Exposure time: 48 h

Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

LC50 (*Ceriodaphnia dubia* (water flea)): 0.0067 - 0.011 mg/l

Exposure time: 48 h

SAFETY DATA SHEET



REVEXAR®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.09.2025	50002607	Date of first issue: 04.09.2025

Toxicity to algae/aquatic plants	: ErC50 (<i>Pseudokirchneriella subcapitata</i> (green algae)): > 2 mg/l Exposure time: 120 h NOEC (<i>Lemna gibba</i> (duckweed)): > 2 mg/l End point: Biomass Exposure time: 14 d Test Type: static test ErC50 (<i>Selenastrum capricornutum</i> (green algae)): > 2 mg/l Exposure time: 72 h NOEC (<i>Anabaena flos-aquae</i> (cyanobacterium)): > 2 mg/l End point: Growth rate Exposure time: 120 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes NOEC (<i>Skeletonema costatum</i> (Diatom)): > 14.6 mg/l End point: Growth rate Exposure time: 120 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes NOEC (<i>Navicula pelliculosa</i> (Diatom)): > 15.1 mg/l End point: Growth rate Exposure time: 120 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes
Toxicity to fish (Chronic toxicity)	: NOEC (<i>Cyprinodon variegatus</i> (sheepshead minnow)): 1.28 mg/l Exposure time: 36 d NOEC (<i>Oncorhynchus mykiss</i> (rainbow trout)): 0.110 mg/l Exposure time: 28 d Method: OECD Test Guideline 210 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (<i>Daphnia magna</i> (Water flea)): 0.00447 mg/l Exposure time: 21 d Method: US EPA Test Guideline OPPTS 850.1300 GLP: yes
Toxicity to soil dwelling organisms	: LC50 (<i>Eisenia fetida</i> (earthworms)): > 1,000 mg/kg Exposure time: 14 d Method: OECD Test Guideline 207 GLP: yes Method: OECD Test Guideline 216

SAFETY DATA SHEET



REVEXAR®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.09.2025	50002607	Date of first issue: 04.09.2025

Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217

Remarks: No significant adverse effect on Carbon mineralization.

EC50 (*Hypoaspis aculeifer*): >100 mg/kg dry weight (d.w.)

Exposure time: 16 d

Method: OECD Test Guideline 207

NOEC (*Hypoaspis aculeifer*): 100 mg/kg dry weight (d.w.)

Exposure time: 16 d

Method: OECD Test Guideline 207

Toxicity to terrestrial organisms

: LD50 (*Apis mellifera* (bees)): > 4.0 µg/bee

Exposure time: 72 h

End point: Acute contact toxicity

Remarks: Active substance dissolved in acetone

LD50 (*Apis mellifera* (bees)): > 0.005 µg/bee

Exposure time: 48 h

End point: Acute contact toxicity

Remarks: Active substance dissolved in water

LD50 (*Apis mellifera* (bees)): > 104.1 µg/bee

Exposure time: 48 h

End point: Acute oral toxicity

Remarks: Active substance dissolved in acetone

LD50 (*Apis mellifera* (bees)): > 0.0274 µg/bee

Exposure time: 48 h

End point: Acute oral toxicity

Remarks: Active substance dissolved in water

LD50 (*Poephila guttata* (zebra finch)): > 2,250 mg/kg

Persistence and degradability

Components:

calcium carbonate:

Biodegradability

: Biodegradation: 90 %

Exposure time: 28 d

Method: OECD Test Guideline 301B

Bifenthrin:

Biodegradability

: Result: Not readily biodegradable.

Stability in water

: Degradation half life (DT50): 2.2 d

Hydrolysis: at 60 °C

Degradation half life (DT50): 15.6 d

SAFETY DATA SHEET



REVEXAR®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.09.2025	50002607	Date of first issue: 04.09.2025

Hydrolysis: at 40 °C

Chlorantraniliprole:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 10 d (25 °C) pH: 9

Degradation half life (DT50): 0.3 d (50 °C) pH: 9

Degradation half life (DT50): > 31 d pH: 5

Bioaccumulative potential

Components:

Bifenthrin:

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Bioconcentration factor (BCF): 1,709
Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.

Partition coefficient: n-octanol/water : log Pow: 6.6

Chlorantraniliprole:

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Bioconcentration factor (BCF): 14
Method: OECD Test Guideline 305
GLP: yes
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2.77 (20 °C)
pH: 4

log Pow: 2.86 (20 °C)
pH: 7

log Pow: 2.80 (20 °C)
pH: 9

Mobility in soil

Components:

Bifenthrin:

Distribution among environmental compartments : Koc: 236610 ml/g, log Koc: 5.37
Remarks: immobile

Stability in soil :

Chlorantraniliprole:

SAFETY DATA SHEET



REVEXAR®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.09.2025	50002607	Date of first issue: 04.09.2025

Distribution among environmental compartments : Koc: 362 ml/g, log Koc: 2.55
Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Appropriate personal protective equipment, as described in Sections 7 and 8, should be worn when handling materials for waste disposal.

The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Containers must be disposed of in accordance with local, state and federal regulations. It is prohibited to reuse, bury, burn or sell containers. Washable containers: Triple wash containers smaller than 20 liters and pressure wash containers of 20 liters or more. Triple wash: Add water up to $\frac{1}{4}$ of the container's capacity, close and shake for 30 seconds. Pour the wash water into the mixing tank, considering this volume of water within the recommended volume for mixing. Perform this procedure three times. Pressure washing: Activate the pressure washing device for 30 seconds, considering the volume of water used as part of the recommended volume for the mixture. For both procedures, make the container unusable by piercing it at the base without damaging the label. Non-washable containers: Containers that cannot be washed, make them unusable by perforating them without damaging the label. In all cases, deliver the containers to collection points indicated by the local container collection program. For more information on the Empty Pesticide Container Management Plan, visit <http://campolimpio.org.mx/>.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

SAFETY DATA SHEET



REVEXAR®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.09.2025	50002607	Date of first issue: 04.09.2025

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Bifenthrin, Chlorantraniliprole)

Class : 9
Subsidiary risk : ENVIRONM.
Packing group : III
Labels : 9 (ENVIRONM.)
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s. (Bifenthrin, Chlorantraniliprole)

Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Bifenthrin, Chlorantraniliprole)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

NOM-002-SCT

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Bifenthrin, Chlorantraniliprole)

Class : 9
Packing group : III
Labels : 9

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET



REVEXAR®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.09.2025	50002607	Date of first issue: 04.09.2025

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

This document has been prepared in accordance with the Globally Harmonized System (GHS). The document consists of 16 points that cover the Official Mexican STANDARD NOM-018-STPS-2015 Harmonized system for the identification and communication of hazards and risks due to dangerous chemical substances in the workplace. 271000

Federal Law for the control of chemical precursors, : Not applicable
essential chemical products and machinery for producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. 3-Bromo-N-[4-chloro-2-methyl-6-[(methylamino)carbonyl]phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide 2-METHYLBIPHENYL-3-YLMETHYL (Z)-(1RS,3RS)-3-(2-CHLORO-3,3,3-TRIFLUOROPROP-1-ENYL)-2,2-DIMETHYLCYCLOPROPANECARBOXYLATE
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date	: 04.09.2025
Date format	: dd.mm.yyyy

SAFETY DATA SHEET



REVEXAR®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.09.2025	50002607	Date of first issue: 04.09.2025

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

MX / EN

Prepared by:

FMC Corporation

SAFETY DATA SHEET



REVEXAR®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.09.2025	50002607	Date of first issue: 04.09.2025

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet