

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

**SUVISIO®**

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 26.08.2025     | 50002824    | Date of first issue: 26.08.2025 |

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Product name** SUVISIO®

### Other means of identification

Product code 50002824

Unique Formula Identifier : TAYW-M2TA-5N4P-4CN5  
(UFI)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use of the Substance/Mixture** : Insecticide

**Recommended restrictions on use** : Use as recommended by the label.  
For professional users only.

### 1.3 Details of the supplier of the safety data sheet

### Supplier Address

FMC Chemicals Hellas MEPE  
Syngrou Avenue 348  
17674 Kallithea  
Greece

Telephone: +30 211 1982768  
Telefax: +30 211 1138614  
E-mail address: SDS-Info@fmc.com.

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
Greece: 30-2111768478 (CHEMTREC)

Medical emergency:  
Greece: 30 210 77 93 777

## SECTION 2: Hazards identification

## 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>26.08.2025 | SDS Number:<br>50002824 | Date of last issue: -<br>Date of first issue: 26.08.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

Short-term (acute) aquatic hazard, Category 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

## 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : P102 Keep out of reach of children.

#### Prevention:

P270 Do not eat, drink or smoke when using this product.

#### Storage:

P405 Store locked up.

#### Disposal:

P501 Disposal of contents/container in accordance with national legislation.

### Additional Labelling

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

Version 1.0      Revision Date: 26.08.2025      SDS Number: 50002824      Date of last issue: -  
Date of first issue: 26.08.2025

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

| Chemical name                                                                                 | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Concentration<br>(% w/w) |
|-----------------------------------------------------------------------------------------------|-------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| Chlorantraniliprole                                                                           | 500008-45-7                                           | Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410<br><br>M-Factor (Acute<br>aquatic toxicity): 10<br>M-Factor (Chronic<br>aquatic toxicity): 10                                                                                                                                                                                                                                                                                                                                                                                  | >= 10 - < 20             |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | 55965-84-9<br>613-167-00-5                            | Acute Tox. 3; H301<br>Acute Tox. 2; H330<br>Acute Tox. 2; H310<br>Skin Corr. 1C; H314<br>Eye Dam. 1; H318<br>Skin Sens. 1A; H317<br>Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410<br>EUH071<br><br>M-Factor (Acute<br>aquatic toxicity): 100<br>M-Factor (Chronic<br>aquatic toxicity): 100<br><br>specific concentration<br>limit<br>Skin Corr. 1C; H314<br>>= 0,6 %<br>Skin Irrit. 2; H315<br>0,06 - < 0,6 %<br>Eye Irrit. 2; H319<br>0,06 - < 0,6 %<br>Skin Sens. 1A; H317<br>>= 0,0015 %<br>Eye Dam. 1; H318<br>>= 0,6 % | >= 0,0002 - < 0,0015     |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>26.08.2025 | SDS Number:<br>50002824 | Date of last issue: -<br>Date of first issue: 26.08.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

|  |  |                                                                                                                                                            |  |
|--|--|------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  |  | Acute toxicity estimate<br><br>Acute oral toxicity:<br>200 mg/kg<br>Acute inhalation toxicity (dust/mist): 0,33 mg/l<br>Acute dermal toxicity:<br>87 mg/kg |  |
|--|--|------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- |                            |                                                                                                                                                                                                                                          |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice             | : Move out of dangerous area.<br>Show this safety data sheet to the doctor in attendance.<br>Do not leave the victim unattended.                                                                                                         |
| Protection of first-aiders | : Avoid inhalation, ingestion and contact with skin and eyes.                                                                                                                                                                            |
| If inhaled                 | : If unconscious, place in recovery position and seek medical advice.<br>If experiencing any discomfort, immediately remove from exposure. Get medical attention if discomfort does not disappear.                                       |
| In case of skin contact    | : If on clothes, remove clothes.<br>If on skin, rinse well with water.<br>Wash off with soap and plenty of water.<br>Get medical attention immediately if irritation develops and persists.<br>Wash contaminated clothing before re-use. |
| In case of eye contact     | : Flush eyes with water as a precaution.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist.                                                    |
| If swallowed               | : Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>Do not induce vomiting without medical advice.        |

### 4.2 Most important symptoms and effects, both acute and delayed

None known.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 26.08.2025     | 50002824    | Date of first issue: 26.08.2025 |

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.  
Immediate medical attention is required in case of ingestion.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.  
High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.  
Nitrogen oxides (NO<sub>x</sub>)  
Carbon oxides  
Bromine compounds  
Hydrogen cyanide  
Hydrogen chloride  
Chlorinated compounds

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.  
Use a water spray to cool fully closed containers.

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.  
Do not touch or walk through the spilled material.  
If it can be safely done, stop the leak.  
Use personal protective equipment.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 26.08.2025     | 50002824    | Date of first issue: 26.08.2025 |

---

Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective equipment may intervene.

### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Never return spills in original containers for re-use.  
Collect as much of the spill as possible with a suitable absorbent material.  
Pick up and transfer to properly labelled containers.  
Keep in suitable, closed containers for disposal.  
Clean contaminated surface thoroughly.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.  
Avoid formation of respirable particles.  
Dispose of rinse water in accordance with local and national regulations.  
Smoking, eating and drinking should be prohibited in the application area.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Avoid contact with skin, eyes and clothing. This product should be used only by all personnel thoroughly trained to handle it. Do not inhale aerosol. Wash hands before breaks and immediately after handling the product. When using do not smoke. When using do not eat or drink. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in a place accessible by authorized persons only. Store in original container. Keep container tightly closed in a dry and

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

Version 1.0      Revision Date: 26.08.2025      SDS Number: 50002824      Date of last issue: -  
Date of first issue: 26.08.2025

well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on storage stability : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name                                                                                | End Use   | Exposure routes | Potential health effects   | Value      |
|-----------------------------------------------------------------------------------------------|-----------|-----------------|----------------------------|------------|
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | Workers   | Inhalation      | Long-term local effects    | 0,02 mg/m3 |
|                                                                                               | Workers   | Inhalation      | Acute local effects        | 0,04 mg/m3 |
|                                                                                               | Consumers | Inhalation      | Long-term local effects    | 0,02 mg/m3 |
|                                                                                               | Consumers | Inhalation      | Acute local effects        | 0,04 mg/m3 |
|                                                                                               | Consumers | Oral            | Long-term systemic effects | 0,09 mg/kg |
|                                                                                               | Consumers | Oral            | Acute systemic effects     | 0,11 mg/kg |

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name                                                                          | Environmental Compartment | Value        |
|-----------------------------------------------------------------------------------------|---------------------------|--------------|
| Chlorantraniliprole                                                                     | Water                     | 0,00045 mg/l |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | Fresh water               | 0,00339 mg/l |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

Version 1.0      Revision Date: 26.08.2025      SDS Number: 50002824      Date of last issue: -  
Date of first issue: 26.08.2025

|       |                          |              |
|-------|--------------------------|--------------|
| (3:1) |                          |              |
|       | Intermittent use/release | 0,00339 mg/l |
|       | Marine water             | 0,00339 mg/l |
|       | Sewage treatment plant   | 0,23 mg/l    |
|       | Fresh water sediment     | 0,027 mg/kg  |
|       | Marine sediment          | 0,027 mg/kg  |

### 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Hand protection  
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing  
Long sleeved clothing.  
Footwear protecting against chemicals  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.  
Always have on hand a first-aid kit, together with proper instructions.  
Wear suitable protective equipment.  
When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : liquid  
Form : suspension  
Colour : white  
Odour : alcohol-like  
Odour Threshold : not determined  
Melting point/ range : -6 °C  
Boiling point/boiling range : not determined  
Flammability : Not ignitable  
Upper explosion limit / Upper flammability limit : not determined



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 26.08.2025     | 50002824    | Date of first issue: 26.08.2025 |

|                                                  |   |                                                    |
|--------------------------------------------------|---|----------------------------------------------------|
| Lower explosion limit / Lower flammability limit | : | not determined                                     |
| Flash point                                      | : | > 100 °C<br>No flash up to boiling point.          |
| Auto-ignition temperature                        | : | No data available                                  |
| Decomposition temperature                        | : | Not available for this mixture.                    |
| pH                                               | : | 7,8<br>Concentration: 1 %<br>Method: CIPAC MT 75.3 |
| Viscosity                                        |   |                                                    |
| Viscosity, dynamic                               | : | 583 mPa,s<br>30 rpm                                |
| Viscosity, kinematic                             | : | 367 - 734 mm <sup>2</sup> /s<br>30 rpm             |
| Solubility(ies)                                  |   |                                                    |
| Water solubility                                 | : | No data available                                  |
| Solubility in other solvents                     | : | No data available                                  |
| Partition coefficient: n-octanol/water           | : | Not available for this mixture.                    |
| Vapour pressure                                  | : | Not available for this mixture.                    |
| Relative density                                 | : | 1,08 - 1,10                                        |
| Density                                          | : | 1,094 g/cm <sup>3</sup> (20 °C)                    |
| Relative vapour density                          | : | Not available for this mixture.                    |
| Particle characteristics                         |   |                                                    |
| Particle size                                    | : | Not applicable                                     |

### 9.2 Other information

|                        |   |                                 |
|------------------------|---|---------------------------------|
| Explosives             | : | Not explosive                   |
| Oxidizing properties   | : | Non-oxidizing                   |
| Self-ignition          | : | not auto-flammable              |
| Evaporation rate       | : | Not available for this mixture. |
| Miscibility with water | : | emulsifiable                    |
| Molecular weight       | : | Not applicable                  |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No decomposition if stored and applied as directed.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

|                     |   |                                                     |
|---------------------|---|-----------------------------------------------------|
| Hazardous reactions | : | No decomposition if stored and applied as directed. |
|---------------------|---|-----------------------------------------------------|

### 10.4 Conditions to avoid

|                     |   |                                                                                                                                                                   |
|---------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Conditions to avoid | : | Avoid formation of aerosol.<br>Heat, flames and sparks.<br>Protect from frost, heat and sunlight.<br>Heating of the product will produce harmful and irritant va- |
|---------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>26.08.2025 | SDS Number:<br>50002824 | Date of last issue: -<br>Date of first issue: 26.08.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

pours.

### 10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

### 10.6 Hazardous decomposition products

Stable under recommended storage conditions.  
No hazardous decomposition products are known.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

|                           |                                                                                                                                                                                                                                                                  |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity       | : LD50 (Rat): > 5.000 mg/kg<br>Method: OECD Test Guideline 425<br>GLP: yes<br>Remarks: Information source: Internal study report<br>(Data on the product itself)                                                                                                 |
| Acute inhalation toxicity | : LC50 (Rat): > 2 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: OECD Test Guideline 403<br>GLP: yes<br>Assessment: The substance or mixture has no acute inhalation toxicity<br>Remarks: Highest attainable concentration.<br>no mortality |
| Acute dermal toxicity     | : LD50 (Rat): > 5.000 mg/kg<br>Method: OECD Test Guideline 402<br>GLP: yes<br>Remarks: Information source: Internal study report<br>(Data on the product itself)                                                                                                 |

#### Components:

#### **Chlorantraniliprole:**

|                     |                                                                                                                                                       |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity | : LD50 (Rat, female): > 5.000 mg/kg<br>Method: OECD Test Guideline 425<br>GLP: yes<br>Assessment: The substance or mixture has no acute oral toxicity |
|                     | LD50 (Rat): > 5.000 mg/kg<br>Method: OECD Test Guideline 425<br>GLP: yes                                                                              |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>26.08.2025 | SDS Number:<br>50002824 | Date of last issue: -<br>Date of first issue: 26.08.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

Remarks: Information source: Internal study report

LD50 (Mouse, female): > 2.000 mg/kg  
Method: OECD Test Guideline 425  
GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Information source: Internal study report

LC50 (Rat, male and female): > 5,1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: no mortality

LC50 (Rat, male and female): > 5,0 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: GB 15670-1995  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Information source: Internal study report

LD50 (Rat, male and female): > 5.000 mg/kg  
Method: GB 15670-1995  
GLP: yes  
Remarks: no mortality

LD50 (Rat, male and female): > 5.000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Remarks: no mortality

**reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>26.08.2025 | SDS Number:<br>50002824 | Date of last issue: -<br>Date of first issue: 26.08.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

|                           |                                                                                                                                                                                    |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity       | : LD50 Oral (Rat, female): 200 mg/kg<br>Method: OECD Test Guideline 423                                                                                                            |
| Acute inhalation toxicity | : LC50 (Rat, male and female): 0,33 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: OECD Test Guideline 403<br>Assessment: Corrosive to the respiratory tract. |
| Acute dermal toxicity     | : LD50 (Rabbit, male): 87 mg/kg                                                                                                                                                    |

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Product:

|         |                                                                             |
|---------|-----------------------------------------------------------------------------|
| Species | : Rabbit                                                                    |
| Method  | : OECD Test Guideline 404                                                   |
| Result  | : No skin irritation                                                        |
| GLP     | : yes                                                                       |
| Remarks | : Information source: Internal study report<br>(Data on the product itself) |

#### Components:

##### Chlorantraniliprole:

|         |                                             |
|---------|---------------------------------------------|
| Species | : Rabbit                                    |
| Method  | : OECD Test Guideline 404                   |
| Result  | : No skin irritation                        |
| GLP     | : yes                                       |
| Remarks | : Information source: Internal study report |

|         |                           |
|---------|---------------------------|
| Species | : Rabbit                  |
| Method  | : OECD Test Guideline 404 |
| Result  | : No skin irritation      |
| GLP     | : yes                     |

|         |                      |
|---------|----------------------|
| Species | : Rabbit             |
| Method  | : GB 15670-1995      |
| Result  | : No skin irritation |
| GLP     | : yes                |

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

|        |                                            |
|--------|--------------------------------------------|
| Method | : OECD Test Guideline 404                  |
| Result | : Corrosive after 1 to 4 hours of exposure |

### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

#### Product:

|         |          |
|---------|----------|
| Species | : Rabbit |
|---------|----------|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 26.08.2025     | 50002824    | Date of first issue: 26.08.2025 |

|         |                                                                             |
|---------|-----------------------------------------------------------------------------|
| Method  | : OECD Test Guideline 405                                                   |
| Result  | : No eye irritation                                                         |
| GLP     | : yes                                                                       |
| Remarks | : Information source: Internal study report<br>(Data on the product itself) |

### Components:

#### **Chlorantraniliprole:**

|         |                                             |
|---------|---------------------------------------------|
| Species | : Rabbit                                    |
| Method  | : OECD Test Guideline 405                   |
| Result  | : No eye irritation                         |
| GLP     | : yes                                       |
| Remarks | : Information source: Internal study report |

|         |                           |
|---------|---------------------------|
| Species | : Rabbit                  |
| Method  | : OECD Test Guideline 405 |
| Result  | : No eye irritation       |

|            |                               |
|------------|-------------------------------|
| Species    | : Rabbit                      |
| Assessment | : Not classified as irritant  |
| Method     | : OECD Test Guideline 405     |
| Result     | : Slight or no eye irritation |
| GLP        | : yes                         |

#### **reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):**

|        |                                   |
|--------|-----------------------------------|
| Result | : Irreversible effects on the eye |
|--------|-----------------------------------|

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Based on available data, the classification criteria are not met.

#### **Respiratory sensitisation**

Based on available data, the classification criteria are not met.

### Product:

|           |                                                                             |
|-----------|-----------------------------------------------------------------------------|
| Test Type | : Local lymph node test                                                     |
| Species   | : Mouse                                                                     |
| Method    | : OECD Test Guideline 429                                                   |
| Result    | : Animal test did not cause sensitization by skin contact.                  |
| GLP       | : yes                                                                       |
| Remarks   | : Information source: Internal study report<br>(Data on the product itself) |

### Components:

#### **Chlorantraniliprole:**

|           |                     |
|-----------|---------------------|
| Test Type | : Maximisation Test |
| Species   | : Guinea pig        |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 26.08.2025     | 50002824    | Date of first issue: 26.08.2025 |

|           |   |                                           |
|-----------|---|-------------------------------------------|
| Method    | : | OECD Test Guideline 406                   |
| Result    | : | Does not cause skin sensitisation.        |
| GLP       | : | yes                                       |
| Remarks   | : | Information source: Internal study report |
| Test Type | : | Local lymph node assay (LLNA)             |
| Species   | : | mice                                      |
| Method    | : | OECD Test Guideline 429                   |
| Result    | : | Does not cause skin sensitisation.        |

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

|           |   |                                                    |
|-----------|---|----------------------------------------------------|
| Test Type | : | Local lymph node assay (LLNA)                      |
| Species   | : | Mouse                                              |
| Result    | : | The product is a skin sensitiser, sub-category 1A. |

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Product:

|                       |   |                                                                                                       |
|-----------------------|---|-------------------------------------------------------------------------------------------------------|
| Genotoxicity in vitro | : | Test Type: Ames test<br>Method: OECD Test Guideline 471<br>Result: negative                           |
| Genotoxicity in vivo  | : | Test Type: Micronucleus test<br>Species: Mouse<br>Method: OECD Test Guideline 474<br>Result: negative |

#### Components:

##### Chlorantraniliprole:

|                                    |   |                                                                                                                                                                                                                                                                                      |
|------------------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Genotoxicity in vitro              | : | Test Type: reverse mutation assay<br>Metabolic activation: with and without metabolic activation<br>Result: negative<br><br>Test Type: In vitro mammalian cell gene mutation test<br>Test system: Chinese hamster ovary cells<br>Method: OECD Test Guideline 476<br>Result: negative |
| Genotoxicity in vivo               | : | Test Type: Micronucleus test<br>Species: Mouse<br>Method: OECD Test Guideline 474<br>Result: negative                                                                                                                                                                                |
| Germ cell mutagenicity- Assessment | : | Weight of evidence does not support classification as a germ cell mutagen.                                                                                                                                                                                                           |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>26.08.2025 | SDS Number:<br>50002824 | Date of last issue: -<br>Date of first issue: 26.08.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

---

### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Components:

##### Chlorantraniliprole:

|                   |                            |
|-------------------|----------------------------|
| Species           | : Rat, male and female     |
| Application Route | : Oral                     |
| Exposure time     | : 2 Years                  |
| NOAEL             | : 805 - 1.076 mg/kg bw/day |
| Method            | : OECD Test Guideline 453  |
| Result            | : negative                 |

|                   |                            |
|-------------------|----------------------------|
| Species           | : Mouse, male and female   |
| Application Route | : Oral                     |
| Exposure time     | : 18 month(s)              |
| NOAEL             | : 158 - 1.155 mg/kg bw/day |
| Method            | : OECD Test Guideline 453  |
| Result            | : negative                 |

|               |                      |
|---------------|----------------------|
| Species       | : Dog                |
| Exposure time | : 1 Years            |
| NOAEL         | : 1.164 mg/kg bw/day |
| Result        | : negative           |

|                              |                                                         |
|------------------------------|---------------------------------------------------------|
| Carcinogenicity - Assessment | : Animal testing did not show any carcinogenic effects. |
|------------------------------|---------------------------------------------------------|

### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### Components:

##### Chlorantraniliprole:

|                      |                                                                                                                                                                                                                                                |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Effects on fertility | : Test Type: Two-generation study<br>Species: Rat, male and female<br>Application Route: Oral<br>General Toxicity - Parent: NOAEL: 20.000 ppm<br>General Toxicity F1: NOAEL: 20.000 ppm<br>Method: OECD Test Guideline 416<br>Result: negative |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                               |                                                                                                                                                                                                                                                                                  |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Effects on foetal development | : Test Type: Pre-natal<br>Species: Rat<br>Application Route: Oral<br>Duration of Single Treatment: 6 - 20 Days<br>General Toxicity Maternal: NOEL: 1.000 mg/kg bw/day<br>Developmental Toxicity: NOEL: 1.000 mg/kg bw/day<br>Method: OECD Test Guideline 414<br>Result: negative |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                    |                                                                                |
|------------------------------------|--------------------------------------------------------------------------------|
| Reproductive toxicity - Assessment | : Weight of evidence does not support classification for reproductive toxicity |
|------------------------------------|--------------------------------------------------------------------------------|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>26.08.2025 | SDS Number:<br>50002824 | Date of last issue: -<br>Date of first issue: 26.08.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

---

### STOT - single exposure

Based on available data, the classification criteria are not met.

#### Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

Based on available data, the classification criteria are not met.

#### Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Components:

##### Chlorantraniliprole:

Species : Rat, male and female  
NOEL : 1188 - 1526 mg/kg  
Application Route : Oral  
Exposure time : 90 Days  
Method : OECD Test Guideline 408

Species : Rat  
NOAEL : 8.000 mg/kg  
Application Route : Oral - feed  
Exposure time : 28 Days  
Method : OECD Test Guideline 407  
GLP : yes

Species : Rat  
NOAEL : 300 mg/kg  
Application Route : Dermal  
Exposure time : 28 Days  
Method : OECD Test Guideline 410  
GLP : yes

Species : Rat  
NOAEL : 20.000 mg/kg  
Application Route : Oral - feed  
Exposure time : 90 Days  
Method : OECD Test Guideline 408  
GLP : yes  
Remarks : Information source: Internal study report

Species : Mouse  
NOAEL : 7.000 mg/kg  
Application Route : Oral - feed  
Exposure time : 90 Days



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 26.08.2025     | 50002824    | Date of first issue: 26.08.2025 |

|         |   |                                           |
|---------|---|-------------------------------------------|
| Method  | : | OECD Test Guideline 408                   |
| GLP     | : | yes                                       |
| Remarks | : | Information source: Internal study report |

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

|                   |   |                        |
|-------------------|---|------------------------|
| Species           | : | Dog                    |
| NOAEL             | : | 22 mg/kg               |
| Application Route | : | Oral                   |
| Species           | : | Rat                    |
| NOAEL             | : | 16,3 - 24,7 mg/kg      |
| Application Route | : | Skin contact           |
| Species           | : | Rat                    |
| NOAEL             | : | 2.36 mg/m <sup>3</sup> |
| Application Route | : | Inhalation             |

### Aspiration toxicity

Based on available data, the classification criteria are not met.

#### Product:

The mixture does not have properties associated with aspiration hazard potential.

#### Components:

##### Chlorantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

## 11.2 Information on other hazards

### Endocrine disrupting properties

#### Product:

|            |   |                                                                                                                                                                                                                                                             |
|------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Assessment | : | The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |
|------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

#### Components:

##### Chlorantraniliprole:

|            |   |                                                                                                                                                                                                                                                             |
|------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Assessment | : | The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |
|------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>26.08.2025 | SDS Number:<br>50002824 | Date of last issue: -<br>Date of first issue: 26.08.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

### Neurological effects

#### Components:

#### Chlorantraniliprole:

Remarks : No neurotoxicity observed in animal studies

#### Further information

#### Product:

Remarks : No data available

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 9,9 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes  
Remarks: Information source: Internal study report  
(Data on the product itself)

LC50 (Danio rerio (zebra fish)): >1.6 mg a.i./L  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): 0,035 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: Information source: Internal study report  
(Data on the product itself)

EC50 (Daphnia magna (Water flea)): 8,2 µg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 20 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: Information source: Internal study report  
(Data on the product itself)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>26.08.2025 | SDS Number:<br>50002824 | Date of last issue: -<br>Date of first issue: 26.08.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

NOEC (Pseudokirchneriella subcapitata (green algae)): 20 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

Toxicity to soil dwelling organisms : LC50: > 1.000 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 207  
GLP:yes  
Remarks: Information source: Internal study report (Data on the product itself)

NOEC: 1.000 mg/kg  
Exposure time: 28 d  
Species: Eisenia andrei (red worm)  
Method: OECD Test Guideline 222

LC50: > 1.000 mg/kg  
Exposure time: 28 d  
Species: Eisenia andrei (red worm)  
Method: OECD Test Guideline 222

Toxicity to terrestrial organisms : LD50: > 2.000 mg/kg  
Species: Colinus virginianus (Bobwhite quail)  
Method: US EPA Test Guideline OPPTS 850.2100  
GLP:yes  
Remarks: Information source: Internal study report (Data on the product itself)

LD50: > 541 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)  
Method: OECD Test Guideline 213  
GLP:yes  
Remarks: Information source: Internal study report (Data on the product itself)

LD50: > 541 µg/bee  
Exposure time: 48 h  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)  
Method: OECD Test Guideline 214  
GLP:yes  
Remarks: Information source: Internal study report (Data on the product itself)

LD50: >= 109,91 µg a.i./bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Species: Apis mellifera L.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>26.08.2025 | SDS Number:<br>50002824 | Date of last issue: -<br>Date of first issue: 26.08.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

---

Method: OECD Test Guideline 213

NOEL:  $\geq 109,91 \mu\text{g a.i./bee}$   
Exposure time: 48 h  
End point: Acute oral toxicity  
Species: *Apis mellifera* L.  
Method: OECD Test Guideline 213

LD50:  $\geq 100 \mu\text{g a.i./bee}$   
Exposure time: 48 h  
End point: Acute contact toxicity  
Species: *Apis mellifera* L.  
Method: OECD Test Guideline 214

NOEL:  $\geq 100 \mu\text{g a.i./bee}$   
Exposure time: 48 h  
End point: Acute contact toxicity  
Species: *Apis mellifera* L.  
Method: OECD Test Guideline 214

NOEC: 1.726 mg/kg  
Exposure time: 5 d  
Species: *Colinus virginianus* (Bobwhite quail)  
Method: US EPA Test Guideline OPP 71-2

LC50:  $> 1.726 \text{ mg/kg}$   
Exposure time: 5 d  
Species: *Colinus virginianus* (Bobwhite quail)  
Method: US EPA Test Guideline OPP 71-2

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.  
Remarks: According to calculation method of Regulation (EC) No 1272/2008.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.  
Remarks: According to calculation method of Regulation (EC) No 1272/2008.

### Components:

#### Chlorantraniliprole:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 13,8 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
Remarks: Information source: Internal study report

LC50 (*Lepomis macrochirus* (Bluegill sunfish)):  $> 15,1 \text{ mg/l}$   
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>26.08.2025 | SDS Number:<br>50002824 | Date of last issue: -<br>Date of first issue: 26.08.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

GLP: yes  
Remarks: Information source: Internal study report

LC50 (Cyprinodon sp. (minnow)): > 12 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,0116 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

LC50 (Hyalella azteca (Amphipod)): 0,26 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

LC50 (Ceriodaphnia dubia (water flea)): 0,0067 - 0,011 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l  
Exposure time: 120 h

NOEC (Lemna gibba (duckweed)): > 2 mg/l  
End point: Biomass  
Exposure time: 14 d  
Test Type: static test

ErC50 (Selenastrum capricornutum (green algae)): > 2 mg/l  
Exposure time: 72 h

ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l  
Exposure time: 72 h  
Method: US EPA Test Guideline OPP 122-2 & 123-2  
GLP: yes  
Remarks: Information source: Internal study report

EbC50 (Lemna gibba (duckweed)): > 2 mg/l  
End point: Frond  
Exposure time: 14 d  
Test Type: static test  
Method: US EPA Test Guideline OPP 122-2 & 123-2  
GLP: yes  
Remarks: Information source: Internal study report

NOEC (Anabaena flos-aquae (cyanobacterium)): > 2 mg/l  
End point: Growth rate  
Exposure time: 120 h  
Test Type: static test

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>26.08.2025 | SDS Number:<br>50002824 | Date of last issue: -<br>Date of first issue: 26.08.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

Method: OECD Test Guideline 201  
GLP: yes

NOEC (Skeletonema costatum (Diatom)): > 14,6 mg/l  
End point: Growth rate  
Exposure time: 120 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

NOEC (Navicula pelliculosa (Diatom)): > 15,1 mg/l  
End point: Growth rate  
Exposure time: 120 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 1,28 mg/l  
Exposure time: 36 d  
Species: Cyprinodon variegatus (sheepshead minnow)

NOEC: 0,110 mg/l  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)  
Method: OECD Test Guideline 210  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,00447 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: US EPA Test Guideline OPPTS 850.1300  
GLP: yes

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50: > 1.000 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 207  
GLP: yes

Method: OECD Test Guideline 216  
Remarks: No significant adverse effect on nitrogen mineralization.

Method: OECD Test Guideline 217  
Remarks: No significant adverse effect on carbon mineralization.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>26.08.2025 | SDS Number:<br>50002824 | Date of last issue: -<br>Date of first issue: 26.08.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

tion.

EC50:  
>100 mg/kg dry weight (d.w.)  
Exposure time: 16 d  
Species: *Hypoaspis aculeifer*  
Method: OECD Test Guideline 207

NOEC:  
100 mg/kg dry weight (d.w.)  
Exposure time: 16 d  
Species: *Hypoaspis aculeifer*  
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50: > 4,0 µg/bee  
Exposure time: 72 h  
End point: Acute contact toxicity  
Species: *Apis mellifera* (bees)  
Remarks: Active substance dissolved in acetone

LD50: > 0,005 µg/bee  
Exposure time: 48 h  
End point: Acute contact toxicity  
Species: *Apis mellifera* (bees)  
Remarks: Active substance dissolved in water

LD50: > 104,1 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Species: *Apis mellifera* (bees)  
Remarks: Active substance dissolved in acetone

LD50: > 0,0274 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Species: *Apis mellifera* (bees)  
Remarks: Active substance dissolved in water

LD50: > 2.250 mg/kg  
Species: *Poephila guttata* (zebra finch)

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 0,19 mg/l  
Exposure time: 96 h  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0,16 mg/l  
Exposure time: 48 h

NOEC (*Daphnia magna* (Water flea)): 0,1 mg/l  
Exposure time: 21 d

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>26.08.2025 | SDS Number:<br>50002824 | Date of last issue: -<br>Date of first issue: 26.08.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

|                                                                        |                                                                                                                                                                                                                                                                                                                                                                         |
|------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                                        | EC50 (Daphnia magna (Water flea)): 0,18 mg/l<br>Exposure time: 21 d                                                                                                                                                                                                                                                                                                     |
| Toxicity to algae/aquatic plants                                       | : NOEC (Skeletonema costatum (marine diatom)): 0,00049 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 201<br><br>NOEC (Skeletonema costatum (marine diatom)): 0,019 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br><br>EC50 (Skeletonema costatum (marine diatom)): 0,037 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 201 |
| M-Factor (Acute aquatic toxicity)                                      | : 100                                                                                                                                                                                                                                                                                                                                                                   |
| Toxicity to microorganisms                                             | : NOEC (activated sludge): 0,91 mg/l<br>Exposure time: 3 h<br>Method: OECD Test Guideline 209<br>GLP: yes<br><br>EC50 (activated sludge): 4,5 mg/l<br>Exposure time: 3 h<br>Method: OECD Test Guideline 209<br>GLP: yes                                                                                                                                                 |
| Toxicity to fish (Chronic toxicity)                                    | : NOEC: 0,02 mg/l<br>Exposure time: 35 d<br>Species: Danio rerio (zebra fish)<br>Method: OECD Test Guideline 210<br>GLP: yes                                                                                                                                                                                                                                            |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC: 0,1 mg/l<br>Exposure time: 21 d<br>Species: Daphnia magna (Water flea)<br><br>Chronic Toxicity Value: 0,18 mg/l<br>Exposure time: 21 d<br>Species: Daphnia magna (Water flea)                                                                                                                                                                                   |
| M-Factor (Chronic aquatic toxicity)                                    | : 100                                                                                                                                                                                                                                                                                                                                                                   |

## 12.2 Persistence and degradability

### Product:

|                  |                                                                                                          |
|------------------|----------------------------------------------------------------------------------------------------------|
| Biodegradability | : Result: Not readily biodegradable.<br>Remarks: Estimation based on data obtained on active ingredient. |
|------------------|----------------------------------------------------------------------------------------------------------|



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 26.08.2025     | 50002824    | Date of first issue: 26.08.2025 |

### Components:

#### **Chlorantraniliprole:**

|                    |   |                                                                                                                                                                      |
|--------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Biodegradability   | : | Result: Not readily biodegradable.                                                                                                                                   |
| Stability in water | : | Degradation half life (DT50): 10 d (25 °C)<br>pH: 9<br><br>Degradation half life (DT50): 0,3 d (50 °C)<br>pH: 9<br><br>Degradation half life (DT50): > 31 d<br>pH: 5 |

#### **reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):**

|                  |   |                                |
|------------------|---|--------------------------------|
| Biodegradability | : | Result: Readily biodegradable. |
|------------------|---|--------------------------------|

### 12.3 Bioaccumulative potential

#### Product:

|                 |   |                                                                                             |
|-----------------|---|---------------------------------------------------------------------------------------------|
| Bioaccumulation | : | Remarks: Does not bioaccumulate.<br>Estimation based on data obtained on active ingredient. |
|-----------------|---|---------------------------------------------------------------------------------------------|

### Components:

#### **Chlorantraniliprole:**

|                                        |   |                                                                                                                                                                              |
|----------------------------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Bioaccumulation                        | : | Species: Lepomis macrochirus (Bluegill sunfish)<br>Bioconcentration factor (BCF): 14<br>Method: OECD Test Guideline 305<br>GLP: yes<br>Remarks: Bioaccumulation is unlikely. |
| Partition coefficient: n-octanol/water | : | log Pow: 2,77 (20 °C)<br>pH: 4<br><br>log Pow: 2,86 (20 °C)<br>pH: 7<br><br>log Pow: 2,80 (20 °C)<br>pH: 9                                                                   |

#### **reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):**

|                                        |   |                                                                                               |
|----------------------------------------|---|-----------------------------------------------------------------------------------------------|
| Bioaccumulation                        | : | Exposure time: 28 d<br>Bioconcentration factor (BCF): < 54<br>Method: OECD Test Guideline 305 |
| Partition coefficient: n-octanol/water | : | Pow: 0,75                                                                                     |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 26.08.2025     | 50002824    | Date of first issue: 26.08.2025 |

---

### 12.4 Mobility in soil

#### Product:

Distribution among environmental compartments : Remarks: The product is not expected to be mobile in soils. Estimation based on data obtained on active ingredient.

#### Components:

##### **Chlorantraniliprole:**

Distribution among environmental compartments : Koc: 362 ml/g, log Koc: 2,55  
Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Components:

##### **Chlorantraniliprole:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

#### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### Components:

##### **Chlorantraniliprole:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 26.08.2025     | 50002824    | Date of first issue: 26.08.2025 |

### 12.7 Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

|                        |                                                                                                                                                                                                                                                                                   |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product                | : The product should not be allowed to enter drains, water courses or the soil.<br>Do not contaminate ponds, waterways or ditches with chemical or used container.<br>Send to a licensed waste management company.                                                                |
| Contaminated packaging | : Empty remaining contents.<br>Triple rinse containers.<br>Do not re-use empty containers.<br>Packaging that is not properly emptied must be disposed of as the unused product.<br>Empty containers should be taken to an approved waste handling site for recycling or disposal. |

## SECTION 14: Transport information

### 14.1 UN number or ID number

|      |           |
|------|-----------|
| ADN  | : UN 3082 |
| ADR  | : UN 3082 |
| RID  | : UN 3082 |
| IMDG | : UN 3082 |
| IATA | : UN 3082 |

### 14.2 UN proper shipping name

|      |                                                                                |
|------|--------------------------------------------------------------------------------|
| ADN  | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Chlorantraniliprole) |
| ADR  | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Chlorantraniliprole) |
| RID  | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Chlorantraniliprole) |
| IMDG | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.                          |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 26.08.2025     | 50002824    | Date of first issue: 26.08.2025 |

(Chlorantraniliprole)

**IATA** : Environmentally hazardous substance, liquid, n.o.s.  
(Chlorantraniliprole)

### 14.3 Transport hazard class(es)

|             | Class | Subsidiary risks |
|-------------|-------|------------------|
| <b>ADN</b>  | : 9   |                  |
| <b>ADR</b>  | : 9   |                  |
| <b>RID</b>  | : 9   |                  |
| <b>IMDG</b> | : 9   |                  |
| <b>IATA</b> | : 9   |                  |

### 14.4 Packing group

|                                          |                 |
|------------------------------------------|-----------------|
| <b>ADN</b>                               |                 |
| Packing group                            | : III           |
| Classification Code                      | : M6            |
| Hazard Identification Number             | : 90            |
| Labels                                   | : 9             |
| <b>ADR</b>                               |                 |
| Packing group                            | : III           |
| Classification Code                      | : M6            |
| Hazard Identification Number             | : 90            |
| Labels                                   | : 9             |
| Tunnel restriction code                  | : (-)           |
| <b>RID</b>                               |                 |
| Packing group                            | : III           |
| Classification Code                      | : M6            |
| Hazard Identification Number             | : 90            |
| Labels                                   | : 9             |
| <b>IMDG</b>                              |                 |
| Packing group                            | : III           |
| Labels                                   | : 9             |
| EmS Code                                 | : F-A, S-F      |
| <b>IATA (Cargo)</b>                      |                 |
| Packing instruction (cargo aircraft)     | : 964           |
| Packing instruction (LQ)                 | : Y964          |
| Packing group                            | : III           |
| Labels                                   | : Miscellaneous |
| <b>IATA (Passenger)</b>                  |                 |
| Packing instruction (passenger aircraft) | : 964           |
| Packing instruction (LQ)                 | : Y964          |
| Packing group                            | : III           |
| Labels                                   | : Miscellaneous |

### 14.5 Environmental hazards

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>26.08.2025 | SDS Number:<br>50002824 | Date of last issue: -<br>Date of first issue: 26.08.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

#### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

|                                                                                                                                            |                                                                                                  |
|--------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) | : Conditions of restriction for the following entries should be considered: Number on list 75, 3 |
|--------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|

If you intend to use this product as tattoo ink, please contact your vendor.

|                                                                                           |                  |
|-------------------------------------------------------------------------------------------|------------------|
| REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). | : Not applicable |
|-------------------------------------------------------------------------------------------|------------------|

|                                                                        |                  |
|------------------------------------------------------------------------|------------------|
| Regulation (EU) No 2024/590 on substances that deplete the ozone layer | : Not applicable |
|------------------------------------------------------------------------|------------------|

|                                                                     |                  |
|---------------------------------------------------------------------|------------------|
| Regulation (EU) 2019/1021 on persistent organic pollutants (recast) | : Not applicable |
|---------------------------------------------------------------------|------------------|

|                                                                                                                                |                  |
|--------------------------------------------------------------------------------------------------------------------------------|------------------|
| Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals | : Not applicable |
|--------------------------------------------------------------------------------------------------------------------------------|------------------|

|                                                                 |                  |
|-----------------------------------------------------------------|------------------|
| REACH - List of substances subject to authorisation (Annex XIV) | : Not applicable |
|-----------------------------------------------------------------|------------------|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>26.08.2025 | SDS Number:<br>50002824 | Date of last issue: -<br>Date of first issue: 26.08.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

---

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E1 ENVIRONMENTAL HAZARDS

### The components of this product are reported in the following inventories:

|       |                                                               |
|-------|---------------------------------------------------------------|
| TCSI  | : On the inventory, or in compliance with the inventory       |
| TSCA  | : Product contains substance(s) not listed on TSCA inventory. |
| AIIC  | : Not in compliance with the inventory                        |
| ENCS  | : Not in compliance with the inventory                        |
| ISHL  | : Not in compliance with the inventory                        |
| KECI  | : Not in compliance with the inventory                        |
| PICCS | : Not in compliance with the inventory                        |
| IECSC | : Not in compliance with the inventory                        |
| NZIoC | : Not in compliance with the inventory                        |
| TECI  | : Not in compliance with the inventory                        |

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

---

## SECTION 16: Other information

### Full text of H-Statements

|        |                                                         |
|--------|---------------------------------------------------------|
| H301   | : Toxic if swallowed.                                   |
| H310   | : Fatal in contact with skin.                           |
| H314   | : Causes severe skin burns and eye damage.              |
| H317   | : May cause an allergic skin reaction.                  |
| H318   | : Causes serious eye damage.                            |
| H330   | : Fatal if inhaled.                                     |
| H400   | : Very toxic to aquatic life.                           |
| H410   | : Very toxic to aquatic life with long lasting effects. |
| EUH071 | : Corrosive to the respiratory tract.                   |

### Full text of other abbreviations

|                 |                                      |
|-----------------|--------------------------------------|
| Acute Tox.      | : Acute toxicity                     |
| Aquatic Acute   | : Short-term (acute) aquatic hazard  |
| Aquatic Chronic | : Long-term (chronic) aquatic hazard |
| Eye Dam.        | : Serious eye damage                 |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 26.08.2025     | 50002824    | Date of first issue: 26.08.2025 |

|            |   |                    |
|------------|---|--------------------|
| Skin Corr. | : | Skin corrosion     |
| Skin Sens. | : | Skin sensitisation |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

|                   |      |
|-------------------|------|
| Aquatic Acute 1   | H400 |
| Aquatic Chronic 1 | H410 |

#### Classification procedure:

|                                     |
|-------------------------------------|
| Based on product data or assessment |
| Based on product data or assessment |

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



## SUVISIO®

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 26.08.2025     | 50002824    | Date of first issue: 26.08.2025 |

---

disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### **Prepared by**

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

GR / 6N