

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	26.08.2025	50002921	Date of first issue: 26.08.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name MAGNELLO EC

Other means of identification

Product code 50002921

Unique Formula Identifier (UFI) : 6DQ0-E0U3-T00J-QW1X

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Fungicide

Recommended restrictions on use : Use as recommended by the label.
For professional users only.

1.3 Details of the supplier of the safety data sheet

Supplier Address

FMC Agro Bulgaria EOOD
ISKARSKO SHOSE BLVD. NO.7
TRADE CENTER EUROPE
BUILDING 7, OFFICE 8, FLOOR 4
1528 Sofia
Bulgaria

Telephone: +359 (0) 2 818 5656
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
Bulgaria: +(359)-32570104 (CHEMTREC)

Medical emergency:
Clinic of Toxicology at the Hospital " N.I. Pirogov"
Emergency telephone/fax: +359 2 9154 233

National number: 112

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	26.08.2025	50002921	Date of first issue: 26.08.2025

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2	H319: Causes serious eye irritation.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Reproductive toxicity, Category 2	H361d: Suspected of damaging the unborn child.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements :
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H351 Suspected of causing cancer.
H361d Suspected of damaging the unborn child.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P261 Avoid breathing mist or vapours.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P391 Collect spillage.

Disposal:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version 2.0	Revision Date: 26.08.2025	SDS Number: 50002921	Date of last issue: - Date of first issue: 26.08.2025
----------------	------------------------------	-------------------------	--

P501 Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

N,N-dimethyloctanamide
tebuconazole (ISO)
difenoconazole (ISO)

Additional Labelling

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
N,N-dimethyloctanamide	1118-92-9 214-272-5	Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335 (Respiratory system)	>= 30 - < 50
tebuconazole (ISO)	107534-96-3 403-640-2 603-197-00-7	Acute Tox. 4; H302 Repr. 2; H361d Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute	>= 20 - < 25

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version 2.0 Revision Date: 26.08.2025 SDS Number: 50002921 Date of last issue: -
Date of first issue: 26.08.2025

		aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 10	
difenoconazole (ISO)	119446-68-3 613-347-00-3	Acute Tox. 4; H302 Eye Irrit. 2; H319 Carc. 2; H351 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10 Acute toxicity estimate Acute oral toxicity: 1.450 mg/kg	>= 2,5 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- If inhaled : Move to fresh air.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention if irritation develops and persists.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version 2.0	Revision Date: 26.08.2025	SDS Number: 50002921	Date of last issue: - Date of first issue: 26.08.2025
----------------	------------------------------	-------------------------	--

Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Do NOT induce vomiting.
Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye irritation.
May cause respiratory irritation.
Suspected of causing cancer.
Suspected of damaging the unborn child.
Repeated exposure may cause skin dryness or cracking.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.
Immediate medical attention is required in case of ingestion.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Nitrogen oxides (NO_x)
Carbon oxides
Chlorinated compounds
Hydrogen chloride
Hydrogen cyanide

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version 2.0	Revision Date: 26.08.2025	SDS Number: 50002921	Date of last issue: - Date of first issue: 26.08.2025
----------------	------------------------------	-------------------------	--

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
If it can be safely done, stop the leak.
Keep people away from and upwind of spill/leak.
Remove all sources of ignition.
Immediately evacuate personnel to safe areas.
Ensure adequate ventilation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against : Normal measures for preventive fire protection.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version 2.0 Revision Date: 26.08.2025 SDS Number: 50002921 Date of last issue: -
Date of first issue: 26.08.2025

fire and explosion

Hygiene measures : When using do not eat or drink. When using do not smoke.
Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
N,N-dimethyloctanamide	Workers	Inhalation	Long-term systemic effects	166,67 mg/m ³
	Workers	Dermal	Long-term systemic effects	23,81 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	50 mg/m ³
	Consumers	Dermal	Long-term systemic effects	14,29 mg/kg bw/day
	Consumers	Oral	Long-term systemic effects	14,29 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
----------------	---------------------------	-------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version 2.0 Revision Date: 26.08.2025 SDS Number: 50002921 Date of last issue: -
Date of first issue: 26.08.2025

N,N-dimethyloctanamide	Fresh water	0,026 mg/l
	Marine water	0,0026 mg/l
	Fresh water sediment	0,872 mg/kg dry weight (d.w.)
	Marine sediment	0,087 mg/kg dry weight (d.w.)
	Soil	5,3 mg/kg dry weight (d.w.)
	Intermittent use (freshwater)	0,077 mg/l
	Oral	12,71 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid
Colour : yellow, brown
Odour : unpleasant
Odour Threshold : No data available
Melting point/freezing point : No data available
Boiling point/boiling range : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version 2.0	Revision Date: 26.08.2025	SDS Number: 50002921	Date of last issue: - Date of first issue: 26.08.2025
----------------	------------------------------	-------------------------	--

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	140 °C Method: closed cup
Auto-ignition temperature	:	375 °C
Decomposition temperature	:	No data available
pH	:	4 - 8 Concentration: 1 %
Viscosity	:	
Viscosity, dynamic	:	71,6 mPa.s (20 °C) 25,9 mPa.s (40 °C)
Viscosity, kinematic	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	1,007 g/cm ³
Relative vapour density	:	No data available
Particle characteristics	:	
Particle size	:	No data available

9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Flammability (liquids)	:	No data available
Miscibility with water	:	Miscible
Surface tension	:	28,4 mN/m, 20 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

None reasonably foreseeable.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No dangerous reaction known under conditions of normal use.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	Protect from frost, heat and sunlight.
---------------------	---	--

10.5 Incompatible materials

Materials to avoid	:	Avoid strong acids, bases, and oxidizers
--------------------	---	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version 2.0	Revision Date: 26.08.2025	SDS Number: 50002921	Date of last issue: - Date of first issue: 26.08.2025
----------------	------------------------------	-------------------------	--

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	: LD50 (Rat, female): > 2.000 mg/kg Assessment: The component/mixture is minimally toxic after single ingestion.
Acute dermal toxicity	: LD50 (Rat, male and female): > 2.000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

Components:

N,N-dimethyloctanamide:

Acute oral toxicity	: LD50 (Rat, male and female): > 2.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: LC50 (Rat, male and female): > 3,55 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rat, male and female): > 2.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

tebuconazole (ISO):

Acute oral toxicity	: LD50 (Rat, female): > 2.000 mg/kg Method: OECD Test Guideline 425 Symptoms: ataxia, Lethargy, Breathing difficulties Assessment: The component/mixture is minimally toxic after single ingestion. Remarks: no mortality
Acute inhalation toxicity	: LC50 (Rat, male and female): > 5,18 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version 2.0	Revision Date: 26.08.2025	SDS Number: 50002921	Date of last issue: - Date of first issue: 26.08.2025
----------------	------------------------------	-------------------------	--

Remarks: no mortality

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

difenoconazole (ISO):

Acute oral toxicity : Acute toxicity estimate: 1.450 mg/kg
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Acute inhalation toxicity : LC50 (Rat, male and female): > 3,194 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No skin irritation

Species : Rabbit
Result : Repeated exposure may cause skin dryness or cracking.

Components:

N,N-dimethyloctanamide:

Species : Rabbit
Result : Skin irritation
Remarks : Based on data from similar materials

tebuconazole (ISO):

Species : Rabbit
Assessment : Not classified as irritant
Method : OECD Test Guideline 404
Result : slight irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version 2.0	Revision Date: 26.08.2025	SDS Number: 50002921	Date of last issue: - Date of first issue: 26.08.2025
----------------	------------------------------	-------------------------	--

GLP : yes

difenoconazole (ISO):

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 404
Result	: slight irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days

Components:

N,N-dimethyloctanamide:

Species	: Rabbit
Result	: Irreversible effects on the eye
Remarks	: Based on data from similar materials

tebuconazole (ISO):

Species	: Rabbit
Assessment	: No eye irritation
Method	: FIFRA 81.04
Remarks	: Minimal effects that do not meet the threshold for classification.

difenoconazole (ISO):

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Irritation to eyes, reversing within 7 days

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Test Type	: Buehler Test
Species	: Guinea pig
Result	: Does not cause skin sensitisation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	26.08.2025	50002921	Date of first issue: 26.08.2025

Components:

N,N-dimethyloctanamide:

Test Type	: Buehler Test
Species	: Guinea pig
Result	: Does not cause skin sensitisation.
Remarks	: Based on data from similar materials

tebuconazole (ISO):

Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: Not a skin sensitizer.

difenoconazole (ISO):

Species	: Guinea pig
Assessment	: Not a skin sensitizer.
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

N,N-dimethyloctanamide:

Genotoxicity in vitro	: Test Type: reverse mutation assay Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay) Result: negative
-----------------------	---

	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Remarks: Based on data from similar materials
--	--

	Test Type: gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials
--	---

Germ cell mutagenicity- Assessment	: In vitro tests did not show mutagenic effects
------------------------------------	---

tebuconazole (ISO):

Genotoxicity in vitro	: Test Type: Ames test
-----------------------	------------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version 2.0	Revision Date: 26.08.2025	SDS Number: 50002921	Date of last issue: - Date of first issue: 26.08.2025
----------------	------------------------------	-------------------------	--

Metabolic activation: with and without metabolic activation
Result: negative

Germ cell mutagenicity- Assessment :

Remarks: Adverse effects on fertility such as reduced litter size and effects on development were found for tebuconazole at maternally toxic doses in an animal test (method OECD 416). Malformations of offspring were found at maternally toxic doses (based on 13 studies).

difenoconazole (ISO):

Genotoxicity in vitro : Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

Carcinogenicity

Suspected of causing cancer.

Components:

difenoconazole (ISO):

Species	: Rat, male
Application Route	: Oral
Exposure time	: 2 y
Dose	: 0, 0.5, 1, 24.1, 124 mg/kg bw/day
NOAEL	: 124 mg/kg body weight
Target Organs	: Liver
Species	: Mouse, male
Application Route	: Oral
Exposure time	: 78 w
Dose	: 0, 1.5, 4.7, 46.3, 423... mg/kg bw/day
NOAEL	: 46,3 mg/kg bw/day
Symptoms	: Hepatocellular adenoma, carcinoma
Target Organs	: Liver

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

N,N-dimethyloctanamide:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version 2.0	Revision Date: 26.08.2025	SDS Number: 50002921	Date of last issue: - Date of first issue: 26.08.2025
----------------	------------------------------	-------------------------	--

Effects on foetal development : Species: Rat
Application Route: Oral
Dose: 50, 150, 450mg/kg bw
Duration of Single Treatment: 21 d
General Toxicity Maternal: NOAEL: 50 - < 150 mg/kg bw/day
Embryo-foetal toxicity: NOAEL F1: >= 450 mg/kg bw/day
Symptoms: Maternal effects
Method: OECD Test Guideline 414
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

tebuconazole (ISO):

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments., Suspected of damaging the unborn child.
Remarks: Adverse effects on fertility such as reduced litter size and effects on development were found for tebuconazole at maternally toxic doses in an animal test (method OECD 416). Malformations of offspring were found at maternally toxic doses (based on 13 studies).

difenoconazole (ISO):

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

May cause respiratory irritation.

Components:

N,N-dimethyloctanamide:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Components:

N,N-dimethyloctanamide:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

N,N-dimethyloctanamide:

Species : Dog, male and female
LOAEL : >= 200 mg/kg bw/day

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	26.08.2025	50002921	Date of first issue: 26.08.2025

Application Route	: Oral
Exposure time	: 13 weeks
Dose	: 40, 200, 1000mg/kg/bw
Method	: OECD Test Guideline 409
Remarks	: Based on data from similar materials

difenoconazole (ISO):

Species	: Rat
NOAEL	: 1 mg/kg
LOAEL	: 24 mg/kg
Application Route	: Oral
Exposure time	: 24 m
Target Organs	: Liver

Aspiration toxicity

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---

Further information

Product:

Remarks	: No data available
---------	---------------------

Components:

tebuconazole (ISO):

Remarks	: The main symptoms were passivity, impaired mobility and shortness of breath at high doses in animal tests.
---------	--

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 6,3 mg/l Exposure time: 96 h
------------------	---

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 7,5 mg/l Exposure time: 48 h
---	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version 2.0	Revision Date: 26.08.2025	SDS Number: 50002921	Date of last issue: - Date of first issue: 26.08.2025
----------------	------------------------------	-------------------------	--

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 10 mg/l
Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 1 mg/l
End point: Growth rate
Exposure time: 96 h

EC10 (Raphidocelis subcapitata (freshwater green alga)): 2,4 mg/l
End point: Growth rate
Exposure time: 96 h

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.
Remarks: According to calculation method of Regulation (EC) No 1272/2008.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.
Remarks: According to calculation method of Regulation (EC) No 1272/2008.

Components:

N,N-dimethyloctanamide:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 14,8 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 7,7 mg/l
Exposure time: 48 h
Test Type: static test

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 5,47 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

LOEC (Pseudokirchneriella subcapitata (green algae)): 1,8 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): 212,3 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 1,3 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version 2.0	Revision Date: 26.08.2025	SDS Number: 50002921	Date of last issue: - Date of first issue: 26.08.2025
----------------	------------------------------	-------------------------	--

Toxicity to soil dwelling organisms : LC50: 1.032,1 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207

NOEC: 562 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207

tebuconazole (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4,4 mg/l
Exposure time: 96 h
Test Type: flow-through test

LC50 (Lepomis macrochirus (Bluegill sunfish)): 5,7 mg/l
Exposure time: 96 h

LC50 (Leuciscus idus (Golden orfe)): 8,7 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 2,79 mg/l
Exposure time: 48 h
Test Type: flow-through test

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (algae)): 3,8 mg/l
Exposure time: 72 h
Test Type: static test

ErC50 (Scenedesmus quadricauda (Green algae)): 5,3 mg/l
Exposure time: 72 h

EC50 (Lemna gibba (duckweed)): 0,144 mg/l
Exposure time: 14 d

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 0,012 mg/l
Exposure time: 60 d
Species: Salmo gairdneri

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,12 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50: 1.381 mg/kg
Exposure time: 14 d

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version 2.0	Revision Date: 26.08.2025	SDS Number: 50002921	Date of last issue: - Date of first issue: 26.08.2025
----------------	------------------------------	-------------------------	--

	Species: Eisenia fetida (earthworms)
Toxicity to terrestrial organisms	: LD50: 1.988 mg/kg Species: Colinus virginianus (Bobwhite quail) LD50: > 200 µg/bee Species: Apis mellifera (bees) Remarks: Contact LD50: > 83 µg/bee Exposure time: 48 h Species: Apis mellifera (bees) LD50: 2.912 mg/kg Species: Coturnix japonica (Japanese quail)
difenoconazole (ISO):	
Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 1,1 mg/l Exposure time: 96 h LC50 (Cyprinus carpio (Carp)): 0,44 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0,77 mg/l Exposure time: 48 h EC50 (Daphnia magna (Water flea)): 0,17 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Scenedesmus subspicatus): 0,03 mg/l Exposure time: 72 h ErC50 (Pseudokirchneriella subcapitata (algae)): 0,0003 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	: 10
Toxicity to fish (Chronic toxicity)	: NOEC: 0,023 mg/l Exposure time: 21 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0,0056 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	: 10
Toxicity to soil dwelling organisms	: LC50: > 610 mg/kg Species: Eisenia fetida (earthworms)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version 2.0	Revision Date: 26.08.2025	SDS Number: 50002921	Date of last issue: - Date of first issue: 26.08.2025
----------------	------------------------------	-------------------------	--

NOEC: 0,2 mg/kg
End point: reproduction
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : LD50: > 2.000 mg/kg
Exposure time: 9 d
Species: Coturnix japonica (Japanese quail)

LD50: > 100 µg/bee
Species: Apis mellifera (bees)

NOEL: 9,71 mg/kg
Exposure time: 21 d
Species: Colinus virginianus (Bobwhite quail)

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data is available on the product itself.

Components:

N,N-dimethyloctanamide:

Biodegradability : Inoculum: activated sludge, non-adapted
Result: Readily biodegradable.
Method: OECD Test Guideline 301B

tebuconazole (ISO):

Biodegradability : Result: Not readily biodegradable.

difenoconazole (ISO):

Biodegradability : Remarks: Not readily biodegradable.

Stability in water : Degradation half life: 1 d

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

N,N-dimethyloctanamide:

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n-octanol/water : log Pow: 2,59 (23 °C)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version 2.0	Revision Date: 26.08.2025	SDS Number: 50002921	Date of last issue: - Date of first issue: 26.08.2025
----------------	------------------------------	-------------------------	--

tebuconazole (ISO):

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 65
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 3,7 (20 °C)

difenoconazole (ISO):

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 330
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 3,817 (25 °C)
Method: OECD Test Guideline 117

12.4 Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

Components:

tebuconazole (ISO):

Distribution among environmental compartments : Remarks: Low mobility in soil

difenoconazole (ISO):

Distribution among environmental compartments : Koc: 3759,4 ml/g
Remarks: Low mobility in soil

Stability in soil :

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version 2.0	Revision Date: 26.08.2025	SDS Number: 50002921	Date of last issue: - Date of first issue: 26.08.2025
----------------	------------------------------	-------------------------	--

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Triple rinse containers. Do not re-use empty containers. Packaging that is not properly emptied must be disposed of as the unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Difenoconazole, Tebuconazole)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Difenoconazole, Tebuconazole)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Difenoconazole, Tebuconazole)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version 2.0	Revision Date: 26.08.2025	SDS Number: 50002921	Date of last issue: - Date of first issue: 26.08.2025
----------------	------------------------------	-------------------------	--

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Difenoconazole, Tebuconazole)

IATA : Environmentally hazardous substance, liquid, n.o.s.
(Difenoconazole, Tebuconazole)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADN
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG
Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)
Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)
Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version 2.0	Revision Date: 26.08.2025	SDS Number: 50002921	Date of last issue: - Date of first issue: 26.08.2025
----------------	------------------------------	-------------------------	--

Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Conditions of restriction for the following entries should be considered: Number on list 75, 3
--	--

If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
---	------------------

Regulation (EU) No 2024/590 on substances that deplete the ozone layer	: Not applicable
--	------------------

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	: Not applicable
---	------------------

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	: Not applicable
--	------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version 2.0	Revision Date: 26.08.2025	SDS Number: 50002921	Date of last issue: - Date of first issue: 26.08.2025
----------------	------------------------------	-------------------------	--

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. tebuconazole (ISO) difenoconazole (ISO) N,N-dimethyloctanamide
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	26.08.2025	50002921	Date of first issue: 26.08.2025

SECTION 16: Other information

Full text of H-Statements

H302	: Harmful if swallowed.
H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H335	: May cause respiratory irritation.
H351	: Suspected of causing cancer.
H361d	: Suspected of damaging the unborn child.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Carc.	: Carcinogenicity
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Repr.	: Reproductive toxicity
Skin Irrit.	: Skin irritation
STOT SE	: Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet;

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



MAGNELLO EC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	26.08.2025	50002921	Date of first issue: 26.08.2025

SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Eye Irrit. 2	H319
Carc. 2	H351
Repr. 2	H361d
STOT SE 3	H335
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment
Calculation method
Calculation method
Calculation method
Based on product data or assessment
Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

BG / 6N