

SAFETY DATA SHEET



PlusK®

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	04.12.2025	50001909	Date of first issue: 13.07.2021

SECTION 1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE COMPANY OR UNDERTAKING

Chemical product identification : PlusK®

Other means of identification : Foly-K

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Crop nutrition

Restrictions on use : Use as recommended by the label.
For professional users only.

Details of the supplier of the safety data sheet

Address of supplier : FMC QUIMICA CHILE LIMITADA
VITACURA 2670, PISO 15, OF. 150
LAS CONDES, SANTIAGO, CHILE

Manufacturer's Information : FMC AGRO LIMITED
RECTORS LANE,
PENTRE FLINTSHIRE, CH5 2DH,
UNITED KINGDOM
TELEPHONE: + 44 1244 537370

E-mail address : SDS-Info@fmc.com

Emergency and toxicological information number in Chile : Chile: Spills: CITUC: +56 2 2247 3600 (24 hours) Fire: 132 (24 hours)
+56-22-5814934 (CHEMTREC - Chile)
1 703 / 741-5970 (CHEMTREC - International)

Medical Emergency Number : Chile: CITUC: +56 2 2635 3800 (24 hours)

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Skin corrosion/irritation : Category 1

Serious eye damage/eye irritation : Category 1

Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

Long-term (chronic) aquatic hazard : Category 3

SAFETY DATA SHEET



PlusK®

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	04.12.2025	50001909	Date of first issue: 13.07.2021

Label elements

Hazard pictograms



Signal Word

: DANGER

Hazard Statements

: H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**

P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P363 Wash contaminated clothing before reuse.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Components

SAFETY DATA SHEET



PlusK®

Version 2.0 Revision Date: 04.12.2025 SDS Number: 50001909 Date of last issue: -
Date of first issue: 13.07.2021

Systematic chemical name	Common Name	CAS-No.	Concentration or range (% w/w)	Classification
potassium carbonate	Potassium carbonate solution	584-08-7	>= 30 - < 50	Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 2 Specific target organ toxicity - single exposure (Respiratory system), Category 3 Long-term (chronic) aquatic hazard, Category 3

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Consult a physician.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- Inhalation : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- Skin contact : Take off immediately all contaminated clothing, shoes, and leather goods (for example watchbands, belts). Rinse skin with lukewarm, gently flowing water/shower for 30 minutes. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before re-use or discard.
Get medical attention immediately if irritation develops and persists.
- Eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

SAFETY DATA SHEET



PlusK®

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	04.12.2025	50001909	Date of first issue: 13.07.2021

Ingestion	: Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
Most important symptoms and effects, both acute and delayed	: Causes serious eye damage. May cause respiratory irritation. Causes severe burns.
Protection of first-aiders	: Avoid inhalation, ingestion and contact with skin and eyes.
Notes to physician	: Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Dry chemical, CO ₂ , water spray or regular foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: Do not spread spilled material with high-pressure water streams. High volume water jet
Hazardous combustion products	: Ammonia Carbon oxides Sulfur oxides
Related specific hazards	: Do not allow run-off from fire fighting to enter drains or water courses.
Specific extinguishing methods	: Remove undamaged containers from fire area if it is safe to do so. Use a water spray to cool fully closed containers. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Recommendations for fire-fighters	: Firefighters should wear protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Ensure adequate ventilation. If it can be safely done, stop the leak. Do not touch or walk through the spilled material.
---	--

SAFETY DATA SHEET



PlusK®

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	04.12.2025	50001909	Date of first issue: 13.07.2021

- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and material for containment and cleaning up : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Handling

- Precautions for safe handling : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.
- Operational and technical measures : Normal measures for preventive fire protection.
- Contact prevention : Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

Conditions for safe storage, including any incompatibilities

- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

Specific end use(s)

- Specific use(s) : Crop nutrition

SAFETY DATA SHEET



PlusK®

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	04.12.2025	50001909	Date of first issue: 13.07.2021

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

- | | | |
|------------------------|---|--|
| Eye/face protection | : | Eye wash bottle with pure water
Tightly fitting safety goggles
Face-shield |
| Skin protection | : | Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Hand protection | : | |
| Material | : | Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber. |
| Remarks | : | The suitability for a specific workplace should be discussed with the producers of the protective gloves. |
| Respiratory protection | : | In the case of dust or aerosol formation use respirator with an approved filter. |
| Protective measures | : | Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions.
Ensure that eye flushing systems and safety showers are located close to the working place.
Wear suitable protective equipment. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

- | | | |
|-----------------------------------|---|--------------------------------|
| Physical state | : | liquid |
| Color | : | brown |
| Odor | : | Faint odour |
| Odor Threshold | : | No data available |
| pH | : | > 13,0
Concentration: 100 % |
| Melting point/freezing point | : | No data available |
| Initial boiling point and boiling | : | No data available |

SAFETY DATA SHEET



PlusK®

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	04.12.2025	50001909	Date of first issue: 13.07.2021

range

Flash point : No data available

Evaporation rate : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Other information

Bulk density : No data available

Molecular weight : Not applicable

Particle size : No data available

Self-ignition : No data available

SAFETY DATA SHEET



PlusK®

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	04.12.2025	50001909	Date of first issue: 13.07.2021

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	Avoid extreme temperatures. Avoid formation of aerosol.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	:	toxic fumes

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 4.000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Remarks: No data is available on the product itself.
Acute dermal toxicity	:	Remarks: No data is available on the product itself.

Components:

potassium carbonate:

Acute oral toxicity	:	LD50 (Rat, male and female): > 2.000 mg/kg Remarks: no mortality
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 4,96 mg/l Exposure time: 4,5 h Test atmosphere: dust/mist Remarks: no mortality
Acute dermal toxicity	:	LD50 (Rabbit, male and female): > 2.000 mg/kg Remarks: no mortality

Skin corrosion/irritation

Causes severe burns.

Product:

Assessment	:	Causes severe burns.
Result	:	Severe skin irritation
Remarks	:	Expert judgment

SAFETY DATA SHEET



PlusK®

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	04.12.2025	50001909	Date of first issue: 13.07.2021

Components:

potassium carbonate:

Result	:	Skin irritation
Species	:	Rabbit
Result	:	No skin irritation

Serious eye damage or eye irritation

Causes serious eye damage.

Product:

Assessment	:	Risk of serious damage to eyes.
Result	:	Severe eye irritation
Remarks	:	Expert judgment

Components:

potassium carbonate:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Remarks	:	No data is available on the product itself.
---------	---	---

Components:

potassium carbonate:

Test Type	:	Buehler Test
Species	:	Guinea pig
Result	:	Does not cause skin sensitization.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

potassium carbonate:

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test
		Result: negative
		Remarks: Based on data from similar materials

PlusK®

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	04.12.2025	50001909	Date of first issue: 13.07.2021

Test Type: reverse mutation assay
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:**potassium carbonate:**

Species : Rat, male
Application Route : Oral
Dose : 0, 1285, 2667 mg/kg bw/d
NOAEL : 2.667 mg/kg bw/day
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:**potassium carbonate:**

Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Dose: 1.8, 8.4, 38.8, 180.0 mg/kg bw/day
Duration of Single Treatment: 20 d
General Toxicity Maternal: NOEL: 180 mg/kg bw/day
Embryo-fetal toxicity.: NOEL: 180 mg/kg bw/day
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

Specific particular organ toxicity - single exposure

May cause respiratory irritation.

Components:**potassium carbonate:**

Assessment : May cause respiratory irritation.

Specific particular organ toxicity - repeated exposure

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET



PlusK®

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	04.12.2025	50001909	Date of first issue: 13.07.2021

Repeated dose toxicity

Components:

potassium carbonate:

Species	: Rat, male
NOAEL	: 2667 mg/kg bw/day
Application Route	: Oral - feed
Exposure time	: 130 w
Dose	: 0, 1285, 2667 mg/kg bw/d

Species	: Rat, male and female
NOAEC	: 0,4 mg/l
Application Route	: Inhalation
Test atmosphere	: dust/mist
Exposure time	: 21 d
Dose	: 0, 0.1, 0.2, 0.4 mg/L

Inhalation hazard

Based on available data, the classification criteria are not met.

Further information

Product:

Remarks	: No data available
---------	---------------------

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Components:

potassium carbonate:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 68 mg/l Exposure time: 96 h Method: FIFRA Guideline 72-1
------------------	--

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia pulex (Water flea)): 200 mg/l Exposure time: 48 h Test Type: static test
---	--

Toxicity to soil dwelling organisms	: LC50: 5.595 mg/kg Exposure time: 14 d Species: Eisenia andrei (red worm) Method: OECD Test Guideline 207 Remarks: Based on data from similar materials
-------------------------------------	--

Persistence and degradability

No data available

SAFETY DATA SHEET



PlusK®

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	04.12.2025	50001909	Date of first issue: 13.07.2021

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

potassium carbonate:

Bioaccumulation : Remarks: Does not bioaccumulate.

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging, and contaminated material : It is prohibited to reuse, bury, burn, or sell containers. Rinsable containers: Triple rinse containers of less than 20 liters and pressure rinse containers of 20 liters or more. Triple rinsing: Add water up to $\frac{1}{4}$ of the container's capacity, close and shake for 30 seconds. Pour the rinse water into the mixing tank, considering this volume of water within the recommended volume for mixing preparation. Perform this procedure three times. Pressure rinsing: Activate the pressure rinsing device for 30 seconds, considering the volume of water used as part of the recommended volume for mixing preparation. In both procedures, punctured the container on its base without damaging the label. In all cases, take the empty containers to collection points indicated by the local empty containers program.

Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	04.12.2025	50001909	Date of first issue: 13.07.2021

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	: UN 3266
Proper shipping name	: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium carbonate solution)
Class	: 8
Packing group	: II
Labels	: 8
Environmentally hazardous	: no

IATA-DGR

UN/ID No.	: UN 3266
Proper shipping name	: Corrosive liquid, basic, inorganic, n.o.s. (Potassium carbonate solution)
Class	: 8
Packing group	: II
Labels	: Corrosive
Packing instruction (cargo aircraft)	: 855
Packing instruction (passenger aircraft)	: 851

IMDG-Code

UN number	: UN 3266
Proper shipping name	: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium carbonate solution)
Class	: 8
Packing group	: II
Labels	: 8
EmS Code	: F-A, S-B
Marine pollutant	: no

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation**NCh382**

UN number	: UN 3266
Proper shipping name	: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (Potassium carbonate solution)
Class	: 8
Packing group	: II
Labels	: 8
Environmentally hazardous	: no

Special precautions for user

Remarks	: Not classified as dangerous in the meaning of transport regulations.
---------	--

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

SAFETY DATA SHEET



PlusK®

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	04.12.2025	50001909	Date of first issue: 13.07.2021

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

National Regulations

Chile. Decree 190. Carcinogenic Substances, Hazardous Waste Management. : Not applicable

Decree 1358 - Establishment of rules governing the control measures of precursors and essential chemicals. : potassium carbonate

Resolution 408/16 Exempt, Approving List of Health Hazardous Substances : Included in list of Article 3, item a), Classification according to NCh382

Other regulations

Decree 43/2015, Approving Regulation on Storage of Hazardous Substances
NCh 2245:2021 Safety data sheet for chemical products - Content and order of sections
NCh 2190:2019 Land transport of dangerous goods - Hazard identification marks
NCh 382:2021 Dangerous Goods – Classification
Decree 57 of 2019, Regulation on Classification, Labeling, and Notification of Hazardous Chemicals and Mixtures
D.S. 148/03 Sanitary Regulation on hazardous wastes handling
D.S. 298/94 Regulation on transport of hazardous cargo on streets and roads
D.S. 594/99 Regulation on sanitary and environmental basic conditions at work places
Exempt Resolution 15 of 2023 approving the List of Hazardous Substances Subject to Import Process

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: All substances listed as active on the TSCA inventory
AIIC	: On the inventory, or in compliance with the inventory
DSL	: This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.
ENCS	: On the inventory, or in compliance with the inventory
ISHL	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory

SAFETY DATA SHEET



PlusK®

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	04.12.2025	50001909	Date of first issue: 13.07.2021

IECSC : On the inventory, or in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI : On the inventory, or in compliance with the inventory

The receiver should verify the possible existence of legal regulations applicable to chemical.

SECTION 16. OTHER INFORMATION

Revision Date : 04.12.2025

Date format : dd.mm.yyyy

Full text of H-Statements

Abbreviations and acronyms

Aquatic Chronic : Long-term (chronic) aquatic hazard

Serious eye damage/eye irritation : Serious eye damage/eye irritation

Skin corrosion/irritation : Skin corrosion/irritation

STOT SE : Specific target organ toxicity - single exposure

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

SAFETY DATA SHEET



PlusK®

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	04.12.2025	50001909	Date of first issue: 13.07.2021

recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CL / EN