

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

SECTION 1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE COMPANY OR UNDERTAKING

Chemical product identification : FIDRESA®

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Fungicide

Restrictions on use : Use as recommended by the label.

Details of the supplier of the safety data sheet

Company name of supplier : FMC QUIMICA CHILE LTDA

Supplier's address : AVDA VITACURA 2670,
PISO 15, LAS CONDES,
VITACURA, SANTIAGO, CHILE
+56 2 28204200

E-mail address : SDS-Info@fmc.com

Emergency and toxicological information number in Chile : Chile: Spills: CITUC: +56 2 2247 3600 (24 hours) Fire: 132 (24 hours)
+56-22-5814934 (CHEMTREC - Chile)
1 703 / 741-5970 (CHEMTREC - International)

Medical Emergency Number : Chile: CITUC: +56 2 2635 3800 (24 hours)

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Acute toxicity (Dermal) : Category 4

Serious eye damage/eye irritation : Category 1

Skin sensitization : Category 1

Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic : Category 1

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

hazard

Label elements

Hazard pictograms



Signal Word

: DANGER

Hazard Statements

: H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**

P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

SAFETY DATA SHEET



FIDRESA®

Version 1.0 Revision Date: 04.12.2025 SDS Number: 50002544 Date of last issue: -
Date of first issue: 04.12.2025

disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Systematic chemical name	Common Name	CAS-No.	Concentration or range (% w/w)	Classification
N,N-dimethyldecan-1-amide	N,N-Dimethyldecanamide	14433-76-2	$\geq 30 - < 50$	Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 2 Specific target organ toxicity - single exposure (Respiratory system), Category 3 Long-term (chronic) aquatic hazard, Category 3
prothioconazole (ISO)	Prothioconazole	178928-70-6	$\geq 10 - < 20$	Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1
Fluindapyr	Fluindapyr	1383809-87-7	$\geq 5 - < 10$	Skin sensitization, Category 1 Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1
alpha-Hydro-omega-[tris(1-phenylethyl)phenoxy]poly(oxyethylene)	Poly(oxy-1,2-ethanediyl), .alpha.-[tris(1-phenylethyl)phenyl]-.omega.-hydroxy-	99734-09-5	$\geq 2,5 - < 5$	Long-term (chronic) aquatic hazard, Category 3
calcium dodecylbenzenesulphonate	Benzenesulfonic acid, dodecyl-, calcium salt	26264-06-2	$\geq 1 - < 3$	Acute toxicity (Oral), Category 4 Skin corro-

SAFETY DATA SHEET



FIDRESA®

Version 1.0 Revision Date: 04.12.2025 SDS Number: 50002544 Date of last issue: -
Date of first issue: 04.12.2025

				sion/irritation, Category 2 Serious eye damage/eye irritation, Category 1
2-ethylhexan-1-ol	2-Ethylhexan-1-ol	104-76-7	$\geq 1 - < 5$	Acute toxicity (Inhalation), Category 4 Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 2 Specific target organ toxicity - single exposure (Respiratory system), Category 3

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Consult a physician.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- Inhalation : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- Skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- Eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- Ingestion : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms : Exposure to skin may result in mild symptoms include itching,

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

and effects, both acute and delayed

hives or rash, and skin redness. More severe symptoms include sneezing, itchy watery eyes, and difficulty breathing. Skin contact may result in itching and redness. Eye contact may result in itching, watery eyes, light sensitivity, pain, and/or blurred vision.
Harmful if swallowed, in contact with skin or if inhaled.
May cause an allergic skin reaction.
Causes serious eye damage.
May cause respiratory irritation.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides
Nitrogen oxides (NO_x)
Sulfur oxides
Chlorine compounds
Hydrogen cyanide
Hydrogen chloride
Sulphuric acid
Fluorine compounds

Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides
Nitrogen oxides (NO_x)
Sulfur oxides
Hydrogen cyanide
Hydrogen chloride
Sulphuric acid
Chlorinated compounds
Fluorine compounds

Related specific hazards : Do not allow run-off from fire fighting to enter drains or water courses.

Recommendations for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

- Do not touch or walk through the spilled material.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and material for containment and cleaning up : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
Keep in suitable, closed containers for disposal.
-

SECTION 7. HANDLING AND STORAGE

Handling

- Precautions for safe handling : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Operational and technical measures : Normal measures for preventive fire protection.
- Contact prevention : Avoid contact with skin, eyes and clothing.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

Conditions for safe storage, including any incompatibilities

- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

SAFETY DATA SHEET



FIDRESA®

Version 1.0 Revision Date: 04.12.2025 SDS Number: 50002544 Date of last issue: -
Date of first issue: 04.12.2025

Specific end use(s)

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible maximum concentration	Basis
2-ethylhexan-1-ol	104-76-7	TWA	5 ppm	ACGIH

Personal protective equipment

- Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.
- Skin protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hand protection
Material : Protective gloves
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
- Protective measures : Plan first aid action before beginning work with this product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

- Physical state : liquid
- Color : brown
- Odor : No data available
- Odor Threshold : No data available
- pH : 5,6
Concentration: 10 g/l
- Melting point/ range : No data available

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

Boiling point/boiling range : No data available

Flash point : > 150 °C
No data available

Evaporation rate : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Vapor density : No data available

Relative density : 0,98 (20 °C)
No data available

Density : 1,27 g/cm³
No data available

Solubility(ies)
Water solubility : Miscible

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Other information

Molecular weight : Not applicable

Self-ignition : No data available

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	Avoid formation of aerosol. Avoid extreme temperatures.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed, in contact with skin or if inhaled.

Product:

Acute oral toxicity	:	LD50(Rat): > 5.000 mg/kg Method: OECD Test Guideline 425 Assessment: The component/mixture is minimally toxic after single ingestion. Assessment: The component/mixture is moderately toxic after single ingestion. Remarks: Resolution no. 2075
Acute inhalation toxicity	:	LC50(Rat): > 5,19 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Symptoms: Abnormal respiration Assessment: The component/mixture is minimally toxic after short term inhalation. Assessment: The component/mixture is moderately toxic after short term inhalation. Remarks: Resolution no. 2075
Acute dermal toxicity	:	LD50(Rat): > 5.000 mg/kg Method: OECD Test Guideline 402 Symptoms: irritant effects Assessment: The substance or mixture has no acute dermal toxicity Remarks: no mortality Assessment: The component/mixture is moderately toxic after

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

single contact with skin.
Remarks: Resolution no. 2075

Components:

N,N-dimethyldecan-1-amide:

Acute oral toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 420

Acute inhalation toxicity : LC50 (Rat, male and female): > 3,55 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 402

prothioconazole (ISO):

Acute oral toxicity : LD50 (Rat): > 6.200 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4,99 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Assessment: The component/mixture is minimally toxic after single contact with skin.

Fluindapyr:

Acute oral toxicity : LD50 (Rat, female): > 2.000 mg/kg
Method: OECD Test Guideline 423
GLP: yes
Assessment: The component/mixture is minimally toxic after single ingestion.
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,19 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: ataxia, Breathing difficulties
GLP: yes
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
Symptoms: Irritation
GLP: yes

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

Assessment: The component/mixture is minimally toxic after single contact with skin.

Remarks: no mortality

alpha-Hydro-omega-[tris(1-phenylethyl)phenoxy]poly(oxyethylene):

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

calcium dodecylbenzenesulphonate:

Acute oral toxicity : LD50 (Rat, male and female): 1.300 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: Not classified

Acute dermal toxicity : LD50 (Rat, male and female): > 2000 milligram per kilogram
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

2-ethylhexan-1-ol:

Acute oral toxicity : LD50 (Rat, male): 2.047 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4,3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 3.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Assessment : Causes mild skin irritation.
Method : OECD Test Guideline 404
Result : Mild skin irritation

Components:

N,N-dimethyldecan-1-amide:

Species : Rabbit

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

Method : OECD Test Guideline 404
Result : Skin irritation

prothioconazole (ISO):

Species : Rabbit
Result : No skin irritation

Fluindapyr:

Species : Rabbit
Assessment : Not classified as irritant

Method : OECD Test Guideline 404
GLP : yes

Assessment : Not classified as irritant

Method : EPISKIN Human Skin Model Test

alpha-Hydro-omega-[tris(1-phenylethyl)phenoxy]poly(oxyethylene):

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

calcium dodecylbenzenesulphonate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

2-ethylhexan-1-ol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

Serious eye damage or eye irritation

Causes serious eye damage.

Product:

Species : Rabbit
Assessment : Risk of serious damage to eyes.
Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

Components:

N,N-dimethyldecan-1-amide:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritation to eyes, reversing within 21 days

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

prothioconazole (ISO):

Species	: Rabbit
Result	: No eye irritation

Fluindapyr:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation
GLP	: yes

Method	: Bovine cornea (BCOP)
Result	: not corrosive
GLP	: yes

alpha-Hydro-omega-[tris(1-phenylethyl)phenoxy]poly(oxyethylene):

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation

calcium dodecylbenzenesulphonate:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Irreversible effects on the eye
Remarks	: Based on data from similar materials

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Irreversible effects on the eye

2-ethylhexan-1-ol:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Routes of exposure	: Skin contact
Species	: Mouse
Assessment	: May cause sensitization by skin contact.
Method	: OECD Test Guideline 429
Result	: May cause sensitization by skin contact.

Remarks	: Causes sensitization.
---------	-------------------------

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

Components:

N,N-dimethyldecan-1-amide:

Test Type	: Buehler Test
Species	: Guinea pig
Result	: Does not cause skin sensitization.

prothioconazole (ISO):

Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.

Fluindapyr:

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Skin contact
Method	: OECD Test Guideline 429
Result	: May cause sensitization by skin contact.
GLP	: yes

calcium dodecylbenzenesulphonate:

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.
Remarks	: Based on data from similar materials

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

N,N-dimethyldecan-1-amide:

Genotoxicity in vitro	: Test Type: reverse mutation assay Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay) Result: negative
-----------------------	---

	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Remarks: Based on data from similar materials
--	--

	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials
--	---

Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	--

prothioconazole (ISO):

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Test system: rat hepatocytes
Result: equivocal

Test Type: in vitro DNA damage and/or repair study
Result: negative

Test Type: gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: chromosome aberration assay
Species: Rat
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Fluindapyr:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Test system: lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative

Test Type: gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 490
Result: negative

Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: Mammalian bone marrow sister chromatid exchange
Species: Mouse
Result: negative

Test Type: Micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative

alpha-Hydro-omega-[tris(1-phenylethyl)phenoxy]poly(oxyethylene):

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Remarks: No data available

calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay
Species: Rat (male and female)
Application Route: Oral
Exposure time: 90 d
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

2-ethylhexan-1-ol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

prothioconazole (ISO):

Species : Mouse, male
Exposure time : 80 w
Dose : 0, 10, 70, 500 mg/kg/d
NOAEL : 10 mg/kg bw/day
LOAEL : 70 mg/kg body weight
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Fluindapyr:

Species : Mouse
Application Route : Oral

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

Exposure time : 18 month(s)
Method : OECD Test Guideline 451
Result : Not a carcinogenic hazard

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Method : OECD Test Guideline 453
Result : Not a carcinogenic hazard
GLP : yes

calcium dodecylbenzenesulphonate:

Species : Rat, male and female
Application Route : Oral
Exposure time : 720 d
NOAEL : 250 mg/kg body weight
Result : negative
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

2-ethylhexan-1-ol:

Species : Rat
Application Route : Oral
Exposure time : 24 month(s)
Result : negative

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

N,N-dimethyldecan-1-amide:

Effects on fetal development : Species: Rat
Application Route: Ingestion
Dose: 50, 150, 450mg/kg/bw
General Toxicity Maternal: NOAEL: 50 - < 150 mg/kg bw/day
Teratogenicity: NOAEL: >= 450 mg/kg bw/day
Embryo-fetal toxicity.: NOAEL: 150 - < 450 mg/kg bw/day
Symptoms: Retardations., Skeletal malformations.
Method: OECD Test Guideline 414
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

prothioconazole (ISO):

Effects on fetal development : Species: Rat
General Toxicity Maternal: NOAEL: 9,7 mg/kg bw/day

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

Developmental Toxicity: NOAEL: 20 mg/kg bw/day

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity
Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

Fluindapyr:

Effects on fertility : Test Type: Two-generation study
General Toxicity Parent: NOEL: ca. 100 ppm
Fertility: NOAEL: ca. 400 ppm
Early Embryonic Development: NOAEL: ca. 400 ppm
Method: OECD Test Guideline 416
GLP: yes

calcium dodecylbenzenesulphonate:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Application Route: Ingestion
General Toxicity Parent: NOAEL: 400 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Ingestion
General Toxicity Maternal: NOAEL: 300 mg/kg body weight
Developmental Toxicity: NOAEL: 600 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

2-ethylhexan-1-ol:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: negative

Specific particular organ toxicity - single exposure

May cause respiratory irritation.

Components:

N,N-dimethyldecan-1-amide:

Assessment : May cause respiratory irritation.

2-ethylhexan-1-ol:

Assessment : May cause respiratory irritation.

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

Specific particular organ toxicity - repeated exposure

Based on available data, the classification criteria are not met.

Components:

N,N-dimethyldecan-1-amide:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

N,N-dimethyldecan-1-amide:

Species : Dog, male and female
LOAEL : ≥ 200 mg/kg bw/day
Application Route : Oral
Exposure time : 13 weeks
Dose : 40, 200, 1000mg/kg bw
Method : OECD Test Guideline 409
Remarks : Based on data from similar materials

prothioconazole (ISO):

Species : Rat
NOAEL : 50 mg/kg
LOAEL : 750 mg/kg
Exposure time : 53 w
Dose : 5, 50, 750 mg/kg
Target Organs : Liver, Kidney, Bladder

Fluindapyr:

Species : Rat
NOAEL : 1.000 mg/kg
Application Route : Dermal
Exposure time : 21 d
Number of exposures : 5 d/w for 6 hr
Dose : 0,100,300,1000 mg/kg bw/d
Method : OECD Test Guideline 410
GLP : yes
Symptoms : Skin irritation

calcium dodecylbenzenesulphonate:

Species : Rat, male and female
NOAEL : 85 mg/kg
LOAEL : 145 mg/kg
Application Route : Oral
Exposure time : 9 Months
Remarks : Based on data from similar materials

Species : Rat, male

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

LOAEL : 286 mg/kg
Application Route : Skin contact
Exposure time : 15 Days
Remarks : Based on data from similar materials

Species : Rat, male and female
NOAEL : 100 mg/kg bw/day
LOAEL : 200 mg/kg bw/day
Application Route : Oral - gavage
Exposure time : 28 - 54 Days
Method : OECD Test Guideline 422
Remarks : Based on data from similar materials

2-ethylhexan-1-ol:

Species : Rat
: 250 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Method : OECD Test Guideline 408

Inhalation hazard

Based on available data, the classification criteria are not met.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Toxicity

Components:

N,N-dimethyldecan-1-amide:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 14,8 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 7,7 mg/l
aquatic invertebrates : Exposure time: 48 h
Test Type: static test
Remarks: Based on data from similar materials

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 16,06
plants : mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): 4,17

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

		mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to microorganisms	:	EC50 (activated sludge): 212,3 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	:	NOEC: >= 0,71 mg/l Exposure time: 35 d Species: Danio rerio (zebra fish) Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,866 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211
Toxicity to soil dwelling organisms	:	LC50: 1.032,1 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207 NOEC: 562 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207
prothioconazole (ISO):		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 1,83 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 1,3 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 2,18 mg/l Exposure time: 72 h EC50 (Skeletonema costatum (Diatom)): 0,046 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to fish (Chronic toxicity)	:	NOEC: 0,308 mg/l Exposure time: 21 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,56 mg/l Exposure time: 21 d

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

ic toxicity)	Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	: 10
Toxicity to soil dwelling organisms	: LC50: > 1.000 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms)
Toxicity to terrestrial organisms	: LD50: > 2.000 mg/kg Species: Colinus virginianus (Bobwhite quail) NOEC: 78 mg/kg Exposure time: 21 d Species: Anas platyrhynchos (Mallard duck) > 100 µg/bee Species: Apis mellifera (bees) Remarks: Contact > 71 µg/bee Species: Apis mellifera (bees) Remarks: Oral

Fluindapyr:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 0,121 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes LC50 (Oryzias latipes (Japanese medaka)): > 1,8 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes LC50 (Danio rerio (zebra fish)): 0,424 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes LC50 (Cyprinodon variegatus (sheepshead minnow)): 0,43 mg/l Exposure time: 96 h Test Type: static test Method: OPPTS 850.1075 GLP: yes LC50 (Cyprinus carpio (Carp)): 0,11 mg/l Exposure time: 96 h Test Type: Static renewal test
------------------	--

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

Method: OECD Test Guideline 203
GLP: yes

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,286 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

LC50 (Pimephales promelas (fathead minnow)): 0,19 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,141 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

LC50 (Americamysis bahia (mysid shrimp)): 0,33 mg/l
Exposure time: 96 h
Test Type: static test
Method: OCSP 850.1035
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 4,83 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes

NOEC (Lemna gibba (duckweed)): 2 mg/l
Exposure time: 7 d
Method: OECD Test Guideline 221
GLP: yes

EC50 (Skeletonema costatum (Diatom)): > 2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 0,031 mg/l
Exposure time: 32 d
Species: Pimephales promelas (fathead minnow)
Test Type: Early-life Stage
Method: OECD Test Guideline 210
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,062 mg/l
Exposure time: 28 d
Species: Americamysis bahia (mysid shrimp)

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

Test Type: flow-through test
Method: OPPTS 850.1350
GLP: yes

NOEC: 0,12 mg/l
End point: reproduction
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211
GLP: yes

NOEC: 68 mg/l
Exposure time: 42 d
Species: Hyalella azteca (Amphipod)
Test Type: Static renewal test
GLP: yes

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : LC50: > 1.000 mg/kg
Species: Eisenia fetida (earthworms)

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organisms : LD50: 1.612 mg/kg
Species: Colinus virginianus (Bobwhite quail)
Method: OECD Test Guideline 205
GLP: yes

LD50: 2.250 mg/kg
Species: Colinus virginianus (Bobwhite quail)
Method: OPPTS 850.2100
GLP: yes

LD50: > 300 µg/bee
Exposure time: 48 h
Species: Apis mellifera (bees)
Method: OECD Test Guideline 214
GLP: yes
Remarks: Contact

LD50: > 32,8 µg/bee
Exposure time: 48 h
Species: Apis mellifera (bees)
Method: OECD Test Guideline 213
GLP: yes
Remarks: Oral

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

NOEC: 679 mg/kg
End point: Reproduction Test
Species: *Anas platyrhynchos* (Mallard duck)
Method: OECD Test Guideline 206
GLP: yes

NOEC: 174 mg/kg
End point: Reproduction Test
Species: *Colinus virginianus* (Bobwhite quail)
Method: OECD Test Guideline 206
GLP: yes

alpha-Hydro-omega-[tris(1-phenylethyl)phenoxy]poly(oxyethylene):

Toxicity to fish : LC50 (*Brachydanio rerio* (zebrafish)): 21 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to microorganisms : Remarks: No data available

calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (*Danio rerio* (zebra fish)): 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

LC50 (*Pimephales promelas* (fathead minnow)): 4,6 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 3,5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEC (*Pseudokirchneriella subcapitata* (green algae)): 7,9 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC50 (*Pseudokirchneriella subcapitata* (green algae)): 65,4 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 500 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chron- : NOEC: 1,65 mg/l
Exposure time: 21 d

FIDRESA®

ic toxicity)	Species: <i>Daphnia magna</i> (Water flea)
	Remarks: Based on data from similar materials
	NOEC: 1,18 mg/l
	Exposure time: 21 d
	Species: <i>Daphnia magna</i> (Water flea)
	Remarks: Based on data from similar materials

Toxicity to soil dwelling organisms : LC50: 1.000 mg/kg
Exposure time: 14 d
Species: *Eisenia fetida* (earthworms)
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50: 1.356 mg/kg
Exposure time: 14 d
Species: *Colinus virginianus* (Bobwhite quail)
Method: OECD Test Guideline 223

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 17,1 - 28,2 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 39 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC10 (*Desmodesmus subspicatus* (green algae)): 3,2 mg/l
Exposure time: 72 h

EC50 (*Desmodesmus subspicatus* (green algae)): 11,5 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50 (Anabaena flos-aquae (cyanobacterium)): 16,6 mg/l
Exposure time: 72 h

Components:

Biodegradability	: Inoculum: activated sludge, non-adapted Result: Readily biodegradable. Method: OECD Test Guideline 301B Remarks: Based on data from similar materials
------------------	--

Biodegradability : Result: Not readily biodegradable.

Biodegradability : Result: Not readily biodegradable.

26 / 32

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 8 %
Exposure time: 28 d
Method: OECD Test Guideline 301

calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301E

2-ethylhexan-1-ol:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

N,N-dimethyldecan-1-amide:

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n-octanol/water : log Pow: 3,44
Method: QSAR

prothioconazole (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 19
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 3,82 (20 °C)
pH: 7

Fluindapyr:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): < 500
Method: OECD Test Guideline 305
GLP: yes
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: > 3

alpha-Hydro-omega-[tris(1-phenylethyl)phenoxy]poly(oxyethylene):

Partition coefficient: n-octanol/water : Remarks: No data available

calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 70,79
Method: QSAR

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

Partition coefficient: n-octanol/water : log Pow: 4,77 (25 °C)

2-ethylhexan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 2,9 (25 °C)

Mobility in soil

Components:

N,N-dimethyldecan-1-amide:

Distribution among environmental compartments : Remarks: Slightly mobile in soils

prothioconazole (ISO):

Distribution among environmental compartments : Koc: 1765 ml/g, log Koc: 3,24
Remarks: Low mobility in soil.

Stability in soil :

Fluindapyr:

Distribution among environmental compartments : Remarks: Low mobility in soil.

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging, and contaminated material : It is prohibited to reuse, bury, burn, or sell containers. Rinsable containers: Triple rinse containers of less than 20 liters and pressure rinse containers of 20 liters or more. Triple rinsing: Add water up to ¼ of the container's capacity, close and shake for 30 seconds. Pour the rinse water into the mixing tank, considering this volume of water within the recommended volume for mixing preparation. Perform this procedure three times. Pressure rinsing: Activate the pressure rinsing

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

device for 30 seconds, considering the volume of water used as part of the recommended volume for mixing preparation. In both procedures, punctured the container on its base without damaging the label. In all cases, take the empty containers to collection points indicated by the local empty containers program.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluindapyr)

Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Fluindapyr)

Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluindapyr)

Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

NCh382

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluindapyr)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

National Regulations

Chile. Decree 190. Carcinogenic Substances, Hazardous Waste Management. : Not applicable

Decree 1358 - Establishment of rules governing the control measures of precursors and essential chemicals. : Not applicable

Resolution 408/16 Exempt, Approving List of Health Hazardous Substances : Included in list of Article 3, item a), Classification according to NCh382

Other regulations

Decree 43/2015, Approving Regulation on Storage of Hazardous Substances
NCh 2245:2021 Safety data sheet for chemical products - Content and order of sections
NCh 2190:2019 Land transport of dangerous goods - Hazard identification marks
NCh 382:2021 Dangerous Goods – Classification
Decree 57 of 2019, Regulation on Classification, Labeling, and Notification of Hazardous Chemicals and Mixtures
D.S. 148/03 Sanitary Regulation on hazardous wastes handling
D.S. 298/94 Regulation on transport of hazardous cargo on streets and roads
D.S. 594/99 Regulation on sanitary and environmental basic conditions at work places

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory
TSCA : Product contains substance(s) not listed on TSCA inventory.
AIIC : Not in compliance with the inventory
DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

3-(Difluoromethyl)-N-(7-fluoro-1,1,3-trimethyl-2,3-dihydro-1H-inden-4-yl)-1-methyl-1H-pyrazole-4-carboxamide
prothioconazole (ISO)
N,N-dimethyldecan-1-amide

ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

The receiver should verify the possible existence of legal regulations applicable to chemical.

SECTION 16. OTHER INFORMATION

Revision Date	:	04.12.2025
Date format	:	dd.mm.yyyy

Full text of H-Statements

Abbreviations and acronyms

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Serious eye damage/eye irritation	:	Serious eye damage/eye irritation
Skin corrosion/irritation	:	Skin corrosion/irritation
Skin Sens.	:	Skin sensitization
STOT SE	:	Specific target organ toxicity - single exposure
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA	:	8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemi-

SAFETY DATA SHEET



FIDRESA®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04.12.2025	50002544	Date of first issue: 04.12.2025

cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CL / EN