

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DRAGNET® FT EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2026	50000485	Date of first issue: 01/05/2026

SECTION 1. IDENTIFICATION

Product identifier

Product name DRAGNET® FT EC

Other means of identification

Product code 50000485

Recommended use of the chemical and restrictions on use

Recommended use Can be used as insecticide only.

Restrictions on use Use as recommended by the label.

Manufacturer or supplier's details

Manufacturer FMC Corporation
2929 WALNUT ST
PHILADELPHIA PA 19104
USA
+1 (215) 299-6000 (Corporate)
SDS-Info@fmc.com, +1-(800)-346-0833 (FMC Cust. Service)

Supplier Address FMC Corporation
2929 Walnut Street
Philadelphia PA 19104
USA

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DRAGNET® FT EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2026	50000485	Date of first issue: 01/05/2026

Skin sensitization : Category 1

Specific target organ toxicity : Category 2
- single exposure

Specific target organ toxicity : Category 2
- repeated exposure

Aspiration hazard : Category 1

GHS label elements

Hazard pictograms :



Signal Word : DANGER

Hazard Statements : H226 Flammable liquid and vapor.
H302 + H332 Harmful if swallowed or if inhaled.
H304 May be fatal if swallowed and enters airways.
H317 May cause an allergic skin reaction.
H371 May cause damage to organs.
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P210 Keep away from heat/ sparks/ open flames/ hot surfaces.
No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/ eye protection/ face protection.
Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DRAGNET® FT EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2026	50000485	Date of first issue: 01/05/2026

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P331 Do NOT induce vomiting.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
permethrin (ISO)	52645-53-1	36.9
stoddard solvent; Low boiling point naphtha — unspecified	8052-41-3	>= 10 - < 30

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended.
If inhaled	: Move to fresh air. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician. If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
In case of skin contact	: If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DRAGNET® FT EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2026	50000485	Date of first issue: 01/05/2026

- | | |
|---|---|
| In case of eye contact | : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Clean mouth with water and drink afterwards plenty of water.
Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician. |
| Most important symptoms and effects, both acute and delayed | : Harmful if swallowed or if inhaled.
May be fatal if swallowed and enters airways.
May cause an allergic skin reaction.
May cause damage to organs.
May cause damage to organs through prolonged or repeated exposure. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment. |
| Notes to physician | : Treat symptomatically. |

SECTION 5. FIRE-FIGHTING MEASURES

- | | |
|---------------------------------------|---|
| Suitable extinguishing media | : Dry chemical, CO ₂ , water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable extinguishing media | : High volume water jet
Do not spread spilled material with high-pressure water streams. |
| Specific hazards during fire fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Halogenated compounds |
| Further information | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DRAGNET® FT EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2026	50000485	Date of first issue: 01/05/2026

For safety reasons in case of fire, cans should be stored separately in closed containments.
Use a water spray to cool fully closed containers.

Special protective equipment : Firefighters should wear protective clothing and self-contained for fire-fighters breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).
Keep away from open flames, hot surfaces and sources of ignition.

Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Take precautionary measures against static discharges.
Provide sufficient air exchange and/or exhaust in work rooms.
Open drum carefully as content may be under pressure.
To avoid spills during handling keep bottle on a metal tray.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DRAGNET® FT EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2026	50000485	Date of first issue: 01/05/2026

Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : To maintain product quality, DO NOT ALLOW TO FREEZE. Store at room temperature.

No smoking.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Recommended storage temperature : > 32 °F / > 0 °C

Further information on storage stability : No decomposition if stored and applied as directed.
Protect from frost.
Do not freeze.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
stoddard solvent; Low boiling point naphtha — unspecified	8052-41-3	TWA	100 ppm	ACGIH
		TWA	350 mg/m3	NIOSH REL
		C	1,800 mg/m3	NIOSH REL
		TWA	500 ppm 2,900 mg/m3	OSHA Z-1
		TWA	100 ppm 525 mg/m3	OSHA P0

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DRAGNET® FT EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2026	50000485	Date of first issue: 01/05/2026

Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective measures	: Wear suitable protective equipment. Ensure that eye flushing systems and safety showers are located close to the working place. Always have on hand a first-aid kit, together with proper instructions. Plan first aid action before beginning work with this product.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Color	: amber
Odor	: hydrocarbon-like, Faint odour
Odor Threshold	: No data available
pH	: 7.5 (68 °F / 20 °C)
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 108 °F / 42 °C
Evaporation rate	: No data available
Flammability (liquids)	: Sustains combustion
Upper explosion limit / Upper flammability limit	: No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DRAGNET® FT EC

Version 1.0	Revision Date: 01/05/2026	SDS Number: 50000485	Date of last issue: - Date of first issue: 01/05/2026
----------------	------------------------------	-------------------------	--

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : 8.66 lb/gal

Solubility(ies)
Water solubility : emulsifiable

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.
Vapors may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.
Avoid formation of aerosol.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition products : No decomposition if stored and applied as directed.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DRAGNET® FT EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2026	50000485	Date of first issue: 01/05/2026

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed or if inhaled.

Product:

Acute oral toxicity	: LD50 (Rat): 998 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 4.3 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg

Components:

permethrin (ISO):

Acute oral toxicity	: LD50 (Rat, female): 3,129 mg/kg Method: OECD Test Guideline 425 LD50 (Rat, female): > 2,000 mg/kg Method: OECD Test Guideline 423 GLP: yes
Acute inhalation toxicity	: LC50 (Rat, male and female): > 2.09 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	: LD50 (Rabbit, male and female): > 4,000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mixture has no acute dermal toxicity Remarks: no mortality

stoddard solvent; Low boiling point naphtha — unspecified:

Acute oral toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg Remarks: no mortality
Acute inhalation toxicity	: LC0 (Rat, male and female): > 5.5 mg/l Exposure time: 4 h Test atmosphere: vapor Remarks: no mortality
Acute dermal toxicity	: LD50 (Rabbit, male and female): > 3,000 mg/kg Remarks: no mortality

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DRAGNET® FT EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2026	50000485	Date of first issue: 01/05/2026

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Result : Moderate skin irritation

Remarks : Extremely corrosive and destructive to tissue.

Components:

permethrin (ISO):

Species : Rabbit
Method : OECD Test Guideline 404
Result : slight irritation
GLP : yes

stoddard solvent; Low boiling point naphtha — unspecified:

Species : Rabbit
Result : Skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Result : Mild skin irritant

Remarks : May cause irreversible eye damage.

Components:

permethrin (ISO):

Species : Rabbit
Result : slight irritation
Method : OECD Test Guideline 405

Species : Rabbit
Result : slight irritation
Method : OECD Test Guideline 405
GLP : yes

stoddard solvent; Low boiling point naphtha — unspecified:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DRAGNET® FT EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2026	50000485	Date of first issue: 01/05/2026

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Result : May cause sensitization by skin contact.

Remarks : Causes sensitization.

Components:

permethrin (ISO):

Test Type	: Buehler Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.

stoddard solvent; Low boiling point naphtha — unspecified:

Test Type	: Buehler Test
Species	: Guinea pig
Result	: Does not cause skin sensitization.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

permethrin (ISO):

Genotoxicity in vitro	: Test Type: Ames test Result: negative
	Test Type: Mouse lymphoma assay Result: negative
Genotoxicity in vivo	: Test Type: dominant lethal test Species: Mouse (male) Result: negative
	Test Type: Sex-linked Recessive Lethal Test Species: Drosophila melanogaster (vinegar fly) Result: negative

stoddard solvent; Low boiling point naphtha — unspecified:

Germ cell mutagenicity - Assessment	: Presumed to induce heritable mutations in the germ cells of humans.
-------------------------------------	---

Carcinogenicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DRAGNET® FT EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2026	50000485	Date of first issue: 01/05/2026

Components:

permethrin (ISO):

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

Remarks	:	Likely to be carcinogenic to humans (US EPA)
---------	---	--

stoddard solvent; Low boiling point naphtha — unspecified:

Carcinogenicity - Assessment	:	Possible human carcinogen
------------------------------	---	---------------------------

IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
-------------	--

OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
-------------	--

NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
------------	--

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

permethrin (ISO):

Effects on fertility	:	Test Type: Three-generation study Species: Rat, male and female Application Route: Oral Result: negative
----------------------	---	---

Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rabbit Application Route: Oral Symptoms: No maternal effects. Result: negative
------------------------------	---	---

stoddard solvent; Low boiling point naphtha — unspecified:

Effects on fertility	:	Test Type: Two-generation study Species: Rat, male and female Application Route: Dermal Dose: 165, 330, 494mg/kg/bw/day General Toxicity Parent: NOAEL: >= 494 mg/kg bw/day
----------------------	---	---

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DRAGNET® FT EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2026	50000485	Date of first issue: 01/05/2026

General Toxicity F1: NOAEL: ≥ 494 mg/kg bw/day
Method: OECD Test Guideline 421
Result: negative

Effects on fetal development : Test Type: Developmental Toxicity Screening Test
Species: Rat
Application Route: Inhalation
Dose: 0, 100, 400 parts per million
General Toxicity Maternal: NOAEC: 400 part per million
Embryo-fetal toxicity.: NOAEC F1: 400 part per million
Result: negative

Test Type: Developmental Toxicity Screening Test
Species: Rat
Application Route: Inhalation
Dose: 0, 106, 363 parts per million
General Toxicity Maternal: NOAEC: 363 part per million
Embryo-fetal toxicity.: NOAEC F1: 363 part per million
Method: OECD Test Guideline 414
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

May cause damage to organs.

Product:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 2.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Product:

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Components:

permethrin (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

stoddard solvent; Low boiling point naphtha — unspecified:

Routes of exposure : Inhalation
Target Organs : Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DRAGNET® FT EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2026	50000485	Date of first issue: 01/05/2026

Repeated dose toxicity

Components:

permethrin (ISO):

Species	: Rat
NOAEL	: 20 mg/kg
Application Route	: Oral - feed
Exposure time	: 90 days
Symptoms	: Liver effects

Species	: Dog, male and female
NOEL	: 10 mg/kg bw/day
Application Route	: Oral
Exposure time	: 90 d
Dose	: 5, 50, 500 mg/kg bw/day
Target Organs	: Liver
Symptoms	: Tremors

Species	: Rat
NOEL	: 250 ppm
Application Route	: Oral
Exposure time	: 13 w
Dose	: 0, 250, 1500, 2500 ppm
Symptoms	: Tremors

Species	: Rat
NOEL	: 150 mg/kg bw/day
Application Route	: Oral
Exposure time	: 14 d
Dose	: 0, 10, 150, 300 mg/kg bw/day
Symptoms	: Tremors

stoddard solvent; Low boiling point naphtha — unspecified:

Species	: Rat, female
NOAEL	: 1,056 mg/kg
Application Route	: Oral
Exposure time	: 28 d
Dose	: 116, 347, 1056mg/kg/bw/day
Method	: OECD Test Guideline 407

Species	: Rat, male
LOAEL	: 116 mg/kg
Application Route	: Oral
Exposure time	: 28 d
Dose	: 116, 347, 1056mg/kg/bw/day
Method	: OECD Test Guideline 407
Symptoms	: renal failure

Species	: Rat, male
NOAEC	: 37 ppm
Application Route	: inhalation (vapor)

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DRAGNET® FT EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2026	50000485	Date of first issue: 01/05/2026

Exposure time	:	14 weeks
Dose	:	0, 7.8, 16, 37 ppm
Species	:	Rabbit, male and female
NOAEL	:	2000 mg/kg bw/day
Application Route	:	Dermal
Exposure time	:	4 weeks
Dose	:	200, 1000, 2000mg/kg/bw/day

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

permethrin (ISO):

No data available

stoddard solvent; Low boiling point naphtha — unspecified:

May be fatal if swallowed and enters airways.

Neurological effects

Components:

permethrin (ISO):

Neurotoxicity observed in animals studies

Further information

Product:

Remarks : Solvents may degrease the skin.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

permethrin (ISO):

Toxicity to fish	:	LC50 (Fish): 5.3 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Crustaceans): 0.001 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (algae): 0.0125 mg/l Exposure time: 72 h NOEC (algae): 0.9 µg/l

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DRAGNET® FT EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2026	50000485	Date of first issue: 01/05/2026

Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 0.3 µg/l
Exposure time: 21 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Crustaceans): 0.039 µg/l
Exposure time: 21 d

stoddard solvent; Low boiling point naphtha — unspecified:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2.5 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (Crangon crangon (shrimp)): > 2.5 - < 4.5 mg/l
Exposure time: 96 h
Test Type: semi-static test

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.58 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.16 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 0.02 mg/l
Exposure time: 30 d
Method: QSAR
Remarks: Based on data from similar materials

LOEC (Oncorhynchus mykiss (rainbow trout)): 1.4 mg/l
Exposure time: 112 d
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.1 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Persistence and degradability

Components:

permethrin (ISO):

Biodegradability : Result: Not readily biodegradable.

stoddard solvent; Low boiling point naphtha — unspecified:

Biodegradability : Inoculum: activated sludge
Result: Readily biodegradable.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DRAGNET® FT EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2026	50000485	Date of first issue: 01/05/2026

Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

permethrin (ISO):

Bioaccumulation : Remarks: The product may be accumulated in organisms.

Partition coefficient: n-octanol/water : Pow: > 4.49
Remarks: No data available

stoddard solvent; Low boiling point naphtha — unspecified:

Bioaccumulation : Bioconcentration factor (BCF): 39.66
Method: QSAR
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 6.4 (77 °F / 25 °C)

Mobility in soil

Components:

permethrin (ISO):

Distribution among environmental compartments : Remarks: immobile

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DRAGNET® FT EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2026	50000485	Date of first issue: 01/05/2026

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 1993
Proper shipping name : FLAMMABLE LIQUID, N.O.S.
(Permethrin, Stoddard solvent)
Class : 3
Packing group : III
Labels : 3
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 1993
Proper shipping name : Flammable liquid, n.o.s.
(Permethrin, Stoddard solvent)
Class : 3
Packing group : III
Labels : Flammable Liquids
Packing instruction (cargo aircraft) : 366
Packing instruction (passenger aircraft) : 355
Environmentally hazardous : yes

IMDG-Code

UN number : UN 1993
Proper shipping name : FLAMMABLE LIQUID, N.O.S.
(Permethrin, Stoddard solvent)
Class : 3
Packing group : III
Labels : 3
EmS Code : F-E, S-E
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Road

UN/ID/NA number : UN 1993
Proper shipping name : Flammable liquids, n.o.s.
(Permethrin, Stoddard solvent)
Class : 3

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DRAGNET® FT EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2026	50000485	Date of first issue: 01/05/2026

Packing group	:	III
Labels	:	FLAMMABLE LIQUID
ERG Code	:	128
Marine pollutant	:	no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Flammable (gases, aerosols, liquids, or solids)
		Acute toxicity (any route of exposure)
		Respiratory or skin sensitization
		Specific target organ toxicity (single or repeated exposure)
		Aspiration hazard
		Skin corrosion or irritation

SARA 313	:	The following components are subject to reporting levels established by SARA Title III, Section 313:
-----------------	---	--

permethrin (ISO)	52645-53-1	>= 30 - < 50 %
------------------	------------	----------------

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DRAGNET® FT EC

Version 1.0	Revision Date: 01/05/2026	SDS Number: 50000485	Date of last issue: - Date of first issue: 01/05/2026
----------------	------------------------------	-------------------------	--

US State Regulations

Massachusetts Right To Know

permethrin (ISO)	52645-53-1
stoddard solvent; Low boiling point naphtha — unspecified	8052-41-3

Pennsylvania Right To Know

permethrin (ISO)	52645-53-1
stoddard solvent; Low boiling point naphtha — unspecified	8052-41-3
triacetin	102-76-1
	Not Assigned

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

Product does not contain any listed chemicals

California List of Hazardous Substances

stoddard solvent; Low boiling point naphtha — unspecified	8052-41-3
---	-----------

California Permissible Exposure Limits for Chemical Contaminants

stoddard solvent; Low boiling point naphtha — unspecified	8052-41-3
---	-----------

The ingredients of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. permethrin (ISO)
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DRAGNET® FT EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2026	50000485	Date of first issue: 01/05/2026

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

FIFRA information

This chemical is a pesticide product which is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label: Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product

CAUTION

Harmful if swallowed, Harmful if inhaled, Harmful if absorbed through the skin., Avoid contact with skin, eyes and clothing., This pesticide is extremely toxic to fish and aquatic invertebrates.

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DRAGNET® FT EC


Version
1.0

Revision Date:
01/05/2026

SDS Number:
50000485

Date of last issue: -
Date of first issue: 01/05/2026

NFPA 704:



0 No health threat, 1 Slightly Hazardous, 2 Hazardous, 3 Extreme danger, 4 Deadly

HMIS® IV:

HEALTH	*	3
FLAMMABILITY		2
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA P0	: USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	: 8-hour, time-weighted average
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / C	: Ceiling value not be exceeded at any time.
OSHA P0 / TWA	: 8-hour time weighted average
OSHA Z-1 / TWA	: 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population;

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



DRAGNET® FT EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/05/2026	50000485	Date of first issue: 01/05/2026

LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2026 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet