

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

This Safety Data Sheet adheres to the standards and regulatory requirements of Mexico and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product name AVAUNT® XTEND

Other means of identification

Product code 50002819

Product Registration Number RSCO-MEZC-INAC-0930T-X0201-009-34.32

Recommended use of the chemical and restrictions on use

Recommended use Can be used as insecticide only.

Restrictions on use Use as recommended by the label.

Manufacturer or supplier's details

Manufacturer FMC AGROQUÍMICA DE MÉXICO,
S. DE R.L. DE C.V. AV. VALLARTA NO.
6503, LOCAL A1-6, COL. CD. GRANJA,
45010 ZAPOPAN, JALISCO, MÉXICO
TEL.: (33) 3003 4500
CONTACTOMEXICO@FMC.COM
SDS-Info@fmc.com

Emergency telephone

For leak, fire, spill or accident emergencies, call:
800-681-9531 (CHEMTREC - Mexico)
1 703 / 741-5970 (CHEMTREC - International)

Medical emergency:
911
SINTOX (Toxicological Information Service): 800 009 2800; 55
5611 2634 and 55 5598 6659, service 24 hours a day, 365
days a year.

SECTION 2. HAZARDS IDENTIFICATION

Classification of the hazardous chemical or mixture according to the GHS and NOM-018-STPS-2015

Flammable liquids : Category 4

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

Acute toxicity (Oral)	: Category 4
Acute toxicity (Inhalation)	: Category 4
Skin corrosion/irritation	: Category 2
Serious eye damage/eye irritation	: Category 2A
Skin sensitization	: Category 1
Specific target organ toxicity - single exposure	: Category 2 (Nervous system, Central nervous system)
Specific target organ toxicity - repeated exposure	: Category 1 (Blood, Nervous system)

Label elements, including precautionary statements and hazard pictograms according to the GHS and NOM-018-STPS-2015

Hazard pictograms :

Signal Word : DANGER

Hazard Statements : H227 Combustible liquid.
H302 + H332 Harmful if swallowed or if inhaled.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H371 May cause damage to organs (Nervous system, Central nervous system).
H372 Causes damage to organs (Blood, Nervous system) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 Store in a well-ventilated place.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Fatty acids, C6-10, Me esters	68937-83-7	>= 50 -< 70
Zeta cypermethrin	52315-07-8	>= 10 -< 20
indoxacarb (ISO)	173584-44-6	>= 10 -< 20
calcium dodecylbenzenesulphonate	26264-06-2	>= 1 -< 3
2-ethylhexan-1-ol	104-76-7	>= 1 -< 5

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : Consult a physician after significant exposure.
If unconscious, place in recovery position and seek medical advice.

In case of skin contact : Wash off with soap and water.
If symptoms persist, call a physician.
Wash contaminated clothing before re-use.

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

- | | |
|---|---|
| In case of eye contact | : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital. |
| Most important symptoms and effects, both acute and delayed | : Harmful if swallowed or if inhaled.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
May cause damage to organs.
Causes damage to organs through prolonged or repeated exposure.
Exposure may result in tremors, decreased motor activity, and or impaired gait. |
| Protection of first-aiders | : Avoid inhalation, ingestion and contact with skin and eyes. |
| Notes to physician | : In case of poisoning, call the emergency numbers SINTOX (control center of intoxications): 800 009 2800; (55) 5611 2634 and (55) 5598 6659, 24-hour service on 365 days of the year.
For emergencies: 911.
Treat symptomatically. |

SECTION 5. FIRE-FIGHTING MEASURES

- | | |
|---------------------------------------|--|
| Suitable extinguishing media | : Dry chemical, CO2, water spray or regular foam. |
| Unsuitable extinguishing media | : Do not spread spilled material with high-pressure water streams. |
| Specific hazards during fire fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Fire may produce irritating, corrosive and/or toxic gases.
Nitrogen oxides (NOx)
Chlorinated compounds
Hydrogen chloride
Hydrogen cyanide
Carbon oxides
Fluorinated compounds
Hydrogen fluoride |

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

Sulfur oxides

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Ensure adequate ventilation.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Never return spills in original containers for re-use. Pick up and transfer the spilled material to a properly labeled container without creating dust. For spills on concrete or other non-porous surfaces, the area can be cleaned using a small quantity of soap and water. Do not allow the cleaning solution to enter drains. Use an inert absorbent material to soak up the cleaning solution and transfer it to the properly labeled container. When the spill occurs on soil, the only effective way to decontaminate the area is to remove the top 5 to 7 centimeters of soil.

For further cleaning instructions call CHEMTREC, 800-681-9531.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
Keep away from open flames, hot surfaces and sources of ignition.

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

- Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- For incompatible materials see section 10.
- Hygiene measures : Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
- Conditions for safe storage : No smoking.
Keep in a well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-ethylhexan-1-ol	104-76-7	TWA	5 ppm	ACGIH

Personal protective equipment

- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Hand protection : Protective gloves
- Material : Protective gloves
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective measures	:	Plan first aid action before beginning work with this product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	liquid
Color	:	No data available
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/ range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	ca. 1.03 g/cm ³
Solubility(ies)	:	

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Molecular weight	:	Not applicable
Other relevant data		
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed. Vapors may form explosive mixture with air.
Conditions to avoid	:	Avoid extreme temperatures. Avoid formation of aerosol. Heat, flames and sparks.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed or if inhaled.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 304.12 mg/kg Method: Calculation method
		Acute toxicity estimate: 515.04 mg/kg

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

Method: Calculation method
Remarks: NOM-232-SSA1-2009

Acute inhalation toxicity : Acute toxicity estimate: 2.51 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute toxicity estimate: 1.165 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method
Remarks: NOM-232-SSA1-2009

Acute dermal toxicity : Acute toxicity estimate: 2,045.62 mg/kg
Method: Calculation method
Remarks: NOM-232-SSA1-2009

Components:

Fatty acids, C6-10, Me esters:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

Zeta cypermethrin:

Acute oral toxicity : LD50 (Rat, female): 810 - 2,000 mg/kg
Method: OECD Test Guideline 425
Symptoms: abnormal posture, hypoactivity, ataxia, Tremors
GLP: yes

LD50 (Rat, male and female): 69.2 - 142.3 mg/kg
Method: FIFRA 81.01
GLP: yes

Acute inhalation toxicity : LC50 (Rat, male and female): 0.52 - 2.06 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402
Symptoms: Irritation
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: no mortality

indoxacarb (ISO):

Acute oral toxicity : LD50 (Rat, male and female): 281 - 294 mg/kg
Method: OECD Test Guideline 420
Symptoms: ataxia, Tremors, Diarrhea, clonic convulsions,

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

abnormal posture, incoordination, Lethargy
GLP: yes

Acute inhalation toxicity : LC50 (Rat, female): 4.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: nasal discharge, lethargy
GLP: yes

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402
Symptoms: Irritation
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity

calcium dodecylbenzenesulphonate:

Acute oral toxicity : LD50 (Rat, male and female): 1,300 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: Not classified

Acute dermal toxicity : LD50 (Rat, male and female): > 2000 milligram per kilogram
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

2-ethylhexan-1-ol:

Acute oral toxicity : LD50 (Rat, male): 2,047 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4.3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 3,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks : May cause skin irritation and/or dermatitis.

Components:

Fatty acids, C6-10, Me esters:

Species : Rabbit

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

Method : OECD Test Guideline 404
Result : Skin irritation

Zeta cypermethrin:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation

indoxacarb (ISO):

Species : Rabbit
Assessment : Not classified as irritant
Method : OECD Test Guideline 404
Result : slight irritation
GLP : yes

calcium dodecylbenzenesulphonate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

2-ethylhexan-1-ol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks : Vapors may cause irritation to the eyes, respiratory system and the skin.

Components:

Fatty acids, C6-10, Me esters:

Species : Rabbit
Result : slight irritation
Method : OECD Test Guideline 405

Zeta cypermethrin:

Species : Rabbit
Result : slight irritation
Assessment : Not classified as irritant

Species : Rabbit
Result : No eye irritation
Assessment : Not classified as irritant
Method : OECD Test Guideline 405

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

indoxacarb (ISO):

Species	: Rabbit
Result	: slight irritation
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 405
GLP	: yes
Remarks	: Product dust may be irritating to eyes, skin and respiratory system.

calcium dodecylbenzenesulphonate:

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: OECD Test Guideline 405
Remarks	: Based on data from similar materials

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: OECD Test Guideline 405

2-ethylhexan-1-ol:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days
Method	: OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Remarks	: Causes sensitization.
---------	-------------------------

Components:

Fatty acids, C6-10, Me esters:

Routes of exposure	: Skin contact
Species	: Guinea pig
Result	: Not a skin sensitizer.

Zeta cypermethrin:

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Dermal
Species	: mice
Assessment	: May cause sensitization by skin contact.
Method	: OECD Test Guideline 429
Result	: May cause sensitization by skin contact.

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

indoxacarb (ISO):

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Skin contact
Species	: Mouse
Assessment	: The product is a skin sensitizer, sub-category 1B.
Method	: OECD Test Guideline 429
Result	: May cause sensitization by skin contact.
GLP	: yes

Test Type	: Maximization Test
Species	: Guinea pig
Assessment	: May cause sensitization by skin contact.
Method	: US EPA Test Guideline OPPTS 870.2600
Result	: May cause sensitization by skin contact.
GLP	: yes

calcium dodecylbenzenesulphonate:

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.
Remarks	: Based on data from similar materials

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Fatty acids, C6-10, Me esters:

Genotoxicity in vitro	: Test Type: Ames test Result: negative
-----------------------	--

Germ cell mutagenicity - Assessment	: In vitro tests did not show mutagenic effects
-------------------------------------	---

Zeta cypermethrin:

Genotoxicity in vitro	: Test Type: Ames test Result: negative
-----------------------	--

Test Type: unscheduled DNA synthesis assay
Test system: rat hepatocytes
Result: negative

Test Type: Chromosome aberration test in vitro
Metabolic activation: with and without metabolic activation
Result: negative
GLP: yes

Genotoxicity in vivo	: Test Type: chromosome aberration assay Species: Chinese hamster
----------------------	--

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

		Cell type: Bone marrow Application Route: Oral Result: negative
Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
indoxacarb (ISO):		
Genotoxicity in vitro	:	Test Type: reverse mutation assay Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative
		Test Type: gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Method: OECD Test Guideline 474 Result: negative
Germ cell mutagenicity - Assessment	:	Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
calcium dodecylbenzenesulphonate:		
Genotoxicity in vitro	:	Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	:	Test Type: chromosome aberration assay Species: Rat (male and female) Application Route: Oral Exposure time: 90 d Result: negative Remarks: Based on data from similar materials
Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
2-ethylhexan-1-ol:		
Genotoxicity in vitro	:	Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Application Route: Intraperitoneal injection Result: negative

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Zeta cypermethrin:

Species	: Rat
Application Route	: Oral
Exposure time	: 24 month(s)
NOAEL	: 7.5 mg/kg bw/day
Result	: negative

indoxacarb (ISO):

Species	: Rat, female
Application Route	: Oral
Exposure time	: 24 m
	: 2.13 mg/kg bw/day
Result	: negative

Species	: Rat, male
Application Route	: Oral
Exposure time	: 24 m
	: 2.4 mg/kg bw/day
Result	: negative

Carcinogenicity - Assessment	: Animal testing did not show any carcinogenic effects.
------------------------------	---

calcium dodecylbenzenesulphonate:

Species	: Rat, male and female
Application Route	: Oral
Exposure time	: 720 d
NOAEL	: 250 mg/kg body weight
Result	: negative
Remarks	: Based on data from similar materials

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

2-ethylhexan-1-ol:

Species	: Rat
Application Route	: Oral
Exposure time	: 24 month(s)
Result	: negative

Reproductive toxicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

Components:

Zeta cypermethrin:

Effects on fertility : Test Type: Two-generation study
Species: Rat
Application Route: Oral
General Toxicity F1: NOAEL: 22 mg/kg bw/day
Method: OECD Test Guideline 416
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 12.5 mg/kg bw/day
Developmental Toxicity: NOAEL: 35 mg/kg bw/day
Method: OECD Test Guideline 426
Result: negative
GLP: yes

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

indoxacarb (ISO):

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Dose: 0, 20, 60, 100 parts per million
General Toxicity Parent: NOEL: 20 ppm
Fertility: NOEL: 60 ppm
Early Embryonic Development: NOEL: 20 ppm
Symptoms: Reduced body weight, reduced food consumption
Target Organs: spleen

Effects on fetal development : Test Type: Developmental toxicity study
Species: Rabbit
Dose: 0, 250, 500, 1000 mg/kg bw/day
General Toxicity Maternal: NOEL: 500 mg/kg bw/day
Developmental Toxicity: NOEL: 500 mg/kg bw/day
Symptoms: Reduced body weight, Reduced fetal weight., Skeletal malformations.
Method: EPA OPP 83-3
GLP: yes

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.
Animal testing did not show any effects on fetal development.

calcium dodecylbenzenesulphonate:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Application Route: Ingestion
General Toxicity Parent: NOAEL: 400 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Ingestion
General Toxicity Maternal: NOAEL: 300 mg/kg body weight
Developmental Toxicity: NOAEL: 600 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

2-ethylhexan-1-ol:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: negative

STOT-single exposure

May cause damage to organs (Nervous system, Central nervous system).

Components:

Zeta cypermethrin:

Target Organs : Nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 2.

Assessment : May cause respiratory irritation.

indoxacarb (ISO):

Target Organs : Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 2.

2-ethylhexan-1-ol:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Causes damage to organs (Blood, Nervous system) through prolonged or repeated exposure.

Components:

Zeta cypermethrin:

Target Organs : Nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

indoxacarb (ISO):

Target Organs	:	Blood, Nervous system
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Zeta cypermethrin:

Species	:	Dog
NOAEL	:	5 mg/kg
LOAEL	:	15 mg/kg
Application Route	:	Oral
Exposure time	:	1 yr
Dose	:	1, 5, 15 mg/kg/d
Symptoms	:	Gastrointestinal disturbance, Neurological disorders

Species	:	Dog
NOAEL	:	6 mg/kg bw/day
LOAEL	:	18 mg/kg bw/day
Application Route	:	Oral
Exposure time	:	90 d
Target Organs	:	Nervous system

Species	:	Rat
NOAEL	:	16.7 mg/kg bw/day
LOAEL	:	33.7 mg/kg bw/day
Application Route	:	Oral
Exposure time	:	90 d
Target Organs	:	Nervous system

Species	:	Dog
NOAEL	:	6 mg/kg
LOAEL	:	18 mg/kg
Application Route	:	Oral
Exposure time	:	1 yr
Dose	:	3, 6, 18, 33 mg/kg/d
Method	:	EPA OPP 83-1
Symptoms	:	Tremors

Species	:	Rat
NOAEL	:	4.5 mg/kg
Application Route	:	Oral
Exposure time	:	2 yr
Dose	:	0.6, 4.5, 30, 45 mg/kg/d
Target Organs	:	Liver

indoxacarb (ISO):

Species	:	Rat, female
NOAEL	:	1.7 mg/kg
LOAEL	:	4.1 mg/kg
Application Route	:	Oral

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

Exposure time : 90 d
Method : OECD Test Guideline 408
GLP : yes
Target Organs : Blood
Symptoms : Reduced body weight, reduced food consumption

Species : Rat, male
NOAEL : 3.2 mg/kg
LOAEL : 6.6 mg/kg
Application Route : Oral
Exposure time : 90 d
Method : OECD Test Guideline 408
GLP : yes
Symptoms : Reduced body weight, reduced food consumption

Species : Rat, female
NOAEL : 0.685 mg/kg, 10 ppm
LOAEL : 3.3 mg/kg, 50 ppm
Application Route : Oral
Exposure time : 90 d
Dose : 0, 10, 50, 100 ppm
Method : EPA OPP 82-7
GLP : yes
Symptoms : Fatality, reduced food consumption, Reduced body weight
Remarks : No neurotoxicity detected.

Species : Rat, male
NOAEL : 0.569 mg/kg, 10 ppm
LOAEL : 5.62 mg/kg, 100 ppm
Application Route : Oral
Exposure time : 90 d
Dose : 0, 10, 100, 200 ppm
Method : EPA OPP 82-7
GLP : yes
Symptoms : Fatality, reduced food consumption, Reduced body weight
Remarks : No neurotoxicity detected.

Species : Dog, male and female
NOEL : 1.1 - 1.3 mg/kg
LOAEL : 2.3 - 2.4 mg/kg
Application Route : Oral - feed
Exposure time : 12 m
Method : OECD Test Guideline 452
GLP : yes
Target Organs : Blood
Symptoms : reduced food consumption, Reduced body weight

calcium dodecylbenzenesulphonate:

Species : Rat, male and female
NOAEL : 85 mg/kg
LOAEL : 145 mg/kg
Application Route : Oral
Exposure time : 9 Months

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

Remarks : Based on data from similar materials

Species : Rat, male
LOAEL : 286 mg/kg
Application Route : Skin contact
Exposure time : 15 Days
Remarks : Based on data from similar materials

Species : Rat, male and female
NOAEL : 100 mg/kg bw/day
LOAEL : 200 mg/kg bw/day
Application Route : Oral - gavage
Exposure time : 28 - 54 Days
Method : OECD Test Guideline 422
Remarks : Based on data from similar materials

2-ethylhexan-1-ol:

Species : Rat
: 250 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Method : OECD Test Guideline 408

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Zeta cypermethrin:

The substance does not have properties associated with aspiration hazard potential.

Experience with human exposure

Components:

Zeta cypermethrin:

General Information : Symptoms: May cause paraesthesia

Further information

Product:

Remarks : No data available

Components:

indoxacarb (ISO):

Remarks : Acute effects on nervous system: drowsiness, tremors, paralysis. Chronic effects include cyanosis

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Fatty acids, C6-10, Me esters:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 95 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Gammarus fasciatus (freshwater shrimp)): 14.7 mg/l Remarks: Based on data from similar materials

Zeta cypermethrin:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.69 µg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.141 µg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (algae): > 1 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Fish): 0.015 µg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Crustaceans): 0.01 µg/l Exposure time: 21 d
Toxicity to soil dwelling organisms	:	LC50 (worms): > 100 mg/kg Exposure time: 14 d
Toxicity to terrestrial organisms	:	LD50 (Colinus virginianus (Bobwhite quail)): > 2,025 mg/kg NOEC (Colinus virginianus (Bobwhite quail)): 150 mg/kg End point: Reproduction Test LD50 (Apis mellifera (bees)): 0.059 µg/bee LC50 (Apis mellifera (bees)): 0.033 µg/bee

Ecotoxicology Assessment

Acute aquatic toxicity	:	Very toxic to aquatic life.
Chronic aquatic toxicity	:	Very toxic to aquatic life with long lasting effects.

indoxacarb (ISO):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.65 mg/l
------------------	---	---

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

		Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203 GLP: yes
		LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.90 mg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.47 mg/l Exposure time: 48 h Test Type: static test
		EC50 (Daphnia magna (Water flea)): > 0.17 mg/l Exposure time: 48 h Test Type: flow-through test Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (algae)): > 0.0793 mg/l Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201 GLP: yes
		NOEC (Pseudokirchneriella subcapitata (algae)): 1.1 mg/l End point: Growth inhibition Exposure time: 5 d Method: Directive 67/548/EEC, Annex V, C.3. GLP: yes
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0.12 mg/l Exposure time: 90 d Test Type: Early Life-Stage Method: OECD Test Guideline 210 GLP: yes
		NOEC (Pimephales promelas (fathead minnow)): 0.0675 mg/l Exposure time: 28 d Test Type: Early Life-Stage Method: OECD Test Guideline 210 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.0351 mg/l Exposure time: 21 d Test Type: Static renewal test Method: OECD Test Guideline 211 GLP: yes
Toxicity to soil dwelling organisms	:	LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg Exposure time: 14 d

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

Method: OECD Test Guideline 207
GLP: yes

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organisms : NOEL (*Apis mellifera* (bees)): 0.048 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214

NOEL (*Apis mellifera* (bees)): 0.163 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213

LD50 (*Apis mellifera* (bees)): 0.068 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214

LD50 (*Apis mellifera* (bees)): 0.232 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213

LD50 (*Colinus virginianus* (Bobwhite quail)): 98 mg/kg
Method: US EPA Test Guideline OPP 71-1
GLP: yes

NOEC (*Anas platyrhynchos* (Mallard duck)): 720 ppm
Exposure time: 147 d
End point: Reproduction Test
Method: OECD Test Guideline 206
GLP: yes

NOEC (*Colinus virginianus* (Bobwhite quail)): 144 ppm
Exposure time: 147 d
End point: Reproduction Test
Method: OECD Test Guideline 206

LC50 (*Anas platyrhynchos* (Mallard duck)): > 5,620 ppm
Exposure time: 5 d
Method: US EPA Test Guideline OPP 71-2
Remarks: Dietary

NOEC (*Anas platyrhynchos* (Mallard duck)): 562 ppm
Exposure time: 5 d
Method: US EPA Test Guideline OPP 71-2

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

Remarks: Dietary

LC50 (*Colinus virginianus* (Bobwhite quail)): 808 ppm
Exposure time: 5 d
Method: US EPA Test Guideline OPP 71-2
Remarks: Dietary

NOEC (*Colinus virginianus* (Bobwhite quail)): 316 ppm
Exposure time: 5 d
Method: US EPA Test Guideline OPP 71-1
Remarks: Dietary

calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (*Danio rerio* (zebra fish)): 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

LC50 (*Pimephales promelas* (fathead minnow)): 4.6 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 3.5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEC (*Pseudokirchneriella subcapitata* (green algae)): 7.9 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC50 (*Pseudokirchneriella subcapitata* (green algae)): 65.4 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 1.65 mg/l
Exposure time: 21 d
Remarks: Based on data from similar materials

NOEC (*Daphnia magna* (Water flea)): 1.18 mg/l
Exposure time: 21 d
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 500 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): 1,000 mg/kg
Exposure time: 14 d

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50 (Colinus virginianus (Bobwhite quail)): 1,356 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 223

2-ethylhexan-1-ol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 17.1 - 28.2 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 39 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC10 (Desmodesmus subspicatus (green algae)): 3.2 mg/l
Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): 11.5 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50 (Anabaena flos-aquae (cyanobacterium)): 16.6 mg/l
Exposure time: 72 h

Persistence and degradability

Components:

Fatty acids, C6-10, Me esters:

Biodegradability : Result: Readily biodegradable.

Zeta cypermethrin:

Biodegradability : Result: Not readily biodegradable.

indoxacarb (ISO):

Biodegradability : Result: Not readily biodegradable.

calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301E

2-ethylhexan-1-ol:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

Components:

Zeta cypermethrin:

Bioaccumulation : Remarks: Accumulation in aquatic organisms is expected.

Partition coefficient: n-octanol/water : log Pow: 5 - 6 (24 °C)

indoxacarb (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 1,053
Exposure time: 21 d
Concentration: 0.1 mg/l

Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 847
Exposure time: 28 d
Concentration: 0.1 mg/l

Partition coefficient: n-octanol/water : log Pow: 4.52 (20 °C)
Method: OECD Test Guideline 107
GLP: yes

calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 70.79
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4.77 (25 °C)

2-ethylhexan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 2.9 (25 °C)

Mobility in soil

Components:

Zeta cypermethrin:

Distribution among environmental compartments : Remarks: immobile

indoxacarb (ISO):

Distribution among environmental compartments : Koc: 4483 ml/g, log Koc: 3.65
Remarks: Low mobility in soil.

Kd: 46 - 150

Stability in soil :

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

Components:

Zeta cypermethrin:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

indoxacarb (ISO):

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

Endocrine disrupting properties

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Appropriate personal protective equipment, as described in Sections 7 and 8, should be worn when handling materials for waste disposal.

The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Containers must be disposed of in accordance with local, state and federal regulations. It is prohibited to reuse, bury, burn or sell containers. Washable containers: Triple wash containers smaller than 20 liters and pressure wash containers of 20 liters or more. Triple wash: Add water up to $\frac{1}{4}$ of the container's capacity, close and shake for 30 seconds. Pour the wash water into the mixing tank, considering this volume of water within the recommended volume for mixing. Perform this procedure three times. Pressure washing: Activate the pressure washing device for 30 seconds, considering the volume of water used as part of the recommended volume for the mixture. For both procedures, make the container unusable by piercing it at the base without damaging the label. Non-washable containers: Containers that cannot be washed, make them unusable by perforating them without damaging

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

the label. In all cases, deliver the containers to collection points indicated by the local container collection program. For more information on the Empty Pesticide Container Management Plan, visit <http://campolimpio.org.mx/>.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (zeta-cypermethrin, Indoxacarb)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (zeta-cypermethrin, Indoxacarb)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (zeta-cypermethrin, Indoxacarb)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

NOM-002-SCT

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (zeta-cypermethrin, Indoxacarb)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

This document has been prepared in accordance with the Globally Harmonized System (GHS). The document consists of 16 points that cover the Official Mexican STANDARD NOM-018-STPS-2015 Harmonized system for the identification and communication of hazards and risks due to dangerous chemical substances in the workplace. 271000

Federal Law for the control of chemical precursors, : Not applicable
essential chemical products and machinery for producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:

TW TCSI	: On the inventory, or in compliance with the inventory
US TSCA	: Product contains substance(s) not listed on TSCA inventory.
AU AIIC	: Not in compliance with the inventory
CA. DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. Zeta cypermethrin indoxacarb (ISO) Fatty acids, C6-10, Me esters
JP ENCS	: Not in compliance with the inventory
JP ISHL	: Not in compliance with the inventory
KR KECI	: On the inventory, or in compliance with the inventory
PH PICCS	: Not in compliance with the inventory
CN IECSC	: Not in compliance with the inventory
NZ NZIoC	: Not in compliance with the inventory
TH TECI	: Not in compliance with the inventory

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

SECTION 16. OTHER INFORMATION

Revision Date : 24.03.2026

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein re-

SAFETY DATA SHEET

according to the Mexican Official Standard NOM-018-STPS-2015



AVAUNT® XTEND

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	24.03.2026	50002819	Date of first issue: 24.03.2026

lates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

MX / EN

Person who prepared the SDS:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2026 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet