

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version 1.0	Revision Date: 02/20/2026	SDS Number: 50002049	Date of last issue: - Date of first issue: 02/20/2026
----------------	------------------------------	-------------------------	--

SECTION 1. IDENTIFICATION

Product identifier

Product name PJ997 Herbicide
WC-CFZ

Other means of identification

Product code 50002049

Recommended use of the chemical and restrictions on use

Recommended use Herbicide

Restrictions on use Use as recommended by the label.

Manufacturer or supplier's details

Manufacturer FMC Corporation
2929 WALNUT ST
PHILADELPHIA PA 19104
USA
+1 (215) 299-6000 (Corporate)
SDS-Info@fmc.com, +1-(800)-346-0833 (FMC Cust. Service)

Supplier Address

FMC Corporation
2929 Walnut Street
Philadelphia PA 19104
USA

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity : Category 1A

GHS label elements

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version 1.0	Revision Date: 02/20/2026	SDS Number: 50002049	Date of last issue: - Date of first issue: 02/20/2026
----------------	------------------------------	-------------------------	--

Hazard pictograms

:



Signal Word

:

DANGER

Hazard Statements

:

H350 May cause cancer.

Precautionary Statements

:

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

:

Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
carfentrazone-ethyl (ISO)	128639-02-1	40
Silicon dioxide	112926-00-8	>= 10 - <= 30
kaolin	1332-58-7	>= 10 - <= 30

SECTION 4. FIRST AID MEASURES

General advice

:

Move out of dangerous area.

Show this material safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled

:

Move to fresh air.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version 1.0	Revision Date: 02/20/2026	SDS Number: 50002049	Date of last issue: - Date of first issue: 02/20/2026
----------------	------------------------------	-------------------------	--

- If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash contaminated clothing before re-use.
Wash off immediately with plenty of water for at least 15 minutes.
Get medical attention if irritation develops and persists.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
Do not spread spilled material with high-pressure water streams.
- Specific hazards during fire : Do not allow run-off from fire fighting to enter drains or water

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version 1.0	Revision Date: 02/20/2026	SDS Number: 50002049	Date of last issue: - Date of first issue: 02/20/2026
----------------	------------------------------	-------------------------	--

- | | |
|--|---|
| fighting | courses. |
| Hazardous combustion products | : Fire may produce irritating, corrosive and/or toxic gases.
Nitrogen oxides (NOx)
Carbon oxides
Fluorine compounds
Hydrogen cyanide
Hydrogen chloride
Chlorinated compounds |
| Specific extinguishing methods | : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Further information | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : Firefighters should wear protective clothing and self-contained breathing apparatus. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|---|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.
Evacuate personnel to safe areas.
Avoid dust formation.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Never return spills in original containers for re-use.
For disposal considerations see section 13. |
| Environmental precautions | : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : Keep in suitable, closed containers for disposal. |

SECTION 7. HANDLING AND STORAGE

- | | |
|---|--|
| Advice on protection against fire and explosion | : Normal measures for preventive fire protection.
Provide appropriate exhaust ventilation at places where dust is formed. |
| Advice on safe handling | : For personal protection see section 8. |

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version 1.0	Revision Date: 02/20/2026	SDS Number: 50002049	Date of last issue: - Date of first issue: 02/20/2026
----------------	------------------------------	-------------------------	--

Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
Avoid formation of respirable particles.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : Keep in a dry place.
No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

inert or nuisance dust	50 Million particles per cubic foot Value type (Form of exposure): TWA (total dust) Basis: OSHA Z-3
	15 mg/m3 Value type (Form of exposure): TWA (total dust) Basis: OSHA Z-3
	5 mg/m3 Value type (Form of exposure): TWA (respirable fraction) Basis: OSHA Z-3
	15 Million particles per cubic foot Value type (Form of exposure): TWA (respirable fraction) Basis: OSHA Z-3
Dust, nuisance dust and particulates	10 mg/m3 Value type (Form of exposure): PEL (Total dust) Basis: CAL PEL
	5 mg/m3 Value type (Form of exposure): PEL (respirable dust fraction) Basis: CAL PEL

Components	CAS-No.	Value type	Control parame-	Basis
------------	---------	------------	-----------------	-------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version 1.0 Revision Date: 02/20/2026 SDS Number: 50002049 Date of last issue: -
Date of first issue: 02/20/2026

		(Form of exposure)	ters / Permissible concentration	
carfentrazone-ethyl (ISO)	128639-02-1	TWA (Inhalable particulate matter)	1 mg/m ³	ACGIH
Silicon dioxide	112926-00-8	TWA	6 mg/m ³	OSHA P0
		TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m ³ / %SiO ₂ (Silica)	OSHA Z-3
		TWA	6 mg/m ³ (Silica)	NIOSH REL
kaolin	1332-58-7	TWA (Respirable particulate matter)	2 mg/m ³	ACGIH
		TWA (Respirable)	5 mg/m ³	NIOSH REL
		TWA (total)	10 mg/m ³	NIOSH REL
		TWA (total dust)	15 mg/m ³	OSHA Z-1
		TWA (respirable fraction)	5 mg/m ³	OSHA Z-1
		TWA (Total dust)	10 mg/m ³	OSHA P0
		TWA (respirable dust fraction)	5 mg/m ³	OSHA P0

4. Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate,

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version 1.0	Revision Date: 02/20/2026	SDS Number: 50002049	Date of last issue: - Date of first issue: 02/20/2026
----------------	------------------------------	-------------------------	--

	butyl rubber or nitrile rubber.
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles
Skin and body protection	: Dust impervious protective suit Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective measures	: Plan first aid action before beginning work with this product. Always have on hand a cyanide first-aid kit, together with proper instructions. Wear suitable protective equipment. When using do not eat, drink or smoke. In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.
Hygiene measures	: General industrial hygiene practice. Avoid contact with the skin and the eyes. Do not breathe dust or spray mist. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: solid
Form	: powder
Color	: off-white
Odor	: Latex smell slight
Odor Threshold	: not determined
pH	: 8.63 (75.0 °F / 23.9 °C)
Melting point/freezing point	: not determined

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version 1.0	Revision Date: 02/20/2026	SDS Number: 50002049	Date of last issue: - Date of first issue: 02/20/2026
----------------	------------------------------	-------------------------	--

Boiling point/boiling range	: not determined
Flash point	: not determined
Evaporation rate	: not determined
Flammability (solid, gas)	: Not highly flammable
Self-ignition	: not determined
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Vapor pressure	: Not available for this mixture.
Relative vapor density	: not determined
Relative density	: 0.55
Density	: 0.716 g/cm ³ Pour density 0.735 g/cm ³ Tap density
Bulk density	: No data available
Solubility(ies)	
Water solubility	: dispersible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: Not available for this mixture.
Autoignition temperature	: No data available
Decomposition temperature	: not determined
Viscosity	
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version 1.0	Revision Date: 02/20/2026	SDS Number: 50002049	Date of last issue: - Date of first issue: 02/20/2026
----------------	------------------------------	-------------------------	--

Oxidizing properties	: Non-oxidizing
Particle size	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed. Dust may form explosive mixture in air.
Conditions to avoid	: Avoid extreme temperatures. Avoid dust formation. Heat, flames and sparks.
Incompatible materials	: Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	: Stable under recommended storage conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	: LD50 (Rat, female): > 5,000 mg/kg Method: OECD Test Guideline 425 GLP: yes
Acute inhalation toxicity	: LC50 (Rat, male and female): > 5.18 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes Assessment: The substance or mixture has no acute inhalation toxicity Remarks: no mortality Highest attainable concentration.
Acute dermal toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 402

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version 1.0	Revision Date: 02/20/2026	SDS Number: 50002049	Date of last issue: - Date of first issue: 02/20/2026
----------------	------------------------------	-------------------------	--

GLP: yes

Components:

carfentrazone-ethyl (ISO):

- Acute oral toxicity : LD50 (Rat, female): 5,143 mg/kg
Method: US EPA Test Guideline OPP 81-1
Symptoms: Tremors
GLP: yes
- LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: no mortality
- Acute inhalation toxicity : LC50 (Rat, male and female): > 5.09 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: EPA OPP 81 - 3
Symptoms: Tremors, chromodacryorrhea, nasal discharge
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality
- Acute dermal toxicity : LD50 (Rat, male and female): > 4,000 mg/kg
Method: US EPA Test Guideline OPP 81-2
GLP: yes
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

Silicon dioxide:

- Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials
- Acute inhalation toxicity : LC0 (Rat, male and female): > 0.14 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: Based on data from similar materials
no mortality
- Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Remarks: Based on data from similar materials

kaolin:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version 1.0	Revision Date: 02/20/2026	SDS Number: 50002049	Date of last issue: - Date of first issue: 02/20/2026
----------------	------------------------------	-------------------------	--

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 LD50: > 2,000 mg/kg Method: OECD Test Guideline 420 Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: LC50: 5.07 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg LD50: > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species	: Rabbit
Assessment	: No skin irritation
Method	: OECD Test Guideline 404
GLP	: yes
Remarks	: Minimal effects that do not meet the threshold for classification.

Components:

carfentrazone-ethyl (ISO):

Species	: Rabbit
Method	: US EPA Test Guideline OPP 81-5
Result	: No skin irritation
GLP	: yes
Remarks	: slight irritation Minimal effects that do not meet the threshold for classification.

Silicon dioxide:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
Remarks	: Based on data from similar materials

kaolin:

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/20/2026	50002049	Date of first issue: 02/20/2026

Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Assessment : No eye irritation
Method : OECD Test Guideline 405
GLP : yes
Remarks : Minimal effects that do not meet the threshold for classification.

Components:

carfentrazone-ethyl (ISO):

Species : Rabbit
Result : No eye irritation
Method : EPA OPP 81-4
GLP : yes
Remarks : slight irritation
Minimal effects that do not meet the threshold for classification.

Silicon dioxide:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

kaolin:

Result : No eye irritation
Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Assessment : Not classified as irritant
Method : OECD Test Guideline 429
Result : Does not cause skin sensitization.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version 1.0	Revision Date: 02/20/2026	SDS Number: 50002049	Date of last issue: - Date of first issue: 02/20/2026
----------------	------------------------------	-------------------------	--

GLP : yes

Components:

carfentrazone-ethyl (ISO):

Routes of exposure : Skin contact
Species : Guinea pig
Method : US EPA Test Guideline OPP 81-6
Result : Does not cause skin sensitization.
GLP : yes

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Method : OECD Test Guideline 429
Result : Does not cause skin sensitization.
GLP : yes

kaolin:

Method : OECD Test Guideline 429
Result : Does not cause skin sensitization.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

carfentrazone-ethyl (ISO):

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: U.S. EPA 84-2
Result: negative
GLP: yes

Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version 1.0	Revision Date: 02/20/2026	SDS Number: 50002049	Date of last issue: - Date of first issue: 02/20/2026
----------------	------------------------------	-------------------------	--

GLP: yes

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Result: negative
GLP: yes

Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Result: negative
GLP: yes

Germ cell mutagenicity - Assessment : No genotoxic potential.

Silicon dioxide:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Species: Rat (male)
Application Route: Inhalation
Result: negative
Remarks: Based on data from similar materials

kaolin:

Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

carfentrazone-ethyl (ISO):

Species	: Rat, female
Application Route	: Ingestion
Exposure time	: 2 Years
NOAEL	: 3 mg/kg bw/day

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version 1.0	Revision Date: 02/20/2026	SDS Number: 50002049	Date of last issue: - Date of first issue: 02/20/2026
----------------	------------------------------	-------------------------	--

LOAEL	: 12 mg/kg bw/day
Method	: U.S. EPA 83-5
Result	: no increase in tumors observed
Target Organs	: Liver
GLP	: yes

Species	: Mouse, female
Application Route	: Ingestion
Exposure time	: 80 weeks
NOAEL	: 10 mg/kg bw/day
LOAEL	: 110 mg/kg bw/day
Method	: U.S. EPA 83-5
Result	: no increase in tumors observed
Target Organs	: Liver
GLP	: yes

Carcinogenicity - Assessment	: Animal testing did not show any carcinogenic effects.
------------------------------	---

Silicon dioxide:

Species	: Rat
Application Route	: Oral
Exposure time	: 103 weeks
Method	: OECD Test Guideline 453
Result	: negative
Remarks	: Based on data from similar materials

IARC	Group 1: Carcinogenic to humans kaolin (Silica dust, crystalline)	1332-58-7
-------------	---	-----------

OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
-------------	--

NTP	Known to be human carcinogen kaolin (Silica, Crystalline (Respirable Size))	1332-58-7
------------	---	-----------

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

carfentrazone-ethyl (ISO):

Effects on fertility	: Test Type: Multi-generation study Species: Rat, male and female Application Route: Ingestion Fertility: NOEL: 4,000 ppm Result: negative
----------------------	--

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version 1.0	Revision Date: 02/20/2026	SDS Number: 50002049	Date of last issue: - Date of first issue: 02/20/2026
----------------	------------------------------	-------------------------	--

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat, female
Application Route: Oral
General Toxicity Maternal: NOEL: 100 mg/kg bw/day
Embryo-fetal toxicity.: NOEL: 600 mg/kg bw/day
Result: negative

Test Type: Embryo-fetal development
Species: Rabbit, female
Application Route: Oral
General Toxicity Maternal: NOEL: 150 mg/kg bw/day
Embryo-fetal toxicity.: NOEL: > 300 mg/kg bw/day
Result: negative

Reproductive toxicity - Assessment : Animal testing showed no reproductive toxicity.

Silicon dioxide:

Effects on fertility : Species: Rat
General Toxicity Parent: NOAEL: 1.5 mg/kg bw/day
Fertility: NOAEL: > 6.9 mg/kg body weight

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 2 mg/kg bw/day
Embryo-fetal toxicity.: NOAEL: 2 mg/kg bw/day
Symptoms: Reduced fetal weight., Reduced number of viable fetuses.

Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Oral
General Toxicity Maternal: NOAEL: 500 mg/kg bw/day
Embryo-fetal toxicity.: NOAEL: 500 mg/kg bw/day
Symptoms: Reduced fetal weight., fused or incompletely ossified sternebrae

kaolin:

Effects on fertility : Remarks: No data available

Effects on fetal development : Remarks: No data available

STOT-single exposure

Based on available data, the classification criteria are not met.

Components:

carfentrazone-ethyl (ISO):

Remarks : No significant adverse effects were reported

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version 1.0	Revision Date: 02/20/2026	SDS Number: 50002049	Date of last issue: - Date of first issue: 02/20/2026
----------------	------------------------------	-------------------------	--

kaolin:

Remarks : No significant adverse effects were reported

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Components:

carfentrazone-ethyl (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

kaolin:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

carfentrazone-ethyl (ISO):

Species : Mouse, male
NOAEL : 143 mg/kg
LOAEL : 571 mg/kg
Application Route : Oral
Exposure time : 90 days
Method : EPA 82-1
GLP : yes
Target Organs : Blood, Liver

Species : Dog, male and female
NOEL : 150 mg/kg
LOAEL : 500 mg/kg
Application Route : Oral
Exposure time : 90 days
Target Organs : Blood

Species : Dog, male and female
NOEL : 50 mg/kg
NOAEL : 150 mg/kg
LOAEL : 500 mg/kg
Application Route : Oral
Exposure time : 12 months
GLP : yes
Target Organs : Blood

Species : Rat, male
NOAEL : 58 mg/kg
Exposure time : 90 d

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version 1.0	Revision Date: 02/20/2026	SDS Number: 50002049	Date of last issue: - Date of first issue: 02/20/2026
----------------	------------------------------	-------------------------	--

Method : EPA 82-1
GLP : yes

Silicon dioxide:

Species : Rat, male and female
NOAEL : 2,500 mg/kg
Application Route : Oral
Exposure time : 13 weeks
Method : OECD Test Guideline 408
Remarks : Based on data from similar materials

Species : Rat, male and female
NOAEL : 1.3 - 10 mg/l
LOAEL : 5.9 mg/l
Application Route : Inhalation
Exposure time : 13 weeks
Method : OECD Test Guideline 413
Remarks : Based on data from similar materials

kaolin:

Remarks : No data available

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

The mixture does not have properties associated with aspiration hazard potential.

Components:

carfentrazone-ethyl (ISO):

The substance does not have properties associated with aspiration hazard potential.

Neurological effects

Components:

carfentrazone-ethyl (ISO):

No neurotoxicity observed in animal studies.

Further information

Product:

Remarks : No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/20/2026	50002049	Date of first issue: 02/20/2026

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to algae/aquatic plants	:	NOEC (algae): 0.0063 mg/l Exposure time: 72 h ErC50 (algae): 0.067 mg/l Exposure time: 72 h NOEC (Lemna gibba (gibbous duckweed)): 0.00158 µg/l Exposure time: 7 d Method: OECD Test Guideline 221 EC50 (Lemna gibba (gibbous duckweed)): 0.030 µg/l Exposure time: 7 d Method: OECD Test Guideline 221
Toxicity to soil dwelling organisms	:	NOEC (Eisenia fetida (earthworms)): 45.9 mg/kg Method: OECD Test Guideline 222 LC50 (Eisenia fetida (earthworms)): > 45.9 mg/kg Method: OECD Test Guideline 222
Toxicity to terrestrial organisms	:	LD50 (Apis mellifera (bees)): > 200 µg/bee Exposure time: 48 h End point: Acute oral toxicity Method: OECD Test Guideline 213

Components:

carfentrazone-ethyl (ISO):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2.55 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 LC50 (Menidia beryllina (Silverside)): 1.14 mg/l Exposure time: 96 h Test Type: flow-through test LC50 (Oncorhynchus mykiss (rainbow trout)): 1.6 mg/l Exposure time: 96 h Test Type: flow-through test Method: EPA OPP 72-1 LC50 (Lepomis macrochirus (Bluegill sunfish)): 2 mg/l Exposure time: 96 h Test Type: flow-through test
------------------	---	--

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version 1.0	Revision Date: 02/20/2026	SDS Number: 50002049	Date of last issue: - Date of first issue: 02/20/2026
----------------	------------------------------	-------------------------	--

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 9.8 mg/l End point: Immobilization Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility.
Toxicity to algae/aquatic plants	: EC50 (Selenastrum capricornutum (green algae)): 0.0133 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 GLP: yes NOEC (Selenastrum capricornutum (green algae)): 0.00933 mg/l End point: Growth rate Exposure time: 72 h Method: OECD Test Guideline 201 GLP: yes EbC50 (Selenastrum capricornutum (green algae)): 16 µg/l Exposure time: 120 h EC50 (Navicula pelliculosa (Diatom)): 12 µg/l Exposure time: 72 h Test Type: static test EC50 (Skeletonema costatum (Diatom)): 15 µg/l Exposure time: 72 h GLP: yes
Toxicity to fish (Chronic toxicity)	: NOEC (Oncorhynchus mykiss (rainbow trout)): 22 µg/l Exposure time: 89 d Test Type: Early Life-Stage Method: OECD Test Guideline 210 GLP: yes NOEC (Oncorhynchus mykiss (rainbow trout)): 0.118 mg/l Exposure time: 102 d Test Type: flow-through test Method: US EPA Test Guideline OPP 72-4
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.309 mg/l End point: Growth Exposure time: 21 d Method: OECD Test Guideline 202 NOEC (Daphnia magna (Water flea)): 0.316 mg/l End point: Growth Exposure time: 21 d Method: OECD Test Guideline 202

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version 1.0	Revision Date: 02/20/2026	SDS Number: 50002049	Date of last issue: - Date of first issue: 02/20/2026
----------------	------------------------------	-------------------------	--

NOEC (Daphnia): 35 mg/l
End point: reproduction
Exposure time: 21 d
Method: US EPA Test Guideline OPPTS 850.1300
Remarks: Information given is based on data obtained from similar product.

Toxicity to microorganisms : NOEC (activated sludge): 1,000 mg/l
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Toxicity to soil dwelling organisms : NOEC (Eisenia fetida (earthworms)): 820 mg/kg

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organisms : LD50 (Anas platyrhynchos (Mallard duck)): > 5,620 ppm
End point: Acute oral toxicity
Remarks: Dietary

LC50 (Colinus virginianus (Bobwhite quail)): > 5,620 ppm
End point: Acute oral toxicity
Remarks: Dietary

LD50 (Colinus virginianus (Bobwhite quail)): > 2,000 mg/kg
End point: Acute oral toxicity
Method: EPA OPP 71-1

LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg
End point: Acute oral toxicity
Method: EPA OPP 71-1

NOEL (Colinus virginianus (Bobwhite quail)): 1000 ppm
End point: Reproduction Test

LD50 (Apis mellifera (bees)): > 200 µg/bee
End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): > 200 µg/bee
End point: Acute contact toxicity

Ecotoxicology Assessment

Toxicity Data on Soil : Harmful to the soil environment.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version 1.0	Revision Date: 02/20/2026	SDS Number: 50002049	Date of last issue: - Date of first issue: 02/20/2026
----------------	------------------------------	-------------------------	--

Silicon dioxide:

- Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 10,000 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l
Exposure time: 24 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : NOELR (Desmodesmus subspicatus (green algae)): 10,000 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Ecotoxicology Assessment

- Acute aquatic toxicity : This product has no known ecotoxicological effects.
- Chronic aquatic toxicity : This product has no known ecotoxicological effects.

kaolin:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: No data available
- Toxicity to microorganisms : Remarks: No data available

Persistence and degradability

Product:

- Biodegradability : Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version 1.0	Revision Date: 02/20/2026	SDS Number: 50002049	Date of last issue: - Date of first issue: 02/20/2026
----------------	------------------------------	-------------------------	--

Components:

carfentrazone-ethyl (ISO):

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 3.9 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Stability in water : Degradation half life: 3.6 h pH: 9
Degradation half life: 8.6 d pH: 7

Photodegradation :

Silicon dioxide:

Biodegradability : Result: Not biodegradable
Remarks: Based on data from similar materials

kaolin:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

carfentrazone-ethyl (ISO):

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): 176
Exposure time: 28 d
Method: OECD Test Guideline 305E
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 3.7 (68 °F / 20 °C)

Silicon dioxide:

Bioaccumulation : Bioconcentration factor (BCF): 3.16
Remarks: Based on data from similar materials

kaolin:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : Remarks: Not applicable

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version 1.0	Revision Date: 02/20/2026	SDS Number: 50002049	Date of last issue: - Date of first issue: 02/20/2026
----------------	------------------------------	-------------------------	--

Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

Components:

carfentrazone-ethyl (ISO):

Distribution among environmental compartments : Koc: 866, log Koc: 2.93
Remarks: Mobile in soils

kaolin:

Distribution among environmental compartments : Remarks: Low mobility in soil.

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/20/2026	50002049	Date of first issue: 02/20/2026

the unused product.
Empty containers can be landfilled, when in accordance with
the local regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Carfentrazone-ethyl)
Class	: 9
Subsidiary risk	: ENVIRONM.
Packing group	: III
Labels	: 9 (ENVIRONM.)
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Carfentrazone-ethyl)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passen- ger aircraft)	: 956
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Carfentrazone-ethyl)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR Road

UN/ID/NA number	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Carfentrazone-ethyl)
Class	: 9

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version 1.0	Revision Date: 02/20/2026	SDS Number: 50002049	Date of last issue: - Date of first issue: 02/20/2026
----------------	------------------------------	-------------------------	--

Packing group : III
Labels : CLASS 9
ERG Code : 171
Marine pollutant : yes(Carfentrazone-ethyl)
Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

Remarks : 49CFR: no dangerous good in non-bulk packaging

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

formaldehyde	50-00-0	>= 0 - < 0.1 %
--------------	---------	----------------

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

formaldehyde	50-00-0	>= 0 - < 0.1 %
--------------	---------	----------------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version 1.0	Revision Date: 02/20/2026	SDS Number: 50002049	Date of last issue: - Date of first issue: 02/20/2026
----------------	------------------------------	-------------------------	--

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

US State Regulations

Massachusetts Right To Know

Silicon dioxide	112926-00-8
kaolin	1332-58-7
formaldehyde	50-00-0

Pennsylvania Right To Know

carfentrazone-ethyl (ISO)	128639-02-1
Silicon dioxide	112926-00-8
kaolin	1332-58-7
Sodium salt of polymer of formaldehyde / naphthalenesulfonic acid	9084-06-4
sodium sulphate	7757-82-6
formaldehyde	50-00-0

Maine Chemicals of High Concern

Product does not contain any listed chemicals

Vermont Chemicals of High Concern

Product does not contain any listed chemicals

Washington Chemicals of High Concern

formaldehyde	50-00-0
--------------	---------

California Prop. 65

WARNING: This product can expose you to chemicals including kaolin, formaldehyde, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Permissible Exposure Limits for Chemical Contaminants

Silicon dioxide	112926-00-8
kaolin	1332-58-7

California Regulated Carcinogens

kaolin	1332-58-7
--------	-----------

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version 1.0	Revision Date: 02/20/2026	SDS Number: 50002049	Date of last issue: - Date of first issue: 02/20/2026
----------------	------------------------------	-------------------------	--

ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

FIFRA information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

WARNING

May be harmful if contacts the eyes., Avoid breathing dust or spray mist., Avoid contact with skin, eyes and clothing., Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet., This product is toxic to fish and invertebrates.

SECTION 16. OTHER INFORMATION

Further information

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ


Version
1.0

Revision Date:
02/20/2026

SDS Number:
50002049

Date of last issue: -
Date of first issue: 02/20/2026

NFPA 704:



0 No health threat, 1 Slightly Hazardous, 2 Hazardous, 3 Extreme danger, 4 Deadly

HMIS® IV:

HEALTH	*	1
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
CAL PEL	: California permissible exposure limits for chemical contaminants (Title 8, Article 107)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA P0	: USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	: USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	: 8-hour, time-weighted average
CAL PEL / PEL	: Permissible exposure limit
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	: 8-hour time weighted average
OSHA Z-1 / TWA	: 8-hour time weighted average
OSHA Z-3 / TWA	: 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



PJ997 Herbicide WC-CFZ

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/20/2026	50002049	Date of first issue: 02/20/2026

Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

US / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2026 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet