

SAFETY DATA SHEET



THYPAAN K

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.11.2025	50001142	Date of first issue: 26.11.2025

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : THYPAAN K

Manufacturer or supplier's details

Company : FMC Agro Kazakhstan LLP

Address : Timiryazev str. 28V, office 501, 5 floor
050040 Almaty
Kazakhstan

Emergency telephone number : +44 20 3885 0382 (CHEMTREC's European Regional Toll-Free Number)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical Emergency Number : Ambulance in the Republic of Kazakhstan: 103 (24/7, toll-free).
Almaty City Clinical Hospital, Toxicology Department, 96 Kazybek Bi Street: +7 727 317 01 69 – hotline; +7 727 292 31 01 – reception.
+1 651 / 632-6793 (outside USA & Canada, collect call)

E-mail address : SDS-Info@fmc.com

Recommended use of the chemical and restrictions on use

Recommended use : Crop nutrition

Restrictions on use : Use as recommended by the label.
For professional users only.

2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion : Category 1

Serious eye damage : Category 1

Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 3

GHS-Labeling

SAFETY DATA SHEET



THYPAAN K

Version 1.0 Revision Date: 26.11.2025 SDS Number: 50001142 Date of last issue: -
Date of first issue: 26.11.2025

Hazard pictograms :

Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P363 Wash contaminated clothing before reuse.
Disposal:
P501 Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Components

Chemical name	CAS-No.	Classification	MAC value mg/m ³ / TSEL value	Concentration (% w/w)
potassium carbonate	584-08-7	Skin Irrit.2; H315 Eye Irrit.2A; H319 STOT SE3; H335 (Respiratory system) Aquatic	MPC-STEL: 2 mg/m ³ Class 3 - Moder- ately dangerous Data Source: RU OEL	>= 30 - < 50

SAFETY DATA SHEET



THYPAAN K

Version 1.0 Revision Date: 26.11.2025 SDS Number: 50001142 Date of last issue: -
Date of first issue: 26.11.2025

		Acute3; H402 Aquatic Chronic3; H412		
urea	57-13-6	No data available	MPC-STEL: 10 mg/m ³ Class 3 - Moderately dangerous Data Source: RU OEL	$\geq 1 - < 10$
Lignosulfonic acid, Sodium salt	8061-51-6	No data available	MPC-STEL: 2 mg/m ³ Class 3 - Moderately dangerous Data Source: RU OEL	$\geq 0.1 - < 1$

For explanation of abbreviations see section 16.

4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : Take off immediately all contaminated clothing, shoes, and leather goods (for example watchbands, belts). Rinse skin with lukewarm, gently flowing water/shower for 30 minutes. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before re-use or discard.
- Get medical attention immediately if irritation develops and persists.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.

SAFETY DATA SHEET



THYPAAN K

Version 1.0	Revision Date: 26.11.2025	SDS Number: 50001142	Date of last issue: - Date of first issue: 26.11.2025
----------------	------------------------------	-------------------------	--

- If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Causes serious eye damage.
May cause respiratory irritation.
Causes severe burns.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- Notes to physician : Treat symptomatically.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Ammonia
Carbon oxides
Sulphur oxides
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.

SAFETY DATA SHEET



THYPAAN K

Version 1.0	Revision Date: 26.11.2025	SDS Number: 50001142	Date of last issue: - Date of first issue: 26.11.2025
----------------	------------------------------	-------------------------	--

- Environmental precautions : Prevent further leakage or spillage if safe to do so.
Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labelled containers.
Keep in suitable, closed containers for disposal.
-

7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.
-

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Personal protective equipment

- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed
-

SAFETY DATA SHEET



THYPAAN K

Version 1.0	Revision Date: 26.11.2025	SDS Number: 50001142	Date of last issue: - Date of first issue: 26.11.2025
----------------	------------------------------	-------------------------	--

- with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Face-shield
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Ensure that eye flushing systems and safety showers are located close to the working place.
Wear suitable protective equipment.
- Hygiene measures : Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
-

9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state : liquid
- Colour : brown
- Odour : Faint odour
- Odour Threshold : No data available
- pH : > 13.0
Concentration: 100 %
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : No data available
- Evaporation rate : No data available
- Self-ignition : No data available
- Upper explosion limit / Upper flammability limit : No data available

SAFETY DATA SHEET



THYPAAN K

Version 1.0	Revision Date: 26.11.2025	SDS Number: 50001142	Date of last issue: - Date of first issue: 26.11.2025
----------------	------------------------------	-------------------------	--

Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Bulk density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Molecular weight	:	Not applicable
Particle size	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	Avoid extreme temperatures Avoid formation of aerosol.

SAFETY DATA SHEET



THYPAAN K

Version 1.0	Revision Date: 26.11.2025	SDS Number: 50001142	Date of last issue: - Date of first issue: 26.11.2025
----------------	------------------------------	-------------------------	--

Incompatible materials	: Avoid strong acids, bases, and oxidizers
Hazardous decomposition products	: Toxic fumes

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	: Acute toxicity estimate: > 4,000 mg/kg Method: Calculation method
Acute inhalation toxicity	: Remarks: No data is available on the product itself.
Acute dermal toxicity	: Remarks: No data is available on the product itself.

Components:

potassium carbonate:

Acute oral toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Remarks: no mortality
Acute inhalation toxicity	: LC50 (Rat, male and female): > 4.96 mg/l Exposure time: 4.5 h Test atmosphere: dust/mist Remarks: no mortality
Acute dermal toxicity	: LD50 (Rabbit, male and female): > 2,000 mg/kg Remarks: no mortality

water:

Acute oral toxicity	: Remarks: No data available
Acute inhalation toxicity	: Remarks: No data available

urea:

Acute oral toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg
---------------------	--

Lignosulfonic acid, Sodium salt:

Acute oral toxicity	: LD50 (Mouse): 6,030 mg/kg
---------------------	-----------------------------

Skin corrosion/irritation

Causes severe burns.

Product:

Assessment	: Causes severe burns.
Result	: Severe skin irritation
Remarks	: Expert judgement

SAFETY DATA SHEET



THYPAAN K

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.11.2025	50001142	Date of first issue: 26.11.2025

Components:

potassium carbonate:

Result	:	Skin irritation
Species	:	Rabbit
Result	:	No skin irritation

urea:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Lignosulfonic acid, Sodium salt:

Remarks	:	May cause skin irritation and/or dermatitis.
---------	---	--

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Result	:	Severe eye irritation
Assessment	:	Risk of serious damage to eyes.
Remarks	:	Expert judgement

Components:

potassium carbonate:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

urea:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Lignosulfonic acid, Sodium salt:

Remarks	:	May irritate eyes.
---------	---	--------------------

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Remarks	:	No data is available on the product itself.
---------	---	---

THYPAAN K

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.11.2025	50001142	Date of first issue: 26.11.2025

Components:**potassium carbonate:**

Test Type	:	Buehler Test
Species	:	Guinea pig
Result	:	Does not cause skin sensitisation.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:**potassium carbonate:**

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Result: negative Remarks: Based on data from similar materials
-----------------------	---	--

	:	Test Type: reverse mutation assay Result: negative
--	---	---

	:	Test Type: Chromosome aberration test in vitro Result: negative
--	---	--

Germ cell mutagenicity - Assessment	:	In vitro tests did not show mutagenic effects
-------------------------------------	---	---

urea:

Genotoxicity in vitro	:	Test Type: reverse mutation assay Result: negative
-----------------------	---	---

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:**potassium carbonate:**

Species	:	Rat, male
Application Route	:	Oral
Dose	:	0, 1285, 2667 mg/kg bw/d
NOAEL	:	2,667 mg/kg bw/day
Result	:	negative

Carcinogenicity - Assessment	:	Weight of evidence does not support classification as a carcinogen
------------------------------	---	--

urea:

Species	:	Rat
Application Route	:	Oral
Exposure time	:	12 month(s)
Result	:	negative

THYPAAN K

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.11.2025	50001142	Date of first issue: 26.11.2025

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:**potassium carbonate:**

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Dose: 1.8,8.4,38.8,180.0mg/kgbw/day
Duration of Single Treatment: 20 d
General Toxicity Maternal: NOEL: 180 mg/kg bw/day
Embryo-foetal toxicity: NOEL: 180 mg/kg bw/day
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

urea:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Method: OECD Test Guideline 414
Result: negative

STOT - single exposure

May cause respiratory irritation.

Components:**potassium carbonate:**

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Repeated dose toxicity**Components:****potassium carbonate:**

Species : Rat, male
NOAEL : 2667 mg/kg bw/day
Application Route : Oral - feed
Exposure time : 130 w
Dose : 0, 1285, 2667 mg/kg bw/d

Species : Rat, male and female
NOAEC : 0.4 mg/l
Application Route : Inhalation
Test atmosphere : dust/mist
Exposure time : 21 d
Dose : 0, 0.1, 0.2, 0.4 mg/L

SAFETY DATA SHEET



THYPAAN K

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.11.2025	50001142	Date of first issue: 26.11.2025

urea:

Species	:	Mouse
NOAEL	:	45,000 mg/kg
Application Route	:	Oral
Exposure time	:	12 months

Aspiration toxicity

Based on available data, the classification criteria are not met.

Further information

Product:

Remarks	:	No data available
---------	---	-------------------

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

potassium carbonate:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 68 mg/l Exposure time: 96 h Method: FIFRA Guideline 72-1
------------------	---	--

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia pulex (Water flea)): 200 mg/l Exposure time: 48 h Test Type: static test
---	---	--

Toxicity to soil dwelling organisms	:	LC50 (Eisenia andrei (red worm)): 5,595 mg/kg Exposure time: 14 d Method: OECD Test Guideline 207 Remarks: Based on data from similar materials
-------------------------------------	---	--

water:

Toxicity to fish	:	Remarks: No data available
------------------	---	----------------------------

urea:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 6,810 mg/l Exposure time: 96 h
------------------	---	--

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia (water flea)): 10,000 mg/l Exposure time: 48 h
---	---	---

Toxicity to algae/aquatic plants	:	NOEC (blue-green algae): 47 mg/l Exposure time: 72 h
----------------------------------	---	---

Toxicity to microorganisms	:	No data available (Pseudomonas putida): 10,000 mg/l Exposure time: 16 h
----------------------------	---	--

Lignosulfonic acid, Sodium salt:

SAFETY DATA SHEET



THYPAAN K

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.11.2025	50001142	Date of first issue: 26.11.2025

Toxicity to fish	:	EC50 (Danio rerio (zebra fish)): > 1,000 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EC50 (Scenedesmus subspicatus): > 600 mg/l Exposure time: 72 h Remarks: Based on data from similar materials

Persistence and degradability

Components:

urea:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 90 - 100 % Exposure time: 21 d
------------------	---	---

Lignosulfonic acid, Sodium salt:

Biodegradability	:	Result: Not readily biodegradable. Remarks: Based on data from similar materials
------------------	---	---

Bioaccumulative potential

Product:

Bioaccumulation	:	Remarks: No data available
-----------------	---	----------------------------

Components:

potassium carbonate:

Bioaccumulation	:	Remarks: Does not bioaccumulate.
-----------------	---	----------------------------------

urea:

Partition coefficient: n-octanol/water	:	log Pow: -1.73
--	---	----------------

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.
-----------------------------------	---	---

SAFETY DATA SHEET



THYPAAN K

Version 1.0 Revision Date: 26.11.2025 SDS Number: 50001142 Date of last issue: -
 Date of first issue: 26.11.2025

Hygienic standards:**(Allowable concentration in air, water, including fishery waters, soil)**

Components	Air	Water	Soil	Data Source
potassium carbonate 584-08-7	MPC - average: 0.05 mg/m ³ Limiting health hazard indicator: resorptive Hazard class: Class 4 - low hazard MPC - maximum: 0.1 mg/m ³ Limiting health hazard indicator: resorptive Hazard class: Class 4 - low hazard	No data available	No data available	List 1 List 5
urea 57-13-6	MPC - average: 0.2 mg/m ³ Limiting health hazard indicator: resorptive Hazard class: Class 4 - low hazard	MPC: 80 Milligrams per cubed decimeter Limiting health hazard indicator: toxic Hazard class: 4 Limiting health hazard indicator: general sanitary Hazard class: Class 4 - low hazard	No data available	List 1 List 4 List 5
Lignosulfonic acid, Sodium salt 8061-51-6	TSEL: 0.5 mg/m ³	MPC: 3 Milligrams per cubed decimeter Limiting health hazard indicator: sanitary and toxicological effects Hazard class: 4 MPC: 3 Milligrams per cubed decimeter Limiting health hazard indicator: toxic Hazard class: 4	No data available	List 2 List 5

For explanation of abbreviations see section 16.

THYPAAN K

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.11.2025	50001142	Date of first issue: 26.11.2025

13. DISPOSAL CONSIDERATIONS**Disposal methods**

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.
- Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

14. TRANSPORT INFORMATION**ADR**

- UN number : UN 1760
Proper shipping name : CORROSIVE LIQUID, N.O.S.
(Potassium carbonate solution)
Class : 8
Packing group : II
Labels : 8
Hazard Identification Number : 80
Tunnel restriction code : (E)
Environmentally hazardous : no

UNRTDG

- UN number : UN 1760
Proper shipping name : CORROSIVE LIQUID, N.O.S.
(Potassium carbonate solution)
Class : 8
Packing group : II
Labels : 8
Environmentally hazardous : no

IATA-DGR

- UN/ID No. : UN 1760
Proper shipping name : Corrosive liquid, n.o.s.
(Potassium carbonate solution)
Class : 8
Packing group : II
Labels : Corrosive
Packing instruction (cargo aircraft) : 855
Packing instruction (passenger aircraft) : 851

IMDG-Code

- UN number : UN 1760
Proper shipping name : CORROSIVE LIQUID, N.O.S.
(Potassium carbonate solution)
Class : 8
Packing group : II
Labels : 8

SAFETY DATA SHEET



THYPAAN K

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.11.2025	50001142	Date of first issue: 26.11.2025

EmS Code : F-A, S-B
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: All substances listed as active on the TSCA inventory
AIIC	: On the inventory, or in compliance with the inventory
DSL	: This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.
ENCS	: On the inventory, or in compliance with the inventory
ISHL	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: On the inventory, or in compliance with the inventory

THYPAAN K

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.11.2025	50001142	Date of first issue: 26.11.2025

16. OTHER INFORMATION**Full text of H-Statements**

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H402	Harmful to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Irrit.	: Eye irritation
Skin Irrit.	: Skin irritation
STOT SE	: Specific target organ toxicity - single exposure
List 1	: SanPiN 1.2.3685-21 Table 1.1, Table 1.10, & Table 1.11 Maximum permissible concentration (MPC) in the air of urban and rural settlements
List 2	: SanPiN 1.2.3685-21 Table 1.2, Table 1.12 & Table 1.13 Tentative Safe Exposure Levels (TSEL) in the air of urban and rural settlements
List 4	: SanPiN 1.2.3685-21 Table 3.13, Table 3.15, Table 3.16 & Table 3.17 Maximum permissible concentrations (MPC) of chemicals in the water of drinking systems of centralized, including hot, and non-centralized water supply, water of underground and surface water bodies of domestic drinking and cultural and domestic water use, water of swimming pools, water parks
List 5	: Order of the Russian Federal Fisheries Agency "Standards of maximum permissible concentrations of harmful substances in fishery water bodies"

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical

SAFETY DATA SHEET



THYPAAN K

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.11.2025	50001142	Date of first issue: 26.11.2025

Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

UZ / 6N