

SAFETY DATA SHEET



THYPAAN CAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.11.2025	50001161	Date of first issue: 26.11.2025

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product name : THYPAAN CAL

Manufacturer or supplier's details

Company : FMC Agro Kazakhstan LLP

Address : Timiryazev str. 28V, office 501, 5 floor
050040 Almaty
Kazakhstan

Emergency telephone number : +44 20 3885 0382 (CHEMTREC's European Regional Toll-Free Number)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical Emergency Number : Ambulance in the Republic of Kazakhstan: 103 (24/7, toll-free).
Almaty City Clinical Hospital, Toxicology Department, 96 Kazybek Bi Street: +7 727 317 01 69 – hotline; +7 727 292 31 01 – reception.
+1 651 / 632-6793 (outside USA & Canada, collect call)

E-mail address : SDS-Info@fmc.com

Recommended use of the chemical and restrictions on use

Recommended use : Crop nutrition

Restrictions on use : Use as recommended by the label.

2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 4

Eye irritation : Category 2A

GHS-Labelling

Hazard pictograms :



Signal word : Warning

Hazard statements : H227 Combustible liquid.
H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

SAFETY DATA SHEET



THYPAAN CAL

Version 1.0 Revision Date: 26.11.2025 SDS Number: 50001161 Date of last issue: -
Date of first issue: 26.11.2025

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 Store in a well-ventilated place.

Disposal:

P501 Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture : Mixture

Components

Chemical name	CAS-No.	Classification	MAC value mg/m ³ / TSEL value	Concentration (% w/w)
calcium chloride	10043-52-4	Acute Tox.5; H303 Eye Irrit.2A; H319	MPC-STEL: 2 mg/m ³ Class 3 - Moder- ately dangerous, Substances which require special skin and eye protection Data Source: RU OEL	>= 30 - < 50
ethanediol	107-21-1	Acute Tox.5; H313 STOT RE2; H373 (Kidney) Aquatic Acute3; H402	MPC-TWA: 5 mg/m ³ Class 3 - Moder- ately dangerous Data Source: RU OEL MPC-STEL: 10 mg/m ³ Class 3 - Moder- ately dangerous Data Source: RU OEL	>= 2.5 - < 10
Lignosulfonic acid, Sodium	8061-51-6	No data	MPC-STEL: 2	>= 1 - < 10

SAFETY DATA SHEET



THYPAAN CAL

Version 1.0	Revision Date: 26.11.2025	SDS Number: 50001161	Date of last issue: - Date of first issue: 26.11.2025
----------------	------------------------------	-------------------------	--

salt		available	mg/m3 Class 3 - Moder- ately dangerous Data Source: RU OEL	
------	--	-----------	--	--

For explanation of abbreviations see section 16.

4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash contaminated clothing before re-use.
Wash off immediately with plenty of water for at least 15 minutes.
Get medical attention immediately if irritation develops and persists.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment.

THYPAAN CAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.11.2025	50001161	Date of first issue: 26.11.2025

Notes to physician : Treat symptomatically.

5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
Do not spread spilled material with high-pressure water streams.
- Hazardous combustion products : Carbon oxides
Sulphur oxides
- Specific extinguishing methods : For safety reasons in case of fire, cans should be stored separately in closed containments.
Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
Keep away from open flames, hot surfaces and sources of ignition.
- Advice on safe handling : DO NOT CONTAMINATE THE WATER WITH THE

THYPAAN CAL

Version 1.0	Revision Date: 26.11.2025	SDS Number: 50001161	Date of last issue: - Date of first issue: 26.11.2025
----------------	------------------------------	-------------------------	--

PRODUCT OR YOUR PACKAGING. Do not clean the product application equipment near surface waters. Avoid contamination through the water evacuation systems of the farms or the roads.

Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : No smoking.
Keep in a well-ventilated place.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally required.
Hand protection	:	
Material	:	Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective measures	:	Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions. Ensure that eye flushing systems and safety showers are located close to the working place. Wear suitable protective equipment.

SAFETY DATA SHEET



THYPAAN CAL

Version 1.0	Revision Date: 26.11.2025	SDS Number: 50001161	Date of last issue: - Date of first issue: 26.11.2025
----------------	------------------------------	-------------------------	--

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Form	: liquid
Colour	: brown
Odour	: strong
Odour Threshold	: No data available
pH	: 5.6 - 6.6 Concentration: 100 %
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: > 93 °C
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: 1.31 - 1.35
Solubility(ies)	
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available

SAFETY DATA SHEET



THYPAAN CAL

Version 1.0	Revision Date: 26.11.2025	SDS Number: 50001161	Date of last issue: - Date of first issue: 26.11.2025
----------------	------------------------------	-------------------------	--

Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: Non-oxidizing
Particle size	: No data available

10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed. Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Avoid strong acids, bases, and oxidizers
Hazardous decomposition products	: Toxic fumes

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate: > 20 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method

SAFETY DATA SHEET



THYPAAN CAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.11.2025	50001161	Date of first issue: 26.11.2025

Components:

water:

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

calcium chloride:

Acute oral toxicity : LD50 (Rat, male): 2,120 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg

ethanediol:

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.5 mg/l
Exposure time: 6 h
Test atmosphere: dust/mist
Remarks: no mortality

Acute dermal toxicity : LD50 (Mouse, male and female): > 3,500 mg/kg

Lignosulfonic acid, Sodium salt:

Acute oral toxicity : LD50 (Mouse): 6,030 mg/kg

Citric acid, monohydrate:

Acute oral toxicity : LD50 Oral (Mouse, male and female): 5,400 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Assessment : Not classified as irritant
Remarks : May cause skin irritation in susceptible persons.

Components:

calcium chloride:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

ethanediol:

Species : Rabbit
Result : No skin irritation

SAFETY DATA SHEET



THYPAAN CAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.11.2025	50001161	Date of first issue: 26.11.2025

Lignosulfonic acid, Sodium salt:

Remarks : May cause skin irritation and/or dermatitis.

Citric acid, monohydrate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Result : Eye irritation
Assessment : Irritating to eyes.
Remarks : May cause irreversible eye damage.

Components:

calcium chloride:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

ethanediol:

Species : Rabbit
Result : No eye irritation

Lignosulfonic acid, Sodium salt:

Remarks : May irritate eyes.

Citric acid, monohydrate:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

Components:

ethanediol:

SAFETY DATA SHEET



THYPAAN CAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.11.2025	50001161	Date of first issue: 26.11.2025

Test Type	: Maximisation Test
Species	: Guinea pig
Result	: Does not cause skin sensitisation.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

calcium chloride:

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 471 Result: negative
-----------------------	--

ethanediol:

Genotoxicity in vitro	: Test Type: reverse mutation assay Method: OPPTS 870.5100 Result: negative
-----------------------	---

Genotoxicity in vivo	: Test Type: dominant lethal test Species: Rat Application Route: Oral Result: negative
----------------------	--

Citric acid, monohydrate:

Genotoxicity in vitro	: Test Type: Micronucleus test Method: OECD Test Guideline 487 Result: positive
-----------------------	---

	: Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative
--	--

Genotoxicity in vivo	: Test Type: chromosome aberration assay Species: Rat (male) Application Route: Oral Method: OECD Test Guideline 475 Result: negative
----------------------	---

	: Test Type: Rodent Dominant Lethal Assay Species: Rat (male and female) Application Route: Oral Method: Regulation (EC) No. 440/2008, Annex, B.22 Result: negative
--	---

Germ cell mutagenicity - Assessment	: Animal testing did not show any mutagenic effects.
-------------------------------------	--

Carcinogenicity

Based on available data, the classification criteria are not met.

THYPAAN CAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.11.2025	50001161	Date of first issue: 26.11.2025

Components:**ethanediol:**

Species	: Mouse
Application Route	: Oral
Exposure time	: 24 month(s)
Result	: negative

Citric acid, monohydrate:

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:**calcium chloride:**

Effects on foetal development	: Test Type: reproductive and developmental toxicity study Species: Rat Application Route: Oral Method: OECD Test Guideline 414 Remarks: No significant adverse effects were reported
-------------------------------	---

Citric acid, monohydrate:

Effects on foetal development	: Test Type: reproductive and developmental toxicity study Species: Mouse Application Route: Oral Dose: 0, 2.41, 11.2, 52.0, 241 mg/k Duration of Single Treatment: 6 - 15 d Teratogenicity: NOAEL: > 241 mg/kg body weight
-------------------------------	--

	Test Type: reproductive and developmental toxicity study Species: Rat Application Route: Oral Dose: 0, 2.95, 13.7, 63.6, 295 mg/k Duration of Single Treatment: 6 - 15 d Teratogenicity: NOAEL: > 295 mg/kg body weight
--	--

	Test Type: reproductive and developmental toxicity study Species: Rabbit Application Route: Oral Dose: 0, 4.25, 19.75, 91.70, 425 mg Duration of Single Treatment: 6 - 15 d Teratogenicity: NOAEL: > 425 mg/kg body weight
--	---

Reproductive toxicity - Assessment	: Weight of evidence does not support classification for reproductive toxicity
------------------------------------	--

STOT - single exposure

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET



THYPAAN CAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.11.2025	50001161	Date of first issue: 26.11.2025

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Components:

ethanediol:

Exposure routes	: Oral
Target Organs	: Kidney
Assessment	: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Citric acid, monohydrate:

Assessment	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
------------	--

Repeated dose toxicity

Components:

ethanediol:

Species	: Rat
NOAEL	: 150 mg/kg
Application Route	: Oral
Exposure time	: 12 Months
Species	: Dog
NOAEL	: > 2,200 - < 4,400 mg/kg
Application Route	: Dermal
Exposure time	: 4 Weeks
Method	: OECD Test Guideline 410

Citric acid, monohydrate:

Species	: Rat
NOAEL	: 4,000 mg/kg
LOAEL	: 8,000 mg/kg
Application Route	: Oral
Exposure time	: 10d
Dose	: 2, 4, 8, 16 g/kg bw/day
Species	: Mouse
NOAEL	: 1,000 mg/kg
LOAEL	: 2,000 mg/kg
Application Route	: Oral
Exposure time	: 10d
Dose	: 1, 2, 4, 8 g/kg bw/day

Aspiration toxicity

Based on available data, the classification criteria are not met.

Further information

Product:

Remarks	: No data available
---------	---------------------

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.11.2025	50001161	Date of first issue: 26.11.2025

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

water:

Toxicity to fish : Remarks: No data available

calcium chloride:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 4,630 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 2,400 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Chlorella vulgaris (Fresh water algae)): 2,900 mg/l
plants Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 1,000 mg/l
Exposure time: 72 h

Toxicity to daphnia and other : EC10: 320 mg/l
aquatic invertebrates (Chronic toxicity) Exposure time: 21 d

ethanediol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 72,860 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l
aquatic invertebrates Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : IC50 (Pseudokirchneriella subcapitata (green algae)): 10,940
plants mg/l
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : (Menidia peninsulae (tidewater silverside)): 1,500 mg/l
Exposure time: 28 d

Toxicity to daphnia and other : (Daphnia magna (Water flea)): 33,911 mg/l
aquatic invertebrates (Chronic toxicity) Exposure time: 21 d

Toxicity to microorganisms : (activated sludge): > 1,995 mg/l
Exposure time: 30 min
Method: ISO 8192

Lignosulfonic acid, Sodium salt:

Toxicity to fish : EC50 (Danio rerio (zebra fish)): > 1,000 mg/l

SAFETY DATA SHEET



THYPAAN CAL

Version 1.0	Revision Date: 26.11.2025	SDS Number: 50001161	Date of last issue: - Date of first issue: 26.11.2025
----------------	------------------------------	-------------------------	--

Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Scenedesmus subspicatus): > 600 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials

Citric acid, monohydrate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 440 mg/l
Test Type: static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 1,535 mg/l
Exposure time: 24 h
Test Type: static test

Toxicity to algae/aquatic plants : NOEC (Scenedesmus quadricauda (Green algae)): 425 mg/l
Exposure time: 8 d
Test Type: static test

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 10,000 mg/l
Exposure time: 16 h
Test Type: Cell multiplication inhibition test

NOEC (Protozoa): 325 mg/l
Exposure time: 72 h

Toxicity to terrestrial organisms : NOEC (Birds): > 4 mg/kg
Exposure time: 14 d

LD50 (Birds): > 4 mg/kg
Exposure time: 14 d

Persistence and degradability

Components:

ethanediol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 90 - 100 %
Exposure time: 10 d
Method: OECD Test Guideline 301A

Lignosulfonic acid, Sodium salt:

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

Citric acid, monohydrate:

SAFETY DATA SHEET



THYPAAN CAL

Version 1.0 Revision Date: 26.11.2025 SDS Number: 50001161 Date of last issue: -
Date of first issue: 26.11.2025

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301B

Result: Readily biodegradable.
Method: OECD Test Guideline 301E

Result: Inherently biodegradable.
Method: OECD Test Guideline 302B

Bioaccumulative potential

Components:

ethanediol:

Partition coefficient: n-octanol/water : log Pow: -1.36

Citric acid, monohydrate:

Bioaccumulation : Bioconcentration factor (BCF): 3.2
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: -1.55

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : No data available

Hygienic standards:

(Allowable concentration in air, water, including fishery waters, soil)

Components	Air	Water	Soil	Data Source
calcium chloride 10043-52-4	MPC - maximum: 0.03 mg/m ³ (Calcium) Limiting health hazard indicator: resorptive Hazard class: Class 3 - moderately dangerous MPC - average: 0.01 mg/m ³ (Calcium) Limiting health hazard indicator: resorptive	MPC: 300 Milligrams per cubed decimeter Limiting health hazard indicator: sanitary and toxicological effects Hazard class: 4e MPC: 11900 Milligrams per cubed decimeter Limiting health hazard indicator: toxic	No data available	List 1 List 5

SAFETY DATA SHEET



THYPAAN CAL

Version 1.0 Revision Date: 26.11.2025 SDS Number: 50001161 Date of last issue: -
Date of first issue: 26.11.2025

	Hazard class: Class 3 - moderately dangerous	Hazard class: 4 MPC: 180 Milligrams per cubed decimeter Limiting health hazard indicator: sanitary and toxicological effects Hazard class: 4e MPC: 610 Milligrams per cubed decimeter Limiting health hazard indicator: toxic Hazard class: 4e		
ethanediol 107-21-1	TSEL: 1 mg/m3	MPC: 0.25 Milligrams per cubed decimeter Limiting health hazard indicator: sanitary - violation of environmental conditions: changing trophic water bodies fishery; hydrochemical parameters: oxygen, nitrogen, phosphorus, pH, impaired self-purification of water bodies of water fishery: BOD5 (biochemical oxygen demand for 5 days), the number of saprophytic microflora Hazard class: 4 MPC: 0.5 Milligrams per cubed decimeter Limiting health hazard indicator: sanitary - violation of environmental conditions: changing trophic water bodies fishery; hydrochemical parameters: oxygen, nitrogen, phosphorus, pH,	No data available	List 2 List 4 List 5

SAFETY DATA SHEET



THYPAAN CAL

Version 1.0 Revision Date: 26.11.2025 SDS Number: 50001161 Date of last issue: -
Date of first issue: 26.11.2025

		impaired self-purification of water bodies of water fishery: BOD5 (bio-chemical oxygen demand for 5 days), the number of saprophytic microflora Hazard class: 3 MAC: 1 mg/l Limiting health hazard indicator: sanitary-toxicological Hazard class: Class 3 - moderately dangerous		
Lignosulfonic acid, Sodium salt 8061-51-6	TSEL: 0.5 mg/m ³	MPC: 3 Milligrams per cubed decimeter Limiting health hazard indicator: sanitary and toxicological effects Hazard class: 4 MPC: 3 Milligrams per cubed decimeter Limiting health hazard indicator: toxic Hazard class: 4	No data available	List 2 List 5
Citric acid, monohydrate 5949-29-1	MPC - maximum: 0.1 mg/m ³ Limiting health hazard indicator: reflective Hazard class: Class 3 - moderately dangerous	MPC: 1 Milligrams per cubed decimeter Limiting health hazard indicator: toxic Hazard class: 4 MPC: 1 Milligrams per cubed decimeter Limiting health hazard indicator: sanitary and toxicological effects Hazard class: 3 TSEL: 0.5 mg/l Limiting health hazard indicator:	No data available	List 1 List 3 List 5

SAFETY DATA SHEET



THYPAAN CAL

Version 1.0	Revision Date: 26.11.2025	SDS Number: 50001161	Date of last issue: - Date of first issue: 26.11.2025
----------------	------------------------------	-------------------------	--

		general sanitary Hazard class: Class 4 - low hazard		
--	--	---	--	--

For explanation of abbreviations see section 16.

13. DISPOSAL CONSIDERATIONS

Disposal methods

- | | | |
|------------------------|---|--|
| Waste from residues | : | Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company. |
| Contaminated packaging | : | Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum. |

14. TRANSPORT INFORMATION

ADR

Not regulated as a dangerous good

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

- | | | |
|---------|---|--|
| Remarks | : | Not classified as dangerous in the meaning of transport regulations. |
|---------|---|--|

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

TCSI	:	On the inventory, or in compliance with the inventory
------	---	---

TSCA	:	All substances listed as active on the TSCA inventory
------	---	---

THYPAAN CAL

Version 1.0	Revision Date: 26.11.2025	SDS Number: 50001161	Date of last issue: - Date of first issue: 26.11.2025
----------------	------------------------------	-------------------------	--

AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.
ENCS	:	On the inventory, or in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

16. OTHER INFORMATION
Full text of H-Statements

H303	May be harmful if swallowed.
H313	May be harmful in contact with skin.
H319	Causes serious eye irritation.
H373	May cause damage to organs through prolonged or repeated exposure if swallowed.
H402	Harmful to aquatic life.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Eye Irrit.	:	Eye irritation
STOT RE	:	Specific target organ toxicity - repeated exposure
List 1	:	SanPiN 1.2.3685-21 Table 1.1, Table 1.10, & Table 1.11 Maximum permissible concentration (MPC) in the air of urban and rural settlements
List 2	:	SanPiN 1.2.3685-21 Table 1.2, Table 1.12 & Table 1.13 Tentative Safe Exposure Levels (TSEL) in the air of urban and rural settlements
List 3	:	SanPiN 1.2.3685-21 Table 3.14 & Table 3.18 Indicative permissible levels (TAC) of chemicals in the water of drinking systems of centralized, including hot, and non-centralized water supply, water of ground and surface water bodies of drinking and cultural and domestic water use, water of swimming pools, water parks
List 4	:	SanPiN 1.2.3685-21 Table 3.13, Table 3.15, Table 3.16 &

THYPAAN CAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.11.2025	50001161	Date of first issue: 26.11.2025

Table 3.17 Maximum permissible concentrations (MPC) of chemicals in the water of drinking systems of centralized, including hot, and non-centralized water supply, water of underground and surface water bodies of domestic drinking and cultural and domestic water use, water of swimming pools, water parks

List 5 : Order of the Russian Federal Fisheries Agency "Standards of maximum permissible concentrations of harmful substances in fishery water bodies"

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Other information :

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

SAFETY DATA SHEET



THYPAAN CAL

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	26.11.2025	50001161	Date of first issue: 26.11.2025

UZ / 6N