

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Kangmande 240 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/26	50002582	Date of first issue: 2025/11/26

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Kangmande 240 SC

Other means of identification : Thifluzamide 240 g/l SC

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC (Suzhou) Crop care co., ltd

Address : 99 Jiepu Road, Suzhou Industrial Park, Jiang Su, PRC
215126
China

Telephone : 0512-62863988

Telefax : 0512-62863900

E-mail address : SDS-Info@fmc.com

Emergency telephone : For leak, fire, spill or accident emergencies, call:
0086-0532 8388 9090 (National Registration Center for Chemicals)

Medical emergency:
86 532 8388 9090

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	: liquid
Color	: off-white
Odor	: slight

May be harmful if swallowed or in contact with skin. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.

GHS Classification

Acute toxicity (Oral) : Category 5

Acute toxicity (Dermal) : Category 5

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Kangmande 240 SC

Version 1.0	Revision Date: 2025/11/26	SDS Number: 50002582	Date of last issue: - Date of first issue: 2025/11/26
----------------	------------------------------	-------------------------	--

Skin sensitization : Category 1

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 3

GHS label elements

Hazard pictograms : 

Signal Word : WARNING

Hazard Statements : H303 + H313 May be harmful if swallowed or in contact with skin.
H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P261 Avoid breathing mist or vapors.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P312 Call a POISON CENTER/ doctor if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

May be harmful if swallowed. May be harmful in contact with skin. May cause an allergic skin reaction.

Environmental hazards

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Kangmande 240 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/26	50002582	Date of first issue: 2025/11/26

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Thifluzamide	130000-40-7	≥ 20 -< 25
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified	72623-86-0	≥ 1 -< 10
Sulfurous acid, monosodium salt, reaction products with cresol-formaldehyde-nonylphenol polymer	115535-44-9	≥ 1 -< 2.5
1,2-benzisothiazol-3(2H)-one	2634-33-5	≥ 0.0025 -< 0.025

4. FIRST AID MEASURES

General advice	: Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	: Wash off with soap and water. Get medical attention if irritation develops and persists. If on skin, rinse well with water.
In case of eye contact	: Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	: Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: May be harmful if swallowed or in contact with skin. May cause an allergic skin reaction.
Notes to physician	: Treat symptomatically.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Kangmande 240 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/26	50002582	Date of first issue: 2025/11/26

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
brominated compounds
Fluorinated compounds
Nitrogen oxides (NO_x)
Carbon oxides
Sulfur oxides
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Kangmande 240 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/26	50002582	Date of first issue: 2025/11/26

Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Avoidance of contact : Strong oxidizing agents
Strong acids and strong bases

Storage

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified	72623-86-0	TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Protective measures : Plan first aid action before beginning work with this product.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Kangmande 240 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/26	50002582	Date of first issue: 2025/11/26

Hygiene measures : Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Form	: liquid
Color	: off-white
Odor	: slight
pH	: 5.7 - 5.9 Method: CIPAC MT 75 (1% solution in water)
Melting point/freezing point	: < 0 °C
Boiling point/boiling range	: 96 °C
Flash point	: > 96 °C
Flammability (solid, gas)	: Not applicable
Self-ignition	: No data available
Density	: 1.1128 g/cm ³
Solubility(ies) Water solubility	: suspendable
Partition coefficient: n-octanol/water	: Not applicable
Viscosity Viscosity, dynamic	: 347.3 mPa.s (20 °C) 306.2 mPa.s (40 °C)
Viscosity, kinematic	: not determined
Explosive properties	: Not explosive
Oxidizing properties	: Non-oxidizing

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Kangmande 240 SC

Version 1.0	Revision Date: 2025/11/26	SDS Number: 50002582	Date of last issue: - Date of first issue: 2025/11/26
----------------	------------------------------	-------------------------	--

Particle size : ca. 3 μm

10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Protect from frost, heat and sunlight.
Incompatible materials	: Strong oxidizing agents Strong acids and strong bases
Hazardous decomposition products	: No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

May be harmful if swallowed or in contact with skin.

Product:

Acute oral toxicity	: LD50 (Rat, male and female): 3,160 - 3,690 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male and female): > 2.125 mg/l Exposure time: 2 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg

Components:

Thifluzamide:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Kangmande 240 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/26	50002582	Date of first issue: 2025/11/26

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified:

Acute oral toxicity	: LD0 (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute inhalation toxicity	: LC50 (Rat, male and female): > 5.53 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Based on data from similar materials
Acute dermal toxicity	: LD0 (Rabbit, male and female): > 5,000 mg/kg Method: OECD Test Guideline 402 Remarks: Based on data from similar materials

Sulfurous acid, monosodium salt, reaction products with cresol-formaldehyde-nonylphenol polymer:

Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 401 Assessment: The substance or mixture has no acute oral toxicity Remarks: Based on data from similar materials
---------------------	--

1,2-benzisothiazol-3(2H)-one:

Acute dermal toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity
-----------------------	--

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species	: Rabbit
Result	: No skin irritation
Remarks	: May cause skin irritation and/or dermatitis.

Components:

Thifluzamide:

Species	: Rabbit
Result	: No skin irritation

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified:

Species	: Rabbit
---------	----------

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Kangmande 240 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/26	50002582	Date of first issue: 2025/11/26

Result : No skin irritation
Remarks : Based on data from similar materials

Sulfurous acid, monosodium salt, reaction products with cresol-formaldehyde-nonylphenol polymer:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit
Exposure time : 72 h
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No eye irritation

Remarks : Vapors may cause irritation to the eyes, respiratory system and the skin.

Components:

Thifluzamide:

Species : Rabbit
Result : No eye irritation

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

Sulfurous acid, monosodium salt, reaction products with cresol-formaldehyde-nonylphenol polymer:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Species : Bovine cornea
Result : No eye irritation

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Kangmande 240 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/26	50002582	Date of first issue: 2025/11/26

Method	: OECD Test Guideline 437
Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: EPA OPP 81-4

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Species	: Guinea pig
Result	: May cause sensitization by skin contact.
Remarks	: Causes sensitization.

Components:

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified:

Test Type	: Buehler Test
Species	: Guinea pig
Result	: Does not cause skin sensitization.
Remarks	: Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: May cause sensitization by skin contact.

Species	: Guinea pig
Method	: FIFRA 81.06
Result	: May cause sensitization by skin contact.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Germ cell mutagenicity - Assessment	: Contains no ingredient listed as a mutagen
-------------------------------------	--

Components:

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified:

Genotoxicity in vitro	: Test Type: reverse mutation assay
-----------------------	-------------------------------------

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Kangmande 240 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/26	50002582	Date of first issue: 2025/11/26

Result: negative
Remarks: Based on data from similar materials

Test Type: reverse mutation assay
Result: positive
Remarks: Based on data from similar materials

Test Type: gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Test Type: gene mutation test
Method: OECD Test Guideline 476
Result: positive
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Cell type: Liver cells
Application Route: Ingestion
Exposure time: 4 h
Method: OECD Test Guideline 486
Result: negative

Test Type: Micronucleus test

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Kangmande 240 SC

Version 1.0	Revision Date: 2025/11/26	SDS Number: 50002582	Date of last issue: - Date of first issue: 2025/11/26
----------------	------------------------------	-------------------------	--

Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Carcinogenicity - Assessment : Contains no ingredient listed as a carcinogen

Components:

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified:

Species : Mouse, female
Application Route : Dermal
Exposure time : 78 weeks
Result : negative
Remarks : Based on data from similar materials

Reproductive toxicity

Based on available data, the classification criteria are not met.

Product:

Reproductive toxicity - Assessment : Contains no ingredient listed as toxic to reproduction

Components:

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Rat, male and female
Application Route: Oral
Dose: 1000 mg/kg/day
General Toxicity Parent: NOAEL: 1,000 mg/kg body weight
General Toxicity F1: NOAEL: $\geq$ 1,000 mg/kg bw/day
Method: OECD Test Guideline 421
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Dermal
Dose: 0,8,30,125,500,1000mg/kg/day
Duration of Single Treatment: 20 d

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Kangmande 240 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/26	50002582	Date of first issue: 2025/11/26

General Toxicity Maternal: LOAEL: 8 mg/kg body weight
Developmental Toxicity: LOAEL: 125 mg/kg bw/day
Result: Embryotoxic effects and adverse effects on the off-spring were detected only at high maternally toxic doses
Remarks: Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Effects on fertility : Species: Rat, male
Application Route: Ingestion
General Toxicity Parent: NOAEL: 18.5 mg/kg body weight
General Toxicity F1: NOAEL: 48 mg/kg body weight
Fertility: NOAEL: 112 mg/kg bw/day
Symptoms: No effects on reproduction parameters.
Method: OPPTS 870.3800
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Based on available data, the classification criteria are not met.

Product:

Remarks : No significant adverse effects were reported

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Components:

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified:

Species : Rat, male
LOAEL : 125 mg/kg bw/day
Application Route : Oral - gavage
Exposure time : 13 weeks
Dose : 125 or 500 mg/kg/day
Remarks : Based on data from similar materials

Species : Rat, male and female
NOAEL : 980 mg/m³
Application Route : Inhalation
Test atmosphere : vapor

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Kangmande 240 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/26	50002582	Date of first issue: 2025/11/26

Exposure time : 28 d
Dose : 0, 50, 220 or 1000 mg/m³
Remarks : Based on data from similar materials

Species : Rabbit, male and female
NOAEL : 1000 mg/kg bw/day
LOAEL : 2000 mg/kg bw/day
Application Route : Skin contact
Exposure time : 28 d
Dose : 200,1000,2000mg/kgbw/day
Method : OECD Test Guideline 410
Remarks : Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Species : Rat, male and female
NOAEL : 15 mg/kg
Application Route : Ingestion
Exposure time : 28 d
Method : OECD Test Guideline 407
Symptoms : Irritation

Species : Rat, male and female
NOAEL : 69 mg/kg
Application Route : Ingestion
Exposure time : 90 d
Symptoms : Irritation, Reduced body weight

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

The mixture does not have properties associated with aspiration hazard potential.

Components:

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks : No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Kangmande 240 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/26	50002582	Date of first issue: 2025/11/26

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Thifluzamide:

Toxicity to fish	:	LC50 (Fish): 2.9 mg/l Exposure time: 96 h LC50 (Fish): 1.3 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 2.9 mg/l Exposure time: 48 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0.31 mg/l Exposure time: 21 d
Toxicity to soil dwelling organisms	:	LC50 (Eisenia fetida (earthworms)): 1,250 mg/kg Exposure time: 14 d
Toxicity to terrestrial organisms	:	LD50 (Coturnix japonica (Japanese quail)): > 5620 mg/l LC50 (Anas platyrhynchos (Mallard duck)): > 5620 mg/l LD50 (Apis mellifera (bees)): 100000 µg/bee End point: Acute contact toxicity

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified:

Toxicity to fish	:	LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials water accommodated fractions (WAF)
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia): > 10,000 mg/l Exposure time: 48 h Test Type: static test Remarks: Based on data from similar materials water accommodated fractions (WAF)
Toxicity to algae/aquatic plants	:	NOELR (Pseudokirchneriella subcapitata (algae)): >= 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: water accommodated fractions (WAF)
Toxicity to fish (Chronic toxicity)	:	NOELR (Oncorhynchus mykiss (rainbow trout)): >= 1,000 mg/l Exposure time: 14 d

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Kangmande 240 SC

Version 1.0	Revision Date: 2025/11/26	SDS Number: 50002582	Date of last issue: - Date of first issue: 2025/11/26
----------------	------------------------------	-------------------------	--

Method: QSAR

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 10 mg/l
Exposure time: 21 d
Test Type: semi-static test
Remarks: water accommodated fractions (WAF)

Toxicity to microorganisms : NOEL (Photobacterium phosphoreum): > 1.93 mg/l
Exposure time: 10 min

Toxicity to terrestrial organisms : NOEC (Anas platyrhynchos (Mallard duck)): 5,000 ppm
Exposure time: 126 d

Sulfurous acid, monosodium salt, reaction products with cresol-formaldehyde-nonylphenol polymer:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10 - 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (Bacteria): > 1,000 mg/l
Remarks: Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16.7 mg/l
Exposure time: 96 h
Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2.15 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.9 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.070 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.04 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Kangmande 240 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/26	50002582	Date of first issue: 2025/11/26

Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

EC50 (activated sludge): 12.8 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability

Components:

Thiyluzamide:

Biodegradability : Result: Not readily biodegradable.

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based; Baseoil — unspecified:

Biodegradability : Inoculum: activated sludge
Result: Inherently biodegradable.
Biodegradation: 31 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Inoculum: activated sludge
Result: Not inherently biodegradable.
Biodegradation: 2 - 8 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Sulfurous acid, monosodium salt, reaction products with cresol-formaldehyde-nonylphenol polymer:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 10 - 35 %

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable
Method: OECD Test Guideline 301C

Bioaccumulative potential

Components:

Thiyluzamide:

Partition coefficient: n-octanol/water : log Pow: 4.16 (20 °C)
pH: 7

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Kangmande 240 SC

Version 1.0	Revision Date: 2025/11/26	SDS Number: 50002582	Date of last issue: - Date of first issue: 2025/11/26
----------------	------------------------------	-------------------------	--

Bioconcentration factor (BCF): 6.62
Exposure time: 56 d
Method: OECD Test Guideline 305
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0.7 (20 °C)
pH: 7

log Pow: 0.99 (20 °C)
pH: 5

Mobility in soil

Components:

Thi fluzamide:

Distribution among environmental compartments : Koc: 734 ml/g, log Koc: 2.86
Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

1,2-benzisothiazol-3(2H)-one:

Distribution among environmental compartments : Koc: 9.33 ml/g, log Koc: 0.97
Method: OECD Test Guideline 121
Remarks: Highly mobile in soils

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Kangmande 240 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/26	50002582	Date of first issue: 2025/11/26

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable

IATA-DGR

UN/ID No.	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
Packing instruction (cargo aircraft)	: Not applicable
Packing instruction (passenger aircraft)	: Not applicable

IMDG-Code

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable
EmS Code	: Not applicable
Marine pollutant	: Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

GB 6944/12268

UN number	: Not applicable
Proper shipping name	: Not applicable
Class	: Not applicable
Subsidiary risk	: Not applicable
Packing group	: Not applicable
Labels	: Not applicable

Special precautions for user

Remarks	: Not classified as dangerous in the meaning of transport regulations.
---------	--

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Kangmande 240 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/26	50002582	Date of first issue: 2025/11/26

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Not applicable

Hazardous Chemicals for Priority Management under SAWS : Not applicable

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not applicable

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

The ingredients of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. Thifluzamide Sulfurous acid, monosodium salt, reaction products with cre-sol-formaldehyde-nonylphenol polymer Sulfonated type anionics solution Smectite-group minerals
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Kangmande 240 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/26	50002582	Date of first issue: 2025/11/26

16. OTHER INFORMATION

Revision Date : 2025/11/26

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Kangmande 240 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/26	50002582	Date of first issue: 2025/11/26

and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CN / EN