

SAFETY DATA SHEET



TEBUCONAZOLE 250 G/L EW

Version 1.0	Revision Date: 2026/02/12	SDS Number: 50000638	Date of last issue: - Date of first issue: 2026/02/12
----------------	------------------------------	-------------------------	--

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : TEBUCONAZOLE 250 G/L EW

Other means of identification : None

Manufacturer or supplier's details

Company : FMC Taiwan Co. Ltd.

Address : 3F, No. 179, Fuhuiyuan Blvd.,
Xitun Dist., Taichung City, 40758
Taiwan

Telephone : +886 4 2254 2785

Telefax : +886 4 2254 2831

E-mail address : SDS-Info@fmc.com

Emergency telephone : For leak, fire, spill or accident emergencies, call:
00801-14-8954 (CHEMTREC)

Medical emergency:
00886 2 28757525 (in case of chemical spill, fire or poisoning
accident)

2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 5

Acute toxicity (Inhalation) : Category 5

Acute toxicity (Dermal) : Category 5

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 2A

Reproductive toxicity : Category 1B

Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

SAFETY DATA SHEET

TEBUCONAZOLE 250 G/L EW



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/12	50000638	Date of first issue: 2026/02/12

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms : 

Signal Word : DANGER

Hazard Statements : H227 Combustible liquid.
H303 + H313 + H333 May be harmful if swallowed, in contact with skin or if inhaled.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H360 May damage fertility or the unborn child.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.
P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 Call a POISON CENTER/ doctor if you feel unwell.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or

SAFETY DATA SHEET

TEBUCONAZOLE 250 G/L EW



Version 1.0	Revision Date: 2026/02/12	SDS Number: 50000638	Date of last issue: - Date of first issue: 2026/02/12
----------------	------------------------------	-------------------------	--

alcohol-resistant foam to extinguish.
P391 Collect spillage.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Hazardous ingredients	CAS-No.	Concentration (% w/w)
tebuconazole (ISO)	107534-96-3	>= 20 -< 30
octan-1-ol	111-87-5	>= 10 -< 20
N-methyl-2-pyrrolidone	872-50-4	>= 10 -< 20
Poly(oxy-1,2-ethanediyl), .alpha.-phosphono-.omega.-[2,4,6-tris(1-phenylethyl)phenoxy]-	114535-82-9	>= 2.5 -< 10
Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts	68953-96-8	>= 3 -< 10
2-methylpropan-1-ol	78-83-1	>= 1 -< 3

4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Consult a physician.
Show this material safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.

First aid measures for different exposure routes

If inhaled : Call a physician or poison control center immediately.
If unconscious, place in recovery position and seek medical advice.

In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.

SAFETY DATA SHEET



TEBUCONAZOLE 250 G/L EW

Version 1.0	Revision Date: 2026/02/12	SDS Number: 50000638	Date of last issue: - Date of first issue: 2026/02/12
----------------	------------------------------	-------------------------	--

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

Most important symptoms and effects, both acute and delayed : May be harmful if swallowed, in contact with skin or if inhaled.
Causes skin irritation.
Causes serious eye irritation.
May cause respiratory irritation.
May damage fertility or the unborn child.

Notes to physician : Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media : High volume water jet
Do not spread spilled material with high-pressure water streams.

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Nitrogen oxides (NO_x)
Carbon oxides
Sulfur oxides
Chlorinated compounds
phosphorus oxides

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.
Use a water spray to cool fully closed containers.

Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Ensure adequate ventilation.
Evacuate personnel to safe areas.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.

SAFETY DATA SHEET



TEBUCONAZOLE 250 G/L EW

Version 1.0	Revision Date: 2026/02/12	SDS Number: 50000638	Date of last issue: - Date of first issue: 2026/02/12
----------------	------------------------------	-------------------------	--

If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Neutralize with chalk, alkali solution or ammonia. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Handling

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of ignition.

Advice on safe handling : Avoid formation of aerosol. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations.

Storage

Conditions for safe storage : Prevent unauthorized access. No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage.

Materials to avoid : Do not store near acids.

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

SAFETY DATA SHEET



TEBUCONAZOLE 250 G/L EW

Version 1.0 Revision Date: 2026/02/12 SDS Number: 50000638 Date of last issue: -
Date of first issue: 2026/02/12

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-methylpropan-1-ol	78-83-1	STEL	75 ppm 190 mg/m ³	TW OEL
		TWA	50 ppm 152 mg/m ³	TW OEL
		TWA	50 ppm	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
N-methyl-2-pyrrolidone	872-50-4	5-Hydroxy-N-methyl-2-pyrrolidone	Urine	End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Avoid contact with skin, eyes and clothing.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Form : liquid

SAFETY DATA SHEET

TEBUCONAZOLE 250 G/L EW



Version 1.0	Revision Date: 2026/02/12	SDS Number: 50000638	Date of last issue: - Date of first issue: 2026/02/12
----------------	------------------------------	-------------------------	--

Color	:	yellowish-brown
Odor	:	Cocooil-like
pH	:	4.5 - 5.3 (20 °C)
Flash point	:	75 °C Method: Pensky-Martens closed cup
Self-ignition	:	ca. 265 °C
Density	:	973 g/l
Solubility(ies) Water solubility	:	dispersible
Partition coefficient: n-octanol/water	:	Not applicable
Viscosity Viscosity, kinematic	:	11 mm ² /s (20 °C)
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing

10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed. Vapors may form explosive mixture with air.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Strong oxidizing agents Strong acids and strong bases
Hazardous decomposition products	:	Carbon oxides Sulfur oxides Chlorine compounds Nitrogen oxides (NO _x)

SAFETY DATA SHEET



TEBUCONAZOLE 250 G/L EW

Version 1.0	Revision Date: 2026/02/12	SDS Number: 50000638	Date of last issue: - Date of first issue: 2026/02/12
----------------	------------------------------	-------------------------	--

phosphorus oxides

11. TOXICOLOGICAL INFORMATION

Symptoms of Overexposure : None known.

Acute toxicity

May be harmful if swallowed, in contact with skin or if inhaled.

Product:

Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 425 Remarks: Based on data from similar materials
Acute inhalation toxicity	: LC50 (Rat): > 8.76 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rat): > 4,000 mg/kg Method: OECD Test Guideline 402 Remarks: Based on data from similar materials

Components:

tebuconazole (ISO):

Acute oral toxicity	: LD50 (Rat, female): > 2,000 mg/kg Method: OECD Test Guideline 425 Symptoms: ataxia, Lethargy, Breathing difficulties Assessment: The component/mixture is minimally toxic after single ingestion. Remarks: no mortality
Acute inhalation toxicity	: LC50 (Rat, male and female): > 5.18 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes Remarks: no mortality
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The component/mixture is minimally toxic after single contact with skin. Remarks: no mortality

octan-1-ol:

Acute oral toxicity	: LD50 (Rat, male): 1,800 mg/kg
---------------------	---------------------------------

TEBUCONAZOLE 250 G/L EW

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/12	50000638	Date of first issue: 2026/02/12

LD50 (Rat, female): 720 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2.05 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: US EPA Test Guideline OPPTS 870.1300
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 1,500 - < 2,000 mg/kg

N-methyl-2-pyrrolidone:

Acute oral toxicity : LD50 (Rat): 4,150 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC0 (Rat): > 5.1 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402

Poly(oxy-1,2-ethanediyl), .alpha.-phosphono-.omega.-[2,4,6-tris(1-phenylethyl)phenoxy]-:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 401

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Acute oral toxicity : LD0 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 401
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 1,000 - 1,600 mg/kg
Method: OECD Test Guideline 402

2-methylpropan-1-ol:

Acute oral toxicity : LD50 (Rat): 3,350 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 18.18 mg/l
Exposure time: 6 h
Test atmosphere: vapor
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): 2,460 mg/kg

SAFETY DATA SHEET

TEBUCONAZOLE 250 G/L EW



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/12	50000638	Date of first issue: 2026/02/12

Skin corrosion/irritation

Causes skin irritation.

Product:

Method	: OECD Test Guideline 404
Result	: Moderate skin irritation
Remarks	: Based on data from similar materials
Remarks	: May cause skin irritation in susceptible persons.

Components:

tebuconazole (ISO):

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 404
Result	: slight irritation
GLP	: yes

octan-1-ol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Mild skin irritation

N-methyl-2-pyrrolidone:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: irritating

Poly(oxy-1,2-ethanediyl), .alpha.-phosphono-.omega.-[2,4,6-tris(1-phenylethyl)phenoxy]-:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Species	: Rabbit
Result	: Skin irritation

2-methylpropan-1-ol:

Species	: Rabbit
Result	: Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Result	: Irritation to eyes, reversing within 21 days
Method	: OECD Test Guideline 405
Remarks	: Based on data from similar materials

SAFETY DATA SHEET



TEBUCONAZOLE 250 G/L EW

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/12	50000638	Date of first issue: 2026/02/12

Remarks : May cause irreversible eye damage.

Components:

tebuconazole (ISO):

Species	: Rabbit
Result	: slight irritation
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 405
GLP	: yes

octan-1-ol:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days
Method	: OECD Test Guideline 405

N-methyl-2-pyrrolidone:

Species	: Rabbit
Result	: irritating
Method	: OECD Test Guideline 405

Poly(oxy-1,2-ethanediyl), .alpha.-phosphono-.omega.-[2,4,6-tris(1-phenylethyl)phenoxy]-:

Species	: Rabbit
Result	: Eye irritation
Method	: OECD Test Guideline 405

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Species	: Rabbit
Result	: Irreversible effects on the eye

2-methylpropan-1-ol:

Species	: Rabbit
Result	: Irreversible effects on the eye

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.
Remarks	: Based on data from similar materials

SAFETY DATA SHEET



TEBUCONAZOLE 250 G/L EW

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/12	50000638	Date of first issue: 2026/02/12

Components:

tebuconazole (ISO):

Method	:	OECD Test Guideline 406
Result	:	Not a skin sensitizer.
Test Type	:	Local lymph node assay (LLNA)
Routes of exposure	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Not a skin sensitizer.

octan-1-ol:

Test Type	:	Maximization Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitization.
Remarks	:	Based on data from similar materials

N-methyl-2-pyrrolidone:

Method	:	OECD Test Guideline 429
Result	:	Not a skin sensitizer.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Test Type	:	Maximization Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitization.

2-methylpropan-1-ol:

Routes of exposure	:	Skin contact
Result	:	Not a skin sensitizer.

Chronic toxicity

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	---	--

Components:

tebuconazole (ISO):

Genotoxicity in vitro	:	Test Type: Ames test Metabolic activation: with and without metabolic activation Result: negative
-----------------------	---	---

octan-1-ol:

TEBUCONAZOLE 250 G/L EW

Version 1.0	Revision Date: 2026/02/12	SDS Number: 50000638	Date of last issue: - Date of first issue: 2026/02/12
----------------	------------------------------	-------------------------	--

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

N-methyl-2-pyrrolidone:

Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: unscheduled DNA synthesis assay
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Test Type: reverse mutation assay
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Oral
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

TEBUCONAZOLE 250 G/L EW

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/12	50000638	Date of first issue: 2026/02/12

2-methylpropan-1-ol:

Genotoxicity in vitro : Result: negative

Genotoxicity in vivo : Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Components:**N-methyl-2-pyrrolidone:**

Species	: Rat, male and female
Application Route	: Oral
NOAEL	: 207 - 283 mg/kg bw/day
Result	: negative

Species	: Rat, male
Application Route	: Inhalation
NOAEC	: 0.04 mg/l
Result	: negative

Species	: Mouse, male
Application Route	: Oral
NOAEL	: 89 mg/kg body weight
Method	: OECD Test Guideline 451
Result	: negative

Reproductive toxicity

May damage fertility or the unborn child.

Product:

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

Components:**tebuconazole (ISO):**

Reproductive toxicity - Assessment	: Some evidence of adverse effects on development, based on animal experiments., Suspected of damaging the unborn child. Remarks: Adverse effects on fertility such as reduced litter size and effects on development were found for tebuconazole at maternally toxic doses in an animal test (method OECD 416). Malformations of offspring were found at maternally toxic doses (based on 13 studies).
------------------------------------	--

octan-1-ol:

TEBUCONAZOLE 250 G/L EW

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/12	50000638	Date of first issue: 2026/02/12

Effects on fertility : Test Type: one-generation reproductive toxicity
Species: Rat, male and female
Application Route: Oral
Dose: 10, 100, 1000 mg/kg bw/day
General Toxicity Parent: NOAEL: 1,000 mg/kg bw/day
General Toxicity F1: NOAEL: 1,000 mg/kg bw/day
Result: negative

Effects on fetal development : Species: Rat
Application Route: Oral
Dose: 0,130,650,975,1300 mg/kg bw/day
Duration of Single Treatment: 20 d
General Toxicity Maternal: LOAEL: 650 mg/kg bw/day
Embryo-fetal toxicity.: NOAEL: 1,300 mg/kg bw/day
Symptoms: Maternal effects.
Method: OECD Test Guideline 414

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

N-methyl-2-pyrrolidone:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
Method: OECD Test Guideline 416
Result: positive

Effects on fetal development : Test Type: Pre-natal
Species: Rat
Application Route: Oral
Method: OECD Test Guideline 414
Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Effects on fertility : Test Type: Three-generation study
Species: Rat, male and female
Application Route: Oral
Dose: 14, 70, 350 mg/kg bw d
General Toxicity Parent: NOAEL: 350 mg/kg body weight
General Toxicity F1: NOAEL: 350 mg/kg bw/day
General Toxicity F2: NOAEL: 350 mg/kg bw/day
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Dose: 0.2, 2.0, 300 and 600 mg/kg
Duration of Single Treatment: 20 d
General Toxicity Maternal: LOAEL: 600 mg/kg body weight

SAFETY DATA SHEET

TEBUCONAZOLE 250 G/L EW



Version 1.0	Revision Date: 2026/02/12	SDS Number: 50000638	Date of last issue: - Date of first issue: 2026/02/12
----------------	------------------------------	-------------------------	--

Teratogenicity: LOAEL: 600 mg/kg bw/day
Result: negative
Remarks: Based on data from similar materials

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

2-methylpropan-1-ol:

Effects on fertility : Species: Rat
Application Route: Inhalation
Fertility: NOAEC Mating/Fertility: 7.5 mg/l

STOT-single exposure

May cause respiratory irritation.

Product:

Assessment : May cause respiratory irritation.

Components:

N-methyl-2-pyrrolidone:

Assessment : May cause respiratory irritation.

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

2-methylpropan-1-ol:

Assessment : May cause respiratory irritation.
May cause drowsiness or dizziness.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Components:

octan-1-ol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

octan-1-ol:

Species : Rat, male
NOAEL : 1127 mg/kg bw/day
Application Route : Oral
Exposure time : 13 Weeks
Dose : 182, 374, 1127 mg/kg bw/day

SAFETY DATA SHEET



TEBUCONAZOLE 250 G/L EW

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/12	50000638	Date of first issue: 2026/02/12

Species	: Rat, female
NOAEL	: 1243 mg/kg bw/day
Application Route	: Oral
Exposure time	: 13 Weeks
Dose	: 216, 427, 1243 mg/kg bw/day

N-methyl-2-pyrrolidone:

Species	: Rat, male
NOAEL	: 169 mg/kg
Application Route	: Oral

Species	: Mouse, male
NOAEL	: 89 mg/kg
Application Route	: Oral
Method	: OECD Test Guideline 408
Target Organs	: Liver

Species	: Rabbit
NOAEL	: 826 mg/kg
Application Route	: Dermal

Species	: Rat, male
	: 3 mg/l
Application Route	: inhalation (vapor)
Target Organs	: Testes

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Species	: Rat, male and female
NOAEL	: 40 mg/kg bw/day
LOAEL	: 115 mg/kg bw/day
Application Route	: Oral - feed
Exposure time	: 6 months
Dose	: 40, 115, 340, 1030 mg/kg bw d
Remarks	: Based on data from similar materials

2-methylpropan-1-ol:

Species	: Rat
	: 1450 mg/kg
Application Route	: Oral

Species	: Rat
	: 7.5 mg/l
Application Route	: Inhalation

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

No aspiration toxicity classification

SAFETY DATA SHEET



TEBUCONAZOLE 250 G/L EW

Version 1.0	Revision Date: 2026/02/12	SDS Number: 50000638	Date of last issue: - Date of first issue: 2026/02/12
----------------	------------------------------	-------------------------	--

Further information

Product:

Remarks : No data available

Components:

tebuconazole (ISO):

Remarks : The main symptoms were passivity, impaired mobility and shortness of breath at high doses in animal tests.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 17.7 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 21.5 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEC (Desmodesmus subspicatus (green algae)): 0.0313 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials

EC50 (Desmodesmus subspicatus (green algae)): 0.975 mg/l
Exposure time: 72 h
Remarks: Based on data from similar materials

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg
Exposure time: 14 d
Remarks: Based on data from similar materials

Toxicity to terrestrial organisms : LD50 (Coturnix japonica (Japanese quail)): > 2,000 mg/kg
Exposure time: 14 d
Remarks: Information given is based on data obtained from similar product.

LD50 (Apis mellifera (bees)): > 100 µg/bee
Exposure time: 48 h
Remarks: Information given is based on data obtained from similar product.

Components:

tebuconazole (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.4 mg/l
Exposure time: 96 h

SAFETY DATA SHEET



TEBUCONAZOLE 250 G/L EW

Version 1.0	Revision Date: 2026/02/12	SDS Number: 50000638	Date of last issue: - Date of first issue: 2026/02/12
----------------	------------------------------	-------------------------	--

Test Type: flow-through test

LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 5.7 mg/l
Exposure time: 96 hLC50 (*Leuciscus idus* (Golden orfe)): 8.7 mg/l
Exposure time: 96 hToxicity to daphnia and other aquatic invertebrates : LC50 (*Daphnia magna* (Water flea)): 2.79 mg/l
Exposure time: 48 h
Test Type: flow-through testToxicity to algae/aquatic plants : ErC50 (*Pseudokirchneriella subcapitata* (algae)): 3.8 mg/l
Exposure time: 72 h
Test Type: static testErC50 (*Scenedesmus quadricauda* (Green algae)): 5.3 mg/l
Exposure time: 72 hEC50 (*Lemna gibba* (duckweed)): 0.144 mg/l
Exposure time: 14 dToxicity to fish (Chronic toxicity) : NOEC (*Salmo gairdneri*): 0.012 mg/l
Exposure time: 60 dToxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.12 mg/l
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): 1,381 mg/kg
Exposure time: 14 dToxicity to terrestrial organisms : LD50 (*Colinus virginianus* (Bobwhite quail)): 1,988 mg/kgLD50 (*Apis mellifera* (bees)): > 200 µg/bee
Remarks: ContactLD50 (*Apis mellifera* (bees)): > 83 µg/bee
Exposure time: 48 hLD50 (*Coturnix japonica* (Japanese quail)): 2,912 mg/kg**octan-1-ol:**Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): 13.3 mg/l
Exposure time: 96 h
Test Type: flow-through testToxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 20 mg/l
Exposure time: 24 h

TEBUCONAZOLE 250 G/L EW

Version 1.0	Revision Date: 2026/02/12	SDS Number: 50000638	Date of last issue: - Date of first issue: 2026/02/12
----------------	------------------------------	-------------------------	--

Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC10 (Desmodesmus subspicatus (green algae)): 4.2 mg/l
Exposure time: 48 h
Test Type: static test

EC50 (Desmodesmus subspicatus (green algae)): 6.5 mg/l
Exposure time: 48 h
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : (Protozoa): 44 mg/l
Exposure time: 72 h
Test Type: Cell multiplication inhibition test
Remarks: Based on data from similar materials

N-methyl-2-pyrrolidone:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,000 mg/l
Exposure time: 24 h

LC50 (Palaeomonetes vulgaris (Grass shrimp)): 1,107 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 600.5 mg/l
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 12.5 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (activated sludge): 100 mg/l
Exposure time: 48 h

EC50 (activated sludge): > 600 mg/l
Exposure time: 30 min

Poly(oxy-1,2-ethanediyl), .alpha.-phosphono-.omega.-[2,4,6-tris(1-phenylethyl)phenoxy]-:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 100 - 500 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEC (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

TEBUCONAZOLE 250 G/L EW

Version 1.0	Revision Date: 2026/02/12	SDS Number: 50000638	Date of last issue: - Date of first issue: 2026/02/12
----------------	------------------------------	-------------------------	--

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 31.6 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 62 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 29 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials
- NOEC (Pseudokirchneriella subcapitata (green algae)): 0.5 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.23 mg/l
Exposure time: 72 d
Test Type: flow-through test
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1.18 mg/l
Exposure time: 21 d
Test Type: flow-through test
Remarks: Based on data from similar materials
- Toxicity to microorganisms : EC50 (activated sludge): 550 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
- Toxicity to soil dwelling organisms : NOEC (Eisenia fetida (earthworms)): 250 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207
Remarks: Based on data from similar materials
- LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207
Remarks: Based on data from similar materials
- Plant toxicity : EC50: 167 mg/kg
Exposure time: 21 d
Species: Sorghum bicolor (sorghum)
- 80 mg/kg
Exposure time: 14 d

SAFETY DATA SHEET



TEBUCONAZOLE 250 G/L EW

Version 1.0	Revision Date: 2026/02/12	SDS Number: 50000638	Date of last issue: - Date of first issue: 2026/02/12
----------------	------------------------------	-------------------------	--

Species: Avena sativa (oats)

Toxicity to terrestrial organisms : EC10 (Hypoaspis aculeifer): 82 mg/kg
Exposure time: 21 d
Remarks: Information given is based on data obtained from similar substances.

2-methylpropan-1-ol:

Toxicity to fish : LC50 : 1,430 mg/l
Exposure time: 4 d

Toxicity to daphnia and other aquatic invertebrates : EC50: 1,100 mg/l
Exposure time: 48 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 20 mg/l
Exposure time: 21 d

Toxicity to microorganisms : EC50 (Anabaena flos-aquae (cyanobacterium)): 593 - 1,799 mg/l
Exposure time: 72 h

IC50 (Natural microorganism): 1,000 mg/l
Exposure time: 16 h

Persistence and degradability

Components:

tebuconazole (ISO):

Biodegradability : Result: Not readily biodegradable.

octan-1-ol:

Biodegradability : Inoculum: activated sludge
Result: Readily biodegradable.
Biodegradation: 82.2 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

N-methyl-2-pyrrolidone:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 73 %
Exposure time: 28 d

Poly(oxy-1,2-ethanediyl), .alpha.-phosphono-.omega.-[2,4,6-tris(1-phenylethyl)phenoxy]-:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 30 - 40 %
Method: OECD Test Guideline 302B

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

TEBUCONAZOLE 250 G/L EW

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/12	50000638	Date of first issue: 2026/02/12

Biodegradability : Inoculum: activated sludge, non-adapted
Result: Not readily biodegradable.
Biodegradation: 2.9 %
Exposure time: 28 d
Method: OECD Test Guideline 301E

Result: Inherently biodegradable.
Biodegradation: > 35 - 45 %
Exposure time: 10 d

2-methylpropan-1-ol:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential**Components:****tebuconazole (ISO):**

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 65
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 3.7 (20 °C)

octan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 3.5 (23 °C)
pH: 5.7

N-methyl-2-pyrrolidone:

Partition coefficient: n-octanol/water : log Pow: -0.46 (25 °C)

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts:

Bioaccumulation : Bioconcentration factor (BCF): 3.16
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4.595 (20 °C)

2-methylpropan-1-ol:

Bioaccumulation : Remarks: No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n-octanol/water : Pow: 10 (25 °C)

SAFETY DATA SHEET

TEBUCONAZOLE 250 G/L EW



Version 1.0	Revision Date: 2026/02/12	SDS Number: 50000638	Date of last issue: - Date of first issue: 2026/02/12
----------------	------------------------------	-------------------------	--

Mobility in soil

Components:

tebuconazole (ISO):

Distribution among environmental compartments : Remarks: Low mobility in soil.

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Tebuconazole)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Tebuconazole)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo) : 964

SAFETY DATA SHEET



TEBUCONAZOLE 250 G/L EW

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/12	50000638	Date of first issue: 2026/02/12

aircraft)
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tebuconazole)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Regulations on Occupational Safety and Health Facilities	: applicable
Standards for the Storage, Cleanup, Handling and Disposal of Industrial Waste	: applicable
Regulations on Labelling and Hazard Communication of Hazardous Chemicals	: applicable
Rules on Road Traffic Safety	: applicable
Standards of Permissible Exposure Limits in Workplace	: applicable
Rules on the Prevention of Poisoning from Organic Solvents.	: Not applicable
Standard for the Control of Designated Hazardous and Dangerous Chemicals	: Not applicable
Establishment Standards and Safety Control Regulations for Manufacturing, Storing, Processing Public Hazardous Substances and Flammable Pressurized Gases Places	: Quantity subject to control
Toxic and Concerned Chemical Substances Control Act	
Toxic chemical substances	: Not applicable
Concerned chemical substances	: Not applicable
Regulations for Governing Designating and Handling of Priority Management Chemicals	: applicable
Rules on Labour Health Protection	: Not applicable

The ingredients of this product are reported in the following inventories:

SAFETY DATA SHEET



TEBUCONAZOLE 250 G/L EW

Version 1.0	Revision Date: 2026/02/12	SDS Number: 50000638	Date of last issue: - Date of first issue: 2026/02/12
----------------	------------------------------	-------------------------	--

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AICS	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. tebuconazole (ISO)
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory

16. OTHER INFORMATION

Responsible Department	: FMC Corporation
Contact person	: Bee Huang
Revision Date	: 2026/02/12
Date format	: yyyy/mm/dd

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
TW OEL	: Standards of Permissible Exposure Limits in Workplace
ACGIH / TWA	: 8-hour, time-weighted average
TW OEL / TWA	: 8-hour time weighted average
TW OEL / STEL	: time weighted average for short term exposure

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-

SAFETY DATA SHEET



TEBUCONAZOLE 250 G/L EW

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/12	50000638	Date of first issue: 2026/02/12

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

TW / EN