

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	20.11.2025	50000339	Date of first issue: 01.08.2021

SECTION 1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE COMPANY OR UNDERTAKING

Chemical product identification : GAMIT® 360 CS

Other means of identification : COMMAND® 3 ME
COMMAND® 360 CS

Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Can be used as herbicide only.
Herbicide

Restrictions on use : Use as recommended by the label.

Details of the supplier of the safety data sheet

Company name of supplier : FMC QUIMICA CHILE LTDA

Supplier's address : AVDA VITACURA 2670,
PISO 15, LAS CONDES,
VITACURA, SANTIAGO, CHILE
+56 2 28204200

E-mail address : SDS-Info@fmc.com

Emergency and toxicological information number in Chile : Chile: Spills: CITUC: +56 2 2247 3600 (24 hours) Fire: 132 (24 hours)
+56-22-5814934 (CHEMTREC - Chile)
1 703 / 741-5970 (CHEMTREC - International)

Medical Emergency Number : Chile: CITUC: +56 2 2635 3800 (24 hours)

SECTION 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Skin sensitization : Category 1

Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

Long-term (chronic) aquatic hazard : Category 1

Label elements

SAFETY DATA SHEET



GAMIT® 360 CS

Version 3.0 Revision Date: 20.11.2025 SDS Number: 50000339 Date of last issue: -
Date of first issue: 01.08.2021

Hazard pictograms



Signal Word

: WARNING

Hazard Statements

: H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**

P261 Avoid breathing mist or vapors.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Systematic chemical name	Common Name	CAS-No.	Concentration or range (% w/w)	Classification
clomazone (ISO)	Clomazone	81777-89-1	>= 25 - < 30	Acute toxicity (Oral), Category 4

SAFETY DATA SHEET



GAMIT® 360 CS

Version 3.0 Revision Date: 20.11.2025 SDS Number: 50000339 Date of last issue: -
Date of first issue: 01.08.2021

				Acute toxicity (Inhalation), Category 4 Short-term (acute) aquatic hazard, Category 1 Long-term (chronic) aquatic hazard, Category 1
sodium nitrate	sodium nitrate	7631-99-4	$\geq 5 - < 10$	Oxidizing solids, Category 2 Serious eye damage/eye irritation, Category 2
calcium chloride	calcium chloride	10043-52-4	$\geq 1 - < 5$	Serious eye damage/eye irritation, Category 2

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- Inhalation : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- Skin contact : Wash off with soap and water.
If symptoms persist, call a physician.
Wash contaminated clothing before re-use.
- Eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- Ingestion : Induce vomiting immediately and call a physician.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
May cause respiratory irritation.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- Notes to physician : Treat symptomatically.

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	20.11.2025	50000339	Date of first issue: 01.08.2021

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
- High volume water jet
- Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Nitrogen oxides (NO_x)
Sodium oxides
Carbon oxides
Sulfur oxides
- Fire may produce irritating, corrosive and/or toxic gases.
Nitrogen oxides (NO_x)
Sodium oxides
Carbon oxides
Sulfur oxides
- Related specific hazards : Do not allow run-off from fire fighting to enter drains or water courses.
- Do not allow run-off from fire fighting to enter drains or water courses.
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Recommendations for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.
- Recommendations for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protection : Evacuate personnel to safe areas.

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	20.11.2025	50000339	Date of first issue: 01.08.2021

tive equipment and emergency procedures

Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.

Environmental precautions

: Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and material for containment and cleaning up

: Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
Keep in suitable, closed containers for disposal.

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Handling

Precautions for safe handling

: Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

For personal protection see section 8.
Avoid formation of respirable particles.
Dispose of rinse water in accordance with local and national regulations.
Smoking, eating and drinking should be prohibited in the application area.

For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	20.11.2025	50000339	Date of first issue: 01.08.2021

Dispose of rinse water in accordance with local and national regulations.

Operational and technical measures : Normal measures for preventive fire protection.
Normal measures for preventive fire protection.

Contact prevention : Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

Agricultural compounds

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Eye wash bottle with pure water
Tightly fitting safety goggles

Skin protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	20.11.2025	50000339	Date of first issue: 01.08.2021

Hand protection Material	:	Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Respiratory protection	:	In the case of dust or aerosol formation use respirator with an approved filter. In the case of dust or aerosol formation use respirator with an approved filter. No personal respiratory protective equipment normally required.
Protective measures	:	Wear suitable protective equipment. Plan first aid action before beginning work with this product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	:	liquid
Form	:	liquid
Color	:	brown
Odor	:	slight, Aromatic
Odor Threshold	:	No data available
pH	:	6,5 (20 °C) Concentration: 1 %
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 94 °C Method: closed cup
Evaporation rate	:	No data available

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	20.11.2025	50000339	Date of first issue: 01.08.2021

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Vapor density	:	No data available
Relative density	:	No data available
Density	:	1,15 g/cm ³
Solubility(ies) Water solubility	:	dispersible
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	417 - 430 mPa.s (23 °C)
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Other information		
Molecular weight	:	Not applicable
Self-ignition	:	392 °C

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	Avoid extreme temperatures. Avoid formation of aerosol.

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	20.11.2025	50000339	Date of first issue: 01.08.2021

	No data available
Incompatible materials	: Avoid strong acids, bases, and oxidizers.
	Not applicable
Hazardous decomposition products	: Stable under recommended storage conditions.
	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	: LD50 Oral(Rat): > 5.000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: LC50(Rat): > 3,86 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The component/mixture is minimally toxic after short term inhalation. Remarks: Highest attainable concentration. no mortality
Acute dermal toxicity	: LD50(Rat, male and female): > 5.000 mg/kg Method: US EPA Test Guideline OPP 81-2 Assessment: The substance or mixture has no acute dermal toxicity

Components:

clomazone (ISO):

Acute oral toxicity	: LD50 (Rat, female): 768 mg/kg Method: OECD Test Guideline 425 LD50 (Rat, female): 300 - 2.000 mg/kg Method: OECD Test Guideline 423 Target Organs: Liver Assessment: The component/mixture is moderately toxic after single ingestion. LD50 (Rat, female): 1.564 mg/kg Symptoms: ataxia
Acute inhalation toxicity	: LC50 (Rat): > 5,02 mg/l Exposure time: 4 h

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	20.11.2025	50000339	Date of first issue: 01.08.2021

Test atmosphere: dust/mist
Method: OECD Test Guideline 403

LC50 (Rat, female): 4,23 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: EPA OPP 81 - 3
Symptoms: Breathing difficulties

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg
Method: US EPA Test Guideline OPP 81-2
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

sodium nitrate:

Acute oral toxicity : LD50 (Rat, male and female): 3.430 mg/kg
Method: OECD Test Guideline 401

LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 425

Acute inhalation toxicity : LD50 (Rat): > 0,527 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 402

calcium chloride:

Acute oral toxicity : LD50 (Rat, male): 2.120 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5.000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Assessment : Not classified as irritant
Result : slight or no skin irritation.
Remarks : May cause skin irritation in susceptible persons.

Components:

clomazone (ISO):

Species : Rabbit
Assessment : Not classified as irritant
Method : OECD Test Guideline 404

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	20.11.2025	50000339	Date of first issue: 01.08.2021

Result : slight or no skin irritation.

calcium chloride:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage or eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Assessment : Not classified as irritant
Result : Slight or no eye irritation
Remarks : May cause skin and eye irritation in susceptible persons.

Components:

clomazone (ISO):

Species : Rabbit
Assessment : Not classified as irritant
Method : OECD Test Guideline 405
Result : Slight or no eye irritation
GLP : yes

sodium nitrate:

Species : Rabbit
Assessment : Irritating to eyes.
Method : OECD Test Guideline 405
Result : Eye irritation

calcium chloride:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritation to eyes, reversing within 21 days

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Assessment : May cause sensitization by skin contact.
Result : Slightly sensitising
Remarks : Causes sensitization.

Remarks : Causes sensitization.

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	20.11.2025	50000339	Date of first issue: 01.08.2021

Components:

clomazone (ISO):

Species	:	Guinea pig
Assessment	:	Not a skin sensitizer.
Method	:	US EPA Test Guideline OPP 81-6
Result	:	Not a skin sensitizer.

sodium nitrate:

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitization.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

clomazone (ISO):

Genotoxicity in vitro	:	Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative GLP: yes
-----------------------	---	---

	:	Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Result: negative
--	---	---

Genotoxicity in vivo	:	Test Type: Cytogenetic assay Species: Rat Method: OECD Test Guideline 473 Result: negative
----------------------	---	---

sodium nitrate:

Genotoxicity in vitro	:	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
-----------------------	---	---

Genotoxicity in vivo	:	Test Type: unscheduled DNA synthesis assay Species: Mouse Application Route: Oral Result: negative
----------------------	---	---

calcium chloride:

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 471 Result: negative
-----------------------	---	--

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	20.11.2025	50000339	Date of first issue: 01.08.2021

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

clomazone (ISO):

Species	:	Rat, male and female
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

Species	:	Mouse
Method	:	OECD Test Guideline 453
Result	:	negative

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

clomazone (ISO):

Effects on fertility	:	Test Type: Two-generation study Species: Rat, male and female Application Route: Oral Result: negative
----------------------	---	---

Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rat Application Route: Oral Symptoms: Maternal effects. Result: negative
------------------------------	---	---

	:	Test Type: Embryo-fetal development Species: Rabbit Application Route: Oral Symptoms: Maternal effects. Result: negative
--	---	--

sodium nitrate:

Effects on fertility	:	Test Type: reproductive and developmental toxicity study Species: Rat Application Route: Oral Result: negative Remarks: Based on data from similar materials
----------------------	---	--

Effects on fetal development	:	Test Type: reproductive and developmental toxicity study Species: Rat Application Route: Oral Result: negative
------------------------------	---	---

calcium chloride:

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	20.11.2025	50000339	Date of first issue: 01.08.2021

Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Method: OECD Test Guideline 414
Remarks: No significant adverse effects were reported

Specific particular organ toxicity - single exposure

May cause respiratory irritation.

Product:

Assessment : May cause respiratory irritation.

Specific particular organ toxicity - repeated exposure

Based on available data, the classification criteria are not met.

Repeated dose toxicity

Components:

clomazone (ISO):

Species	: Rat, male and female
NOEL	: 1000 ppm
Application Route	: Oral
Exposure time	: 90 d
Symptoms	: increased liver weight

Species	: Rat
LOAEL	: 400 mg/kg
Exposure time	: 90 d
Method	: OECD Test Guideline 408
Symptoms	: Liver effects

Inhalation hazard

Based on available data, the classification criteria are not met.

Components:

clomazone (ISO):

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

Components:

clomazone (ISO):

Remarks : When fed to animals, clomazone caused decreased activity, tearing eyes, bleeding from the nose and incoordination.

GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	20.11.2025	50000339	Date of first issue: 01.08.2021

SECTION 12. ECOLOGICAL INFORMATION

Toxicity**Product:**

- | | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Fish): > 100 mg/l
Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Crustaceans): > 100 mg/l
Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | ErC50 (Pseudokirchneriella subcapitata (green algae)): 32,7 mg/l
Exposure time: 72 h

EbC50 (Pseudokirchneriella subcapitata (green algae)): 20,4 mg/l
Exposure time: 72 h

EyC50 (Pseudokirchneriella subcapitata (green algae)): 21,4 mg/l
Exposure time: 72 h |
| Toxicity to soil dwelling organisms | : | LC50: 4.830,2 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms) |
| Toxicity to terrestrial organisms | : | LD50: > 2.000 mg/kg
Exposure time: 7 d
Species: Birds

LD50: > 277,8 µg/bee
Exposure time: 48 h
Species: Apis mellifera (bees) |

Ecotoxicology Assessment

- | | | |
|--------------------------|---|---|
| Chronic aquatic toxicity | : | Very toxic to aquatic life with long lasting effects. |
|--------------------------|---|---|

Components:**clomazone (ISO):**

- | | | |
|---|---|---|
| Toxicity to fish | : | LC50 (Menidia beryllina (Silverside)): 6,3 mg/l
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 45 mg/l
Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 34 mg/l
Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 40,8 mg/l
Exposure time: 48 h |

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	20.11.2025	50000339	Date of first issue: 01.08.2021

EC50 (Daphnia): 5,2 mg/l
Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 12,7 mg/l
Exposure time: 48 h
Test Type: static test

EC50 (Mysidopsis bahia (opossum shrimp)): 9,8 mg/l
Exposure time: 48 h

LC50 (Americamysis bahia (mysid shrimp)): 0,57 mg/l
Exposure time: 96 h
Test Type: flow-through test

Toxicity to algae/aquatic plants : EbC50 (Selenastrum capricornutum (green algae)): 2 mg/l
Exposure time: 72 h

ErC50 (Selenastrum capricornutum (green algae)): 4,1 mg/l
Exposure time: 72 h

ErC50 (Navicula pelliculosa (Freshwater diatom)): 0,136 mg/l
Exposure time: 120 h

EC50 (Lemna gibba (duckweed)): 13,9 mg/l
Exposure time: 7 d

NOEC (Navicula pelliculosa (Freshwater diatom)): 0,05 mg/l
End point: Growth rate
Exposure time: 120 h

NOEC (algae): 0,05 mg/l
Exposure time: 96 h

EC50 (Lemna gibba (duckweed)): 13,9 mg/l
Exposure time: 7 d

EC50 (algae): 0,136 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 2,3 mg/l
Exposure time: 21 d
Species: Oncorhynchus mykiss (rainbow trout)
Test Type: flow-through test

NOEC: 2,29 mg/l
Exposure time: 57 d
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic) : NOEC: 2,2 mg/l
Exposure time: 21 d

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	20.11.2025	50000339	Date of first issue: 01.08.2021

ic toxicity) Species: *Daphnia magna* (Water flea)
NOEC: 0,032 mg/l
Exposure time: 28 d
Species: *Americamysis bahia* (mysid shrimp)
Test Type: flow-through test

NOEC: 1,25 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)
Test Type: static test

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : LC50: 156 mg/kg
Exposure time: 14 d
Species: *Eisenia fetida* (earthworms)

Toxicity to terrestrial organisms : LD50: > 2.510 mg/kg
Species: *Anas platyrhynchos* (Mallard duck)

LC50: > 5620 ppm
Species: *Anas platyrhynchos* (Mallard duck)
Remarks: Dietary

LD50: > 2000
Species: *Coturnix japonica* (Japanese quail)

NOEC: 94 mg/kg
End point: Reproduction Test
Species: *Colinus virginianus*

LC50: > 85.29
Species: *Apis mellifera* (bees)

LC50: > 100
Species: *Apis mellifera* (bees)
Remarks: Contact

sodium nitrate:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 8.600 mg/l
Exposure time: 24 h
Method: OECD Test Guideline 202

Toxicity to microorganisms : EC50: > 1.000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	20.11.2025	50000339	Date of first issue: 01.08.2021

Toxicity to fish (Chronic toxicity) : NOEC: 157 mg/l
Exposure time: 32 d
Species: Pimephales promelas (fathead minnow)

calcium chloride:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 4.630 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.400 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Chlorella vulgaris (Fresh water algae)): 2.900 mg/l
Exposure time: 72 h

EC10 (Chlorella vulgaris (Fresh water algae)): 1.000 mg/l
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 320 mg/l
Exposure time: 21 d

Persistence and degradability

Components:

clomazone (ISO):

Biodegradability : Result: Not readily biodegradable.
Remarks: Substance/product is moderately persistent in the environment.
Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and water.

sodium nitrate:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

clomazone (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 27 - 40
Remarks: Low potential for bioaccumulation

Partition coefficient: n-octanol/water : log Pow: 2,61 - 2,69 (20 - 21 °C)
pH: 4 - 10

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	20.11.2025	50000339	Date of first issue: 01.08.2021

Method: Regulation (EC) No. 440/2008, Annex, A.8

Mobility in soil

Components:

clomazone (ISO):

Distribution among environmental compartments : Koc: 300 ml/g, log Koc: 2,47
Remarks: Moderately mobile in soils

Stability in soil :

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life.
Very toxic to aquatic life with long lasting effects.

Components:

clomazone (ISO):

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging, and contaminated material : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	20.11.2025	50000339	Date of first issue: 01.08.2021

It is prohibited to reuse, bury, burn, or sell containers. Rinsable containers: Triple rinse containers of less than 20 liters and pressure rinse containers of 20 liters or more. Triple rinsing: Add water up to $\frac{1}{4}$ of the container's capacity, close and shake for 30 seconds. Pour the rinse water into the mixing tank, considering this volume of water within the recommended volume for mixing preparation. Perform this procedure three times. Pressure rinsing: Activate the pressure rinsing device for 30 seconds, considering the volume of water used as part of the recommended volume for mixing preparation. In both procedures, punctured the container on its base without damaging the label. In all cases, take the empty containers to collection points indicated by the local empty containers program.

Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clomazone)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Clomazone)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clomazone)
Class	: 9

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	20.11.2025	50000339	Date of first issue: 01.08.2021

Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

NCh382

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clomazone)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

National Regulations

Chile. Decree 190. Carcinogenic Substances, Hazardous Waste Management. : Not applicable

Decree 1358 - Establishment of rules governing the control measures of precursors and essential chemicals. : acetic acid
sodium hydroxide

Resolution 408/16 Exempt, Approving List of Health Hazardous Substances : Included in list of Article 3, item a),
Classification according to NCh382

Other regulations

Decree 43/2015, Approving Regulation on Storage of Hazardous Substances
NCh 2245:2021 Safety data sheet for chemical products - Content and order of sections
NCh 2190:2019 Land transport of dangerous goods - Hazard identification marks
NCh 382:2021 Dangerous Goods – Classification
Decree 57 of 2019, Regulation on Classification, Labeling, and Notification of Hazardous Chemicals and Mixtures
D.S. 148/03 Sanitary Regulation on hazardous wastes handling
D.S. 298/94 Regulation on transport of hazardous cargo on streets and roads
D.S. 594/99 Regulation on sanitary and environmental basic conditions at work places
Exempt Resolution 15 of 2023 approving the List of Hazardous Substances Subject to Import Process

The ingredients of this product are reported in the following inventories:

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	20.11.2025	50000339	Date of first issue: 01.08.2021

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL. clomazone (ISO)
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

The receiver should verify the possible existence of legal regulations applicable to chemical.

SECTION 16. OTHER INFORMATION

Revision Date	:	20.11.2025
Date format	:	dd.mm.yyyy

Full text of H-Statements

Abbreviations and acronyms

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Ox. Sol.	:	Oxidizing solids
Serious eye damage/eye irritation	:	Serious eye damage/eye irritation

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA

SAFETY DATA SHEET



GAMIT® 360 CS

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	20.11.2025	50000339	Date of first issue: 01.08.2021

- International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CL / EN