

SAFETY DATA SHEET

according to the Globally Harmonized System



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	11.03.2026	50001628	Date of first issue: 07.11.2022

1. IDENTIFICATION

Product name : OREGON® 60 SC

Other means of identification : ABAMECTIN 60 G/L SC

Manufacturer or supplier's details

Company : EQUINOX S.A. DE C.V.

Address : AV. PONIENTE 4 NO.133
CIUDAD INDUSTRIAL CELAYA,
GUANAJUATO, MÉXICO C.P. 38010.
TELEFONO: (461) 611 77 66
EQUINOXAGRO.COM

E-mail address : SDS-Info@fmc.com

Emergency telephone : +506-40003869
911

Medical Emergency Number : Costa Rica - National Center of Poisoning - (506) 2223-1028;
800-INTOXICA
Dominican Republic: DOMINICAN REPUBLIC - Center for
Drug Information and Poisoning - (809) 562-6601 Ext. 1801
El Salvador - Rosales National Hospital - (503) 2231-9262
Guatemala - Center of Toxicological Information and Assis-
tance - (502) 2251-3560 / 2232-0735
Honduras - Hospital School - (504) 232-6105
Nicaragua - National Center of Toxicology - (505) 2289-4700
ext. 1294 cel. 8755-0983
Panama Center of Research and Information on Medications
and Toxicology (507) 523-4948

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as insecticide only.

Restrictions on use : Use as recommended by the label.

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 2

OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	11.03.2026	50001628	Date of first issue: 07.11.2022

Acute toxicity (Dermal)	:	Category 5
Reproductive toxicity	:	Category 2
Specific target organ toxicity - repeated exposure	:	Category 1 (Nervous system)
Short-term (acute) aquatic hazard	:	Category 1
Long-term (chronic) aquatic hazard	:	Category 1

GHS label elements

Hazard pictograms :



Signal Word : DANGER

Hazard Statements : H302 Harmful if swallowed.
H313 May be harmful in contact with skin.
H330 Fatal if inhaled.
H361 Suspected of damaging fertility or the unborn child.
H372 Causes damage to organs (Nervous system) through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements :

Prevention:
P203 Obtain, read and follow all safety instructions before use.
P260 Do not breathe mist or vapors.
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or with adequate ventilation.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
P284 Wear respiratory protection.

Response:
P301 + P317 + P330 IF SWALLOWED: Get medical help.
Rinse mouth.
P302 + P352 + P317 IF ON SKIN: Wash with plenty of water.
Get medical help.
P304 + P340 + P316 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get emergency medical help immediately.
P318 IF exposed or concerned, get medical advice.
P391 Collect spillage.

Storage:

SAFETY DATA SHEET

according to the Globally Harmonized System



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	11.03.2026	50001628	Date of first issue: 07.11.2022

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
glutamic acid	56-86-0	$\geq 2,5 - < 10$
Abamectin	71751-41-2	$\geq 2,5 - < 10$

4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Consult a physician.
Show this material safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.
- If inhaled : Call a physician or poison control center immediately.
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : Wash off with soap and water.
If symptoms persist, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms : Harmful if swallowed.

OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	11.03.2026	50001628	Date of first issue: 07.11.2022

and effects, both acute and delayed		May be harmful in contact with skin. Fatal if inhaled. Suspected of damaging fertility or the unborn child. Causes damage to organs through prolonged or repeated exposure. Exposure causes symptoms of nervous system depression, such as pupil dilation, vomiting, excitation, incoordination, tremors, lethargy, coma. High doses cause death by respiratory failure.
Protection of first-aiders	:	Avoid inhalation, ingestion and contact with skin and eyes.
Notes to physician	:	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Dry chemical, CO ₂ , water spray or regular foam.
Unsuitable extinguishing media	:	Do not spread spilled material with high-pressure water streams.
Specific hazards during fire fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	Carbon oxides Fire may produce irritating, corrosive and/or toxic gases.
Specific extinguishing methods	:	Remove undamaged containers from fire area if it is safe to do so. Use a water spray to cool fully closed containers. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for fire-fighters	:	Firefighters should wear protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Evacuate personnel to safe areas. Use personal protective equipment. If it can be safely done, stop the leak. Do not touch or walk through the spilled material. Ensure adequate ventilation.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform

SAFETY DATA SHEET

according to the Globally Harmonized System



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	11.03.2026	50001628	Date of first issue: 07.11.2022

respective authorities.

Methods and materials for containment and cleaning up : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Prevent unauthorized access.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : Do not store near acids.

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : Dust/mist/aerosol

Hand protection
Material : Protective gloves

SAFETY DATA SHEET

according to the Globally Harmonized System



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	11.03.2026	50001628	Date of first issue: 07.11.2022

Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles
Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective measures	: Plan first aid action before beginning work with this product.
Hygiene measures	: Avoid contact with skin, eyes and clothing. Do not inhale aerosol. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Color	: white
Odor	: Aromatic
Odor Threshold	: No data available
pH	: 4,43 (21 °C) Concentration: 10 g/l
Melting point/ range	: No data available
Boiling point/boiling range	: No data available
Flash point	: > 100 °C
Evaporation rate	: No data available
Self-ignition	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower	: No data available

SAFETY DATA SHEET

according to the Globally Harmonized System



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	11.03.2026	50001628	Date of first issue: 07.11.2022

flammability limit

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : 1,1098 g/cm³

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 294 mPa.s (22,1 °C)

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : Non-oxidizing

Molecular weight : Not applicable

10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : Avoid extreme temperatures.
Avoid formation of aerosol.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

SAFETY DATA SHEET

according to the Globally Harmonized System



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	11.03.2026	50001628	Date of first issue: 07.11.2022

Information on likely routes of exposure : Inhalation
Skin contact

Acute toxicity

Harmful if swallowed.
May be harmful in contact with skin.
Fatal if inhaled.

Product:

Acute oral toxicity	: LD50(Rat): 310 mg/kg
Acute inhalation toxicity	: LC50(Rat): < 0,52 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The component/mixture is highly toxic after short term inhalation. LC50(Rat): < 2 mg/l Exposure time: 1 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50(Rat): > 2.000 mg/kg Assessment: The component/mixture is minimally toxic after single contact with skin.

Components:

glutamic acid:

Acute oral toxicity	: LD50 (Rat, male and female): > 5.110 mg/kg
Acute dermal toxicity	: LD50 (Rat, male and female): > 2.000 mg/kg Method: OECD Test Guideline 402 Remarks: no mortality

Abamectin:

Acute oral toxicity	: LD50 (Rat): 340 mg/kg Method: OECD Test Guideline 425 Symptoms: Fatality LD50 (Rat): 300 - 2.000 mg/kg Method: OECD Test Guideline 423 Symptoms: ataxia, apathy, Tremors, Fatality
Acute inhalation toxicity	: LC50 (Rat, male): 0,052 - 0,54 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	: LD50 (Rat, female): 1.414 mg/kg Method: OECD Test Guideline 402

SAFETY DATA SHEET

according to the Globally Harmonized System



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	11.03.2026	50001628	Date of first issue: 07.11.2022

Symptoms: apathy, ataxia, Fatality

LD50 (Rat): 944 mg/kg

Method: OECD Test Guideline 402

Symptoms: apathy, ataxia, Breathing difficulties, Fatality

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Assessment	:	No skin irritation
Result	:	No skin irritation

Components:

glutamic acid:

Species	:	Rabbit
Method	:	Regulation (EC) No. 440/2008, Annex, B.4
Result	:	No skin irritation

Abamectin:

Species	:	Rabbit
Assessment	:	Not classified as irritant

Method	:	OECD Test Guideline 404
Result	:	slight or no skin irritation.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Assessment	:	No eye irritation
Result	:	No eye irritation

Components:

glutamic acid:

Species	:	Rabbit
Method	:	Regulation (EC) No. 440/2008, Annex, B.5
Result	:	No eye irritation

Abamectin:

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
Result	:	Slight or no eye irritation

SAFETY DATA SHEET

according to the Globally Harmonized System



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	11.03.2026	50001628	Date of first issue: 07.11.2022

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Assessment	:	Not a skin sensitizer.
Result	:	Not a skin sensitizer.

Components:

glutamic acid:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	Regulation (EC) No. 440/2008, Annex, B.6
Result	:	Not a skin sensitizer.
GLP	:	yes

Abamectin:

Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Not a skin sensitizer.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

glutamic acid:

Genotoxicity in vitro	:	Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative GLP: yes
-----------------------	---	---

	:	Test Type: Chromosome aberration test in vitro Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative
--	---	---

Genotoxicity in vivo	:	Test Type: In vivo micronucleus test Species: Mouse Application Route: Oral Exposure time: 3 d Dose: >2000 mg/kg Method: OECD Test Guideline 474
----------------------	---	---

SAFETY DATA SHEET

according to the Globally Harmonized System



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	11.03.2026	50001628	Date of first issue: 07.11.2022

Result: negative

Abamectin:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test
Species: mice
Result: negative
GLP: yes

Germ cell mutagenicity - Assessment : No genotoxic potential.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

glutamic acid:

Species : Rat, male
Exposure time : 104 w
Dose : 1982 mg/kg
Method : OECD Test Guideline 451
Result : negative

Species : Rat, female
Exposure time : 104 w
Dose : 1982 mg/kg
Method : OECD Test Guideline 451
Result : negative

Abamectin:

Method : OECD Test Guideline 451
Remarks : Not classified

Method : OECD Test Guideline 453
Remarks : Not classified

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

SAFETY DATA SHEET

according to the Globally Harmonized System



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	11.03.2026	50001628	Date of first issue: 07.11.2022

Components:

glutamic acid:

Effects on fertility	:	Test Type: Two-generation study Species: Rat Application Route: Oral Method: OECD Test Guideline 416 Result: negative
Effects on fetal development	:	Test Type: reproductive and developmental toxicity study Species: Rat Application Route: Oral Dose: >3019 mg a.s./kg Method: OECD Test Guideline 414 Result: negative

Abamectin:

Reproductive toxicity - Assessment	:	Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.
------------------------------------	---	--

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Causes damage to organs (Nervous system) through prolonged or repeated exposure.

Components:

Abamectin:

Target Organs	:	Nervous system
Assessment	:	The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Repeated dose toxicity

Components:

glutamic acid:

Species	:	Dog, male and female
NOAEL	:	> 1.500 mg/kg
Application Route	:	Oral
Exposure time	:	90 - 92 d
Method	:	OECD Test Guideline 409

Abamectin:

Species	:	Dog
LOEL	:	0,5 mg/kg
Application Route	:	Oral
Exposure time	:	18 weeks
Method	:	OECD Test Guideline 409

SAFETY DATA SHEET

according to the Globally Harmonized System



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	11.03.2026	50001628	Date of first issue: 07.11.2022

Species	: Rat
LOAEC	: 0,0027 mg/l
Application Route	: Inhalation
Exposure time	: 30 d

Species	: Rat, female
NOAEL	: 3,0 mg/kg
LOAEL	: 6,7 mg/kg
Application Route	: Oral
Exposure time	: 28 d
Dose	: 0, 3, 6.7, 8.9, 11.5 mg/kg bw/day
Method	: OECD Test Guideline 407
GLP	: yes
Symptoms	: Tremors, Fatality

Species	: Rat, female
NOAEL	: 3,8 mg/kg
LOAEL	: 9,3 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Dose	: 0, 1.8, 3.8, 9.3, 9.6 mg/kg bw/day
Method	: OECD Test Guideline 408
GLP	: yes

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Abamectin:

No aspiration toxicity classification

Further information

Product:

Remarks	: No data available
---------	---------------------

Components:

Abamectin:

Remarks	: Exposure causes symptoms of nervous system depression, such as pupil dilation, vomiting, excitation, incoordination, tremors, lethargy, coma. High doses cause death by respiratory failure.
---------	--

SAFETY DATA SHEET

according to the Globally Harmonized System



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	11.03.2026	50001628	Date of first issue: 07.11.2022

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

glutamic acid:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 100 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 16 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

Abamectin:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0,027 - 0,044 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,0008 - 0,0015 mg/l
End point: Immobilization
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes

EC50 (Daphnia magna (Water flea)): 0,0002 - 0,00028 mg/l
End point: Immobilization
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes

EC50 (Daphnia pulex (Water flea)): 0,000159 mg/l
End point: Immobilization

SAFETY DATA SHEET

according to the Globally Harmonized System



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	11.03.2026	50001628	Date of first issue: 07.11.2022

Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes

NOEC (*Daphnia pulex* (Water flea)): 0,000089 mg/l
End point: Immobilization
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : EC50 (*Scenedesmus capricornutum* (fresh water algae)): 56,68 - 85,41 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes

Toxicity to fish (Chronic toxicity) : NOEC: 0,0044 mg/l
Exposure time: 28 d
Species: *Pimephales promelas* (fathead minnow)
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,00003 mg/l
End point: reproduction
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)
Method: OECD Test Guideline 202

Toxicity to soil dwelling organisms : LC50: 14,24 - 18,37 mg/kg
Exposure time: 14 d
Species: *Eisenia fetida* (earthworms)
Method: OECD Test Guideline 207

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organisms : LD50: 0,00071 - 0,00099 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Species: *Apis mellifera* (bees)
Method: OECD Test Guideline 214

LD50: > 5000 ppm
Species: *Coturnix japonica* (Japanese quail)
Remarks: Dietary

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

SAFETY DATA SHEET

according to the Globally Harmonized System



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	11.03.2026	50001628	Date of first issue: 07.11.2022

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Persistence and degradability

Components:

glutamic acid:

Biodegradability : Concentration: 50 mg/l
Biodegradation: > 70 %
Exposure time: 28 d
Remarks: Readily biodegradable, according to appropriate OECD test.

Abamectin:

Biodegradability : Result: Not readily biodegradable.
Remarks: It undergoes degradation in the environment and in waste water treatment plants.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

glutamic acid:

Partition coefficient: n-octanol/water : log Pow: -4 (20 °C)

Abamectin:

Bioaccumulation : Species: Danio rerio (zebra fish)
Bioconcentration factor (BCF): 54
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 5,5

Mobility in soil

Components:

Abamectin:

Distribution among environmental compartments : Remarks: Mobile in soils

Other adverse effects

Product:

SAFETY DATA SHEET

according to the Globally Harmonized System



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	11.03.2026	50001628	Date of first issue: 07.11.2022

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : It is prohibited to reuse, bury, burn, or sell containers. Rinsable containers: Triple rinse containers of less than 20 liters and pressure rinse containers of 20 liters or more. Triple rinsing: Add water up to $\frac{1}{4}$ of the container's capacity, close and shake for 30 seconds. Pour the rinse water into the mixing tank, considering this volume of water within the recommended volume for mixing preparation. Perform this procedure three times. Pressure rinsing: Activate the pressure rinsing device for 30 seconds, considering the volume of water used as part of the recommended volume for mixing preparation. In both procedures, punctured the container on its base without damaging the label. In all cases, take the empty containers to collection points indicated by the local empty containers program.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 2902
Proper shipping name : PESTICIDE, LIQUID, TOXIC, N.O.S.
(Abamectin)

Class : 6.1
Packing group : II
Labels : 6.1
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 2902
Proper shipping name : Pesticide, liquid, toxic, n.o.s.
(Abamectin)

Class : 6.1
Packing group : II
Labels : Toxic
Packing instruction (cargo) : 662

SAFETY DATA SHEET

according to the Globally Harmonized System



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	11.03.2026	50001628	Date of first issue: 07.11.2022

aircraft)

Packing instruction (passenger aircraft) : 654

Environmentally hazardous

: yes

IMDG-Code

UN number : UN 2902

Proper shipping name : PESTICIDE, LIQUID, TOXIC, N.O.S. (Abamectin)

Class : 6.1

Packing group : II

Labels : 6.1

EmS Code : F-A, S-A

Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

Abamectin

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	11.03.2026	50001628	Date of first issue: 07.11.2022


TECI : Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date : 11.03.2026
Date format : dd.mm.yyyy

Further information

NFPA:



HMIS® IV:

HEALTH	*	3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships;

SAFETY DATA SHEET

according to the Globally Harmonized System



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	11.03.2026	50001628	Date of first issue: 07.11.2022

n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

HN / EN