

SAFETY DATA SHEET



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	11.03.2026	50001628	Date of first issue: 05.01.2018

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product name OREGON® 60 SC

Other means of identification

Product code 50001628

Product Registration Number RSCO-NEMA-0174-0724-064-5.41

Recommended use of the chemical and restrictions on use

Recommended use Can be used as insecticide only.

Restrictions on use Use as recommended by the label.

Manufacturer or supplier's details**Manufacturer**

FMC AGROQUÍMICA DE MÉXICO,
S. DE R.L. DE C.V AV. VALLARTA NO.
6503, LOCAL A1-6, COL. CD. GRANJA,
45010 ZAPOPAN, JALISCO, MÉXICO
TEL.: (33) 3003 4500
CONTACTOMEXICO@FMC.COM
SDS-Info@fmc.com

Emergency telephone

For leak, fire, spill or accident emergencies, call:
800-681-9531 (CHEMTREC - Mexico)
1 703 / 741-5970 (CHEMTREC - International)

Medical emergency:
911
SINTOX (Toxicological Information Service): 800 009 2800; 55
5611 2634 and 55 5598 6659, service 24 hours a day, 365
days a year.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral)	: Category 4
Acute toxicity (Inhalation)	: Category 2
Acute toxicity (Dermal)	: Category 5
Reproductive toxicity	: Category 2
Specific target organ toxicity	: Category 1 (Nervous system)

SAFETY DATA SHEET



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	11.03.2026	50001628	Date of first issue: 05.01.2018

- repeated exposure

GHS label elements

Hazard pictograms

:



Signal Word

:

DANGER

Hazard Statements

:

H302 Harmful if swallowed.
H313 May be harmful in contact with skin.
H330 Fatal if inhaled.
H361 Suspected of damaging fertility or the unborn child.
H372 Causes damage to organs (Nervous system) through prolonged or repeated exposure.

Precautionary Statements

:

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284 Wear respiratory protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.
P312 Call a POISON CENTER or doctor/ physician if you feel unwell.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

SAFETY DATA SHEET



OREGON® 60 SC

Version 3.0 Revision Date: 11.03.2026 SDS Number: 50001628 Date of last issue: -
Date of first issue: 05.01.2018

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
glutamic acid	56-86-0	>= 5 -< 10
Abamectin	71751-41-2	>= 5 -< 10

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Consult a physician.
Show this material safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.
- If inhaled : Call a physician or poison control center immediately.
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : Wash off with soap and water.
If symptoms persist, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
May be harmful in contact with skin.
Fatal if inhaled.
Suspected of damaging fertility or the unborn child.
Causes damage to organs through prolonged or repeated exposure.
Exposure causes symptoms of nervous system depression, such as pupil dilation, vomiting, excitation, incoordination, tremors, lethargy, coma. High doses cause death by respiratory failure.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- Notes to physician : In case of poisoning, call the emergency numbers SINTOX (control center of intoxications): 800 009 2800; (55) 5611 2634

SAFETY DATA SHEET



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	11.03.2026	50001628	Date of first issue: 05.01.2018

and (55) 5598 6659, 24-hour service on 365 days of the year.
For emergencies: 911.
Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides
Fire may produce irritating, corrosive and/or toxic gases.
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.
Ensure adequate ventilation.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
Keep in suitable, closed containers for disposal.
- For further cleaning instructions call CHEMTREC, 800-681-9531.

SAFETY DATA SHEET



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	11.03.2026	50001628	Date of first issue: 05.01.2018

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
- For incompatible materials see section 10.
- Hygiene measures : Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
- Conditions for safe storage : Prevent unauthorized access.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Materials to avoid : Do not store near acids.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
- Filter type : Dust/mist/aerosol
- Hand protection
Material : Protective gloves

SAFETY DATA SHEET



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	11.03.2026	50001628	Date of first issue: 05.01.2018

Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles
Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective measures	: Plan first aid action before beginning work with this product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Color	: white
Odor	: Aromatic
Odor Threshold	: No data available
pH	: 4.43 (21 °C) Concentration: 10 g/l
Melting point/ range	: No data available
Boiling point/boiling range	: No data available
Flash point	: > 100 °C
Evaporation rate	: No data available
Self-ignition	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available

SAFETY DATA SHEET



OREGON® 60 SC

Version 3.0	Revision Date: 11.03.2026	SDS Number: 50001628	Date of last issue: - Date of first issue: 05.01.2018
----------------	------------------------------	-------------------------	--

Density	:	1.1098 g/cm ³
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	294 mPa.s (22.1 °C)
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Molecular weight	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	Avoid extreme temperatures. Avoid formation of aerosol.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact

Acute toxicity

Harmful if swallowed.
May be harmful in contact with skin.
Fatal if inhaled.

SAFETY DATA SHEET



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	11.03.2026	50001628	Date of first issue: 05.01.2018

Product:

Acute oral toxicity : LD50 (Rat): 310 mg/kg

Acute inhalation toxicity : LC50 (Rat): < 0.52 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The component/mixture is highly toxic after short term inhalation.

LC50 (Rat): < 2 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Assessment: The component/mixture is minimally toxic after single contact with skin.

Components:

glutamic acid:

Acute oral toxicity : LD50 (Rat, male and female): > 5,110 mg/kg

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Remarks: no mortality

Abamectin:

Acute oral toxicity : LD50 (Rat): 340 mg/kg
Method: OECD Test Guideline 425
Symptoms: Fatality

LD50 (Rat): 300 - 2,000 mg/kg
Method: OECD Test Guideline 423
Symptoms: ataxia, apathy, Tremors, Fatality

Acute inhalation toxicity : LC50 (Rat, male): 0.052 - 0.54 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat, female): 1,414 mg/kg
Method: OECD Test Guideline 402
Symptoms: apathy, ataxia, Fatality

LD50 (Rat): 944 mg/kg
Method: OECD Test Guideline 402
Symptoms: apathy, ataxia, Breathing difficulties, Fatality

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	11.03.2026	50001628	Date of first issue: 05.01.2018

Product:

Assessment	:	No skin irritation
Result	:	No skin irritation

Components:

glutamic acid:

Species	:	Rabbit
Method	:	Regulation (EC) No. 440/2008, Annex, B.4
Result	:	No skin irritation

Abamectin:

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
Result	:	slight or no skin irritation.

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Result	:	No eye irritation
Assessment	:	No eye irritation

Components:

glutamic acid:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	Regulation (EC) No. 440/2008, Annex, B.5

Abamectin:

Species	:	Rabbit
Result	:	Slight or no eye irritation
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Assessment	:	Not a skin sensitizer.
Result	:	Not a skin sensitizer.

SAFETY DATA SHEET



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	11.03.2026	50001628	Date of first issue: 05.01.2018

Components:

glutamic acid:

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: Regulation (EC) No. 440/2008, Annex, B.6
Result	: Not a skin sensitizer.
GLP	: yes

Abamectin:

Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

glutamic acid:

Genotoxicity in vitro	: Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative GLP: yes
-----------------------	---

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative

Genotoxicity in vivo	: Test Type: In vivo micronucleus test Species: Mouse Application Route: Oral Exposure time: 3 d Dose: >2000 mg/kg Method: OECD Test Guideline 474 Result: negative
----------------------	---

Abamectin:

Genotoxicity in vitro	: Test Type: Ames test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative GLP: yes
-----------------------	--

Genotoxicity in vivo	: Test Type: Micronucleus test Species: mice Result: negative
----------------------	---

SAFETY DATA SHEET



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	11.03.2026	50001628	Date of first issue: 05.01.2018

GLP: yes

Germ cell mutagenicity - Assessment : No genotoxic potential.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

glutamic acid:

Species : Rat, male
Exposure time : 104 w
Dose : 1982 mg/kg
Method : OECD Test Guideline 451
Result : negative

Species : Rat, female
Exposure time : 104 w
Dose : 1982 mg/kg
Method : OECD Test Guideline 451
Result : negative

Abamectin:

Method : OECD Test Guideline 451
Remarks : Not classified

Method : OECD Test Guideline 453
Remarks : Not classified

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Components:

glutamic acid:

Effects on fertility : Test Type: Two-generation study
Species: Rat
Application Route: Oral
Method: OECD Test Guideline 416
Result: negative

Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Dose: >3019 mg a.s./kg
Method: OECD Test Guideline 414
Result: negative

SAFETY DATA SHEET



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	11.03.2026	50001628	Date of first issue: 05.01.2018

Abamectin:

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Causes damage to organs (Nervous system) through prolonged or repeated exposure.

Components:

Abamectin:

Target Organs : Nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Repeated dose toxicity

Components:

glutamic acid:

Species : Dog, male and female
NOAEL : > 1,500 mg/kg
Application Route : Oral
Exposure time : 90 - 92 d
Method : OECD Test Guideline 409

Abamectin:

Species : Dog
LOEL : 0.5 mg/kg
Application Route : Oral
Exposure time : 18 weeks
Method : OECD Test Guideline 409

Species : Rat
LOAEC : 0.0027 mg/l
Application Route : Inhalation
Exposure time : 30 d

Species : Rat, female
NOAEL : 3.0 mg/kg
LOAEL : 6.7 mg/kg
Application Route : Oral
Exposure time : 28 d
Dose : 0, 3, 6.7, 8.9, 11.5 mg/kg bw/day
Method : OECD Test Guideline 407
GLP : yes
Symptoms : Tremors, Fatality

Species : Rat, female
NOAEL : 3.8 mg/kg

SAFETY DATA SHEET



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	11.03.2026	50001628	Date of first issue: 05.01.2018

LOAEL	: 9.3 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Dose	: 0, 1.8, 3.8, 9.3, 9.6 mg/kg bw/day
Method	: OECD Test Guideline 408
GLP	: yes

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Abamectin:

No aspiration toxicity classification

Further information

Product:

Remarks : No data available

Components:

Abamectin:

Remarks : Exposure causes symptoms of nervous system depression, such as pupil dilation, vomiting, excitation, incoordination, tremors, lethargy, coma. High doses cause death by respiratory failure.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity	: Very toxic to aquatic life.
Chronic aquatic toxicity	: Very toxic to aquatic life with long lasting effects.

Components:

glutamic acid:

Toxicity to fish	: LC50 (Cyprinus carpio (Carp)): 100 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: LC50 (Daphnia magna (Water flea)): 100 mg/l Exposure time: 48 h Test Type: static test

SAFETY DATA SHEET



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	11.03.2026	50001628	Date of first issue: 05.01.2018

Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 16 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

Abamectin:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 0.027 - 0.044 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0008 - 0.0015 mg/l
End point: Immobilization
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes

EC50 (Daphnia magna (Water flea)): 0.0002 - 0.00028 mg/l
End point: Immobilization
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes

EC50 (Daphnia pulex (Water flea)): 0.000159 mg/l
End point: Immobilization
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes

NOEC (Daphnia pulex (Water flea)): 0.000089 mg/l
End point: Immobilization
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Scenedesmus capricornutum (fresh water algae)): 56.68 - 85.41 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.0044 mg/l
Exposure time: 28 d
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.00003 mg/l
End point: reproduction
Exposure time: 21 d
Method: OECD Test Guideline 202

SAFETY DATA SHEET



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	11.03.2026	50001628	Date of first issue: 05.01.2018

Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): 14.24 - 18.37 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organisms : LD50 (*Apis mellifera* (bees)): 0.00071 - 0.00099 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214

LD50 (*Coturnix japonica* (Japanese quail)): > 5000 ppm
Remarks: Dietary

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Persistence and degradability

Components:

glutamic acid:

Biodegradability : Concentration: 50 mg/l
Biodegradation: > 70 %
Exposure time: 28 d
Remarks: Readily biodegradable, according to appropriate OECD test.

Abamectin:

Biodegradability : Result: Not readily biodegradable.
Remarks: It undergoes degradation in the environment and in waste water treatment plants.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

glutamic acid:

Partition coefficient: n- : log Pow: -4 (20 °C)

SAFETY DATA SHEET



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	11.03.2026	50001628	Date of first issue: 05.01.2018

octanol/water

Abamectin:

Bioaccumulation : Species: Danio rerio (zebra fish)
Bioconcentration factor (BCF): 54
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 5.5

Mobility in soil

Components:

Abamectin:

Distribution among environmental compartments : Remarks: Mobile in soils

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Appropriate personal protective equipment, as described in Sections 7 and 8, should be worn when handling materials for waste disposal.

Appropriate personal protective equipment, as described in Sections 7 and 8, should be worn when handling materials for waste disposal.

Contaminated packaging : Containers must be disposed of in accordance with local, state and federal regulations. It is prohibited to reuse, bury, burn or sell containers. Washable containers: Triple wash containers smaller than 20 liters and pressure wash containers of 20 liters or more. Triple wash: Add water up to $\frac{1}{4}$ of the container's capacity, close and shake for 30 seconds. Pour the wash water into the mixing tank, considering this volume of water within the recommended volume for mixing. Perform this procedure three times. Pressure washing: Activate the

SAFETY DATA SHEET



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	11.03.2026	50001628	Date of first issue: 05.01.2018

pressure washing device for 30 seconds, considering the volume of water used as part of the recommended volume for the mixture. For both procedures, make the container unusable by piercing it at the base without damaging the label. Non-washable containers: Containers that cannot be washed, make them unusable by perforating them without damaging the label. In all cases, deliver the containers to collection points indicated by the local container collection program. For more information on the Empty Pesticide Container Management Plan, visit <http://campolimpio.org.mx/>.

Containers must be disposed of in accordance with local, state and federal regulations. It is prohibited to reuse, bury, burn or sell containers. Washable containers: Triple wash containers smaller than 20 liters and pressure wash containers of 20 liters or more. Triple wash: Add water up to $\frac{1}{4}$ of the container's capacity, close and shake for 30 seconds. Pour the wash water into the mixing tank, considering this volume of water within the recommended volume for mixing. Perform this procedure three times. Pressure washing: Activate the pressure washing device for 30 seconds, considering the volume of water used as part of the recommended volume for the mixture. For both procedures, make the container unusable by piercing it at the base without damaging the label. Non-washable containers: Containers that cannot be washed, make them unusable by perforating them without damaging the label. In all cases, deliver the containers to collection points indicated by the local container collection program. For more information on the Empty Pesticide Container Management Plan, visit <http://campolimpio.org.mx/>.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 2902
Proper shipping name	: PESTICIDE, LIQUID, TOXIC, N.O.S. (Abamectin)

Class	: 6.1
Packing group	: II
Labels	: 6.1
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 2902
Proper shipping name	: Pesticide, liquid, toxic, n.o.s. (Abamectin)

Class	: 6.1
Packing group	: II
Labels	: Toxic

SAFETY DATA SHEET



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	11.03.2026	50001628	Date of first issue: 05.01.2018

Packing instruction (cargo aircraft) : 662
Packing instruction (passenger aircraft) : 654
Environmentally hazardous : yes

IMDG-Code

UN number : UN 2902
Proper shipping name : PESTICIDE, LIQUID, TOXIC, N.O.S. (Abamectin)
Class : 6.1
Packing group : II
Labels : 6.1
EmS Code : F-A, S-A
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

NOM-002-SCT

UN number : UN 2902
Proper shipping name : PESTICIDE, LIQUID, TOXIC, N.O.S. (Abamectin)
Class : 6.1
Packing group : II
Labels : 6.1

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

This document has been prepared in accordance with the Globally Harmonized System (GHS). The document consists of 16 points that cover the Official Mexican STANDARD NOM-018-STPS-2015 Harmonized system for the identification and communication of hazards and risks due to dangerous chemical substances in the workplace. 271000

Federal Law for the control of chemical precursors, : Not applicable
essential chemical products and machinery for producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory
TSCA : Product contains substance(s) not listed on TSCA inventory.
AIIC : Not in compliance with the inventory

SAFETY DATA SHEET



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	11.03.2026	50001628	Date of first issue: 05.01.2018

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

Abamectin

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI : Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date : 11.03.2026

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-

SAFETY DATA SHEET



OREGON® 60 SC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	11.03.2026	50001628	Date of first issue: 05.01.2018

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

MX / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2026 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet