

SAFETY DATA SHEET



PROVILAR® PLUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.03.2026	50002936	Date of first issue: 05.03.2026

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : PROVILAR® PLUS

Manufacturer or supplier's details

Company : FMC QUÍMICA DO BRASIL LTDA.

Address : AVENIDA DR. JOSÉ BONIFÁCIO
COUTINHO NOGUEIRA 150 - 1º
ANDAR - JARDIM MADALENA,
CAMPINAS SP BRASIL
TELEFONE: (19) 2042.4500

Emergency telephone : Brazil: 0800 34 35 450 (24 hours)
+55-2139581449 (CHEMTREC)

Medical Emergency Number : 0800 7010 450

Recommended use of the chemical and restrictions on use

Recommended use : Microbiological Fungicide

Restrictions on use : Use as recommended by the label.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Short-term (acute) aquatic hazard : Category 3

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard Statements : H402 Harmful to aquatic life.

Precautionary Statements : **Prevention:**
P273 Avoid release to the environment.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

SAFETY DATA SHEET



PROVILAR® PLUS

Version 1.0 Revision Date: 05.03.2026 SDS Number: 50002936 Date of last issue: -
Date of first issue: 05.03.2026

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Poly(oxy-1,2-ethanediyl), .alpha.-methyl-.omega.-[3- [1,3,3,3-tetramethyl-1- [(trimethylsilyl)oxy]-1- disiloxanyl]propoxy]-	27306-78-1	Acute Tox. (Oral), 5 Acute Tox. (Inhalation), 4 Acute Tox. (Dermal), 5 Serious eye damage/eye irritation, 2A Aquatic Acute, 2 Aquatic Chronic, 2	>= 1 -< 2,5
Ethoxylated sec-alcohols(C=11-15)	68131-40-8	Aquatic Acute, 2 Aquatic Chronic, 3	>= 1 -< 2,5

SECTION 4. FIRST AID MEASURES

- General advice : Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If symptoms persist, call a physician.
Wash off with soap and water.
Wash contaminated clothing before re-use.
- In case of eye contact : Remove contact lenses.
Protect unharmed eye.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
- Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

SAFETY DATA SHEET



PROVILAR® PLUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.03.2026	50002936	Date of first issue: 05.03.2026

- | | |
|--|--|
| Hazardous combustion products | : Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides
Nitrogen oxides (NOx) |
| Specific extinguishing methods | : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : Firefighters should wear protective clothing and self-contained breathing apparatus. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|---|
| Personal precautions, protective equipment and emergency procedures | : Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material. |
| Environmental precautions | : Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
Keep in suitable, closed containers for disposal. |

SECTION 7. HANDLING AND STORAGE

- | | |
|---|---|
| Advice on protection against fire and explosion | : Normal measures for preventive fire protection. |
| Advice on safe handling | : For personal protection see section 8.
Avoid formation of respirable particles.
Dispose of rinse water in accordance with local and national regulations.
Smoking, eating and drinking should be prohibited in the application area. |
| Hygiene measures | : Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday. |

SAFETY DATA SHEET



PROVILAR® PLUS

Version 1.0	Revision Date: 05.03.2026	SDS Number: 50002936	Date of last issue: - Date of first issue: 05.03.2026
----------------	------------------------------	-------------------------	--

Conditions for safe storage : Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Hand protection
Material : Protective gloves

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Protective suit

Protective measures : Plan first aid action before beginning work with this product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Color : dark brown

Odor : characteristic

Odor Threshold : No data available

pH : 6,37 (ca. 20 °C)
Method: CIPAC MT 75.3
(undiluted)

Melting point/ range : No data available

SAFETY DATA SHEET

PROVILAR® PLUS



Version 1.0	Revision Date: 05.03.2026	SDS Number: 50002936	Date of last issue: - Date of first issue: 05.03.2026
----------------	------------------------------	-------------------------	--

Boiling point/boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Self-ignition	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available
Density	: 0,9773 g/cm3
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Non-oxidizing
Molecular weight	: Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reac-	: Stable under recommended storage conditions.

SAFETY DATA SHEET



PROVILAR® PLUS

Version 1.0	Revision Date: 05.03.2026	SDS Number: 50002936	Date of last issue: - Date of first issue: 05.03.2026
----------------	------------------------------	-------------------------	--

tions	No hazards to be specially mentioned.
Conditions to avoid	: Avoid extreme temperatures. Avoid formation of aerosol.
Incompatible materials	: Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	: (Rat, male and female): Method: OPPTS 885.3050 Assessment: The substance or mixture has no acute oral toxicity Remarks: non-pathogenic No clinical signs no mortality
Acute inhalation toxicity	: Acute toxicity estimate: > 40 mg/l Exposure time: 4 h Test atmosphere: vapor Method: Calculation method
Acute dermal toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: no mortality
Acute toxicity (other routes of administration)	: (Rat, male and female): Application Route: intranasal Method: OPPTS 885.3150 Remarks: non-pathogenic (Rat, male and female): Application Route: Intravenous Method: OPPTS 885.3200 Remarks: non-pathogenic

Components:

Poly(oxy-1,2-ethanediyl), .alpha.-methyl-.omega.-[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propoxy]-:

Acute oral toxicity	: LD50 (Rat): > 2.000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): Exposure time: 4 h Test atmosphere: gas Assessment: The component/mixture is moderately toxic after

SAFETY DATA SHEET



PROVILAR® PLUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.03.2026	50002936	Date of first issue: 05.03.2026

short term inhalation.

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Ethoxylated sec-alcohols(C=11-15):

Acute oral toxicity : LD0 (Rat, female): >= 2.000 mg/kg
Method: OECD Test Guideline 423
Remarks: no mortality

Acute dermal toxicity : LD0 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
Remarks: no mortality

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
GLP : yes

Components:

Poly(oxy-1,2-ethanediyl), .alpha.-methyl-.omega.-[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propoxy]-:

Species : Rabbit
Result : No skin irritation

Ethoxylated sec-alcohols(C=11-15):

Species : reconstructed human epidermis (RhE)
Method : Regulation (EC) No. 440/2008, Annex, B.46
Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Components:

Poly(oxy-1,2-ethanediyl), .alpha.-methyl-.omega.-[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propoxy]-:

Species : Rabbit
Result : Moderate eye irritation

Ethoxylated sec-alcohols(C=11-15):

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

PROVILAR® PLUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.03.2026	50002936	Date of first issue: 05.03.2026

Respiratory or skin sensitization**Skin sensitization**

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type	: Local lymph node test
Routes of exposure	: Dermal
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: Not a skin sensitizer.
GLP	: yes

Components:**Poly(oxy-1,2-ethanediyl), .alpha.-methyl-.omega.-[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propoxy]-:**

Routes of exposure	: Skin contact
Species	: Guinea pig
Result	: Does not cause skin sensitization.

Routes of exposure	: Inhalation
Species	: Guinea pig
Result	: Does not cause respiratory sensitization.

Ethoxylated sec-alcohols(C=11-15):

Test Type	: Local lymph node assay (LLNA)
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: Slightly sensitising

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:**Poly(oxy-1,2-ethanediyl), .alpha.-methyl-.omega.-[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propoxy]-:**

Genotoxicity in vitro	: Test Type: Ames test
	Result: negative

	Test Type: Chromosome aberration test in vitro
	Result: negative

Ethoxylated sec-alcohols(C=11-15):

Genotoxicity in vitro	: Test Type: reverse mutation assay
	Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
	Result: negative

PROVILAR® PLUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.03.2026	50002936	Date of first issue: 05.03.2026

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:**Ethoxylated sec-alcohols(C=11-15):**

Effects on fetal development : Test Type: Pre-natal
Species: Rat
Application Route: Oral
Dose: 100, 300, 1000 mg/kgbw/day
Duration of Single Treatment: 21 d
General Toxicity Maternal: LOAEL: 1.000 mg/kg bw/day
Embryo-fetal toxicity.: LOAEL: 1.000 mg/kg bw/day
Method: OECD Test Guideline 414
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Based on available data, the classification criteria are not met.

Components:**Ethoxylated sec-alcohols(C=11-15):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Repeated dose toxicity**Components:****Poly(oxy-1,2-ethanediyl), .alpha.-methyl-.omega.-[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propoxy]-:**

Species	: Rat
NOAEL	: 450 mg/kg
Application Route	: Oral
Exposure time	: 28 d

SAFETY DATA SHEET



PROVILAR® PLUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.03.2026	50002936	Date of first issue: 05.03.2026

Ethoxylated sec-alcohols(C=11-15):

Species	: Rat, male
NOAEL	: 100 mg/kg bw/day
LOAEL	: 300 mg/kg bw/day
Application Route	: Oral - gavage
Exposure time	: 90 d
Dose	: 0, 100, 300, 1000 mg/kgbw/day
Method	: OECD Test Guideline 408

Species	: Rat, female
NOAEL	: 300 mg/kg bw/day
LOAEL	: 1000 mg/kg bw/day
Application Route	: Oral - gavage
Exposure time	: 90 d
Dose	: 0, 100, 300, 1000 mg/kgbw/day
Method	: OECD Test Guideline 408

Aspiration toxicity

Based on available data, the classification criteria are not met.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish (Chronic toxicity)	: LC50 (Danio rerio (zebra fish)): > 10000000 CFU/ml Exposure time: 30 d Method: US EPA Test Guideline OPPTS 885.4200
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: EC50 (Daphnia magna (Water flea)): 2.24 x 10 ⁵ CFU/ml End point: Immobilization Exposure time: 21 d LOEC (Daphnia magna (Water flea)): 6400CFU/ml End point: reproduction Exposure time: 21 d
Toxicity to soil dwelling organisms	: LC50 (Eisenia andrei (red worm)): > 1.000 mg/kg Exposure time: 14 d Method: OECD Test Guideline 207
Toxicity to terrestrial organisms	: LD50 (Coturnix japonica (Japanese quail)): > 2 x 10 ¹² Method: OPPTS 885.4050 LD50 (Apis mellifera L.): > 3.98 x 10 ⁵ Method: OCSP 885.4380

PROVILAR® PLUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.03.2026	50002936	Date of first issue: 05.03.2026

Components:**Poly(oxy-1,2-ethanediyl), .alpha.-methyl-.omega.-[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propoxy]-:**

Toxicity to fish	:	LC50 (Zebra fish): 6,8 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 25 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (algae): 32 mg/l Exposure time: 96 h

Ethoxylated sec-alcohols(C=11-15):

Toxicity to fish	:	LL50 (Oncorhynchus mykiss (rainbow trout)): 1,53 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): 5,66 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EL50 (Pseudokirchneriella subcapitata (green algae)): 1,03 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	EC10 (Pimephales promelas (fathead minnow)): 0,87 mg/l Exposure time: 32 d Method: QSAR
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,2 mg/l Exposure time: 21 d Method: QSAR
Toxicity to microorganisms	:	EC50 (activated sludge): 824 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

Persistence and degradability**Components:****Poly(oxy-1,2-ethanediyl), .alpha.-methyl-.omega.-[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propoxy]-:**

Biodegradability	:	Result: Not readily biodegradable.
------------------	---	------------------------------------

Ethoxylated sec-alcohols(C=11-15):

Biodegradability	:	Inoculum: activated sludge, non-adapted Result: Readily biodegradable. Biodegradation: 65 % Exposure time: 28 d Method: OECD Test Guideline 301C
------------------	---	--

SAFETY DATA SHEET



PROVILAR® PLUS

Version 1.0	Revision Date: 05.03.2026	SDS Number: 50002936	Date of last issue: - Date of first issue: 05.03.2026
----------------	------------------------------	-------------------------	--

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

Poly(oxy-1,2-ethanediyl), .alpha.-methyl-.omega.-[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propoxy]-:

Partition coefficient: n-octanol/water : log Pow: > 3,28
pH: 7

log Pow: > 3,29
pH: 5

log Pow: > 3,6
pH: 9

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.

Contaminated packaging : It is prohibited to reuse, bury, burn or sell packaging.

Washable packaging: Triple wash packs of less than 20 liters and pressure wash packs of 20 liters or more. Triple Wash (Manual Wash): Completely empty the contents of the package into the sprayer tank, keeping it in an upright position for 30 seconds; Add clean water to the package up to ¼ of its volume; Cover the package well and shake it for 30 seconds; Pour the wash water into the spray tank; Do this operation three times; Make the plastic or metal packaging unusable by perforating the bottom.

Pressure wash: Fit the empty package in the appropriate place of the funnel installed on the sprayer; Activate the mechanism to release the water jet; Direct the water jet to all the inside walls of the package, for 30 seconds; Wash water must be transferred to the sprayer tank; Make the plastic or

SAFETY DATA SHEET



PROVILAR® PLUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.03.2026	50002936	Date of first issue: 05.03.2026

metal packaging unusable by perforating the bottom. In both procedures, puncture the container at its base without damaging the label. Within a period of up to one year from the date of purchase, the user must return the empty packaging, with lid, to the establishment where the product was purchased or to the place indicated on the invoice, issued at the time of purchase. Activate the mechanism to release the water jet. Direct the water jet to all the inside walls of the package, for 30 seconds. Wash water must be transferred to the sprayer tank. Make the plastic or metal packaging unusable by perforating the bottom.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ANTT

Not regulated as a dangerous good

Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Law No. 14,785 of December 27, 2023. Decree 4,074 of January 4, 2002 and its regulatory standards. ANTT Resolution No. 5,998/22 of November 3, 2022. This SDS was prepared in accordance with the criteria of ABNT NBR 14725. The user is recommended to pay attention to local regulations.

National List of Carcinogenic Agents for Humans - : Not applicable (LINACH)

Brazil. List of chemicals controlled by the Federal Police : Not applicable

The ingredients of this product are reported in the following inventories:

SAFETY DATA SHEET



PROVILAR® PLUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.03.2026	50002936	Date of first issue: 05.03.2026

TCSI	:	Not in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL. U8Y73 U8Y74
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date	:	05.03.2026
Date format	:	dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect

SAFETY DATA SHEET



PROVILAR® PLUS

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.03.2026	50002936	Date of first issue: 05.03.2026

Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

BR / EN