

SAFETY DATA SHEET



CRAVAX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.03.2026	50002944	Date of first issue: 05.03.2026

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : CRAVAX®

Manufacturer or supplier's details

Company : FMC QUÍMICA DO BRASIL LTDA.

Address : AVENIDA DR. JOSÉ BONIFÁCIO
COUTINHO NOGUEIRA 150 - 1º
ANDAR - JARDIM MADALENA,
CAMPINAS SP BRASIL
TELEFONE: (19) 2042.4500

Emergency telephone : Brazil: 0800 34 35 450 (24 hours)
+55-2139581449 (CHEMTREC)

Medical Emergency Number : 0800 7010 450

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Acute toxicity (Dermal) : Category 5

Specific target organ toxicity - : Category 1 (Central nervous system)
single exposure

Specific target organ toxicity - : Category 1 (Central nervous system)
repeated exposure

Short-term (acute) aquatic : Category 1
hazard

Long-term (chronic) aquatic : Category 1
hazard

SAFETY DATA SHEET



CRAVAX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.03.2026	50002944	Date of first issue: 05.03.2026

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms

:



Signal Word

:

DANGER

Hazard Statements

:

H302 + H332 Harmful if swallowed or if inhaled.
H313 May be harmful in contact with skin.
H370 Causes damage to organs (Central nervous system).
H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

:

Prevention:

P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302 + P312 IF ON SKIN: Call a POISON CENTER/ doctor if you feel unwell.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labeling

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 9,13 %

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

:

Mixture

Components

SAFETY DATA SHEET



CRAVAX®

Version 1.0 Revision Date: 05.03.2026 SDS Number: 50002944 Date of last issue: -
Date of first issue: 05.03.2026

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Bifenthrin	82657-04-3	Acute Tox. (Oral), 3 Acute Tox. (Inhalation), 3 Acute Tox. (Dermal), 5 Skin Sens., 1 STOT SE, (Central nervous system) , 1 STOT RE, (Central nervous system) , 1 Aquatic Acute, 1 Aquatic Chronic, 1	≥ 10 - < 20
Alkylated Naphthalene Sulfonate Sodium Salt	68425-94-5	Serious eye damage/eye irritation, 2A Aquatic Acute, 3 Aquatic Chronic, 3	≥ 1 - < 2,5

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Wash off with soap and water.
If symptoms persist, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed or if inhaled.
May be harmful in contact with skin.
Causes damage to organs.
Causes damage to organs through prolonged or repeated exposure.
Exposure may result in neurotoxicity with symptoms including tremors, impaired gait, and excessive salivation. Tremors may disappear with continued exposure.

SAFETY DATA SHEET



CRAVAX®

Version 1.0	Revision Date: 05.03.2026	SDS Number: 50002944	Date of last issue: - Date of first issue: 05.03.2026
----------------	------------------------------	-------------------------	--

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides
Fluorinated compounds
Chlorinated compounds
Hydrogen chloride
Hydrogen fluoride

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
Keep in suitable, closed containers for disposal.

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.03.2026	50002944	Date of first issue: 05.03.2026

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapors/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
- Hygiene measures : Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Hand protection
Material : Protective gloves
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

SAFETY DATA SHEET



CRAVAX®

Version 1.0	Revision Date: 05.03.2026	SDS Number: 50002944	Date of last issue: - Date of first issue: 05.03.2026
----------------	------------------------------	-------------------------	--

Protective measures : Plan first aid action before beginning work with this product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Color	: white
Odor	: characteristic
Odor Threshold	: No data available
pH	: No data available
Melting point/ range	: No data available
Boiling point/boiling range	: 95,7 °C
Flash point	: Method: Pensky-Martens closed cup - PMCC No flash up to boiling point.
Evaporation rate	: No data available
Self-ignition	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available
Density	: 1,0947 g/cm ³ Method: OECD Test Guideline 109
Solubility(ies) Water solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Decomposition temperature	: No data available

SAFETY DATA SHEET



CRAVAX®

Version 1.0	Revision Date: 05.03.2026	SDS Number: 50002944	Date of last issue: - Date of first issue: 05.03.2026
----------------	------------------------------	-------------------------	--

Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Non-oxidizing
Surface tension	: 41,2 mN/m, 20 °C
Molecular weight	: Not applicable
Metal corrosion rate	: Not corrosive to metals.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Avoid extreme temperatures. Avoid formation of aerosol.
Incompatible materials	: Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Inhalation Skin contact
--	------------------------------

Acute toxicity

Harmful if swallowed or if inhaled.
May be harmful in contact with skin.

Product:

Acute oral toxicity	: LD50 (Rat): 300 - 2.000 mg/kg Method: OECD Test Guideline 423 Symptoms: Fatality, Tremors, ataxia, hyperexcitability GLP: yes Assessment: The component/mixture is moderately toxic after
---------------------	---

SAFETY DATA SHEET



CRAVAX®

Version 1.0	Revision Date: 05.03.2026	SDS Number: 50002944	Date of last issue: - Date of first issue: 05.03.2026
----------------	------------------------------	-------------------------	--

single ingestion.

Acute inhalation toxicity : LC50 (Rat): > 3,75 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Fatality, Tremors, ataxia, hyperexcitability, haemorrhagic foci in lungs
GLP: yes

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Symptoms: Irritation
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

Components:

Bifenthrin:

Acute oral toxicity : LD50 (Rat, female): 50 - 300 mg/kg
Method: OECD Test Guideline 423
Symptoms: Convulsions, ataxia
Assessment: The component/mixture is toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat, female): 0,6 - 1,2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Tremors, Convulsions

LC50 (Rat, male): 1,10 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Tremors, Fatality

Acute dermal toxicity : LD50 (Rat, male and female): > 4.000 mg/kg
Method: OECD Test Guideline 402
Symptoms: Irritation
GLP: yes
Remarks: no mortality

Alkylated Naphthalene Sulfonate Sodium Salt:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : reconstructed human epidermis (RhE)
Assessment : No skin irritation

SAFETY DATA SHEET



CRAVAX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.03.2026	50002944	Date of first issue: 05.03.2026

Method : OECD Test Guideline 439

Components:

Bifenthrin:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: slight or no skin irritation.
GLP	: yes

Alkylated Naphthalene Sulfonate Sodium Salt:

Remarks : No data available

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	: Bovine cornea
Method	: OECD Test Guideline 437
GLP	: yes
Remarks	: not corrosive

Components:

Bifenthrin:

Species	: Rabbit
Result	: Slight or no eye irritation
Method	: OECD Test Guideline 405
GLP	: yes

Alkylated Naphthalene Sulfonate Sodium Salt:

Result : Eye irritation

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Dermal
Assessment	: Not a skin sensitizer.
Method	: OECD Test Guideline 442B
GLP	: yes

Components:

Bifenthrin:

CRAVAX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.03.2026	50002944	Date of first issue: 05.03.2026

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: May cause sensitization by skin contact.
GLP	: yes

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Genotoxicity in vitro	: Test Type: Ames test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Micronucleus test Test system: Human lymphocytes Method: OECD Test Guideline 487 Result: negative
-----------------------	---

Components:**Bifenthrin:**

Genotoxicity in vitro	: Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative GLP: yes Test Type: Mouse lymphoma assay Metabolic activation: with and without metabolic activation Result: negative
Genotoxicity in vivo	: Test Type: Sex-linked Recessive Lethal Test Species: Drosophila melanogaster (vinegar fly) Result: negative Test Type: unscheduled DNA synthesis assay Species: Rat Method: OECD Test Guideline 486 Result: negative Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse (male and female) Method: OECD Test Guideline 474

CRAVAX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.03.2026	50002944	Date of first issue: 05.03.2026

Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:**Bifenthrin:**

Species	: Rat, female
Application Route	: Oral
Exposure time	: 2 Years
NOAEL	: 3 mg/kg bw/day
Result	: negative

Species	: Mouse, male
Application Route	: Oral
Exposure time	: 18 month(s)
NOAEL	: 7,6 mg/kg bw/day
Result	: positive
Symptoms	: malignant tumors

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:**Bifenthrin:**

Effects on fertility	: Test Type: Two-generation study
	Species: Rat
	Application Route: Oral
	General Toxicity Parent: NOAEL: 3 mg/kg bw/day
	General Toxicity F1: NOAEL: 5 mg/kg bw/day
	Result: negative

Effects on fetal development	: Test Type: Embryo-fetal development
	Species: Rabbit
	Application Route: Oral
	General Toxicity Maternal: NOAEL: 2,7 mg/kg bw/day
	Teratogenicity: NOAEL: 2,7 mg/kg bw/day
	Symptoms: Maternal effects.
	Result: No teratogenic effects.

	Test Type: Embryo-fetal development
	Species: Rat
	Application Route: Oral
	General Toxicity Maternal: NOAEL: 1 mg/kg bw/day
	Teratogenicity: NOAEL: 2 mg/kg bw/day
	Result: No teratogenic effects.

	Species: Rat
	Application Route: Oral
	General Toxicity Maternal: LOAEL: 7,2 mg/kg bw/day
	Developmental Toxicity: LOAEL: 7,2 mg/kg bw/day
	Embryo-fetal toxicity.: NOEL: 9,0 mg/kg bw/day

SAFETY DATA SHEET



CRAVAX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.03.2026	50002944	Date of first issue: 05.03.2026

Method: OECD Test Guideline 426
Result: Animal testing did not show any effects on fertility.,
Some evidence of adverse effects on development, based on
animal experiments.

STOT-single exposure

Causes damage to organs (Central nervous system).

Components:

Bifenthrin:

Target Organs	:	Central nervous system
Assessment	:	Causes damage to organs.

STOT-repeated exposure

Causes damage to organs (Central nervous system) through prolonged or repeated exposure.

Components:

Bifenthrin:

Target Organs	:	Central nervous system
Assessment	:	The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Repeated dose toxicity

Components:

Bifenthrin:

Species	:	Rat, male and female
NOEL	:	100 ppm
Application Route	:	Oral - feed
Exposure time	:	90 d
Remarks	:	No toxicologically significant effects were found.

Species	:	Dog, male and female
NOEL	:	2,5 mg/kg bw/day
Application Route	:	Oral - feed
Exposure time	:	13 w
Symptoms	:	Tremors

Species	:	Dog, male and female
NOEL	:	1,5 mg/kg
Application Route	:	Oral
Exposure time	:	52 w
Dose	:	0.75, 1.5, 3, 5 mg/kg bw/day
GLP	:	yes
Symptoms	:	Tremors

Aspiration toxicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET



CRAVAX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.03.2026	50002944	Date of first issue: 05.03.2026

Components:

Bifenthrin:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 0,17 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia sp. (Water flea)): 0,23 mg/l End point: Immobilization Exposure time: 48 h Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): 60,48 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 GLP: yes EyC50 (Raphidocelis subcapitata (freshwater green alga)): 25,56 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 GLP: yes
Toxicity to soil dwelling organisms	:	Method: OECD Test Guideline 217 Remarks: This product does not have any known adverse effect on the soil organisms tested. Method: OECD Test Guideline 216 Remarks: This product does not have any known adverse effect on the soil organisms tested. LC50 (Eisenia andrei (red worm)): > 1.000 mg/kg Exposure time: 14 d Method: OECD Test Guideline 207 GLP: yes
Toxicity to terrestrial organisms	:	LD50 (Coturnix japonica (Japanese quail)): 2.706 mg/kg Method: OECD Test Guideline 223

SAFETY DATA SHEET



CRAVAX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.03.2026	50002944	Date of first issue: 05.03.2026

LD50 (Apis mellifera (bees)): 0,04 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213
GLP: yes

Components:

Bifenthrin:

Toxicity to fish	:	LC50 (Salmo gairdneri): 0,00015 mg/l Exposure time: 96 h Test Type: flow-through test
		LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,00035 mg/l Exposure time: 96 h Test Type: flow-through test
		LC50 (Oncorhynchus mykiss (rainbow trout)): 0,000256 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes
		LC50 (Pimephales promelas (fathead minnow)): 0,000234 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 0,00011 mg/l Exposure time: 48 h
		LC50 (Daphnia): 0,0016 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (algae): 0,822 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	:	1.000
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0,00012 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0,0013 µg/l Exposure time: 21 d
		NOEC (Daphnia magna (Water flea)): 0,00095 µg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	:	100.000

CRAVAX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.03.2026	50002944	Date of first issue: 05.03.2026

Toxicity to soil dwelling organisms : LD50 (*Eisenia fetida* (earthworms)): > 16 mg/kg
Exposure time: 14 d

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Toxicity to terrestrial organisms : LD50 (*Colinus virginianus* (Bobwhite quail)): 1.800 mg/kg

LD50 (*Anas platyrhynchos* (Mallard duck)): > 2.150 mg/kg

LD50 (*Apis mellifera* (bees)): 0,07 µg a.i./bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213

LD50 (*Apis mellifera* (bees)): 0,0201 µg a.i./bee
Exposure time: 48 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214

ED50 (*Apis mellifera* (bees)): 143 ng ai larva
Exposure time: 7 d
End point: Acute larval toxicity
Method: OECD 237

ED50 (*Apis mellifera* (bees)): 15,15 ng ai larva/day
Exposure time: 22 d
End point: Chronic larval toxicity
Method: OECD 239

NOAEL (*Apis mellifera* (bees)): 2,30 ng ai larva/day
Exposure time: 22 d
End point: Chronic larval toxicity
Method: OECD 239

ED50 (*Apis mellifera* (bees)): 300 ng a.i./bee/day
Exposure time: 10 d
End point: Chronic oral toxicity
Method: OECD TG 245

NOAEL (*Apis mellifera* (bees)): 170 ng a.i./bee/day
Exposure time: 10 d
End point: Chronic oral toxicity
Method: OECD TG 245

Alkylated Naphthalene Sulfonate Sodium Salt:

Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

SAFETY DATA SHEET



CRAVAX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.03.2026	50002944	Date of first issue: 05.03.2026

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): > 10 - 100 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

Persistence and degradability

Components:

Bifenthrin:

- Biodegradability : Result: Not readily biodegradable.
- Stability in water : Degradation half life (DT50): 2,2 d
Hydrolysis: at 60 °C
- Degradation half life (DT50): 15,6 d
Hydrolysis: at 40 °C

Alkylated Naphthalene Sulfonate Sodium Salt:

- Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

Bioaccumulative potential

Product:

- Bioaccumulation : Remarks: No data available

Components:

Bifenthrin:

- Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 1.709
Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.
- Partition coefficient: n- : log Pow: 6,6

CRAVAX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.03.2026	50002944	Date of first issue: 05.03.2026

octanol/water

Mobility in soil**Components:****Bifenthrin:**

Distribution among environmental compartments : Koc: 236610 ml/g, log Koc: 5,37
Remarks: immobile

Stability in soil :

Other adverse effects**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : It is prohibited to reuse, bury, burn or sell packaging.

Washable packaging: Triple wash packs of less than 20 liters and pressure wash packs of 20 liters or more. Triple Wash (Manual Wash): Completely empty the contents of the package into the sprayer tank, keeping it in an upright position for 30 seconds; Add clean water to the package up to ¼ of its volume; Cover the package well and shake it for 30 seconds; Pour the wash water into the spray tank; Do this operation three times; Make the plastic or metal packaging unusable by perforating the bottom.

Pressure wash: Fit the empty package in the appropriate place of the funnel installed on the sprayer; Activate the mechanism to release the water jet; Direct the water jet to all the inside walls of the package, for 30 seconds; Wash water must be transferred to the sprayer tank; Make the plastic or metal packaging unusable by perforating the bottom. In both procedures, puncture the container at its base without damaging the label. Within a period of up to one year from the date of purchase, the user must return the empty packaging, with lid, to the establishment where the product was purchased or to the place indicated on the invoice, issued at the time of purchase. Activate the mechanism to release the water jet. Direct the water jet to all the inside walls of the package, for

SAFETY DATA SHEET

CRAVAX®



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.03.2026	50002944	Date of first issue: 05.03.2026

30 seconds. Wash water must be transferred to the sprayer tank. Make the plastic or metal packaging unusable by perforating the bottom.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bifenthrin)
	: ()
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Bifenthrin)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bifenthrin)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ANTT

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Bifenthrin)
Class	: 9
Packing group	: III
Labels	: 9
Hazard Identification Number	: 90

SAFETY DATA SHEET



CRAVAX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.03.2026	50002944	Date of first issue: 05.03.2026

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Law No. 14,785 of December 27, 2023. Decree 4,074 of January 4, 2002 and its regulatory standards. ANTT Resolution No. 5,998/22 of November 3, 2022. This SDS was prepared in accordance with the criteria of ABNT NBR 14725. The user is recommended to pay attention to local regulations.

National List of Carcinogenic Agents for Humans - : Not applicable
(LINACH)

Brazil. List of chemicals controlled by the Federal Police : Not applicable

The ingredients of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. Bifenthrin Smectite-group minerals
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date : 05.03.2026

SAFETY DATA SHEET



CRAVAX®

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	05.03.2026	50002944	Date of first issue: 05.03.2026

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

BR / EN