

SAFETY DATA SHEET



ATTRACT

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/24	50002909	Date of first issue: 2026/02/24

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : ATTRACT

Other means of identification : MAGNET/ATTRACT

Recommended use of the chemical and restrictions on use

Recommended use : Crop nutrition

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Agro Philippines, Inc.

Address : 32nd Floor Seven Neo Building,
5th Avenue between 26th and 28th Street,
Bonifacio Global City, Taguig City 1634
Philippines

Telephone : +63 (2) 5323-5750

E-mail address : SDS-Info@fmc.com

National Poison Control Center : U.P. PGH, Padre Faura, Manila (+63) 2 8524 1078
East Avenue, Quezon City (+63) 2 8928 0611
Southern Philippines Medical Center (+63) 82 227 2731
(formerly Davao Medical Center Davao City)

Emergency telephone : For leak, fire, spill or accident emergencies, call:
+(63) 2-395-3308 (CHEMTREC)
Toll-free mobile enabled: 1800 1 322 0553 (CHEMTREC)

Medical emergency:
All other countries: +1 651 / 632-6793 (Collect)

2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

GHS label elements

SAFETY DATA SHEET



ATTRACT

Version 1.0 Revision Date: 2026/02/24 SDS Number: 50002909 Date of last issue: -
Date of first issue: 2026/02/24

Hazard pictograms

:



Signal Word

:

DANGER

Hazard Statements

:

H290 May be corrosive to metals.
H315 Causes skin irritation.
H318 Causes serious eye damage.

Precautionary Statements

:

Prevention:

P234 Keep only in original container.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P406 Store in corrosive resistant container with a resistant inner liner.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

:

Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
potassium hydroxide	1310-58-3	>= 0.1 -< 1

4. FIRST AID MEASURES

General advice

:

Move out of dangerous area.

ATTRACT

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/24	50002909	Date of first issue: 2026/02/24

Do not leave the victim unattended.
Show this material safety data sheet to the doctor in attendance.

- | | |
|---|---|
| If inhaled | : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance. |
| In case of skin contact | : Take off all contaminated clothing immediately.
Wash contaminated clothing before re-use.
Wash off immediately with plenty of water for at least 15 minutes.
Call a physician if irritation develops or persists. |
| In case of eye contact | : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Clean mouth with water and drink afterwards plenty of water.
Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital. |
| Most important symptoms and effects, both acute and delayed | : Irritation of eyes
Skin irritation
Primarily irritation
Redness
Causes skin irritation.
Causes serious eye damage. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment. |
| Notes to physician | : Treat symptomatically. |

It may be helpful to show this safety data sheet to physician.

ATTRACT

Version 1.0	Revision Date: 2026/02/24	SDS Number: 50002909	Date of last issue: - Date of first issue: 2026/02/24
----------------	------------------------------	-------------------------	--

There is no specific antidote available.

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
Do not spread spilled material with high-pressure water streams.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
- Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Absorb spillage to prevent material damage.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapors/dust.
Avoid contact with skin and eyes.

ATTRACT

Version 1.0	Revision Date: 2026/02/24	SDS Number: 50002909	Date of last issue: - Date of first issue: 2026/02/24
----------------	------------------------------	-------------------------	--

For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : Keep locked up or in an area accessible only to qualified or authorized persons.
Store locked up in a cool, dry, and well-ventilated place.

CORROSIVE TO ALUMINUM. DO NOT STORE OR TRANSPORT IN ALUMINUM CONTAINERS. Do not allow contact with aluminum parts, aluminum containers or other equipment made from aluminum. Contact your sales representative or a metallurgical specialist to ensure compatibility with your equipment.

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
potassium hydroxide	1310-58-3	C	2 mg/m3	ACGIH

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

ATTRACT

Version 1.0	Revision Date: 2026/02/24	SDS Number: 50002909	Date of last issue: - Date of first issue: 2026/02/24
----------------	------------------------------	-------------------------	--

Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective measures	: Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions. Ensure that eye flushing systems and safety showers are located close to the working place. Wear suitable protective equipment.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Color	: black
Odor	: mild
Odor Threshold	: No data available
pH	: 12.0 - 13.0
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: 100 °C
Flash point	: No data available
Evaporation rate	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: 17 mmHg
Relative vapor density	: No data available
Relative density	: 1.2

SAFETY DATA SHEET



ATTRACT

Version 1.0	Revision Date: 2026/02/24	SDS Number: 50002909	Date of last issue: - Date of first issue: 2026/02/24
----------------	------------------------------	-------------------------	--

Density	: 1.2 g/cm ³
Bulk density	: 10 lb/gal
Solubility(ies)	
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: 20 mPa.s
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Particle size	: No data available

10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: Stable under normal conditions. No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Avoid formation of aerosol. Avoid extreme temperatures. Protect from frost, heat and sunlight.
Incompatible materials	: Avoid strong acids, bases, and oxidizers. Aluminum CORROSIVE TO ALUMINUM. DO NOT STORE OR TRANSPORT IN ALUMINUM CONTAINERS. Do not allow contact with aluminum parts, aluminum containers or other equipment made from aluminum. Contact your sales representative or a metallurgical specialist to ensure compatibility with your equipment.

SAFETY DATA SHEET



ATTRACT

Version 1.0	Revision Date: 2026/02/24	SDS Number: 50002909	Date of last issue: - Date of first issue: 2026/02/24
----------------	------------------------------	-------------------------	--

Hazardous decomposition products : Carbon oxides
No decomposition if stored normally.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Skin contact
Eye contact

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : Remarks: No data is available on the product itself.

Acute inhalation toxicity : Remarks: No data is available on the product itself.

Acute dermal toxicity : Remarks: No data is available on the product itself.

Components:

potassium hydroxide:

Acute oral toxicity : LD50 (Rat, male): 333 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Product:

Assessment : Irritating to skin.

Result : Irritating to skin.

Remarks : Extremely corrosive and destructive to tissue.

Components:

potassium hydroxide:

Species : reconstructed human epidermis (RhE)

Method : OECD Test Guideline 431

Result : Corrosive

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Result : Severe eye irritation

Assessment : Risk of serious damage to eyes.

Remarks : May cause irreversible eye damage.

ATTRACT

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/24	50002909	Date of first issue: 2026/02/24

Components:**potassium hydroxide:**

Species	:	Rabbit
Result	:	Corrosive
Method	:	OECD Test Guideline 405

Respiratory or skin sensitization**Skin sensitization**

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Remarks	:	No data is available on the product itself.
	:	Not expected to cause skin sensitisation.
	:	No significant adverse effects were reported

Components:**potassium hydroxide:**

Test Type	:	Intracutaneous test
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:**potassium hydroxide:**

Genotoxicity in vitro	:	Test Type: Ames test
		Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration toxicity

Based on available data, the classification criteria are not met.

Further information**Product:**

ATTRACT

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/24	50002909	Date of first issue: 2026/02/24

Remarks : No data available

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****potassium hydroxide:**

Toxicity to fish : LC50 (Gambusia affinis (Mosquito fish)): 80 parts per million
Exposure time: 96 h

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects**Product:**

Additional ecological information : No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	: UN 1719
Proper shipping name	: CAUSTIC ALKALI LIQUID, N.O.S. (Potassium hydroxide)
Class	: 8
Packing group	: III
Labels	: 8

SAFETY DATA SHEET



ATTRACT

Version 1.0	Revision Date: 2026/02/24	SDS Number: 50002909	Date of last issue: - Date of first issue: 2026/02/24
----------------	------------------------------	-------------------------	--

Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1719
Proper shipping name : Caustic alkali liquid, n.o.s.
(Potassium hydroxide)
Class : 8
Packing group : III
Labels : Corrosive
Packing instruction (cargo aircraft) : 856
Packing instruction (passenger aircraft) : 852

IMDG-Code

UN number : UN 1719
Proper shipping name : CAUSTIC ALKALI LIQUID, N.O.S.
(Potassium hydroxide)
Class : 8
Packing group : III
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Priority Chemical List (PCL) : Not applicable
Chemical Control Order (CCO) : Not applicable

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory
TSCA : Product contains substance(s) not listed on TSCA inventory.
AIIC : Not in compliance with the inventory
DSL : This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesti-

ATTRACT

Version 1.0	Revision Date: 2026/02/24	SDS Number: 50002909	Date of last issue: - Date of first issue: 2026/02/24
----------------	------------------------------	-------------------------	--

side subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.

ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date	: 2026/02/24
Date format	: yyyy/mm/dd

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH / C	: Ceiling limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumu-

SAFETY DATA SHEET



ATTRACT

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/24	50002909	Date of first issue: 2026/02/24

lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

PH / EN