

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/12/09	50000012	Date of first issue: 2019/06/06

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Altacor® 35WG insecticide

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Corporation

Address : 2929 Walnut Street
Philadelphia PA 19104
USA

Telephone : +1 (215) 299-6000 (Corporate)

E-mail address : SDS-Info@fmc.com

Emergency telephone : For leak, fire, spill or accident emergencies, call:
0086-0532 8388 9090 (National Registration Center for Chemicals)

Medical emergency:
86 532 8388 9090

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	: granular
Color	: light brown
Odor	: slight, sweet

Very toxic to aquatic life with long lasting effects.

GHS Classification

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/12/09	50000012	Date of first issue: 2019/06/06

Hazard pictograms

:



Signal Word

:

WARNING

Hazard Statements

:

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

:

Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Not classified based on available information.

Environmental hazards

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

:

Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Chlorantraniliprole	500008-45-7	35
kaolin	1332-58-7	>= 1 -< 10
Chlorantraniliprole	500008-45-7	>= 30 -< 50
kaolin	1332-58-7	>= 1 -< 10

4. FIRST AID MEASURES

General advice

:

Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled

:

If unconscious, place in recovery position and seek medical advice.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/12/09	50000012	Date of first issue: 2019/06/06

If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.

- | | | |
|---|---|---|
| In case of skin contact | : | If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention if irritation develops and persists. |
| In case of eye contact | : | Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : | Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Do not induce vomiting without medical advice. |
| Most important symptoms and effects, both acute and delayed | : | None known. |
| Protection of first-aiders | : | Avoid inhalation, ingestion and contact with skin and eyes. |
| Notes to physician | : | Treat symptomatically.
Immediate medical attention is required in case of ingestion. |

5. FIRE-FIGHTING MEASURES

- | | | |
|---------------------------------------|---|---|
| Suitable extinguishing media | : | Dry chemical, CO ₂ , water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable extinguishing media | : | Do not spread spilled material with high-pressure water streams.
High volume water jet |
| Specific hazards during fire fighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : | Fire may produce irritating, corrosive and/or toxic gases.
Nitrogen oxides (NO _x)
Carbon oxides
Bromine compounds
Hydrogen cyanide
Hydrogen chloride
Chlorinated compounds
Sulfur oxides |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/12/09	50000012	Date of first issue: 2019/06/06

- Specific extinguishing methods : Use a water spray to cool fully closed containers. Remove undamaged containers from fire area if it is safe to do so. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : If it can be safely done, stop the leak. Do not touch or walk through the spilled material. Use personal protective equipment. Evacuate personnel to safe areas. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation.
- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.
- Prevention of secondary hazards : Never return spills in original containers for re-use. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.

7. HANDLING AND STORAGE

Handling

- Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations. Avoid formation of respirable particles. For personal protection see section 8.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version 1.1	Revision Date: 2025/12/09	SDS Number: 50000012	Date of last issue: - Date of first issue: 2019/06/06
----------------	------------------------------	-------------------------	--

Avoidance of contact : Avoid strong acids, bases, and oxidizers.

Storage

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage.
Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
kaolin	1332-58-7	TWA (Respirable particulate matter)	2 mg/m ³	ACGIH

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Particulates type

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/12/09	50000012	Date of first issue: 2019/06/06

Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Protective measures	: Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions. Wear suitable protective equipment. When using do not eat, drink or smoke. In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.
Hygiene measures	: Avoid contact with skin, eyes and clothing. Do not breathe dust. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: solid
Form	: granular
Color	: light brown
Odor	: slight, sweet
Odor Threshold	: No data available
pH	: 7 - 10 (25 °C) Concentration: 10 g/l 1 % In a 1% aqueous dispersion
Melting point/ range	: Not available for this mixture.
Boiling point/boiling range	: Not applicable
Flash point	: > 150 °C Method: Pensky-Martens closed cup - PMCC
Evaporation rate	: Not applicable
Flammability (solid, gas)	: Not expected to be ignitable

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/12/09	50000012	Date of first issue: 2019/06/06

Self-ignition	:	> 155 °C
Upper explosion limit / Upper flammability limit	:	Not available for this mixture.
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	Not applicable
Relative density	:	No data available
Density	:	No data available
Bulk density	:	0.695 g/cm ³ loose 0.782 g/cm ³ Tapped
Solubility(ies)	:	
Water solubility	:	dispersible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Surface tension	:	70.05 mN/m, 10 g/l, 25 °C, GLP: yes
Molecular weight	:	Not applicable
Metal corrosion rate	:	Not corrosive to metals.
Particle size	:	1 - 1.4 mm

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/12/09	50000012	Date of first issue: 2019/06/06

10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if used as directed. Dust may form explosive mixture in air.
Conditions to avoid	: Avoid dust formation. Avoid extreme temperatures. Heat, flames and sparks.
Incompatible materials	: Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	: No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	: LD50 (Rat, female): > 5,000 mg/kg Method: OECD Test Guideline 425 GLP: yes Assessment: The substance or mixture has no acute oral toxicity Remarks: no mortality
Acute inhalation toxicity	: LC50 (Rat, male and female): > 6.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Symptoms: nasal discharge GLP: yes Assessment: The substance or mixture has no acute inhalation toxicity Remarks: no mortality
Acute dermal toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mixture has no acute dermal toxicity Remarks: no mortality

Components:

Chlorantraniliprole:

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version 1.1	Revision Date: 2025/12/09	SDS Number: 50000012	Date of last issue: - Date of first issue: 2019/06/06
----------------	------------------------------	-------------------------	--

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Information source: Internal study report

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Information source: Internal study report

kaolin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

LD50: > 2,000 mg/kg
Method: OECD Test Guideline 420
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): 36 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

LD50: > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Chlorantraniliprole:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/12/09	50000012	Date of first issue: 2019/06/06

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhalation toxicity

Remarks: Information source: Internal study report

Acute dermal toxicity

: LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Assessment: The substance or mixture has no acute dermal toxicity

Remarks: Information source: Internal study report

kaolin:

Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg

Method: OECD Test Guideline 401

LD50: > 2,000 mg/kg

Method: OECD Test Guideline 420

Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity

: LC50 (Rat): 36 mg/l

Exposure time: 1 h

Test atmosphere: dust/mist

Acute dermal toxicity

: LD50 (Rat): > 5,000 mg/kg

LD50: > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species

: Rabbit

Assessment

: Not classified as irritant

Method

: OECD Test Guideline 404

GLP

: yes

Components:

Chlorantraniliprole:

Species

: Rabbit

Method

: OECD Test Guideline 404

Result

: No skin irritation

GLP

: yes

Remarks

: Information source: Internal study report

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/12/09	50000012	Date of first issue: 2019/06/06

kaolin:

Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Chlorantraniliprole:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes
Remarks	:	Information source: Internal study report

kaolin:

Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
GLP	:	yes
Remarks	:	Minimal effects that do not meet the threshold for classification.

Components:

Chlorantraniliprole:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
GLP	:	yes
Remarks	:	Information source: Internal study report

kaolin:

Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Chlorantraniliprole:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
GLP	:	yes
Remarks	:	Information source: Internal study report

kaolin:

Result	:	No eye irritation
--------	---	-------------------

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/12/09	50000012	Date of first issue: 2019/06/06

Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type	: Local lymph node test
Species	: Mouse
Method	: OECD Test Guideline 406
Result	: Animal test did not cause sensitization by skin contact.

Components:

Chlorantraniliprole:

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.
GLP	: yes
Remarks	: Information source: Internal study report

Test Type	: Local lymph node assay (LLNA)
Species	: mice
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitization.

kaolin:

Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitization.

Chlorantraniliprole:

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.
GLP	: yes
Remarks	: Information source: Internal study report

Test Type	: Local lymph node assay (LLNA)
Species	: mice
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitization.

kaolin:

Method	: OECD Test Guideline 429
--------	---------------------------

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/12/09	50000012	Date of first issue: 2019/06/06

Result : Does not cause skin sensitization.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative
GLP: yes

Components:

Chlorantraniliprole:

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

kaolin:

Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Remarks: No data available

Chlorantraniliprole:

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Result: negative

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/12/09	50000012	Date of first issue: 2019/06/06

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

kaolin:

Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Chlorantraniliprole:

Species : Rat, male and female
Application Route : Oral
Exposure time : 2 Years
NOAEL : 805 - 1,076 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Species : Mouse, male and female
Application Route : Oral
Exposure time : 18 month(s)
NOAEL : 158 - 1,155 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Species : Dog
Exposure time : 1 Years
NOAEL : 1,164 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Chlorantraniliprole:

Species : Rat, male and female

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/12/09	50000012	Date of first issue: 2019/06/06

Application Route : Oral
Exposure time : 2 Years
NOAEL : 805 - 1,076 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Species : Mouse, male and female
Application Route : Oral
Exposure time : 18 month(s)
NOAEL : 158 - 1,155 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Species : Dog
Exposure time : 1 Years
NOAEL : 1,164 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Chlorantraniliprole:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
General Toxicity Parent: NOAEL: 20,000 ppm
General Toxicity F1: NOAEL: 20,000 ppm
Method: OECD Test Guideline 416
Result: negative

Effects on fetal development : Test Type: Pre-natal
Species: Rat
Application Route: Oral
Duration of Single Treatment: 6 - 20 Days
General Toxicity Maternal: NOEL: 1,000 mg/kg bw/day
Developmental Toxicity: NOEL: 1,000 mg/kg bw/day
Method: OECD Test Guideline 414
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

kaolin:

Effects on fertility : Remarks: No data available

Effects on fetal development : Remarks: No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/12/09	50000012	Date of first issue: 2019/06/06

Chlorantraniliprole:

Effects on fertility	:	Test Type: Two-generation study Species: Rat, male and female Application Route: Oral General Toxicity Parent: NOAEL: 20,000 ppm General Toxicity F1: NOAEL: 20,000 ppm Method: OECD Test Guideline 416 Result: negative
Effects on fetal development	:	Test Type: Pre-natal Species: Rat Application Route: Oral Duration of Single Treatment: 6 - 20 Days General Toxicity Maternal: NOEL: 1,000 mg/kg bw/day Developmental Toxicity: NOEL: 1,000 mg/kg bw/day Method: OECD Test Guideline 414 Result: negative
Reproductive toxicity - Assessment	:	Weight of evidence does not support classification for reproductive toxicity

kaolin:

Effects on fertility	:	Remarks: No data available
Effects on fetal development	:	Remarks: No data available

STOT-single exposure

Based on available data, the classification criteria are not met.

Components:

kaolin:

Remarks	:	No significant adverse effects were reported
---------	---	--

kaolin:

Remarks	:	No significant adverse effects were reported
---------	---	--

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Product:

Remarks	:	Refer to acute toxicity and/or repeated dose toxicity data for more information on target organs if applicable.
---------	---	---

Components:

kaolin:

Assessment	:	The substance or mixture is not classified as specific target
------------	---	---

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/12/09	50000012	Date of first issue: 2019/06/06

organ toxicant, repeated exposure.

kaolin:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Chlorantraniliprole:

Species	: Rat, male and female
NOEL	: 1188 - 1526 mg/kg
Application Route	: Oral
Exposure time	: 90 Days
Method	: OECD Test Guideline 408

kaolin:

Remarks : No data available

Chlorantraniliprole:

Species	: Rat, male and female
NOEL	: 1188 - 1526 mg/kg
Application Route	: Oral
Exposure time	: 90 Days
Method	: OECD Test Guideline 408

kaolin:

Remarks : No data available

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Chlorantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

Chlorantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/12/09	50000012	Date of first issue: 2019/06/06

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

- | | | |
|--|---|---|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): > 3.2 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 0.029 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes |
| Toxicity to algae/aquatic plants | : | EC50 (Pseudokirchneriella subcapitata (green algae)): > 5.0 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 0.00447 mg/l
Exposure time: 21 d
Remarks: Information refers to the main ingredient. |
| Toxicity to soil dwelling organisms | : | NOEC (Eisenia fetida (earthworms)): > 1,000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on Carbon mineralization.

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization. |
| Toxicity to terrestrial organisms | : | LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg
Exposure time: 14 d
Method: US EPA Test Guideline OPPTS 850.2100
GLP: yes

LD50 (Apis mellifera (bees)): 340.5 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213
GLP: yes

LD50 (Apis mellifera (bees)): 285.7 µg/bee |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/12/09	50000012	Date of first issue: 2019/06/06

Exposure time: 48 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214
GLP: yes

Components:

Chlorantraniliprole:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 13.8 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 Remarks: Information source: Internal study report LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15.1 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes Remarks: Information source: Internal study report LC50 (Cyprinodon sp. (minnow)): > 12 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.0116 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l Exposure time: 120 h NOEC (Lemna gibba (duckweed)): > 2 mg/l End point: Biomass Exposure time: 14 d Test Type: static test ErC50 (Selenastrum capricornutum (green algae)): > 2 mg/l Exposure time: 72 h NOEC (Anabaena flos-aquae (cyanobacterium)): > 2 mg/l End point: Growth rate Exposure time: 120 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes NOEC (Skeletonema costatum (Diatom)): > 14.6 mg/l End point: Growth rate Exposure time: 120 h

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version 1.1	Revision Date: 2025/12/09	SDS Number: 50000012	Date of last issue: - Date of first issue: 2019/06/06
----------------	------------------------------	-------------------------	--

Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

NOEC (*Navicula pelliculosa* (Diatom)): > 15.1 mg/l
End point: Growth rate
Exposure time: 120 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (*Cyprinodon variegatus* (sheepshead minnow)): 1.28 mg/l
Exposure time: 36 d

NOEC (*Oncorhynchus mykiss* (rainbow trout)): 0.110 mg/l
Exposure time: 28 d
Method: OECD Test Guideline 210
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.00447 mg/l
Exposure time: 21 d
Method: US EPA Test Guideline OPPTS 850.1300
GLP: yes

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): > 1,000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207
GLP: yes

EC50 (*Hypoaspis aculeifer*): >100 mg/kg dry weight (d.w.)
Exposure time: 16 d
Method: OECD Test Guideline 207

NOEC (*Hypoaspis aculeifer*): 100 mg/kg dry weight (d.w.)
Exposure time: 16 d
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50 (*Apis mellifera* (bees)): > 4.0 µg/bee
Exposure time: 72 h
End point: Acute contact toxicity
Remarks: Active substance dissolved in acetone

LD50 (*Apis mellifera* (bees)): > 0.005 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Remarks: Active substance dissolved in water

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version 1.1	Revision Date: 2025/12/09	SDS Number: 50000012	Date of last issue: - Date of first issue: 2019/06/06
----------------	------------------------------	-------------------------	--

LD50 (*Apis mellifera* (bees)): > 104.1 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Remarks: Active substance dissolved in acetone

LD50 (*Apis mellifera* (bees)): > 0.0274 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Remarks: Active substance dissolved in water

LD50 (*Poephila guttata* (zebra finch)): > 2,250 mg/kg

kaolin:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 1,000 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (*Raphidocelis subcapitata* (freshwater green alga)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Chlorantraniliprole:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 13.8 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
Remarks: Information source: Internal study report

LC50 (*Lepomis macrochirus* (Bluegill sunfish)): > 15.1 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes
Remarks: Information source: Internal study report

LC50 (*Cyprinodon* sp. (minnow)): > 12 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (*Daphnia magna* (Water flea)): 0.0116 mg/l

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/12/09	50000012	Date of first issue: 2019/06/06

aquatic invertebrates

Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants

: ErC50 (*Pseudokirchneriella subcapitata* (green algae)): > 2 mg/l
Exposure time: 120 h

NOEC (*Lemna gibba* (duckweed)): > 2 mg/l
End point: Biomass
Exposure time: 14 d
Test Type: static test

ErC50 (*Selenastrum capricornutum* (green algae)): > 2 mg/l
Exposure time: 72 h

NOEC (*Anabaena flos-aquae* (cyanobacterium)): > 2 mg/l
End point: Growth rate
Exposure time: 120 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

NOEC (*Skeletonema costatum* (Diatom)): > 14.6 mg/l
End point: Growth rate
Exposure time: 120 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

NOEC (*Navicula pelliculosa* (Diatom)): > 15.1 mg/l
End point: Growth rate
Exposure time: 120 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (*Cyprinodon variegatus* (sheepshead minnow)): 1.28 mg/l
Exposure time: 36 d

NOEC (*Oncorhynchus mykiss* (rainbow trout)): 0.110 mg/l
Exposure time: 28 d
Method: OECD Test Guideline 210
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.00447 mg/l
Exposure time: 21 d
Method: US EPA Test Guideline OPPTS 850.1300

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/12/09	50000012	Date of first issue: 2019/06/06

GLP: yes

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): > 1,000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207
GLP: yes

EC50 (*Hypoaspis aculeifer*): >100 mg/kg dry weight (d.w.)
Exposure time: 16 d
Method: OECD Test Guideline 207

NOEC (*Hypoaspis aculeifer*): 100 mg/kg dry weight (d.w.)
Exposure time: 16 d
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50 (*Apis mellifera* (bees)): > 4.0 µg/bee
Exposure time: 72 h
End point: Acute contact toxicity
Remarks: Active substance dissolved in acetone

LD50 (*Apis mellifera* (bees)): > 0.005 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Remarks: Active substance dissolved in water

LD50 (*Apis mellifera* (bees)): > 104.1 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Remarks: Active substance dissolved in acetone

LD50 (*Apis mellifera* (bees)): > 0.0274 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Remarks: Active substance dissolved in water

LD50 (*Poephila guttata* (zebra finch)): > 2,250 mg/kg

kaolin:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 1,000 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (*Raphidocelis subcapitata* (freshwater green alga)): > 100 mg/l
Exposure time: 72 h

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/12/09	50000012	Date of first issue: 2019/06/06

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Persistence and degradability

Components:

Chlorantraniliprole:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 10 d (25 °C) pH: 9

Degradation half life (DT50): 0.3 d (50 °C) pH: 9

Degradation half life (DT50): > 31 d pH: 5

kaolin:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Chlorantraniliprole:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 10 d (25 °C) pH: 9

Degradation half life (DT50): 0.3 d (50 °C) pH: 9

Degradation half life (DT50): > 31 d pH: 5

kaolin:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate.
Estimation based on data obtained on active ingredient.

Components:

Chlorantraniliprole:

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Bioconcentration factor (BCF): 14

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version 1.1	Revision Date: 2025/12/09	SDS Number: 50000012	Date of last issue: - Date of first issue: 2019/06/06
----------------	------------------------------	-------------------------	--

Method: OECD Test Guideline 305
GLP: yes
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2.77 (20 °C)
pH: 4

log Pow: 2.86 (20 °C)
pH: 7

log Pow: 2.80 (20 °C)
pH: 9

kaolin:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : Remarks: Not applicable

Chlorantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 14
Method: OECD Test Guideline 305
GLP: yes
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2.77 (20 °C)
pH: 4

log Pow: 2.86 (20 °C)
pH: 7

log Pow: 2.80 (20 °C)
pH: 9

kaolin:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : Remarks: Not applicable

Mobility in soil

Components:

Chlorantraniliprole:

Distribution among environmental compartments : Koc: 362 ml/g, log Koc: 2.55
Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/12/09	50000012	Date of first issue: 2019/06/06

kaolin:

Distribution among environmental compartments : Remarks: Low mobility in soil.

Chlorantraniliprole:

Distribution among environmental compartments : Koc: 362 ml/g, log Koc: 2.55
Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

kaolin:

Distribution among environmental compartments : Remarks: Low mobility in soil.

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/12/09	50000012	Date of first issue: 2019/06/06

(Chlorantraniliprole)

Class	: 9
Subsidiary risk	: ENVIRONM.
Packing group	: III
Labels	: 9 (ENVIRONM.)
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Chlorantraniliprole)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Chlorantraniliprole)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

GB 6944/12268

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Chlorantraniliprole)
Class	: 9
Packing group	: III
Labels	: 9
Marine pollutant	: yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/12/09	50000012	Date of first issue: 2019/06/06

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : applicable

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218) : Not listed

Hazardous Chemicals for Priority Management under SAWS : Not listed

Regulations on Occupational Labor Protection in the at workplaces where Toxic Substances Are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not listed

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/12/09	50000012	Date of first issue: 2019/06/06

NZIoC : Not in compliance with the inventory

TECI : Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date : 2025/12/09

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Altacor® 35WG insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/12/09	50000012	Date of first issue: 2019/06/06

insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CN / EN