

SAFETY DATA SHEET



BENEVIA® OD

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : BENEVIA® OD

Manufacturer or supplier's details

Company : FMC QUÍMICA DO BRASIL LTDA.

Address : AVENIDA DR. JOSÉ BONIFÁCIO
COUTINHO NOGUEIRA 150 - 1º
ANDAR - JARDIM MADALENA,
CAMPINAS SP BRASIL
TELEFONE: (19) 2042.4500

Emergency telephone : Brazil: 0800 34 35 450 (24 hours)
+55-2139581449 (CHEMTREC)

Medical Emergency Number : 0800 7010 450

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Acute toxicity (Inhalation) : Category 4

Skin sensitization : Category 1

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :



Signal Word : WARNING

Hazard Statements : H317 May cause an allergic skin reaction.
H332 Harmful if inhaled.
H410 Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET



BENEVIA® OD

Version 2.0 Revision Date: 24.06.2025 SDS Number: 50000013 Date of last issue: -
Date of first issue: 01.04.2024

Precautionary Statements

: **Prevention:**

P261 Avoid breathing mist or vapors.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
calcium dodecylbenzenesulphonate (alternate CAS 68584-23-6)	26264-06-2	Acute Tox. (Oral), 4 Skin corrosion/irritation, 2 Serious eye damage/eye irritation, 1 Aquatic Acute, 2	>= 10 -< 20
Cyantraniliprole	736994-63-1	Aquatic Acute, 1 Aquatic Chronic, 1	>= 10 -< 20
2-ethylhexan-1-ol	104-76-7	Flam. Liq., 4 Acute Tox. (Oral), 5 Acute Tox. (Inhalation), 4 Skin corrosion/irritation, 2 Serious eye damage/eye irritation, 2A STOT SE, (Respiratory system) , 3 Aquatic Acute, 3	>= 5 -< 10

SAFETY DATA SHEET



BENEVIA® OD

Version 2.0 Revision Date: 24.06.2025 SDS Number: 50000013 Date of last issue: -
Date of first issue: 01.04.2024

Polyoxyethylene sorbitol hexaoleate	57171-56-9	Aquatic Acute, 3	≥ 5 -< 10
Fatty acids, C6-10, Me esters	68937-83-7	Flam. Liq., 4 Skin corrosion/irritation, 2	≥ 1 -< 5
methanol	67-56-1	Flam. Liq., 2 Acute Tox. (Oral), 3 Acute Tox. (Inhalation), 3 Acute Tox. (Dermal), 3 STOT SE, (Central nervous system, Eyes) , 1	$\geq 0,1$ -< 1

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Do not induce vomiting without medical advice.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
Harmful if inhaled.

SAFETY DATA SHEET

BENEVIA® OD



Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.
Immediate medical attention is required in case of ingestion.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
High volume water jet

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides
Sulfur oxides
Nitrogen oxides (NO_x)
Hydrogen chloride
Hydrogen cyanide
Chlorine compounds
Bromine compounds

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
If it can be safely done, stop the leak.
Evacuate personnel to safe areas.
Do not touch or walk through the spilled material.
Remove all sources of ignition.
Ensure adequate ventilation.

BENEVIA® OD

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13.

- | | | |
|---|---|---|
| Accidental Release Measures | : | Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13. |
| Environmental precautions | : | Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal. |
-

SECTION 7. HANDLING AND STORAGE

- | | | |
|---|---|---|
| Advice on protection against fire and explosion | : | Normal measures for preventive fire protection. |
| Advice on safe handling | : | Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. |
| Hygiene measures | : | Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
Remove and wash contaminated clothing and gloves, including the inside, before re-use. |
| Conditions for safe storage | : | Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage. |

SAFETY DATA SHEET



BENEVIA® OD

Version 2.0 Revision Date: 24.06.2025 SDS Number: 50000013 Date of last issue: -
Date of first issue: 01.04.2024

Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage.
Protect from frost and extreme heat.
Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Recommended storage temperature : 5 - 30 °C

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-ethylhexan-1-ol	104-76-7	TWA	5 ppm	ACGIH
methanol	67-56-1	LT	156 ppm 200 mg/m3	BR OEL
		Further information: Absorption through the skin, Degree of harmfulness: maximum		
		TWA STEL	200 ppm 250 ppm	ACGIH ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
methanol	67-56-1	Methanol	Urine	End of workday	15 mg/l	BR BEI
		Methanol	Urine	End of shift (As soon as possible after exposure ceases)	15 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate,

SAFETY DATA SHEET



BENEVIA® OD

Version 2.0	Revision Date: 24.06.2025	SDS Number: 50000013	Date of last issue: - Date of first issue: 01.04.2024
----------------	------------------------------	-------------------------	--

butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Form : dispersion

Color : off-white

Odor : mild, oily

Odor Threshold : No data available

pH : 5,1
Concentration: 10 g/l 1 %
(as a dispersion)

Melting point/freezing point : not determined

Boiling point/boiling range : 99 °C

Flash point : > 99 °C
Method: closed cup

Evaporation rate : No data available

SAFETY DATA SHEET



BENEVIA® OD

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

Flammability (liquids)	:	Not classified as a flammability hazard
Self-ignition	:	254 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Vapor pressure	:	Not available for this mixture.
Relative vapor density	:	Not available for this mixture.
Relative density	:	0,978
Density	:	No data available
Bulk density	:	0,9 - 1,1 g/cm ³
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	not determined
Viscosity		
Viscosity, dynamic	:	345 mPa.s 25 rpm
		257 mPa.s 50 rpm
		200 mPa.s 100 rpm
Viscosity, kinematic	:	353 mm ² /s 25 rpm
		204 mm ² /s 100 rpm
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Molecular weight	:	Not applicable

SAFETY DATA SHEET



BENEVIA® OD

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Avoid formation of aerosol. Protect from frost, heat and sunlight. Heating of the product will produce harmful and irritant vapours.
Incompatible materials	: Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact

Acute toxicity

Harmful if inhaled.

Product:

Acute oral toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 425 GLP: yes Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: LC50 (Rat): > 3,3 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Symptoms: nasal discharge, Eye irritation, hair loss Assessment: The component/mixture is moderately toxic after short term inhalation. Remarks: no mortality
Acute dermal toxicity	: LD50 (Rat): > 5.000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mixture has no acute dermal toxicity

SAFETY DATA SHEET

BENEVIA® OD



Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

Components:

calcium dodecylbenzenesulphonate:

Acute oral toxicity : LD50 (Rat, male and female): 1.300 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: Not classified

Acute dermal toxicity : LD50 (Rat, male and female): > 2000 milligram per kilogram
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Cyantraniliprole:

Acute oral toxicity : LD50 (Mouse, female): > 5.000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: no mortality

LD50 (Rat, female): > 5.000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: no mortality

2-ethylhexan-1-ol:

Acute oral toxicity : LD50 (Rat, male): 2.047 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4,3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 3.000 mg/kg
Method: OECD Test Guideline 402

SAFETY DATA SHEET

BENEVIA® OD



Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

Assessment: The substance or mixture has no acute dermal toxicity

Polyoxyethylene sorbitol hexaoleate:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Fatty acids, C6-10, Me esters:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

methanol:

Acute oral toxicity : LD50 (Rat): 1.187 mg/kg

Acute toxicity estimate (Humans): 100 mg/kg
Method: Expert judgment

Acute inhalation toxicity : LC50 (Rat, female): 82,1 mg/l
Exposure time: 4 h
Test atmosphere: vapor

LC50 (Rat, male): 92,6 mg/l
Exposure time: 4 h
Test atmosphere: vapor

Acute toxicity estimate: 5 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: Expert judgment

Acute dermal toxicity : LD50 (Rabbit): 17.100 mg/kg

Acute toxicity estimate: 300 mg/kg
Method: Expert judgment

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species	: Rabbit
Assessment	: No skin irritation
Method	: OECD Test Guideline 404
Result	: No skin irritation
GLP	: yes

Components:

calcium dodecylbenzenesulphonate:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

Cyantraniliprole:

SAFETY DATA SHEET



BENEVIA® OD

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes

2-ethylhexan-1-ol:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation

Polyoxyethylene sorbitol hexaoleate:

Species	:	Rabbit
Result	:	No skin irritation

Fatty acids, C6-10, Me esters:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation

methanol:

Species	:	Rabbit
Result	:	No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Result	:	No eye irritation
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
GLP	:	yes

Components:

calcium dodecylbenzenesulphonate:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

Cyantraniliprole:

Species	:	Rabbit
Result	:	slight irritation
Assessment	:	Not classified as irritant

SAFETY DATA SHEET

BENEVIA® OD



Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

Method	:	OECD Test Guideline 405
GLP	:	yes

2-ethylhexan-1-ol:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

Polyoxyethylene sorbitol hexaoleate:

Species	:	Rabbit
Result	:	No eye irritation

Fatty acids, C6-10, Me esters:

Species	:	Rabbit
Result	:	slight irritation
Method	:	OECD Test Guideline 405

methanol:

Species	:	Rabbit
Result	:	No eye irritation

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Species	:	multiple species
Method	:	OECD Test Guideline 406
Result	:	May cause sensitization by skin contact.

Test Type	:	Local lymph node test
Species	:	mice
Assessment	:	May cause sensitization by skin contact.
Method	:	OECD Test Guideline 429
Result	:	Causes sensitization.
GLP	:	yes

Components:

calcium dodecylbenzenesulphonate:

Test Type	:	Maximization Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Not a skin sensitizer.
Remarks	:	Based on data from similar materials

Cyantraniliprole:

BENEVIA® OD

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

Test Type	: Local lymph node test
Routes of exposure	: Dermal
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitization.
GLP	: yes

Test Type	: Maximization Test
Routes of exposure	: Dermal
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.
GLP	: yes

Test Type	: Buehler Test
Routes of exposure	: Dermal
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.
GLP	: yes

Test Type	: Magnussen-Kligman test
Routes of exposure	: Dermal
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Causes skin sensitization.
GLP	: yes

Polyoxyethylene sorbitol hexaoleate:

Test Type	: Human repeat insult patch test (HRIPT)
Species	: Humans
Result	: negative

Fatty acids, C6-10, Me esters:

Routes of exposure	: Skin contact
Species	: Guinea pig
Result	: Not a skin sensitizer.

methanol:

Test Type	: Maximization Test
Species	: Guinea pig
Result	: Not a skin sensitizer.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Genotoxicity in vitro	: Test Type: Ames test Method: OECD Test Guideline 471 Result: negative
-----------------------	---

Genotoxicity in vivo	: Test Type: Bone marrow chromosome aberration.
----------------------	---

SAFETY DATA SHEET

BENEVIA® OD



Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

Species: Mouse
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Contains no ingredient listed as a mutagen

Components:

calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay
Species: Rat (male and female)
Application Route: Oral
Exposure time: 90 d
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Cyantraniliprole:

Genotoxicity in vitro : Test Type: reverse mutation assay
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: reverse mutation assay
Test system: Escherichia coli
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Human lymphocytes
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474

SAFETY DATA SHEET

BENEVIA® OD



Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

Result: negative
GLP: yes

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

2-ethylhexan-1-ol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Fatty acids, C6-10, Me esters:

Genotoxicity in vitro : Test Type: Ames test
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

methanol:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster fibroblasts
Result: negative

Test Type: reverse mutation assay
Test system: Salmonella typhimurium
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Carcinogenicity - Assessment : Contains no ingredient listed as a carcinogen

Components:

calcium dodecylbenzenesulphonate:

Species : Rat, male and female
Application Route : Oral
Exposure time : 720 d
NOAEL : 250 mg/kg body weight

SAFETY DATA SHEET



BENEVIA® OD

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

Result : negative
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Cyantraniliprole:

Species : Rat, male and female
Application Route : Ingestion
Exposure time : 2 Years
NOAEL : 200 - 2.000 ppm
Method : OECD Test Guideline 453
Result : negative

Species : Mouse, male and female
Application Route : Ingestion
Exposure time : 18 month(s)
NOAEL : 7.000 ppm
Method : OECD Test Guideline 451
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

2-ethylhexan-1-ol:

Species : Rat
Application Route : Oral
Exposure time : 24 month(s)
Result : negative

methanol:

Species : Mouse, male and female
Application Route : inhalation (vapor)
Exposure time : 18 month(s)
NOAEC : 1,3 mg/l
Result : negative

Species : Rat, male and female
Application Route : inhalation (vapor)
Exposure time : 2 Years
NOAEC : 1,3 mg/l
Result : negative

Reproductive toxicity

Based on available data, the classification criteria are not met.

Product:

Reproductive toxicity - Assessment : Contains no ingredient listed as toxic to reproduction

BENEVIA® OD

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

Components:**calcium dodecylbenzenesulphonate:**

- Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Application Route: Ingestion
General Toxicity Parent: NOAEL: 400 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative
- Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Ingestion
General Toxicity Maternal: NOAEL: 300 mg/kg body weight
Developmental Toxicity: NOAEL: 600 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative
- Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

Cyantraniliprole:

- Effects on fetal development : Test Type: Pre-natal
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 1.000 mg/kg bw/day
Embryo-fetal toxicity.: NOAEL: 1.000 mg/kg bw/day
Method: OECD Test Guideline 414
Result: negative
- Test Type: Pre-natal
Species: Rabbit
Application Route: Oral
General Toxicity Maternal: NOAEL: 25 mg/kg bw/day
Embryo-fetal toxicity.: NOAEL: 100 mg/kg bw/day
Symptoms: Maternal effects.
Method: OECD Test Guideline 414
Result: negative
- Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

2-ethylhexan-1-ol:

- Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: negative

methanol:

- Effects on fertility : Test Type: one-generation reproductive toxicity
Species: Monkey, female
Application Route: inhalation (vapor)

SAFETY DATA SHEET

BENEVIA® OD



Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

General Toxicity F1: NOAEC: 2,39 mg/l
Result: negative

Test Type: Two-generation study
Species: Rat, male and female
Application Route: inhalation (vapor)
General Toxicity F1: LOAEC: 1,3 mg/l
General Toxicity F2: LOAEC: 1,3 mg/l
Result: negative

Effects on fetal development : Test Type: Pre-natal
Species: Mouse
Application Route: inhalation (vapor)
Developmental Toxicity: NOAEC: 6,65 mg/L
Result: Embryotoxic effects and adverse effects on the off-spring were detected only at high maternally toxic doses

Test Type: Pre-natal
Species: Rat
Application Route: inhalation (vapor)
Developmental Toxicity: NOAEC: 1,33 mg/L
Result: Embryotoxic effects and adverse effects on the off-spring were detected only at high maternally toxic doses

STOT-single exposure

Based on available data, the classification criteria are not met.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:

Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

2-ethylhexan-1-ol:

Assessment : May cause respiratory irritation.

methanol:

Target Organs : Central nervous system, Eyes
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 1.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

SAFETY DATA SHEET



BENEVIA® OD

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

Components:

Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

calcium dodecylbenzenesulphonate:

Species : Rat, male and female
NOAEL : 85 mg/kg
LOAEL : 145 mg/kg
Application Route : Oral
Exposure time : 9 Months
Remarks : Based on data from similar materials

Species : Rat, male
LOAEL : 286 mg/kg
Application Route : Skin contact
Exposure time : 15 Days
Remarks : Based on data from similar materials

Species : Rat, male and female
NOAEL : 100 mg/kg bw/day
LOAEL : 200 mg/kg bw/day
Application Route : Oral - gavage
Exposure time : 28 - 54 Days
Method : OECD Test Guideline 422
Remarks : Based on data from similar materials

Cyantraniliprole:

Species : Rat
NOAEL : > 1.000 mg/kg
Application Route : Oral
Exposure time : 28 Days
Method : OECD Test Guideline 407
Symptoms : increased liver weight
Remarks : Based on available data, the classification criteria are not met.

Species : Rat, male and female
NOAEL : 6,9 - 168 mg/kg bw/day
Application Route : Ingestion
Exposure time : 90 Days
Method : OPPTS 870.3100
Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female
NOAEL : 1091,8 mg/kg bw/day
Application Route : Ingestion
Exposure time : 90 Days
Method : OPPTS 870.3100
Remarks : Effects are of limited toxicological significance.

SAFETY DATA SHEET



BENEVIA® OD

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

Species : Dog, male and female
NOAEL : 3,08 - 3,48 mg/kg bw/day
Application Route : Ingestion
Exposure time : 90 Days
Method : OPPTS 870.3150
Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female
NOAEL : 8,3 - 106,6 mg/kg bw/day
Application Route : Ingestion
Exposure time : 2 yr
Method : OPPTS 870.4300
Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female
NOAEL : 768,8 - 903,8 mg/kg bw/day
Application Route : Ingestion
Exposure time : 18 Months
Method : OPPTS 870.4200
Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female
NOAEL : 5,67 - 6 mg/kg bw/day
Application Route : Ingestion
Exposure time : 1 yr
Method : OPPTS 870.4100
Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female
NOAEL : 1000 mg/kg
Application Route : Dermal
Exposure time : 28 Days
Method : OECD Test Guideline 410
GLP : yes
Symptoms : Irritation
Remarks : Effects are of limited toxicological significance.

2-ethylhexan-1-ol:

Species : Rat
: 250 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Method : OECD Test Guideline 408

methanol:

Species : Monkey
LOAEL : 2.340 mg/kg
Application Route : Ingestion
Exposure time : 3 days

Species : Rat
NOEC : 0,13 mg/l
LOAEL : 1,3 mg/l

SAFETY DATA SHEET



BENEVIA® OD

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

Application Route : inhalation (vapor)
Exposure time : 12 months
Remarks : No toxicologically significant effects were found.

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

No aspiration toxicity classification

Components:

Cyantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

Experience with human exposure

Components:

methanol:

Ingestion : Target Organs: Eyes
Remarks: Based on Human Evidence

Neurological effects

Components:

Cyantraniliprole:

No neurotoxicity observed in animal studies.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 37 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,00947 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes

EC50 (Daphnia magna (Water flea)): 20,4 µg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic : ErC50 (Pseudokirchneriella subcapitata (green algae)): 63,8

SAFETY DATA SHEET

BENEVIA® OD



Version 2.0	Revision Date: 24.06.2025	SDS Number: 50000013	Date of last issue: - Date of first issue: 01.04.2024
----------------	------------------------------	-------------------------	--

plants
mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes

Toxicity to soil dwelling organisms : LC50 (worms): > 1.000 mg/kg

Toxicity to terrestrial organisms : LD50 (Apis mellifera (bees)): 3.79 µg/bee
Exposure time: 72 h
End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): 6.31 µg/bee
Exposure time: 96 h
End point: Acute contact toxicity

NOEC (Colinus virginianus (Bobwhite quail)): 2.250 mg/kg
End point: Acute oral toxicity
Method: US EPA Test Guideline OPP 71-1

LD50 (Colinus virginianus (Bobwhite quail)): > 2.250 mg/kg
End point: Acute oral toxicity
Method: US EPA Test Guideline OPP 71-1

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

LC50 (Pimephales promelas (fathead minnow)): 4,6 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3,5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 7,9 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC50 (Pseudokirchneriella subcapitata (green algae)): 65,4 mg/l

SAFETY DATA SHEET

BENEVIA® OD



Version 2.0	Revision Date: 24.06.2025	SDS Number: 50000013	Date of last issue: - Date of first issue: 01.04.2024
----------------	------------------------------	-------------------------	--

	Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 1,65 mg/l Exposure time: 21 d Remarks: Based on data from similar materials NOEC (Daphnia magna (Water flea)): 1,18 mg/l Exposure time: 21 d Remarks: Based on data from similar materials
Toxicity to microorganisms	: EC50 (activated sludge): 500 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Toxicity to soil dwelling organisms	: LC50 (Eisenia fetida (earthworms)): 1.000 mg/kg Exposure time: 14 d Method: OECD Test Guideline 207
Toxicity to terrestrial organisms	: LD50 (Colinus virginianus (Bobwhite quail)): 1.356 mg/kg Exposure time: 14 d Method: OECD Test Guideline 223
Cyantraniliprole:	
Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 12,6 mg/l Exposure time: 96 h Method: US EPA Test Guideline OPP 72-1 GLP: yes LC50 (Ictalurus punctatus (channel catfish)): > 10 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0,0204 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 13 mg/l Exposure time: 72 h ErC50 (Lemna gibba (duckweed)): 0,278 mg/l Exposure time: 7 d EyC50 (Lemna gibba (duckweed)): 0,060 mg/l Exposure time: 7 d
M-Factor (Acute aquatic toxicity)	: 10
Toxicity to fish (Chronic toxicity)	: NOEC (Cyprinodon variegatus (sheepshead minnow)): 2,9 mg/l Exposure time: 28 d NOEC (Oncorhynchus mykiss (rainbow trout)): 0,11 mg/l

SAFETY DATA SHEET

BENEVIA® OD



Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

Exposure time: 21 d

NOEC (Oncorhynchus mykiss (rainbow trout)): 1,01 mg/l
Exposure time: 90 d
Test Type: Early Life-Stage
Method: US EPA Test Guideline OPP 72-4
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0,00656 mg/l
End point: Growth
Exposure time: 21 d
Test Type: Static-Renewal
Method: US EPA Test Guideline OPPTS 850.1300
GLP: yes

LOEC (Daphnia magna (Water flea)): 0,00969 mg/l
End point: Growth
Exposure time: 21 d
Test Type: Static-Renewal
Method: US EPA Test Guideline OPPTS 850.1300
GLP: yes

NOEC (Daphnia magna (Water flea)): 0,00447 mg/l
Exposure time: 21 d

NOEC (Americamysis bahia (mysid shrimp)): 0,72 mg/l
End point: reproduction
Exposure time: 35 d
Test Type: flow-through test
Method: US EPA Test Guideline OPP 72-4
GLP: yes

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : NOEC (Eisenia fetida (earthworms)): 1.000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 222
GLP: yes

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organisms : LD50 (Apis mellifera (bees)): > 0,0934 µg/bee
Exposure time: 72 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214
GLP: yes

LD50 (Apis mellifera (bees)): > 0,1055 µg/bee

SAFETY DATA SHEET

BENEVIA® OD



Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

Exposure time: 48 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213
GLP: yes

LD50 (Colinus virginianus): > 2.250 mg/kg
End point: Acute oral toxicity
Method: US EPA Test Guideline OPPTS 850.2100
GLP: yes

NOEC (Anas platyrhynchos (Mallard duck)): 1.000 ppm
End point: Reproduction Test
Method: OECD Test Guideline 206
GLP: yes

2-ethylhexan-1-ol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 17,1 - 28,2 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 39 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : EC10 (Desmodesmus subspicatus (green algae)): 3,2 mg/l
plants Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): 11,5 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50 (Anabaena flos-aquae (cyanobacterium)): 16,6 mg/l
Exposure time: 72 h

Polyoxyethylene sorbitol hexaoleate:

Toxicity to algae/aquatic : EbC50 (Skeletonema costatum (Diatom)): 20 mg/l
plants Exposure time: 72 h

ErC50 (Skeletonema costatum (Diatom)): 98 mg/l
Exposure time: 72 h

Fatty acids, C6-10, Me esters:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 95 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC50 (Gammarus fasciatus (freshwater shrimp)): 14,7 mg/l
aquatic invertebrates Remarks: Based on data from similar materials

methanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 15.400 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 18.260 mg/l
aquatic invertebrates Exposure time: 96 h

SAFETY DATA SHEET

BENEVIA® OD



Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): ca. 22.000 mg/l Exposure time: 96 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 450 mg/l Exposure time: 28 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 208 mg/l Exposure time: 21 d
Toxicity to microorganisms	:	EC50 (activated sludge): 19.800 mg/l Exposure time: 96 h

Persistence and degradability

Product:

Biodegradability	:	Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.
------------------	---	---

Components:

calcium dodecylbenzenesulphonate:

Biodegradability	:	Result: Readily biodegradable. Method: OECD Test Guideline 301E
------------------	---	--

Cyantraniliprole:

Biodegradability	:	Remarks: Not readily biodegradable.
------------------	---	-------------------------------------

Stability in water	:	Degradation half life (DT50): 9,09 - 37,7 d Remarks: Fresh water
--------------------	---	---

Degradation half life (DT50): 76,6 - 119 d
Remarks: Soil

Degradation half life (DT50): 22,8 - 25,1 d
Remarks: total system

2-ethylhexan-1-ol:

Biodegradability	:	Result: Readily biodegradable.
------------------	---	--------------------------------

Polyoxyethylene sorbitol hexaoleate:

Biodegradability	:	Result: Biodegradable Biodegradation: 99 %
------------------	---	---

Result: Biodegradable
Biodegradation: 65 %

Fatty acids, C6-10, Me esters:

SAFETY DATA SHEET

BENEVIA® OD



Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

Biodegradability : Result: Readily biodegradable.

methanol:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 70,79
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4,77 (25 °C)

Cyantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): < 1
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 1,97 (22 °C)
pH: 4

log Pow: 2,07 (22 °C)
pH: 7

log Pow: 1,74 (22 °C)
pH: 9

2-ethylhexan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 2,9 (25 °C)

methanol:

Partition coefficient: n-octanol/water : log Pow: -0,77 (20 °C)

Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

BENEVIA® OD

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

Components:**Cyantraniliprole:**

Distribution among environmental compartments : Koc: 241 ml/g, log Koc: 2,38
Kd: 3,73 ml/g
Remarks: Mobile in soils

Other adverse effects**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : It is prohibited to reuse, bury, burn or sell packaging.

Washable packaging: Triple wash packs of less than 20 liters and pressure wash packs of 20 liters or more. Triple Wash (Manual Wash): Completely empty the contents of the package into the sprayer tank, keeping it in an upright position for 30 seconds; Add clean water to the package up to ¼ of its volume; Cover the package well and shake it for 30 seconds; Pour the wash water into the spray tank; Do this operation three times; Make the plastic or metal packaging unusable by perforating the bottom.

Pressure wash: Fit the empty package in the appropriate place of the funnel installed on the sprayer; Activate the mechanism to release the water jet; Direct the water jet to all the inside walls of the package, for 30 seconds; Wash water must be transferred to the sprayer tank; Make the plastic or metal packaging unusable by perforating the bottom. In both procedures, puncture the container at its base without damaging the label. Within a period of up to one year from the date of purchase, the user must return the empty packaging, with lid, to the establishment where the product was purchased or to the place indicated on the invoice, issued at the time of purchase. Activate the mechanism to release the water jet. Direct the water jet to all the inside walls of the package, for 30 seconds. Wash water must be transferred to the sprayer tank. Make the plastic or metal packaging unusable by perforating the bottom.

BENEVIA® OD

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyantraniliprole)

Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Cyantraniliprole)

Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyantraniliprole)

Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**ANTT**

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyantraniliprole)

Class	: 9
Packing group	: III
Labels	: 9
Hazard Identification Number	: 90

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

SAFETY DATA SHEET

BENEVIA® OD



Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Law No. 14,785 of December 27, 2023. Decree 4,074 of January 4, 2002 and its regulatory standards. ANTT Resolution No. 5,998/22 of November 3, 2022. This MSDS was prepared in accordance with the criteria of ABNT NBR 14725. The user is recommended to pay attention to local regulations.

National List of Carcinogenic Agents for Humans - : Not applicable
(LINACH)

Brazil. List of chemicals controlled by the Federal Police : Not applicable

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date	: 24.06.2025
Date format	: dd.mm.yyyy

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
BR BEI	: Brazil. NR7. Parameters for Biological Control of Occupational Exposure to Some Chemical Agents
BR OEL	: Brazil. NR 15 - Unhealthy activities and operations

SAFETY DATA SHEET



BENEVIA® OD

Version	Revision Date:	SDS Number:	Date of last issue: -
2.0	24.06.2025	50000013	Date of first issue: 01.04.2024

ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
BR OEL / LT	:	Up to 48 hours /week

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

BR / EN