

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Rynaxypyr 700 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/12/09	50002561	Date of first issue: 2025/12/09

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Rynaxypyr 700 WG

Other means of identification : ALTACOR EVO INSECT CONTROL
VISICOR 70WG INSECTICIDE
PLAID 70WG INSECT CONTROL

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as insecticide only.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Corporation

Address : 2929 Walnut Street
Philadelphia PA 19104
USA

Telephone : +1 (215) 299-6000 (Corporate)

E-mail address : SDS-Info@fmc.com

Emergency telephone : For leak, fire, spill or accident emergencies, call:
0086-0532 8388 9090 (National Registration Center for Chemicals)

Medical emergency:
86 532 8388 9090

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	: granules
Color	: light brown
Odor	: mild

Very toxic to aquatic life with long lasting effects.

GHS Classification

Short-term (acute) aquatic hazard : Category 1

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Rynaxypyr 700 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/12/09	50002561	Date of first issue: 2025/12/09

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal Word : WARNING

Hazard Statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
P273 Avoid release to the environment.
Response:
P391 Collect spillage.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Physical and chemical hazards

Not classified based on available information.

Health hazards

Not classified based on available information.

Environmental hazards

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Chlorantraniliprole	500008-45-7	>= 70 -< 90
kaolin	1332-58-7	>= 1 -< 10
Alkylated Naphthalene Sulfonate Sodium Salt	68425-94-5	>= 2.5 -< 10

4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Rynaxypyr 700 WG

Version 1.0	Revision Date: 2025/12/09	SDS Number: 50002561	Date of last issue: - Date of first issue: 2025/12/09
----------------	------------------------------	-------------------------	--

	Do not leave the victim unattended.
If inhaled	: Move to fresh air. If unconscious, place in recovery position and seek medical advice. If experiencing any discomfort, immediately remove from exposure. Get medical attention if discomfort does not disappear.
In case of skin contact	: If on clothes, remove clothes. If on skin, rinse well with water. Wash off with soap and plenty of water. Get medical attention if irritation develops and persists.
In case of eye contact	: Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	: Keep respiratory tract clear. Do not induce vomiting without medical advice. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: None known.
Protection of first-aiders	: Avoid inhalation, ingestion and contact with skin and eyes.
Notes to physician	: Treat symptomatically. Immediate medical attention is required in case of ingestion.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Dry chemical, CO ₂ , water spray or regular foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: Do not spread spilled material with high-pressure water streams. High volume water jet
Specific hazards during fire fighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Fire may produce irritating, corrosive and/or toxic gases. Nitrogen oxides (NO _x) Carbon oxides Bromine compounds Hydrogen cyanide

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Rynaxypyr 700 WG

Version 1.0	Revision Date: 2025/12/09	SDS Number: 50002561	Date of last issue: - Date of first issue: 2025/12/09
----------------	------------------------------	-------------------------	--

Hydrogen chloride
Chlorinated compounds
Sulfur oxides

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Avoid dust formation.
Use personal protective equipment.
If it can be safely done, stop the leak.
Remove all sources of ignition.
Ensure adequate ventilation.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

Prevention of secondary hazards : Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13.

7. HANDLING AND STORAGE

Handling

Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Avoidance of contact : Avoid strong acids, bases, and oxidizers.

Storage

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Rynaxypyr 700 WG

Version 1.0	Revision Date: 2025/12/09	SDS Number: 50002561	Date of last issue: - Date of first issue: 2025/12/09
----------------	------------------------------	-------------------------	--

- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.
- Recommended storage temperature : < 40 °C
- Further information on storage stability : Keep in a dry place.
No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
kaolin	1332-58-7	TWA (Respirable particulate matter)	2 mg/m ³	ACGIH

Personal protective equipment

- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
- Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles
- Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper in-

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Rynaxypyr 700 WG

Version 1.0	Revision Date: 2025/12/09	SDS Number: 50002561	Date of last issue: - Date of first issue: 2025/12/09
----------------	------------------------------	-------------------------	--

structions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

Hygiene measures : Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: solid
Form	: granules
Color	: light brown
Odor	: mild
Odor Threshold	: not determined
pH	: 9.9 (1% solution in water)
Melting point/freezing point	: not determined
Boiling point/boiling range	: not determined
Flash point	: not determined
Flammability (solid, gas)	: Not highly flammable
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Vapor pressure	: not determined
Relative vapor density	: Not applicable
Density	: not determined
Bulk density	: 0.73 g/cm ³ Tap density

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Rynaxypyr 700 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/12/09	50002561	Date of first issue: 2025/12/09

	0.71 g/cm ³ Pour density
Solubility(ies)	
Water solubility	: dispersible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: log Pow: 2.77 (20 °C)
	pH: 4
	Active ingredient
	log Pow: 2.86 (20 °C)
	pH: 7
	Active ingredient
	log Pow: 2.8 (20 °C)
	pH: 9
	Active ingredient
Autoignition temperature	: 279.8 °C
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: not determined
Explosive properties	: Not explosive
Oxidizing properties	: The product is not oxidizing.
Particle size	: No data available

10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed. Dust may form explosive mixture in air.
Conditions to avoid	: Extremes of temperature and direct sunlight. moisture
Incompatible materials	: Avoid strong acids, bases, and oxidizers.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Rynaxypyr 700 WG

Version 1.0	Revision Date: 2025/12/09	SDS Number: 50002561	Date of last issue: - Date of first issue: 2025/12/09
----------------	------------------------------	-------------------------	--

Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	: LD50 (Rat, female): > 5,000 mg/kg Method: OECD Test Guideline 425 GLP: yes
Acute inhalation toxicity	: LC50 (Rat, male and female): > 5.13 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 402 Remarks: Based on data from similar materials

Components:

Chlorantraniliprole:

Acute oral toxicity	: LD50 (Rat, female): > 5,000 mg/kg Method: OECD Test Guideline 425 GLP: yes Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: LC50 (Rat, male and female): > 5.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Information source: Internal study report
Acute dermal toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mixture has no acute dermal toxicity Remarks: Information source: Internal study report

kaolin:

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Rynaxypyr 700 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/12/09	50002561	Date of first issue: 2025/12/09

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 LD50: > 2,000 mg/kg Method: OECD Test Guideline 420 Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: LC50 (Rat): 36 mg/l Exposure time: 1 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg LD50: > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Alkylated Naphthalene Sulfonate Sodium Salt:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
---------------------	-----------------------------

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 404
Result	: No skin irritation
GLP	: yes

Components:

Chlorantraniliprole:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
GLP	: yes
Remarks	: Information source: Internal study report

kaolin:

Method	: OECD Test Guideline 404
Result	: No skin irritation

Alkylated Naphthalene Sulfonate Sodium Salt:

Remarks	: No data available
---------	---------------------

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Rynaxypyr 700 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/12/09	50002561	Date of first issue: 2025/12/09

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	: Rabbit
Result	: No eye irritation
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 405
GLP	: yes

Components:

Chlorantraniliprole:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405
GLP	: yes
Remarks	: Information source: Internal study report

kaolin:

Result	: No eye irritation
Method	: OECD Test Guideline 405

Alkylated Naphthalene Sulfonate Sodium Salt:

Result	: Eye irritation
--------	------------------

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type	: Local lymph node assay (LLNA)
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: Not a skin sensitizer.
GLP	: yes

Components:

Chlorantraniliprole:

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.
GLP	: yes
Remarks	: Information source: Internal study report

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Rynaxypyr 700 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/12/09	50002561	Date of first issue: 2025/12/09

Test Type : Local lymph node assay (LLNA)
Species : mice
Method : OECD Test Guideline 429
Result : Does not cause skin sensitization.

kaolin:

Method : OECD Test Guideline 429
Result : Does not cause skin sensitization.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Germ cell mutagenicity - Assessment : Contains no ingredient listed as a mutagen

Components:

Chlorantraniliprole:

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

kaolin:

Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Carcinogenicity - Assessment : This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Rynaxypyr 700 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/12/09	50002561	Date of first issue: 2025/12/09

occur from exposure to this product., Weight of evidence does not support classification as a carcinogen

Components:

Chlorantraniliprole:

Species	: Rat, male and female
Application Route	: Oral
Exposure time	: 2 Years
NOAEL	: 805 - 1,076 mg/kg bw/day
Method	: OECD Test Guideline 453
Result	: negative

Species	: Mouse, male and female
Application Route	: Oral
Exposure time	: 18 month(s)
NOAEL	: 158 - 1,155 mg/kg bw/day
Method	: OECD Test Guideline 453
Result	: negative

Species	: Dog
Exposure time	: 1 Years
NOAEL	: 1,164 mg/kg bw/day
Method	: OECD Test Guideline 453
Result	: negative

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

Reproductive toxicity

Based on available data, the classification criteria are not met.

Product:

Reproductive toxicity - Assessment	: Contains no ingredient listed as toxic to reproduction
------------------------------------	--

Components:

Chlorantraniliprole:

Effects on fertility	: Test Type: Two-generation study Species: Rat, male and female Application Route: Oral General Toxicity Parent: NOAEL: 20,000 ppm General Toxicity F1: NOAEL: 20,000 ppm Method: OECD Test Guideline 416 Result: negative
----------------------	--

Effects on fetal development	: Test Type: Pre-natal Species: Rat Application Route: Oral Duration of Single Treatment: 6 - 20 Days
------------------------------	--

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Rynaxypyr 700 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/12/09	50002561	Date of first issue: 2025/12/09

General Toxicity Maternal: NOEL: 1,000 mg/kg bw/day
Developmental Toxicity: NOEL: 1,000 mg/kg bw/day
Method: OECD Test Guideline 414
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

kaolin:

Effects on fertility : Remarks: No data available

Effects on fetal development : Remarks: No data available

STOT-single exposure

Based on available data, the classification criteria are not met.

Product:

Remarks : No significant adverse effects were reported

Components:

kaolin:

Remarks : No significant adverse effects were reported

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Components:

kaolin:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Chlorantraniliprole:

Species	: Rat, male and female
NOEL	: 1188 - 1526 mg/kg
Application Route	: Oral
Exposure time	: 90 Days
Method	: OECD Test Guideline 408

kaolin:

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Rynaxypyr 700 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/12/09	50002561	Date of first issue: 2025/12/09

Remarks : No data available

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

The mixture does not have properties associated with aspiration hazard potential.

Components:

Chlorantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Chlorantraniliprole:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 13.8 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 Remarks: Information source: Internal study report LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15.1 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes Remarks: Information source: Internal study report LC50 (Cyprinodon sp. (minnow)): > 12 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.0116 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Rynaxypyr 700 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/12/09	50002561	Date of first issue: 2025/12/09

Exposure time: 120 h

NOEC (*Lemna gibba* (duckweed)): > 2 mg/l

End point: Biomass

Exposure time: 14 d

Test Type: static test

ErC50 (*Selenastrum capricornutum* (green algae)): > 2 mg/l

Exposure time: 72 h

NOEC (*Anabaena flos-aquae* (cyanobacterium)): > 2 mg/l

End point: Growth rate

Exposure time: 120 h

Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

NOEC (*Skeletonema costatum* (Diatom)): > 14.6 mg/l

End point: Growth rate

Exposure time: 120 h

Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

NOEC (*Navicula pelliculosa* (Diatom)): > 15.1 mg/l

End point: Growth rate

Exposure time: 120 h

Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (*Cyprinodon variegatus* (sheepshead minnow)): 1.28 mg/l

Exposure time: 36 d

NOEC (*Oncorhynchus mykiss* (rainbow trout)): 0.110 mg/l

Exposure time: 28 d

Method: OECD Test Guideline 210

GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.00447 mg/l

Exposure time: 21 d

Method: US EPA Test Guideline OPPTS 850.1300

GLP: yes

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): > 1,000 mg/kg

Exposure time: 14 d

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Rynaxypyr 700 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/12/09	50002561	Date of first issue: 2025/12/09

Method: OECD Test Guideline 207
GLP: yes

EC50 (*Hypoaspis aculeifer*): >100 mg/kg dry weight (d.w.)
Exposure time: 16 d
Method: OECD Test Guideline 207

NOEC (*Hypoaspis aculeifer*): 100 mg/kg dry weight (d.w.)
Exposure time: 16 d
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50 (*Apis mellifera* (bees)): > 4.0 µg/bee
Exposure time: 72 h
End point: Acute contact toxicity
Remarks: Active substance dissolved in acetone

LD50 (*Apis mellifera* (bees)): > 0.005 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Remarks: Active substance dissolved in water

LD50 (*Apis mellifera* (bees)): > 104.1 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Remarks: Active substance dissolved in acetone

LD50 (*Apis mellifera* (bees)): > 0.0274 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Remarks: Active substance dissolved in water

LD50 (*Poephila guttata* (zebra finch)): > 2,250 mg/kg

kaolin:

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 1,000 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (*Raphidocelis subcapitata* (freshwater green alga)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Rynaxypyr 700 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/12/09	50002561	Date of first issue: 2025/12/09

Alkylated Naphthalene Sulfonate Sodium Salt:

Toxicity to fish	: LC50 (Zebra fish): > 10 - 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
	EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: EC10 (Daphnia magna (Water flea)): > 10 - 100 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: Based on data from similar materials

Persistence and degradability

Components:

Chlorantraniliprole:

Biodegradability	: Result: Not readily biodegradable.
Stability in water	: Degradation half life (DT50): 10 d (25 °C) pH: 9 Degradation half life (DT50): 0.3 d (50 °C) pH: 9 Degradation half life (DT50): > 31 d pH: 5

kaolin:

Biodegradability	: Remarks: The methods for determining biodegradability are not applicable to inorganic substances.
------------------	---

Alkylated Naphthalene Sulfonate Sodium Salt:

Biodegradability	: Result: Not readily biodegradable. Remarks: Based on data from similar materials
------------------	---

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Rynaxypyr 700 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/12/09	50002561	Date of first issue: 2025/12/09

Bioaccumulative potential

Components:

Chlorantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 14
Method: OECD Test Guideline 305
GLP: yes
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2.77 (20 °C)
pH: 4

log Pow: 2.86 (20 °C)
pH: 7

log Pow: 2.80 (20 °C)
pH: 9

kaolin:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : Remarks: Not applicable

Mobility in soil

Components:

Chlorantraniliprole:

Distribution among environmental compartments : Koc: 362 ml/g, log Koc: 2.55
Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

kaolin:

Distribution among environmental compartments : Remarks: Low mobility in soil.

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Rynaxypyr 700 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/12/09	50002561	Date of first issue: 2025/12/09

13. DISPOSAL CONSIDERATIONS

Disposal methods

- | | |
|------------------------|---|
| Waste from residues | : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company. |
| Contaminated packaging | : Empty remaining contents.
Triple rinse containers.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal. |

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

- | | |
|---------------------------|---|
| UN number | : UN 3077 |
| Proper shipping name | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Chlorantraniliprole) |
| Class | : 9 |
| Subsidiary risk | : ENVIRONM. |
| Packing group | : III |
| Labels | : 9 (ENVIRONM.) |
| Environmentally hazardous | : yes |

IATA-DGR

- | | |
|--|---|
| UN/ID No. | : UN 3077 |
| Proper shipping name | : Environmentally hazardous substance, solid, n.o.s.
(Chlorantraniliprole) |
| Class | : 9 |
| Packing group | : III |
| Labels | : Miscellaneous |
| Packing instruction (cargo aircraft) | : 956 |
| Packing instruction (passenger aircraft) | : 956 |
| Environmentally hazardous | : yes |

IMDG-Code

- | | |
|----------------------|---|
| UN number | : UN 3077 |
| Proper shipping name | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Chlorantraniliprole) |
| Class | : 9 |
| Packing group | : III |

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Rynaxypyr 700 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/12/09	50002561	Date of first issue: 2025/12/09

Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

GB 6944/12268

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(Chlorantraniliprole)
Class : 9
Packing group : III
Labels : 9
Marine pollutant : yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : applicable

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218) : Not listed

Hazardous Chemicals for Priority Management under SAWS : Not listed

Regulations on Occupational Labor Protection in the at workplaces where Toxic Substances Are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not listed

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

The ingredients of this product are reported in the following inventories:

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Rynaxypyr 700 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/12/09	50002561	Date of first issue: 2025/12/09

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
DSL	:	This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date	:	2025/12/09
Date format	:	yyyy/mm/dd

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA	:	8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemi-

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Rynaxypyr 700 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/12/09	50002561	Date of first issue: 2025/12/09

cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CN / EN