

SAFETY DATA SHEET



LAMICOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.02.2026	50002753	Date of first issue: 11.02.2026

SECTION 1: Identification of the hazardous chemical and of the supplier

Product identifier

Product name : LAMICOR

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as insecticide only.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Principal Supplier : FMC Corporation
2929 WALNUT ST
PHILADELPHIA PA 19104
USA
(215) 299-6000
SDS-Info@fmc.com

Local registrant : FMC Chemicals (Malaysia) Sdn Bhd
Level 16, 1 Sentral, Jalan Stesen Sentral 5,
Kuala Lumpur Sentral
50470, Kuala Lumpur, Malaysia
Phone No: +60320929423
Fax No: +603-2092 9201

Emergency telephone : For leak, fire, spill or accident emergencies, call:
CHEMTREC (Asia-Pacific Regional Number): +65 3163 8374

Medical emergency:
All other countries: +1 651 / 632-6793 (Collect)
1 703 / 741-5970 (CHEMTREC - International)

SECTION 2: Hazards identification

Classification of the hazardous chemical

Hazardous to the aquatic environment - acute hazard : Category 1

Hazardous to the aquatic environment - chronic hazard : Category 1

Label elements

SAFETY DATA SHEET

LAMICOR



Version 1.0 Revision Date: 11.02.2026 SDS Number: 50002753 Date of last issue: -
Date of first issue: 11.02.2026

Hazard pictograms



Signal Word

: WARNING

Hazard Statements

: H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3: Composition and information of the ingredients of the hazardous chemical

Substance / Mixture

: Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Chlorantraniliprole	500008-45-7	35
kaolin	1332-58-7	>= 5 -< 10

SECTION 4: First aid measures

General advice

: Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled

: If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact

: Wash off with soap and plenty of water.
Get medical attention if irritation develops and persists.

In case of eye contact

: Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed

: Keep respiratory tract clear.

LAMICOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.02.2026	50002753	Date of first issue: 11.02.2026

Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : None known.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

Notes to physician : Treat symptomatically.

SECTION 5: Firefighting measures**Extinguishing media**

Suitable extinguishing media : Dry chemical
Water spray
Foam
Carbon dioxide (CO₂)

Unsuitable extinguishing media : High volume water jet
Do not spread spilled material with high-pressure water streams.

Physicochemical hazards arising from the chemical

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Nitrogen oxides (NO_x)
Carbon oxides
Bromine compounds
Hydrogen cyanide
Hydrogen chloride
Chlorinated compounds
Sulfur oxides

Special protective equipment and precautions for fire-fighters

Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

Specific extinguishing methods : Use a water spray to cool fully closed containers.
Remove undamaged containers from fire area if it is safe to do so.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hazchem Code : 2Z

LAMICOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.02.2026	50002753	Date of first issue: 11.02.2026

SECTION 6: Accidental release measures

- | | |
|---|--|
| Personal precautions, protective equipment and emergency procedures | :
Avoid dust formation.
Avoid breathing dust.
Ensure adequate ventilation.
Evacuate personnel to safe areas.
Use personal protective equipment.
Do not touch or walk through the spilled material.
If it can be safely done, stop the leak.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene. |
| Environmental precautions | :
Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | :
Keep in suitable, closed containers for disposal.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers without creating dust. |

SECTION 7: Handling and storage**Handling****Precautions for safe handling**

- | | |
|---|--|
| Advice on protection against fire and explosion | :
Provide appropriate exhaust ventilation at places where dust is formed. |
| Advice on safe handling | :
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations. |

Storage**Conditions for safe storage, including any incompatibilities**

- | | |
|--------------------------------|--|
| Conditions for safe storage | :
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards. |
| Further information on storage | :
The product is stable under normal conditions of warehouse |

LAMICOR

Version 1.0 Revision Date: 11.02.2026 SDS Number: 50002753 Date of last issue: -
Date of first issue: 11.02.2026

age conditions

storage.

Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8: Exposure controls and personal protection

Control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
kaolin	1332-58-7	TWA (Respirable particulates)	2 mg/m ³	MY PEL
		TWA (Respirable particulate matter)	2 mg/m ³	ACGIH

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Particulates type

Hygiene measures : Wash hands before breaks and at the end of workday.
General industrial hygiene practice.
Avoid contact with skin, eyes and clothing.
Do not breathe dust or spray mist.

SECTION 9: Physical and chemical properties

SAFETY DATA SHEET



LAMICOR

Version 1.0	Revision Date: 11.02.2026	SDS Number: 50002753	Date of last issue: - Date of first issue: 11.02.2026
----------------	------------------------------	-------------------------	--

Physical state	: solid
Form	: granular
Color	: light brown
Odor	: slight, sweet
Odor Threshold	: No data available
pH	: 7 - 10 (25 °C) Concentration: 10 g/l
Melting point/ range	: Not available for this mixture.
Boiling point/boiling range	: Not applicable
Flash point	: not determined
Evaporation rate	: Not applicable
Flammability (solid, gas)	: Not expected to be ignitable
Self-ignition	: > 155 °C
Upper explosion limit / Upper flammability limit	: Not available for this mixture.
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: Not applicable
Relative density	: No data available
Density	: No data available
Bulk density	: 0.7 - 0.86 g/cm3
Solubility(ies) Water solubility	: dispersible
Partition coefficient: n-octanol/water	: Not applicable
Autoignition temperature	: No data available

SAFETY DATA SHEET



LAMICOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.02.2026	50002753	Date of first issue: 11.02.2026

Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Particle size	:	not determined

SECTION 10: Stability and reactivity

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if used as directed. Dust may form explosive mixture in air.
Conditions to avoid	:	Avoid dust formation. Avoid extreme temperatures. Heat, flames and sparks.
Incompatible materials	:	Strong acids and strong bases Strong oxidizing agents
Hazardous decomposition products	:	Sulfur oxides Halogenated compounds Nitrogen oxides (NOx) Carbon oxides

SECTION 11: Toxicological information

Information on likely routes of exposure : Inhalation

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	LD50 (Rat, female): > 5,000 mg/kg Method: OECD Test Guideline 425 GLP: yes
Acute inhalation toxicity	:	LC50 (Rat): > 6.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist

LAMICOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.02.2026	50002753	Date of first issue: 11.02.2026

Method: OECD Test Guideline 403
 GLP: yes
 Assessment: The substance or mixture has no acute inhalation toxicity
 Remarks: no mortality

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
 Method: OECD Test Guideline 402
 GLP: yes

Components:**Chlorantraniliprole:**

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg
 Method: OECD Test Guideline 425
 GLP: yes
 Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.1 mg/l
 Exposure time: 4 h
 Test atmosphere: dust/mist
 Method: OECD Test Guideline 403
 GLP: yes
 Assessment: The substance or mixture has no acute inhalation toxicity
 Remarks: Information source: Internal study report

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
 Method: OECD Test Guideline 402
 GLP: yes
 Assessment: The substance or mixture has no acute dermal toxicity
 Remarks: Information source: Internal study report

kaolin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
 Method: OECD Test Guideline 401

 LD50: > 2,000 mg/kg
 Method: OECD Test Guideline 420
 Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): 36 mg/l
 Exposure time: 1 h
 Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

 LD50: > 2,000 mg/kg
 Method: OECD Test Guideline 402
 Assessment: The substance or mixture has no acute dermal toxicity

LAMICOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.02.2026	50002753	Date of first issue: 11.02.2026

Skin corrosion/irritation

Not classified based on available information.

Product:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
GLP	: yes

Components:**Chlorantraniliprole:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
GLP	: yes
Remarks	: Information source: Internal study report

kaolin:

Method	: OECD Test Guideline 404
Result	: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species	: Rabbit
Result	: slight irritation
Method	: OECD Test Guideline 405
GLP	: yes
Remarks	: Minimal effects that do not meet the threshold for classification.

Components:**Chlorantraniliprole:**

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405
GLP	: yes
Remarks	: Information source: Internal study report

kaolin:

Result	: No eye irritation
Method	: OECD Test Guideline 405

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

LAMICOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.02.2026	50002753	Date of first issue: 11.02.2026

Respiratory sensitization

Not classified based on available information.

Product:

Test Type	: Local lymph node test
Species	: Mouse
Method	: OECD Test Guideline 406
Result	: Animal test did not cause sensitization by skin contact.

Components:**Chlorantraniliprole:**

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.
GLP	: yes
Remarks	: Information source: Internal study report

Test Type	: Local lymph node assay (LLNA)
Species	: mice
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitization.

kaolin:

Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitization.

Germ cell mutagenicity

Not classified based on available information.

Components:**Chlorantraniliprole:**

Genotoxicity in vitro	: Test Type: reverse mutation assay Metabolic activation: with and without metabolic activation Result: negative
-----------------------	--

Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476 Result: negative
--

Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Method: OECD Test Guideline 474 Result: negative
----------------------	---

Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	--

kaolin:

Genotoxicity in vitro	: Test Type: Ames test
-----------------------	------------------------

SAFETY DATA SHEET



LAMICOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.02.2026	50002753	Date of first issue: 11.02.2026

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Not classified based on available information.

Components:

Chlorantraniliprole:

Species : Rat, male and female
Application Route : Oral
Exposure time : 2 Years
NOAEL : 805 - 1,076 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Species : Mouse, male and female
Application Route : Oral
Exposure time : 18 month(s)
NOAEL : 158 - 1,155 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Species : Dog
Exposure time : 1 Years
NOAEL : 1,164 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Not classified based on available information.

Components:

Chlorantraniliprole:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
General Toxicity Parent: NOAEL: 20,000 ppm
General Toxicity F1: NOAEL: 20,000 ppm
Method: OECD Test Guideline 416
Result: negative

Effects on fetal development : Test Type: Pre-natal
Species: Rat
Application Route: Oral
Duration of Single Treatment: 6 - 20 Days
General Toxicity Maternal: NOEL: 1,000 mg/kg bw/day
Developmental Toxicity: NOEL: 1,000 mg/kg bw/day

SAFETY DATA SHEET



LAMICOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.02.2026	50002753	Date of first issue: 11.02.2026

Method: OECD Test Guideline 414

Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

kaolin:

Effects on fertility : Remarks: No data available

Effects on fetal development : Remarks: No data available

STOT-single exposure

Not classified based on available information.

Components:

kaolin:

Remarks : No significant adverse effects were reported

STOT-repeated exposure

Not classified based on available information.

Product:

Remarks : Refer to acute toxicity and/or repeated dose toxicity data for more information on target organs if applicable.

Components:

kaolin:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Chlorantraniliprole:

Species	: Rat, male and female
NOEL	: 1188 - 1526 mg/kg
Application Route	: Oral
Exposure time	: 90 Days
Method	: OECD Test Guideline 408

kaolin:

Remarks : No data available

Aspiration toxicity

Not classified based on available information.

SAFETY DATA SHEET



LAMICOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.02.2026	50002753	Date of first issue: 11.02.2026

Components:

Chlorantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

Ecotoxicity

Product:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 3.2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.029 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	EbC50 (Pseudokirchneriella subcapitata (green algae)): > 5.0 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.00447 mg/l Exposure time: 21 d Remarks: Information refers to the main ingredient.
Toxicity to soil dwelling organisms	:	(Eisenia fetida (earthworms)): > 1,000 mg/kg Exposure time: 14 d Method: OECD Test Guideline 207
Toxicity to terrestrial organisms	:	LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg Exposure time: 14 d Method: US EPA Test Guideline OPPTS 850.2100 LD50 (Apis mellifera (bees)): 285.7 µg/bee Exposure time: 48 h End point: Acute contact toxicity Method: OECD Test Guideline 214 GLP: yes

Components:

Chlorantraniliprole:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 13.8 mg/l
------------------	---	---

SAFETY DATA SHEET



LAMICOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.02.2026	50002753	Date of first issue: 11.02.2026

Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
Remarks: Information source: Internal study report

LC50 (*Lepomis macrochirus* (Bluegill sunfish)): > 15.1 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes
Remarks: Information source: Internal study report

LC50 (*Cyprinodon* sp. (minnow)): > 12 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0.0116 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): > 2 mg/l
Exposure time: 120 h

NOEC (*Lemna gibba* (duckweed)): > 2 mg/l
End point: Biomass
Exposure time: 14 d
Test Type: static test

ErC50 (*Selenastrum capricornutum* (green algae)): > 2 mg/l
Exposure time: 72 h

NOEC (*Anabaena flos-aquae* (cyanobacterium)): > 2 mg/l
End point: Growth rate
Exposure time: 120 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

NOEC (*Skeletonema costatum* (Diatom)): > 14.6 mg/l
End point: Growth rate
Exposure time: 120 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

NOEC (*Navicula pelliculosa* (Diatom)): > 15.1 mg/l
End point: Growth rate
Exposure time: 120 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

LAMICOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.02.2026	50002753	Date of first issue: 11.02.2026

M-Factor (Acute aquatic toxicity)	:	10
Toxicity to fish (Chronic toxicity)	:	NOEC (Cyprinodon variegatus (sheepshead minnow)): 1.28 mg/l Exposure time: 36 d NOEC (Oncorhynchus mykiss (rainbow trout)): 0.110 mg/l Exposure time: 28 d Method: OECD Test Guideline 210 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.00447 mg/l Exposure time: 21 d Method: US EPA Test Guideline OPPTS 850.1300 GLP: yes
M-Factor (Chronic aquatic toxicity)	:	10
Toxicity to soil dwelling organisms	:	LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg Exposure time: 14 d Method: OECD Test Guideline 207 GLP: yes EC50 (Hypoaspis aculeifer): >100 mg/kg dry weight (d.w.) Exposure time: 16 d Method: OECD Test Guideline 207 NOEC (Hypoaspis aculeifer): 100 mg/kg dry weight (d.w.) Exposure time: 16 d Method: OECD Test Guideline 207
Toxicity to terrestrial organisms	:	LD50 (Apis mellifera (bees)): > 4.0 µg/bee Exposure time: 72 h End point: Acute contact toxicity Remarks: Active substance dissolved in acetone LD50 (Apis mellifera (bees)): > 0.005 µg/bee Exposure time: 48 h End point: Acute contact toxicity Remarks: Active substance dissolved in water LD50 (Apis mellifera (bees)): > 104.1 µg/bee Exposure time: 48 h End point: Acute oral toxicity Remarks: Active substance dissolved in acetone LD50 (Apis mellifera (bees)): > 0.0274 µg/bee Exposure time: 48 h End point: Acute oral toxicity Remarks: Active substance dissolved in water LD50 (Poephila guttata (zebra finch)): > 2,250 mg/kg

SAFETY DATA SHEET



LAMICOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.02.2026	50002753	Date of first issue: 11.02.2026

kaolin:

- | | | |
|--|---|---|
| Toxicity to fish | : | LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : | EC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | Remarks: No data available |
| Toxicity to microorganisms | : | Remarks: No data available |

Persistence and degradability

Components:

Chlorantraniliprole:

- | | | |
|--------------------|---|---|
| Biodegradability | : | Result: Not readily biodegradable. |
| Stability in water | : | Degradation half life (DT50): 10 d (25 °C) pH: 9

Degradation half life (DT50): 0.3 d (50 °C) pH: 9

Degradation half life (DT50): > 31 d pH: 5 |

kaolin:

- | | | |
|------------------|---|---|
| Biodegradability | : | Remarks: The methods for determining biodegradability are not applicable to inorganic substances. |
|------------------|---|---|

Bioaccumulative potential

Product:

- | | | |
|-----------------|---|---|
| Bioaccumulation | : | Remarks: Does not bioaccumulate.
Estimation based on data obtained on active ingredient. |
|-----------------|---|---|

Components:

Chlorantraniliprole:

- | | | |
|---------------------------|---|--|
| Bioaccumulation | : | Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 14
Method: OECD Test Guideline 305
GLP: yes
Remarks: Bioaccumulation is unlikely. |
| Partition coefficient: n- | : | log Pow: 2.77 (20 °C) |

SAFETY DATA SHEET



LAMICOR

Version 1.0	Revision Date: 11.02.2026	SDS Number: 50002753	Date of last issue: - Date of first issue: 11.02.2026
----------------	------------------------------	-------------------------	--

octanol/water

pH: 4

log Pow: 2.86 (20 °C)

pH: 7

log Pow: 2.80 (20 °C)

pH: 9

kaolin:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : Remarks: Not applicable

Mobility in soil

Components:

Chlorantraniliprole:

Distribution among environmental compartments : Koc: 362 ml/g, log Koc: 2.55
Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

kaolin:

Distribution among environmental compartments : Remarks: Low mobility in soil.

Other adverse effects

Product:

Results of PBT and vPvB assessment : This substance/mixture contains components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).

Additional ecological information : See product label for additional application instructions relating to environmental precautions.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal information

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

SAFETY DATA SHEET

LAMICOR



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.02.2026	50002753	Date of first issue: 11.02.2026

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Chlorantraniliprole)
Class : 9
Subsidiary risk : ENVIRONM.
Packing group : III
Labels : 9 (ENVIRONM.)
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Chlorantraniliprole)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Chlorantraniliprole)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Hazchem Code : 2Z

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

SAFETY DATA SHEET



LAMICOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.02.2026	50002753	Date of first issue: 11.02.2026

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15: Regulatory information

Safety, health, and environmental regulations specific for the hazardous chemical

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.

Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. 3-BROMO-4'-CHLORO-1-(3-CHLORO-2-PYRIDYL)-2'-METHYL-6'-(METHYLCARBAMOYL)-1H-PYRAZOLE-5-CARBOXANILIDE
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

SECTION 16: Other information

Revision Date	: 11.02.2026
Date format	: dd.mm.yyyy

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
MY PEL	: Malaysia. Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

SAFETY DATA SHEET



LAMICOR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	11.02.2026	50002753	Date of first issue: 11.02.2026

ACGIH / TWA : 8-hour, time-weighted average
MY PEL / TWA : Eight-hour time-weighted average airborne concentration

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

MY / EN