

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name TETFLUPYROLIMET 400 g/L SC

Other means of identification

Product code 50002551

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Herbicide
stance/Mixture

Recommended restrictions : Use as recommended by the label.
on use

1.3 Details of the supplier of the safety data sheet

Supplier Address FMC IP Technology LLC
Vernier Branch
Chemin de Blandonnet 8
1214 Vernier
Switzerland

Telephone: +41 22 518 89 61
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
Switzerland: 41-435082011 (CHEMTREC)
1 703 / 741-5970 (CHEMTREC - International)
1 202 / 483-7616 (CHEMTREC - Alternate International)

Medical emergency:
Switzerland: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Short-term (acute) aquatic hazard, Category 1 H400: Very toxic to aquatic life.

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

Long-term (chronic) aquatic hazard, Category 2

H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1).

May produce an allergic reaction.

EUH401 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1).

To avoid risks to human health and the environment, comply with the instructions for use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version 1.0 Revision Date: 13.01.2026 SDS Number: 50002551 Date of last issue: -
Date of first issue: 13.01.2026

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Tetflupyrolimet	2053901-33-8	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Chronic aquatic toxicity): 100	>= 30 - < 50
Residues (petroleum), catalytic re- former fractionator, sulfonated, poly- mers with formaldehyde, sodium salts	68425-94-5	Eye Irrit. 2; H319 Aquatic Chronic 3; H412	>= 2,5 - < 10
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentra- tion limit Skin Sens. 1A; H317 >= 0,036 % Acute toxicity esti- mate	>= 0,0025 - < 0,025

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version 1.0 Revision Date: 13.01.2026 SDS Number: 50002551 Date of last issue: -
Date of first issue: 13.01.2026

		Acute oral toxicity: 450 mg/kg Acute inhalation toxicity (dust/mist): 0,21 mg/l	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9 613-167-00-5	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentra- tion limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 % Acute toxicity esti- mate Acute oral toxicity: 200 mg/kg Acute inhalation toxicity (dust/mist): 0,33 mg/l Acute dermal toxic- ity: 87 mg/kg	>= 0,0002 - < 0,0015

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- | | |
|----------------------------|--|
| General advice | : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment. |
| If inhaled | : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
If experiencing any discomfort, immediately remove from exposure. Get medical attention if discomfort does not disappear. |
| In case of skin contact | : Take off all contaminated clothing immediately.
Wash contaminated clothing before re-use.
Wash off immediately with plenty of water for at least 15 minutes.
Get medical attention immediately if irritation develops and persists. |
| In case of eye contact | : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician. |

4.2 Most important symptoms and effects, both acute and delayed

- | | |
|-------|---------------|
| Risks | : None known. |
|-------|---------------|

4.3 Indication of any immediate medical attention and special treatment needed

- | | |
|-----------|--------------------------|
| Treatment | : Treat symptomatically. |
|-----------|--------------------------|

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
Do not spread spilled material with high-pressure water streams.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Nitrogen oxides (NO_x)
Carbon oxides
Fluorinated compounds
Hydrogen cyanide

5.3 Advice for firefighters

- Special protective equipment for firefighters : Use personal protective equipment. Firefighters should wear protective clothing and self-contained breathing apparatus.
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
- Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material.

6.2 Environmental precautions

- Environmental precautions : Prevent further leakage or spillage if safe to do so.

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labelled containers.
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Avoid contact with skin, eyes and clothing. Do not inhale aerosol. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : Protect from heat and direct sunlight.

Recommended storage temperature : < 40 °C

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version 1.0 Revision Date: 13.01.2026 SDS Number: 50002551 Date of last issue: -
Date of first issue: 13.01.2026

Specific use(s) : The product is an approved pesticide and can only be used for the purposes for which it is approved, according to the conditions contained in the label approved by the competent authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	55965-84-9	TWA (inhalable dust)	0,2 mg/m ³	CH SUVA
	Further information: Sensitizers; Substances marked with an S can lead to very strong allergic reactions., Harm to the unborn child is not to be expected when the OEL-value is respected			
		STEL (inhalable dust)	0,4 mg/m ³	CH SUVA
	Further information: Sensitizers; Substances marked with an S can lead to very strong allergic reactions., Harm to the unborn child is not to be expected when the OEL-value is respected			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6,81 mg/m ³
	Workers	Dermal	Long-term systemic effects	0,966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1,2 mg/m ³
	Consumers	Dermal	Long-term systemic effects	0,345 mg/kg
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Workers	Inhalation	Long-term local effects	0,02 mg/m ³
	Workers	Inhalation	Acute local effects	0,04 mg/m ³
	Consumers	Inhalation	Long-term local effects	0,02 mg/m ³
	Consumers	Inhalation	Acute local effects	0,04 mg/m ³
	Consumers	Oral	Long-term systemic effects	0,09 mg/kg
	Consumers	Oral	Acute systemic effects	0,11 mg/kg

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version 1.0 Revision Date: 13.01.2026 SDS Number: 50002551 Date of last issue: -
Date of first issue: 13.01.2026

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
1,2-benzisothiazol-3(2H)-one	Fresh water	0,00403 mg/l
	Marine water	0,000403 mg/l
	Sewage treatment plant	1,03 mg/l
	Fresh water sediment	0,0499 mg/l
	Marine sediment	0,00499 mg/l
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Fresh water	0,00339 mg/l
	Intermittent use/release	0,00339 mg/l
	Marine water	0,00339 mg/l
	Sewage treatment plant	0,23 mg/l
	Fresh water sediment	0,027 mg/kg
	Marine sediment	0,027 mg/kg

8.2 Exposure controls

Personal protective equipment

- Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Skin and body protection : Protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Protective measures : Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions.
Ensure that eye flushing systems and safety showers are located close to the working place.
Wear suitable protective equipment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Physical state : liquid
Colour : off-white
Odour : mild

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	> 100,5 °C Method: Regulation (EC) No. 440/2008, Annex, A.9 does not flash
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	5,4 Method: OCSPP 830.7000 (1% solution in water)
Viscosity		
Viscosity, dynamic	:	ca. 441,9 mPa.s (40 °C) Method: CIPAC MT 192 40 rpm ca. 546,6 mPa.s (40 °C) Method: CIPAC MT 192 30 rpm ca. 735,8 mPa.s (40 °C) Method: CIPAC MT 192 20 rpm ca. 504,9 mPa.s (20 °C) Method: CIPAC MT 192 40 rpm ca. 617,2 mPa.s (20 °C) Method: CIPAC MT 192 30 rpm ca. 823,8 mPa.s (20 °C) Method: CIPAC MT 192 20 rpm
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	dispersible
Solubility in other solvents	:	Solvent: organic solvent No data available
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	No data available
Relative density	:	1,143 Method: Regulation (EC) No. 440/2008, Annex, A.3
Relative vapour density	:	No data available
Particle characteristics		
Particle size	:	Not applicable
Particle Size Distribution	:	Not applicable
Shape	:	Not applicable

9.2 Other information

Explosives	:	Not explosive
------------	---	---------------

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

Oxidizing properties	:	Method: Regulation (EC) No. 440/2008, Annex, A.14 The substance or mixture is not classified as oxidizing.
Self-ignition	:	Method: Regulation (EC) No. 440/2008, Annex, A.21 543 °C
Evaporation rate	:	Method: EEC A.15 No data available
Surface tension	:	49,68 mN/m, 24,6 °C, Regulation (EC) No. 440/2008, Annex, A.5
Molecular weight	:	Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Avoid extreme temperatures
Avoid formation of aerosol.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation
Skin contact

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat, female): > 5.000 mg/kg
Method: OECD Test Guideline 425

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,12 mg/l
Exposure time: 4 h

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Components:

Tetflupyrolimet:

Acute oral toxicity : LD50 (Rat, female): > 5.000 mg/kg
Method: OECD Test Guideline 425
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 5,08 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat, female): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The component/mixture is minimally toxic after single contact with skin.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : Acute toxicity estimate: 450 mg/kg
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Acute inhalation toxicity : Acute toxicity estimate: 0,21 mg/l
Test atmosphere: dust/mist
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Acute oral toxicity : LD50 Oral (Rat, female): 200 mg/kg

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

Method: OECD Test Guideline 423

Acute inhalation toxicity : LC50 (Rat, male and female): 0,33 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : LD50 (Rabbit, male): 87 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
Remarks : Minimal effects that do not meet the threshold for classification.

Components:

Tetflupyrolimet:

Species : Rabbit
Method : OECD Test Guideline 404
Result : slight irritation

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Remarks : No data available

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit
Exposure time : 72 h
Method : OECD Test Guideline 404
Result : No skin irritation

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Method : OECD Test Guideline 404
Result : Corrosive after 1 to 4 hours of exposure

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Method : OECD Test Guideline 405
Result : slight irritation

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

Remarks : Minimal effects that do not meet the threshold for classification.

Components:

Tetflupyrolimet:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: slight irritation
Remarks	: reversible

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Result	: Eye irritation
--------	------------------

1,2-benzisothiazol-3(2H)-one:

Species	: Bovine cornea
Method	: OECD Test Guideline 437
Result	: No eye irritation

Species	: Rabbit
Method	: EPA OPP 81-4
Result	: Irreversible effects on the eye

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Result	: Irreversible effects on the eye
--------	-----------------------------------

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.

Components:

Tetflupyrolimet:

Test Type	: Local lymph node assay (LLNA)
Species	: Mouse
Method	: OECD Test Guideline 429

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

Result : Not a skin sensitizer.

1,2-benzisothiazol-3(2H)-one:

Test Type : Maximisation Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : May cause sensitisation by skin contact.

Species : Guinea pig
Method : FIFRA 81.06
Result : May cause sensitisation by skin contact.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Result : The product is a skin sensitizer, sub-category 1A.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Tetflupyrolimet:

Genotoxicity in vitro : Test Type: reverse mutation assay
Test system: Salmonella typhimurium
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Human lymphocytes
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: mice
Method: OECD Test Guideline 474
Result: negative

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: gene mutation test
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Cell type: Liver cells
Application Route: Ingestion
Exposure time: 4 h
Method: OECD Test Guideline 486
Result: negative

Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Tetflupyrolimet:

Species : Mouse, male and female
Application Route : Oral
Exposure time : 18 month(s)
NOAEL : 924 - 982,2 mg/kg bw/day
Method : OECD Test Guideline 451
Result : Not a carcinogenic hazard

Species : Rat, male and female
Application Route : Oral
Exposure time : 2 Years
NOAEL : 197,8 - 240,9 mg/kg bw/day
Method : OECD Test Guideline 453
Result : Not a carcinogenic hazard

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Reproductive toxicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

Components:

Tetflupyrolimet:

- Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Ingestion
Fertility: NOAEL: 5.000 ppm
Early Embryonic Development: NOAEL: 5.000 ppm
Method: OECD Test Guideline 416
Result: negative
- Effects on foetal development : Test Type: Pre-natal
Species: Rabbit, female
Duration of Single Treatment: 7 - 28 d
General Toxicity Maternal: NOAEL: 200 mg/kg bw/day
Teratogenicity: NOAEL: 200 mg/kg bw/day
Method: OECD Test Guideline 414
Result: negative
- Test Type: Pre-natal
Species: Rat, female
Duration of Single Treatment: 6 - 20 d
General Toxicity Maternal: NOAEL: 1.000 mg/kg bw/day
Teratogenicity: NOAEL: 1.000 mg/kg bw/day
Method: OECD Test Guideline 414
Result: negative
- Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

1,2-benzisothiazol-3(2H)-one:

- Effects on fertility : Species: Rat, male
Application Route: Ingestion
General Toxicity - Parent: NOAEL: 18,5 mg/kg body weight
General Toxicity F1: NOAEL: 48 mg/kg body weight
Fertility: NOAEL: 112 mg/kg bw/day
Symptoms: No effects on reproduction parameters
Method: OPPTS 870.3800
Result: negative
- Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

Based on available data, the classification criteria are not met.

Components:

Tetflupyrolimet:

- Remarks : No significant adverse effects were reported

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Components:

Tetflupyrolimet:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Tetflupyrolimet:

Species : Rat, male and female
NOAEL : 116 - 136 mg/kg
Application Route : Oral
Exposure time : 90 d
Method : OECD Test Guideline 408
Symptoms : Hematologic effects

Species : Mouse, male and female
NOAEL : 1.100 - 1.300 mg/kg
Application Route : Oral
Exposure time : 90 d
Method : OECD Test Guideline 408

Species : Dog, male and female
NOAEL : 100 mg/kg
Application Route : Oral
Exposure time : 90 d
Method : OECD Test Guideline 409
Symptoms : Hematologic effects

1,2-benzisothiazol-3(2H)-one:

Species : Rat, male and female
NOAEL : 15 mg/kg
Application Route : Ingestion
Exposure time : 28 d
Method : OECD Test Guideline 407
Symptoms : Irritation

Species : Rat, male and female
NOAEL : 69 mg/kg
Application Route : Ingestion
Exposure time : 90 d
Symptoms : Irritation, Reduced body weight

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Species	: Dog
NOAEL	: 22 mg/kg
Application Route	: Oral
Species	: Rat
NOAEL	: 16,3 - 24,7 mg/kg
Application Route	: Skin contact
Species	: Rat
NOAEL	: 2.36 mg/m ³
Application Route	: Inhalation

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Tetflupyrolimet:

The substance does not have properties associated with aspiration hazard potential.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:

Tetflupyrolimet:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Neurological effects

Components:

Tetflupyrolimet:

No neurotoxicity observed in animal studies

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 22,4 mg/l Exposure time: 96 h Test Type: static test Test substance: no Method: OECD Test Guideline 203 Remarks: Endpoints are for the formulated product itself LC50 (Lepomis macrochirus (Bluegill sunfish)): > 19,9 mg/l Exposure time: 96 h Test Type: static test Test substance: no Method: OECD Test Guideline 203 Remarks: Endpoints are for the formulated product itself LC50 (Cyprinodon variegatus (sheepshead minnow)): > 10,2 mg/l Exposure time: 96 h Test Type: static test Test substance: no Method: OECD Test Guideline 203 Remarks: Endpoints are for the formulated product itself
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 22,4 mg/l Exposure time: 48 h Test Type: static test Test substance: no Method: OECD Test Guideline 202 Remarks: Endpoints are for the formulated product itself
Toxicity to algae/aquatic plants	: ErC50 (Raphidocelis subcapitata (freshwater green alga)): 4,9 mg/l Exposure time: 96 h Test Type: static test Test substance: yes Method: OECD Test Guideline 201 Remarks: Active ingredient ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 5,4 mg/l Exposure time: 72 h Test Type: static test

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

Test substance: yes
Method: OECD Test Guideline 201
Remarks: Active ingredient

NOEC (Lemna gibba G3 (gibbous duckweed)): 0,109 mg/l
End point: Growth rate
Exposure time: 7 d
Test Type: Static renewal test
Test substance: yes
Method: OECD Test Guideline 221
Remarks: Active ingredient

ErC50 (Lemna gibba G3 (gibbous duckweed)): 0,512 mg/l
End point: Growth rate
Exposure time: 7 d
Test Type: Static renewal test
Test substance: yes
Method: OECD Test Guideline 221
Remarks: Active ingredient

Toxicity to soil dwelling organisms : LC50: >1000 mg/kg dry weight (d.w.)
Exposure time: 14 d
Species: Eisenia andrei (red worm)
Test substance: yes
Method: OECD Test Guideline 207
Remarks: active ingredient

Toxicity to terrestrial organisms : LD50: > 119 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: Apis mellifera (bees)
Test substance: yes
Method: OECD Test Guideline 213
Remarks: Active ingredient

LD50: > 100 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Species: Apis mellifera (bees)
Test substance: yes
Method: OECD Test Guideline 214
Remarks: Active ingredient

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Components:

Tetflupyrolimet:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 5,9 mg/l
Exposure time: 96 h
Test Type: static test

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

Test substance: yes
Method: OECD Test Guideline 203
Remarks: Active ingredient

LC50 (*Lepomis macrochirus* (Bluegill sunfish)): > 4,7 mg/l
Exposure time: 96 h
Test Type: static test
Test substance: yes
Method: OECD Test Guideline 203
Remarks: Active ingredient

LC50 (*Pimephales promelas* (fathead minnow)): > 5,4 mg/l
Exposure time: 96 h
Test Type: static test
Test substance: yes
Method: OECD Test Guideline 203
Remarks: Active ingredient

LC50 (*Cyprinodon variegatus* (sheepshead minnow)): > 2,6 mg/l
Exposure time: 96 h
Test Type: static test
Test substance: yes
Method: OECD Test Guideline 203
Remarks: Active ingredient

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 5,85 mg/l
Exposure time: 48 h
Test Type: static test
Test substance: yes
Method: OECD Test Guideline 202
Remarks: Active ingredient

Toxicity to algae/aquatic plants : ErC50 (*Raphidocelis subcapitata* (freshwater green alga)): 4,7 mg/l
Exposure time: 96 h
Test Type: static test
Test substance: yes
Method: OECD Test Guideline 201
GLP: yes
Remarks: Active ingredient

EC50 (*Lemna gibba* G3 (gibbous duckweed)): 0,57 mg/l
End point: Frond
Exposure time: 7 d
Test Type: static test
Test substance: yes
Method: OPPTS 850.4400
GLP: yes
Remarks: Active ingredient

NOEC (*Lemna gibba* G3 (gibbous duckweed)): 0,090 mg/l
End point: Frond

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

Exposure time: 7 d
Test Type: static test
Test substance: yes
Method: OPPTS 850.4400
GLP: yes
Remarks: Active ingredient

ErC50 (*Myriophyllum spicatum*): 19,2 µg/l
End point: Total shoot length
Exposure time: 14 d
Test substance: yes
Method: OECD Test Guideline 239
GLP: yes
Remarks: Active ingredient

NOEC (*Myriophyllum spicatum*): 0,836 µg/l
End point: Total shoot length
Exposure time: 14 d
Test substance: yes
Method: OECD Test Guideline 239
GLP: yes
Remarks: Active ingredient

Toxicity to fish (Chronic toxicity) : NOEC: 0,75 mg/l
Exposure time: 33 d
Species: *Pimephales promelas* (fathead minnow)
Test Type: Early-life Stage
Method: OECD Test Guideline 210

NOEC: 2,8 mg/l
Exposure time: 34 d
Species: *Cyprinodon variegatus* (sheepshead minnow)
Test Type: Early Life-Stage
Method: US EPA Test Guideline OPPTS 850.1400

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,13 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)
Test Type: semi-static test
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 100

Toxicity to soil dwelling organisms : LC50: > 1.000 mg/kg
Exposure time: 14 d
Species: *Eisenia andrei* (red worm)
Test substance: yes
Method: OECD Test Guideline 207
Remarks: Active ingredient

Toxicity to terrestrial organisms : LD50: > 97,8 µg/bee
Exposure time: 48 h

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

End point: Acute oral toxicity
Species: Apis mellifera (bees)
Test substance: yes
Method: OECD Test Guideline 213
Remarks: Active ingredient

LD50: > 100 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Species: Apis mellifera (bees)
Test substance: yes
Method: OECD Test Guideline 214
Remarks: Active ingredient

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Toxicity to fish : LC50 (Zebra fish): > 10 - 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: > 10 - 100 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16,7 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2,15 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,9 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,070 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

EC50 (activated sludge): 12,8 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

M-Factor (Chronic aquatic toxicity) : 1

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,19 mg/l
Exposure time: 96 h
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,16 mg/l
Exposure time: 48 h

NOEC (Daphnia magna (Water flea)): 0,1 mg/l
Exposure time: 21 d

EC50 (Daphnia magna (Water flea)): 0,18 mg/l
Exposure time: 21 d

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

Toxicity to algae/aquatic plants	:	NOEC (Skeletonema costatum (marine diatom)): 0,00049 mg/l Exposure time: 48 h Method: OECD Test Guideline 201 NOEC (Skeletonema costatum (marine diatom)): 0,019 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 EC50 (Skeletonema costatum (marine diatom)): 0,037 mg/l Exposure time: 48 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	100
Toxicity to microorganisms	:	NOEC (activated sludge): 0,91 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 GLP: yes EC50 (activated sludge): 4,5 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 GLP: yes
Toxicity to fish (Chronic toxicity)	:	NOEC: 0,02 mg/l Exposure time: 35 d Species: Danio rerio (zebra fish) Method: OECD Test Guideline 210 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,1 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Chronic Toxicity Value: 0,18 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	:	100

12.2 Persistence and degradability

Components:

Tetflupyrolimet:

Biodegradability : Result: Not readily biodegradable.

Residues (petroleum), catalytic reformer fractionator, sulfonated, polymers with formaldehyde, sodium salts:

Biodegradability : Result: Not readily biodegradable.

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

Remarks: Based on data from similar materials

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable
Method: OECD Test Guideline 301C

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Biodegradability : Result: Readily biodegradable.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

Tetflupyrolimet:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Concentration: 47 µg/l
Bioconcentration factor (BCF): 87
Method: OECD Test Guideline 305
Remarks: Bioaccumulation is unlikely.
See section 9 for octanol-water partition coefficient.

Partition coefficient: n-octanol/water : log Pow: 3,34

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 56 d
Bioconcentration factor (BCF): 6,62
Method: OECD Test Guideline 305
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0,7 (20 °C)
pH: 7

log Pow: 0,99 (20 °C)
pH: 5

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Bioaccumulation : Exposure time: 28 d
Bioconcentration factor (BCF): < 54
Method: OECD Test Guideline 305

Partition coefficient: n- : Pow: 0,75

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

octanol/water

12.4 Mobility in soil

Components:

Tetflupyrolimet:

Distribution among environmental compartments : Koc: 658 - 1176
Remarks: Low mobility in soil

1,2-benzisothiazol-3(2H)-one:

Distribution among environmental compartments : Koc: 9,33 ml/g, log Koc: 0,97
Method: OECD Test Guideline 121
Remarks: Highly mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:

Tetflupyrolimet:

Assessment : vP substance (based on half-life in water and water/sediment)

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:

Tetflupyrolimet:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life.
Toxic to aquatic life with long lasting effects.

Components:

Tetflupyrolimet:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tetflupyrolimet)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tetflupyrolimet)

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Tetflupyrolimet)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Tetflupyrolimet)

IATA : Environmentally hazardous substance, liquid, n.o.s.
(Tetflupyrolimet)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADN

Packing group : III

Classification Code : M6

Hazard Identification Number : 90

Labels : 9

ADR

Packing group : III

Classification Code : M6

Hazard Identification Number : 90

Labels : 9

Tunnel restriction code : (-)

RID

Packing group : III

Classification Code : M6

Hazard Identification Number : 90

Labels : 9

IMDG

Packing group : III

Labels : 9

EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 964

Packing instruction (LQ) : Y964

Packing group : III

Labels : Miscellaneous

IATA (Passenger)

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

Packing instruction (passenger aircraft)	:	964
Packing instruction (LQ)	:	Y964
Packing group	:	III
Labels	:	Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Risk Reduction Ordinance (ORRChem, SR 814.81) : Conditions of restriction for the following annexes should be considered:
Annex 1.11 Dangerous liquid substances

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

PIC Ordinance, ChemPICO (814.82) : Not applicable

Ordinance on Protection against Major Accidents
Threshold quantity according to Major Accidents Ordinance (MAO 814.012) : 2.000 kg

Waters Protection Ordinance (WPO 814.201)
Water pollution class : Class A
Remarks: self classification

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

Other regulations:

Article 13 Maternity ordinance (SR 822.111.52): Expectant and nursing mothers are only permitted to come into contact with this product during the course of their work if, based on a risk assessment carried out in accordance with Article 63 of Ordinance 1 on the Employment Act (ArGV 1) (SR 822.111), the chemicals in question have been found not to cause any specific harm to mothers or children or if such harm can be ruled out by taking appropriate protective measures.

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2): Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. Tetflupyrolimet
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

SECTION 16: Other information

Full text of H-Statements

H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H310	: Fatal in contact with skin.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H330	: Fatal if inhaled.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.
EUH071	: Corrosive to the respiratory tract.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
CH SUVA	: Switzerland. Limit values at the work place
CH SUVA / TWA	: Time Weighted Average
CH SUVA / STEL	: Short Term Exposure Limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office

SAFETY DATA SHEET

according to Chemicals Ordinance (ChemO 813.11)



TETFLUPYROLIMET 400 g/L SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	13.01.2026	50002551	Date of first issue: 13.01.2026

of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Aquatic Acute 1	H400
Aquatic Chronic 2	H411

Classification procedure:

Based on product data or assessment
Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2026 FMC Corporation. All Rights Reserved.

CH / UZ / 6N