

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINOXADEN 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2026	50003124	Date of first issue: 01/20/2026

SECTION 1. IDENTIFICATION

Product identifier

Product name PINOXADEN 100 EC

Other means of identification

Product code 50003124

Product Registration Number PCP #35806

Recommended use of the chemical and restrictions on use

Recommended use Herbicide

Restrictions on use Use as recommended by the label.

Manufacturer or supplier's details

Manufacturer FMC Corporation
2929 WALNUT ST
PHILADELPHIA PA 19104
USA
Web: <https://ag.fmc.com/ca/en>
SDS-Info@fmc.com

Supplier Address FMC of Canada Limited
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Specific target organ toxicity : Category 2 (Bladder)
- repeated exposure

Aspiration hazard : Category 1

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINOXADEN 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2026	50003124	Date of first issue: 01/20/2026

GHS label elements

Hazard pictograms



Signal Word

: DANGER

Hazard Statements

: H227 Combustible liquid.
H304 May be fatal if swallowed and enters airways.
H373 May cause damage to organs (Bladder) through prolonged or repeated exposure.

Precautionary Statements

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 Do not breathe mist or vapors.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell.
P314 Get medical advice/ attention if you feel unwell.
P331 Do NOT induce vomiting.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P403 Store in a well-ventilated place.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
---------------	---------------------	---------	-----------------------

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINOXADEN 100 EC

Version 1.0 Revision Date: 01/20/2026 SDS Number: 50003124 Date of last issue: -
Date of first issue: 01/20/2026

pinoxaden (ISO)	pinoxaden	243973-20-8	9.86
Cloquintocet-mexyl	Cloquintocet-mexyl	99607-70-2	$\geq 1 - < 5$
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	Aromatic hydrocarbons	64742-94-5	$\geq 20 - < 60$

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : Take victim immediately to hospital.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : May be fatal if swallowed and enters airways.
May cause damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINOXADEN 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2026	50003124	Date of first issue: 01/20/2026

Notes to physician : A specific antidote for exposure to this material is not known. Gastric lavage and/or administration of activated charcoal can be considered. After decontamination, treatment of exposure is as for a general chemical and should be directed at the control of symptoms and the clinical condition. Do not induce vomiting: contains petroleum distillates and/or aromatic solvents. Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : High volume water jet
Do not spread spilled material with high-pressure water streams.

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Carbon oxides
Fire may produce irritating, corrosive and/or toxic gases.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.

Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Ensure adequate ventilation. Never return spills in original containers for re-use. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene. For disposal considerations see section 13.

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINOXADEN 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2026	50003124	Date of first issue: 01/20/2026

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of ignition.

Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : No smoking.
Keep in a well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5	TWA	200 mg/m ³ (total hydrocarbon vapor)	CA AB OEL
		TWAEV	200 mg/m ³	CA QC OEL
		TWA	200 mg/m ³ (total hydrocarbon vapor)	ACGIH

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINOXADEN 100 EC

Version 1.0	Revision Date: 01/20/2026	SDS Number: 50003124	Date of last issue: - Date of first issue: 01/20/2026
----------------	------------------------------	-------------------------	--

	quired.
Hand protection Material	: Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles
Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective measures	: Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions. Ensure that eye flushing systems and safety showers are located close to the working place. Wear suitable protective equipment.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Color	: yellow-orange
Odor	: Aromatic
Odor Threshold	: No data available
pH	: 3.0 - 7.0 (20 °C) Concentration: 1 % (as aqueous solution)
Melting point/freezing point	: < -10 °C
Boiling point/boiling range	: No data available
Flash point	: > 93 °C

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINOXADEN 100 EC

Version 1.0	Revision Date: 01/20/2026	SDS Number: 50003124	Date of last issue: - Date of first issue: 01/20/2026
----------------	------------------------------	-------------------------	--

Evaporation rate	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1.0 - 1.1 g/cm ³ (20 °C)
Bulk density	:	No data available
Solubility(ies)		
Water solubility	:	200 mg/l Active ingredient (25 °C)
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	6.76 mPa.s (20 °C) 3.87 mPa.s (40 °C)
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed. Vapors may form explosive mixture with air.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINOXADEN 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2026	50003124	Date of first issue: 01/20/2026

Conditions to avoid	: Heat, flames and sparks. Avoid formation of aerosol.
Incompatible materials	: Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	: LD50 Oral (Rat): 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5.288 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 Dermal (Rat): > 2,000 mg/kg

Components:

Cloquintocet-mexyl:

Acute oral toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: LC50 (Rat, male and female): > 0.935 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The component/mixture is moderately toxic after short term inhalation.
Acute dermal toxicity	: LD50 Dermal (Rat, male and female): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Acute oral toxicity	: LD50 (Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute inhalation toxicity	: LC50 (Rat): > 4.688 mg/l Exposure time: 4 h Test atmosphere: vapor Assessment: The substance or mixture has no acute inhala-

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINOXADEN 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2026	50003124	Date of first issue: 01/20/2026

tion toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Assessment : Not classified as irritant
Result : No skin irritation

Components:

Cloquintocet-mexyl:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Remarks : Minimal effects that do not meet the threshold for classification.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species : Rabbit
Assessment : Repeated exposure may cause skin dryness or cracking.
Result : No skin irritation
Remarks : Minimal effects that do not meet the threshold for classification.
Based on data from similar materials

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No eye irritation
Assessment : Not classified as irritant

Components:

Cloquintocet-mexyl:

Species : Rabbit
Assessment : No eye irritation
Method : OECD Test Guideline 405
Remarks : Minimal effects that do not meet the threshold for classification.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINOXADEN 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2026	50003124	Date of first issue: 01/20/2026

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species	:	Rabbit
Assessment	:	No eye irritation
Remarks	:	Minimal effects that do not meet the threshold for classification. Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Species	:	Guinea pig
Assessment	:	Not classified as irritant
Result	:	Not a skin sensitizer.

Components:

Cloquintocet-mexyl:

Species	:	Guinea pig
Method	:	OECD Test Guideline 429
Result	:	The product is a skin sensitizer, sub-category 1B.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Test Type	:	Maximization Test
Species	:	Guinea pig
Result	:	Not a skin sensitizer.
Remarks	:	Based on data from similar materials

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Cloquintocet-mexyl:

Genotoxicity in vitro	:	Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative Test Type: gene mutation test Test system: Chinese hamster lung cells Method: OECD Test Guideline 476 Result: negative Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Method: OECD Test Guideline 473
-----------------------	---	--

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINOXADEN 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2026	50003124	Date of first issue: 01/20/2026

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Chinese hamster (male and female)
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration.
Species: Rat
Application Route: inhalation (vapor)
Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Cloquintocet-mexyl:

Species : Mouse, male
Application Route : Oral
Exposure time : 18 month(s)
Dose : 1.1, 11, 111, 583 mg/kg
NOAEL : 111 mg/kg body weight
Result : negative

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species : Rat, male and female
Application Route : inhalation (vapor)
Exposure time : 12 month(s)
NOAEC : 1.8 mg/l
Result : negative
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINOXADEN 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2026	50003124	Date of first issue: 01/20/2026

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Cloquintocet-mexyl:

Effects on fertility : General Toxicity F1: NOAEL: 420 mg/kg body weight
Fertility: NOAEL: 830 mg/kg body weight
Method: OECD Test Guideline 416
Result: No effects on fertility and early embryonic development were detected.

Effects on fetal development : Species: Rabbit
Application Route: Oral
Dose: 0, 10, 60, 300 mg/kg bw/d
General Toxicity Maternal: NOAEL: 60 mg/kg body weight
Teratogenicity: NOAEL: 300 mg/kg body weight
Developmental Toxicity: NOAEL: 60 mg/kg body weight
Method: OECD Test Guideline 414
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Based on available data, the classification criteria are not met.

Components:

Cloquintocet-mexyl:

Remarks : No significant adverse effects were reported

STOT-repeated exposure

May cause damage to organs (Bladder) through prolonged or repeated exposure.

Components:

Cloquintocet-mexyl:

Target Organs : Bladder
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Repeated dose toxicity

Components:

Cloquintocet-mexyl:

Species : Rat, male
NOAEL : 3.77 mg/kg
Application Route : Oral
Exposure time : 2 y
Dose : 0.37, 3.8, 38, 75 mg/kg

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINOXADEN 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2026	50003124	Date of first issue: 01/20/2026

Method : OECD Test Guideline 451

Species : Rat, male and female
NOAEL : 9.66 - 10.2 mg/kg
Application Route : Oral
Exposure time : 90 d
Dose : 2.0, 9.7, 64, 384 mg/kg
Target Organs : Bladder

Species : Rat, male and female
NOAEL : 1,000 mg/kg
Application Route : Skin contact
Exposure time : 28 d
Dose : 0, 50, 200 and 1000 mg/kg
Method : OECD Test Guideline 410

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species : Rat, male and female
NOAEL : 0.9 - 1.8 mg/l
Application Route : inhalation (vapor)
Exposure time : 12 Months

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Cloquintocet-mexyl:

No aspiration toxicity classification

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

May be fatal if swallowed and enters airways.

Experience with human exposure

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Skin contact : Symptoms: Repeated exposure may cause skin dryness or cracking.

Further information

Product:

Remarks : Solvents may degrease the skin.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINOXADEN 100 EC

Version 1.0	Revision Date: 01/20/2026	SDS Number: 50003124	Date of last issue: - Date of first issue: 01/20/2026
----------------	------------------------------	-------------------------	--

Remarks : Vapour concentrations above recommended exposure levels are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, are anaesthetic and may have other central nervous system effects. Prolonged and/or repeated skin contact with low viscosity materials may defat the skin resulting in possible irritation and dermatitis. Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Cloquintocet-mexyl:

Toxicity to fish	: LC50 (<i>Salmo gairdneri</i>): > 76 mg/l Exposure time: 96 h LC50 (<i>Ictalurus punctatus</i> (channel catfish)): 14 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: LC50 (<i>Daphnia magna</i> (Water flea)): > 100 mg/l Exposure time: 48 h Test Type: static test
Toxicity to algae/aquatic plants	: EC50 (<i>Desmodesmus subspicatus</i> (green algae)): 0.63 mg/l Exposure time: 96 h Test Type: static test NOEC (<i>Desmodesmus subspicatus</i> (green algae)): 0.09 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (<i>Daphnia magna</i> (Water flea)): 32 mg/l End point: reproduction Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	: EC50 (activated sludge): > 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Toxicity to soil dwelling organisms	: LC50 (<i>Eisenia fetida</i> (earthworms)): 1,000 mg/kg Exposure time: 14 d Method: OECD Test Guideline 207
Toxicity to terrestrial organisms	: LD50 (<i>Colinus virginianus</i> (Bobwhite quail)): > 2,000 mg/kg

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINOXADEN 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2026	50003124	Date of first issue: 01/20/2026

NOEC (Colinus virginianus (Bobwhite quail)): 500 mg/kg

LD50 (Anas platyrhynchos (Mallard duck)): > 2,000 mg/kg

NOEC (Anas platyrhynchos (Mallard duck)): 500 mg/kg

LD50 (Apis mellifera (bees)): >100 ug/bee

Exposure time: 48 d

End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): >100 ug/bee

Exposure time: 48 d

End point: Acute contact toxicity

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 1.4 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): 1 - 3 mg/l
Exposure time: 24 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EL50 (Daphnia magna (Water flea)): 0.89 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : LL50 (Tetrahymena pyriformis): 677.9 mg/l
Exposure time: 72 h
Test Type: Growth inhibition

Persistence and degradability

Components:

Cloquintocet-mexyl:

Biodegradability : Result: Not readily biodegradable.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 58.6 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINOXADEN 100 EC

Version 1.0	Revision Date: 01/20/2026	SDS Number: 50003124	Date of last issue: - Date of first issue: 01/20/2026
----------------	------------------------------	-------------------------	--

Bioaccumulative potential

Components:

Cloquintocet-mexyl:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 1,000
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 5.03 (25 °C)

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Bioaccumulation : Remarks: The product/substance has a potential to bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.72
Method: QSAR

Mobility in soil

Components:

Cloquintocet-mexyl:

Distribution among environmental compartments : Remarks: immobile

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Distribution among environmental compartments : Remarks: Expected to partition to sediment and wastewater solids. Moderately volatile.

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINOXADEN 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2026	50003124	Date of first issue: 01/20/2026

Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Solvent naphtha (petroleum), heavy arom.)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Solvent naphtha (petroleum), heavy arom.)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Solvent naphtha (petroleum), heavy arom.)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Solvent naphtha (petroleum), heavy arom.)
Class	: 9
Packing group	: III

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINOXADEN 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2026	50003124	Date of first issue: 01/20/2026

Labels : 9
ERG Code : 171
Marine pollutant : yes(Solvent naphtha (petroleum), heavy arom.)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

NPRI Components : Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI : Not in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

PMRA/PCPA Information

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINOXADEN 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2026	50003124	Date of first issue: 01/20/2026

for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label; Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product

CAUTION

Harmful if swallowed, Harmful if absorbed through the skin., Causes eye irritation, Avoid contact with skin, eyes and clothing., Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet., Remove and wash contaminated clothing before reuse.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for air-borne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA QC OEL / TWA EV	:	Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Tem-

SAFETY DATA SHEET

according to the Hazardous Products Regulations



PINOXADEN 100 EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/20/2026	50003124	Date of first issue: 01/20/2026

perature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2026 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet