

SAFETY DATA SHEET



PROFIT®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : PROFIT®

Manufacturer or supplier's details

Company : FMC QUÍMICA DO BRASIL LTDA.

Address : AVENIDA DR. JOSÉ BONIFÁCIO
COUTINHO NOGUEIRA 150 - 1º
ANDAR - JARDIM MADALENA,
CAMPINAS SP BRASIL
TELEFONE: (19) 2042.4500

Emergency telephone : Brazil: 0800 34 35 450 (24 hours)
+55-2139581449 (CHEMTREC)

Medical Emergency Number : 0800 7010 450

Recommended use of the chemical and restrictions on use

Recommended use : Herbicide

Restrictions on use : Use as recommended by the label.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 5

Acute toxicity (Dermal) : Category 5

Carcinogenicity : Category 2

Specific target organ toxicity - single exposure : Category 3 (Respiratory system, Central nervous system)

Aspiration hazard : Category 1

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms

:



Signal Word

: DANGER

Hazard Statements

: H227 Combustible liquid.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H313 + H333 May be harmful in contact with skin or if inhaled.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H351 Suspected of causing cancer.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P302 + P312 IF ON SKIN: Call a POISON CENTER/ doctor if you feel unwell.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P331 Do NOT induce vomiting.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P391 Collect spillage.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Version 3.0 Revision Date: 15.09.2025 SDS Number: 50000160 Date of last issue: -
Date of first issue: 28.12.2017

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
clomazone (ISO)	81777-89-1	Acute Tox. (Oral), 4 Acute Tox. (Dermal), 5 Aquatic Acute, 1 Aquatic Chronic, 1	>= 50 -< 70
Solvent naphtha (petroleum), light arom.	64742-95-6	Flam. Liq., 3 Acute Tox. (Oral), 5 Acute Tox. (Inhalation), 4 Acute Tox. (Dermal), 5 Skin corrosion/irritation, 2 Serious eye damage/eye irritation, 2A Carc., 2 STOT SE, (Respiratory system, Central nervous system) , 3 Asp. Tox., 1 Aquatic Acute, 2 Aquatic Chronic, 2	>= 20 -< 25
calcium dodecylbenzenesulphonate (alternate CAS 68584-23-6)	26264-06-2	Acute Tox. (Oral), 4 Skin corrosion/irritation, 2 Serious eye damage/eye irritation, 1 Aquatic Acute, 2	>= 1 -< 2,5
carfentrazone-ethyl (ISO)	128639-02-1	Acute Tox. (Dermal), 5 Aquatic Acute, 1 Aquatic Chronic, 1	>= 1 -< 2,5
ethanol	64-17-5	Flam. Liq., 2 Skin corrosion/irritation, 3 Serious eye damage/eye irritation, 2A STOT SE, (Central nervous system) , 3	>= 1 -< 5
2-methylpropan-1-ol	78-83-1	Flam. Liq., 3 Acute Tox. (Oral), 5 Acute Tox. (Dermal), 5 Skin corro-	>= 1 -< 3

SAFETY DATA SHEET



PROFIT®

Version 3.0 Revision Date: 15.09.2025 SDS Number: 50000160 Date of last issue: -
Date of first issue: 28.12.2017

		sion/irritation, 2 Serious eye damage/eye irritation, 1 STOT SE, (Respiratory system, Central nervous system) , 3	
--	--	---	--

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.
- If inhaled : Consult a physician after significant exposure.
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and water.
If symptoms persist, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
May be fatal if swallowed and enters airways.
May be harmful in contact with skin or if inhaled.
May cause respiratory irritation.
May cause drowsiness or dizziness.
Suspected of causing cancer.
Swallowing or inhaling may result in sudden shortness of breath, coughing, nausea and or abdominal pain.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

SAFETY DATA SHEET



PROFIT®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

-
- | | | |
|--|---|--|
| Suitable extinguishing media | : | Dry chemical, CO ₂ , water spray or regular foam. |
| Unsuitable extinguishing media | : | Do not spread spilled material with high-pressure water streams. |
| Specific hazards during fire fighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : | Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides
Sulfur oxides
Nitrogen oxides (NO _x)
Fluorine compounds
Hydrogen cyanide
Hydrogen chloride
Chlorinated compounds |
| Specific extinguishing methods | : | Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : | Firefighters should wear protective clothing and self-contained breathing apparatus. |
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | | |
|---|---|---|
| Personal precautions, protective equipment and emergency procedures | : | Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Use personal protective equipment.
If it can be safely done, stop the leak.
Do not touch or walk through the spilled material. |
| Environmental precautions | : | Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : | Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
Keep in suitable, closed containers for disposal. |
-

SECTION 7. HANDLING AND STORAGE

SAFETY DATA SHEET



PROFIT®

Version 3.0 Revision Date: 15.09.2025 SDS Number: 50000160 Date of last issue: -
Date of first issue: 28.12.2017

- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of ignition.
- Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
- Hygiene measures : Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
- Conditions for safe storage : No smoking.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
carfentrazone-ethyl (ISO)	128639-02-1	TWA (Inhalable particulate matter)	1 mg/m ³	ACGIH
ethanol	64-17-5	LT	780 ppm 1.480 mg/m ³	BR OEL
		Further information: Degree of harmfulness: minimum		
		STEL	1.000 ppm	ACGIH
2-methylpropan-1-ol	78-83-1	LT	40 ppm 115 mg/m ³	BR OEL
		Further information: Degree of harmfulness: medium		
		TWA	50 ppm	ACGIH

SAFETY DATA SHEET



PROFIT®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

Personal protective equipment

Respiratory protection	:	In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
Hand protection	:	
Material	:	Protective gloves
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective measures	:	Plan first aid action before beginning work with this product.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	liquid
Color	:	dark yellow
Odor	:	characteristic
Odor Threshold	:	No data available
pH	:	8,45 (20 °C) (undiluted)
Melting point/ range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	66 °C Method: Pensky-Martens closed cup - PMCC
Evaporation rate	:	No data available
Self-ignition	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available

SAFETY DATA SHEET



PROFIT®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1,0659 g/cm ³ Method: OECD Test Guideline 109
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	26,58 mPa.s (20 °C) Method: OECD Test Guideline 114 15,57 mPa.s (40 °C) Method: OECD Test Guideline 114
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Surface tension	:	38 mN/m, ca. 25 °C
Molecular weight	:	Not applicable
Metal corrosion rate	:	Not corrosive to metals.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed. Vapors may form explosive mixture with air.
Conditions to avoid	:	Heat, flames and sparks. Avoid extreme temperatures.

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

Avoid formation of aerosol.

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact

Acute toxicity

Harmful if swallowed.

May be harmful in contact with skin or if inhaled.

Product:

Acute oral toxicity : LD50 (Rat): 1.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 8,697 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 4.000 mg/kg

Components:

clomazone (ISO):

Acute oral toxicity : LD50 (Rat, female): 768 mg/kg
Method: OECD Test Guideline 425

LD50 (Rat, female): 300 - 2.000 mg/kg
Method: OECD Test Guideline 423
Target Organs: Liver

Assessment: The component/mixture is moderately toxic after single ingestion.

LD50 (Rat, female): 1.564 mg/kg
Symptoms: ataxia

Acute inhalation toxicity : LC50 (Rat, male and female): > 12,1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: apathy
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

LC50 (Rat): > 7,4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg
Method: US EPA Test Guideline OPP 81-2
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

LD50 (Rabbit, male and female): > 4.000 mg/kg
Method: OECD Test Guideline 402
Remarks: no mortality

Solvent naphtha (petroleum), light arom.:

Acute oral toxicity : LD50 (Rat, female): 3.492 mg/kg
Method: OECD Test Guideline 401

LD50 (Rat, male): 6.984 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 6,193 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rabbit, male and female): > 3.160 mg/kg
Assessment: The component/mixture is minimally toxic after single contact with skin.

calcium dodecylbenzenesulphonate:

Acute oral toxicity : LD50 (Rat, male and female): 1.300 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: Not classified

Acute dermal toxicity : LD50 (Rat, male and female): > 2000 milligram per kilogram
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

carfentrazone-ethyl (ISO):

Acute oral toxicity : LD50 (Rat, female): 5.143 mg/kg
Method: US EPA Test Guideline OPP 81-1
Symptoms: Tremors
GLP: yes

LD50 (Rat, female): > 5.000 mg/kg

SAFETY DATA SHEET



PROFIT®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,09 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: EPA OPP 81 - 3
Symptoms: Tremors, chromodacryorrhea, nasal discharge
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 4.000 mg/kg
Method: US EPA Test Guideline OPP 81-2
GLP: yes
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

ethanol:

Acute oral toxicity : LD50 (Rat, male and female): 10.470 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 117 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: OECD Test Guideline 403
Symptoms: irritating, Central nervous system depression

2-methylpropan-1-ol:

Acute oral toxicity : LD50 (Rat): 3.350 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 18,18 mg/l
Exposure time: 6 h
Test atmosphere: vapor
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): 2.460 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No skin irritation

Components:

clomazone (ISO):

SAFETY DATA SHEET



PROFIT®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 404
Result	:	slight or no skin irritation.

Solvent naphtha (petroleum), light arom.:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Mild skin irritation

Assessment	:	Irritating to skin.
------------	---	---------------------

calcium dodecylbenzenesulphonate:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation

carfentrazone-ethyl (ISO):

Species	:	Rabbit
Assessment	:	Not classified as irritant
Method	:	US EPA Test Guideline OPP 81-5
Result	:	slight irritation
GLP	:	yes

ethanol:

Result	:	Mild skin irritation
--------	---	----------------------

2-methylpropan-1-ol:

Species	:	Rabbit
Result	:	Skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Result	:	No eye irritation

Remarks	:	Vapors may cause irritation to the eyes, respiratory system and the skin.
---------	---	---

Components:

clomazone (ISO):

Species	:	Rabbit
Result	:	Slight or no eye irritation
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
GLP	:	yes

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

Solvent naphtha (petroleum), light arom.:

Species	: Rabbit
Result	: No eye irritation
Assessment	: Irritating to eyes.

calcium dodecylbenzenesulphonate:

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: OECD Test Guideline 405
Remarks	: Based on data from similar materials

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: OECD Test Guideline 405

carfentrazone-ethyl (ISO):

Species	: Rabbit
Result	: slight irritation
Assessment	: Not classified as irritant
Method	: EPA OPP 81-4
GLP	: yes

ethanol:

Result	: Moderate eye irritation
--------	---------------------------

2-methylpropan-1-ol:

Species	: Rabbit
Result	: Irreversible effects on the eye

Respiratory or skin sensitization**Skin sensitization**

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Species	: Guinea pig
Result	: Not a skin sensitizer.

Components:**clomazone (ISO):**

Test Type	: Buehler Test
Species	: Guinea pig
Assessment	: Not a skin sensitizer.
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.
GLP	: yes

PROFIT®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

Species	: Guinea pig
Assessment	: Not a skin sensitizer.
Method	: US EPA Test Guideline OPP 81-6
Result	: Not a skin sensitizer.

Solvent naphtha (petroleum), light arom.:

Test Type	: Maximization Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.

calcium dodecylbenzenesulphonate:

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.
Remarks	: Based on data from similar materials

carfentrazone-ethyl (ISO):

Routes of exposure	: Skin contact
Species	: Guinea pig
Method	: US EPA Test Guideline OPP 81-6
Result	: Does not cause skin sensitization.
GLP	: yes

Test Type	: Local lymph node assay (LLNA)
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitization.
GLP	: yes

ethanol:

Result	: Does not cause skin sensitization.
--------	--------------------------------------

2-methylpropan-1-ol:

Routes of exposure	: Skin contact
Result	: Not a skin sensitizer.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Genotoxicity in vitro	: Test Type: Ames test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative
-----------------------	--

Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse
----------------------	--

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

Result: negative

Components:**clomazone (ISO):**

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay
Species: Rat
Method: OECD Test Guideline 473
Result: negative

Solvent naphtha (petroleum), light arom.:

Genotoxicity in vitro : Test Type: in vitro DNA damage and/or repair study
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration.
Species: Rat (male and female)
Application Route: Inhalation
Result: negative

calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay
Species: Rat (male and female)
Application Route: Oral
Exposure time: 90 d
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

carfentrazone-ethyl (ISO):

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: U.S. EPA 84-2
Result: negative
GLP: yes

Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Result: negative
GLP: yes

Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Result: negative
GLP: yes

Germ cell mutagenicity - Assessment : No genotoxic potential.

2-methylpropan-1-ol:

Genotoxicity in vitro : Result: negative

Genotoxicity in vivo : Result: negative

Carcinogenicity

Suspected of causing cancer.

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

Components:**clomazone (ISO):**

Species	:	Rat, male and female
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

Species	:	Mouse
Method	:	OECD Test Guideline 453
Result	:	negative

Solvent naphtha (petroleum), light arom.:

Carcinogenicity - Assessment	:	Limited evidence of carcinogenicity in animal studies
------------------------------	---	---

calcium dodecylbenzenesulphonate:

Species	:	Rat, male and female
Application Route	:	Oral
Exposure time	:	720 d
NOAEL	:	250 mg/kg body weight
Result	:	negative
Remarks	:	Based on data from similar materials

Carcinogenicity - Assessment	:	Weight of evidence does not support classification as a carcinogen
------------------------------	---	--

carfentrazone-ethyl (ISO):

Species	:	Rat, female
Application Route	:	Ingestion
Exposure time	:	2 Years
NOAEL	:	3 mg/kg bw/day
LOAEL	:	12 mg/kg bw/day
Method	:	U.S. EPA 83-5
Result	:	no increase in tumors observed
Target Organs	:	Liver
GLP	:	yes

Species	:	Mouse, female
Application Route	:	Ingestion
Exposure time	:	80 weeks
NOAEL	:	10 mg/kg bw/day
LOAEL	:	110 mg/kg bw/day
Method	:	U.S. EPA 83-5
Result	:	no increase in tumors observed
Target Organs	:	Liver
GLP	:	yes

Carcinogenicity - Assessment	:	Animal testing did not show any carcinogenic effects.
------------------------------	---	---

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:**clomazone (ISO):**

Effects on fertility	:	Test Type: Two-generation study Species: Rat, male and female Application Route: Oral Result: negative
Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rat Application Route: Oral Symptoms: Maternal effects. Result: negative Test Type: Embryo-fetal development Species: Rabbit Application Route: Oral Symptoms: Maternal effects. Result: negative

Solvent naphtha (petroleum), light arom.:

Effects on fertility	:	Test Type: Three-generation study Species: Rat Application Route: inhalation (vapor) Fertility: NOAEC Mating/Fertility: 7,5 mg/l Result: negative Remarks: Based on data from similar materials
Effects on fetal development	:	Species: Mouse Application Route: inhalation (vapor) General Toxicity Maternal: LOAEC: 500 part per million Symptoms: Maternal effects.

calcium dodecylbenzenesulphonate:

Effects on fertility	:	Test Type: Fertility/early embryonic development Species: Rat, male and female Application Route: Ingestion General Toxicity Parent: NOAEL: 400 mg/kg body weight Method: OECD Test Guideline 422 Result: negative
Effects on fetal development	:	Test Type: reproductive and developmental toxicity study Species: Rat Application Route: Ingestion General Toxicity Maternal: NOAEL: 300 mg/kg body weight Developmental Toxicity: NOAEL: 600 mg/kg body weight Method: OECD Test Guideline 422 Result: negative
Reproductive toxicity - Assessment	:	Weight of evidence does not support classification for reproductive toxicity

PROFIT®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

carfentrazone-ethyl (ISO):

- Effects on fertility : Test Type: Multi-generation study
Species: Rat, male and female
Application Route: Ingestion
Fertility: NOEL: 4.000 ppm
Result: negative
- Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat, female
Application Route: Oral
General Toxicity Maternal: NOEL: 100 mg/kg bw/day
Embryo-fetal toxicity.: NOEL: 600 mg/kg bw/day
Result: negative
- Test Type: Embryo-fetal development
Species: Rabbit, female
Application Route: Oral
General Toxicity Maternal: NOEL: 150 mg/kg bw/day
Embryo-fetal toxicity.: NOEL: > 300 mg/kg bw/day
Result: negative
- Reproductive toxicity - Assessment : Animal testing showed no reproductive toxicity.

2-methylpropan-1-ol:

- Effects on fertility : Species: Rat
Application Route: Inhalation
Fertility: NOAEC Mating/Fertility: 7,5 mg/l

STOT-single exposure

May cause respiratory irritation.
May cause drowsiness or dizziness.

Components:**Solvent naphtha (petroleum), light arom.:**

- Assessment : May cause respiratory irritation.
May cause drowsiness or dizziness.

carfentrazone-ethyl (ISO):

- Remarks : No significant adverse effects were reported

ethanol:

- Assessment : May cause drowsiness or dizziness.

2-methylpropan-1-ol:

- Assessment : May cause respiratory irritation.
May cause drowsiness or dizziness.

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Components:**carfentrazone-ethyl (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity**Components:****clomazone (ISO):**

Species : Rat, male and female
NOEL : 1000 ppm
Application Route : Oral
Exposure time : 90 days
Symptoms : increased liver weight

Species : Rat
LOAEL : 400 mg/kg
Exposure time : 90 d
Method : OECD Test Guideline 408
Symptoms : Liver effects

Solvent naphtha (petroleum), light arom.:

Species : Rat, male and female
NOAEC : 0,8 - 0,9 mg/l
Application Route : Inhalation
Test atmosphere : vapor
Remarks : Based on data from similar materials

Species : Rat, male
NOAEL : 600 mg/kg
Application Route : Oral
Remarks : Based on data from similar materials

calcium dodecylbenzenesulphonate:

Species : Rat, male and female
NOAEL : 85 mg/kg
LOAEL : 145 mg/kg
Application Route : Oral
Exposure time : 9 Months
Remarks : Based on data from similar materials

Species : Rat, male
LOAEL : 286 mg/kg
Application Route : Skin contact
Exposure time : 15 Days
Remarks : Based on data from similar materials

Species : Rat, male and female

SAFETY DATA SHEET



PROFIT®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

NOAEL	: 100 mg/kg bw/day
LOAEL	: 200 mg/kg bw/day
Application Route	: Oral - gavage
Exposure time	: 28 - 54 Days
Method	: OECD Test Guideline 422
Remarks	: Based on data from similar materials

carfentrazone-ethyl (ISO):

Species	: Mouse, male
NOAEL	: 143 mg/kg
LOAEL	: 571 mg/kg
Application Route	: Oral
Exposure time	: 90 days
Method	: EPA 82-1
GLP	: yes
Target Organs	: Blood, Liver

Species	: Dog, male and female
NOEL	: 150 mg/kg
LOAEL	: 500 mg/kg
Application Route	: Oral
Exposure time	: 90 days
Target Organs	: Blood

Species	: Dog, male and female
NOEL	: 50 mg/kg
NOAEL	: 150 mg/kg
LOAEL	: 500 mg/kg
Application Route	: Oral
Exposure time	: 12 months
GLP	: yes
Target Organs	: Blood

Species	: Rat, male
NOAEL	: 58 mg/kg
Exposure time	: 90 d
Method	: EPA 82-1
GLP	: yes

ethanol:

Species	: Rat
LOAEL	: 3.160 mg/kg
Application Route	: Oral
Exposure time	: 90
Target Organs	: Kidney

2-methylpropan-1-ol:

Species	: Rat
	: 1450 mg/kg
Application Route	: Oral

Species	: Rat
	: 7,5 mg/l

SAFETY DATA SHEET



PROFIT®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

Application Route : Inhalation

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

clomazone (ISO):

The substance does not have properties associated with aspiration hazard potential.

Solvent naphtha (petroleum), light arom.:

May be fatal if swallowed and enters airways.

carfentrazone-ethyl (ISO):

The substance does not have properties associated with aspiration hazard potential.

Neurological effects

Components:

carfentrazone-ethyl (ISO):

No neurotoxicity observed in animal studies.

Further information

Product:

Remarks : Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.
Concentrations substantially above the TLV value may cause narcotic effects.
Solvents may degrease the skin.

Components:

clomazone (ISO):

Remarks : When fed to animals, clomazone caused decreased activity, tearing eyes, bleeding from the nose and incoordination.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 59,26 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia similis (Water flea)): 20,52 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

SAFETY DATA SHEET



PROFIT®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): 0,86 mg/l
Exposure time: 96 h

Toxicity to soil dwelling organisms : Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on Carbon mineralization.

LC50 (Eisenia fetida (earthworms)): 0,553 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50 (Coturnix japonica (Japanese quail)): > 2.000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 223

LD50 (Apis mellifera L.): > 0,025 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity

Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Components:

clomazone (ISO):

Toxicity to fish : LC50 (Menidia beryllina (Silverside)): 6,3 mg/l
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 45 mg/l
Exposure time: 96 h

LC50 (Lepomis macrochirus (Bluegill sunfish)): 34 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 40,8 mg/l
Exposure time: 48 h

EC50 (Daphnia): 5,2 mg/l
Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 12,7 mg/l
Exposure time: 48 h
Test Type: static test

EC50 (Mysidopsis bahia (opossum shrimp)): 9,8 mg/l
Exposure time: 48 h

LC50 (Americamysis bahia (mysid shrimp)): 0,57 mg/l
Exposure time: 96 h

SAFETY DATA SHEET



PROFIT®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

	Test Type: flow-through test
Toxicity to algae/aquatic plants	: EbC50 (Selenastrum capricornutum (green algae)): 2 mg/l Exposure time: 72 h ErC50 (Selenastrum capricornutum (green algae)): 4,1 mg/l Exposure time: 72 h ErC50 (Navicula pelliculosa (Freshwater diatom)): 0,136 mg/l Exposure time: 120 h EC50 (Lemna gibba (duckweed)): 13,9 mg/l Exposure time: 7 d NOEC (Navicula pelliculosa (Freshwater diatom)): 0,05 mg/l End point: Growth rate Exposure time: 120 h NOEC (algae): 0,05 mg/l Exposure time: 96 h EC50 (Lemna gibba (duckweed)): 13,9 mg/l Exposure time: 7 d EC50 (algae): 0,136 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to fish (Chronic toxicity)	: NOEC (Oncorhynchus mykiss (rainbow trout)): 2,3 mg/l Exposure time: 21 d Test Type: flow-through test NOEC (Oncorhynchus mykiss (rainbow trout)): 2,29 mg/l Exposure time: 57 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 2,2 mg/l Exposure time: 21 d NOEC (Americamysis bahia (mysid shrimp)): 0,032 mg/l Exposure time: 28 d Test Type: flow-through test NOEC (Daphnia magna (Water flea)): 1,25 mg/l Exposure time: 21 d Test Type: static test
M-Factor (Chronic aquatic toxicity)	: 1
Toxicity to soil dwelling organisms	: LC50 (Eisenia fetida (earthworms)): 391,2 mg/kg Exposure time: 14 d

SAFETY DATA SHEET



PROFIT®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

Toxicity to terrestrial organisms : LD50 (Anas platyrhynchos (Mallard duck)): > 2.510 mg/kg

LC50 (Anas platyrhynchos (Mallard duck)): > 5620 ppm
Remarks: Dietary

LD50 (Coturnix japonica (Japanese quail)): > 2000

NOEC (Colinus virginianus): 94 mg/kg
End point: Reproduction Test

LC50 (Apis mellifera (bees)): > 85.29

LC50 (Apis mellifera (bees)): > 100
Remarks: Contact

Solvent naphtha (petroleum), light arom.:

Toxicity to fish : NOEC (Oncorhynchus mykiss (rainbow trout)): 4,5 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

LL50 (Pimephales promelas (fathead minnow)): 8,2 mg/l
Exposure time: 96 h
Test Type: semi-static test
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 4,5 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (microalgae)): 3,1 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOELR (Pimephales promelas (fathead minnow)): 2,6 mg/l
Exposure time: 14 d
Method: OECD Test Guideline 204
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 2,6 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (Tetrahymena pyriformis): 15,41 mg/l
Exposure time: 40 h
Test Type: Growth inhibition
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

(CAESAR models), etc.

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 10 mg/l
 Exposure time: 96 h
 Method: OECD Test Guideline 203
 Remarks: Based on data from similar materials

LC50 (Pimephales promelas (fathead minnow)): 4,6 mg/l
 Exposure time: 96 h
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3,5 mg/l
 Exposure time: 48 h
 Method: OECD Test Guideline 202
 Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 7,9 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
 Remarks: Based on data from similar materials

EC50 (Pseudokirchneriella subcapitata (green algae)): 65,4 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
 Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1,65 mg/l
 Exposure time: 21 d
 Remarks: Based on data from similar materials

NOEC (Daphnia magna (Water flea)): 1,18 mg/l
 Exposure time: 21 d
 Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 500 mg/l
 Exposure time: 3 h
 Method: OECD Test Guideline 209

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): 1.000 mg/kg
 Exposure time: 14 d
 Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50 (Colinus virginianus (Bobwhite quail)): 1.356 mg/kg
 Exposure time: 14 d
 Method: OECD Test Guideline 223

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

carfentrazone-ethyl (ISO):

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2,55 mg/l
 Exposure time: 96 h
 Test Type: semi-static test
 Method: OECD Test Guideline 203
- LC50 (Menidia beryllina (Silverside)): 1,14 mg/l
 Exposure time: 96 h
 Test Type: flow-through test
- LC50 (Oncorhynchus mykiss (rainbow trout)): 1,6 mg/l
 Exposure time: 96 h
 Test Type: flow-through test
 Method: EPA OPP 72-1
- LC50 (Lepomis macrochirus (Bluegill sunfish)): 2 mg/l
 Exposure time: 96 h
 Test Type: flow-through test
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 9,8 mg/l
 End point: Immobilization
 Exposure time: 48 h
 Method: OECD Test Guideline 202
 Remarks: No toxicity at the limit of solubility.
- Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): 0,0133 mg/l
 Exposure time: 72 h
 Method: OECD Test Guideline 201
 GLP: yes
- NOEC (Selenastrum capricornutum (green algae)): 0,00933 mg/l
 End point: Growth rate
 Exposure time: 72 h
 Method: OECD Test Guideline 201
 GLP: yes
- EbC50 (Selenastrum capricornutum (green algae)): 16 µg/l
 Exposure time: 120 h
- EC50 (Navicula pelliculosa (Diatom)): 12 µg/l
 Exposure time: 72 h
 Test Type: static test
- EC50 (Skeletonema costatum (Diatom)): 15 µg/l
 Exposure time: 72 h
 GLP: yes
- M-Factor (Acute aquatic toxicity) : 10
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 22 µg/l
 Exposure time: 89 d
 Test Type: Early Life-Stage

SAFETY DATA SHEET



PROFIT®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

		Method: OECD Test Guideline 210 GLP: yes
		NOEC (Oncorhynchus mykiss (rainbow trout)): 0,118 mg/l Exposure time: 102 d Test Type: flow-through test Method: US EPA Test Guideline OPP 72-4
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0,309 mg/l End point: Growth Exposure time: 21 d Method: OECD Test Guideline 202
		NOEC (Daphnia magna (Water flea)): 0,316 mg/l End point: Growth Exposure time: 21 d Method: OECD Test Guideline 202
		NOEC (Daphnia): 35 mg/l End point: reproduction Exposure time: 21 d Method: US EPA Test Guideline OPPTS 850.1300 Remarks: Information given is based on data obtained from similar product.
M-Factor (Chronic aquatic toxicity)	:	10
Toxicity to microorganisms	:	NOEC (activated sludge): 1.000 mg/l Test Type: Respiration inhibition Method: OECD Test Guideline 209
Toxicity to soil dwelling organisms	:	NOEC (Eisenia fetida (earthworms)): 820 mg/kg
		Method: OECD Test Guideline 216 Remarks: No significant adverse effect on Nitrogen mineralization.
		Method: OECD Test Guideline 217 Remarks: No significant adverse effect on Carbon mineralization.
Toxicity to terrestrial organisms	:	LD50 (Anas platyrhynchos (Mallard duck)): > 5.620 ppm End point: Acute oral toxicity Remarks: Dietary
		LC50 (Colinus virginianus (Bobwhite quail)): > 5.620 ppm End point: Acute oral toxicity Remarks: Dietary
		LD50 (Colinus virginianus (Bobwhite quail)): > 2.000 mg/kg End point: Acute oral toxicity Method: EPA OPP 71-1

SAFETY DATA SHEET



PROFIT®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

LD50 (Colinus virginianus (Bobwhite quail)): > 2.250 mg/kg
End point: Acute oral toxicity
Method: EPA OPP 71-1

NOEL (Colinus virginianus (Bobwhite quail)): 1000 ppm
End point: Reproduction Test

LD50 (Apis mellifera (bees)): > 200 µg/bee
End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): > 200 µg/bee
End point: Acute contact toxicity

Ecotoxicology Assessment

Toxicity Data on Soil : Harmful to the soil environment.

ethanol:

Toxicity to fish : LC50 (Fish): 11.200 mg/l
Exposure time: 24 h

Toxicity to fish (Chronic toxicity) : NOEC: 250 mg/l
Exposure time: 5 d

2-methylpropan-1-ol:

Toxicity to fish : LC50 : 1.430 mg/l
Exposure time: 4 d

Toxicity to daphnia and other aquatic invertebrates : EC50: 1.100 mg/l
Exposure time: 48 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 20 mg/l
Exposure time: 21 d

Toxicity to microorganisms : EC50 (Anabaena flos-aquae (cyanobacterium)): 593 - 1.799 mg/l
Exposure time: 72 h

IC50 (Natural microorganism): 1.000 mg/l
Exposure time: 16 h

Persistence and degradability

Product:

Biodegradability : Result: Not readily biodegradable.

Components:

clomazone (ISO):

Biodegradability : Result: Not readily biodegradable.
Remarks: Substance/product is moderately persistent in the environment.

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

Primary degradation half-lives vary with circumstances, from a few weeks to a few months in aerobic soil and water.

Solvent naphtha (petroleum), light arom.:

Biodegradability : Concentration: 49,2 mg/l
Result: Inherently biodegradable.
Biodegradation: 77,05 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301E

carfentrazone-ethyl (ISO):

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 3,9 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Stability in water : Degradation half life: 3,6 h pH: 9
Degradation half life: 8,6 d pH: 7

Photodegradation :

ethanol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 84 %
Exposure time: 20 d

2-methylpropan-1-ol:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: Product contains substances which are very persistent and very bioaccumulative (vPvB).

Remarks: No data available

Components:**clomazone (ISO):**

Bioaccumulation : Bioconcentration factor (BCF): 27 - 40
Remarks: Low potential for bioaccumulation

Partition coefficient: n- : log Pow: 2,365 (20 °C)

PROFIT®

octanol/water

Method: OECD Test Guideline 107

log Pow: 2,61 - 2,69 (20 - 21 °C)

pH: 4 - 10

Method: Regulation (EC) No. 440/2008, Annex, A.8

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 70,79
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4,77 (25 °C)

Bioaccumulation	: Species: <i>Oncorhynchus mykiss</i> (rainbow trout) Bioconcentration factor (BCF): 176 Exposure time: 28 d Method: OECD Test Guideline 305E Remarks: Bioaccumulation is unlikely.
-----------------	---

Partition coefficient: n-octanol/water : log Pow: 3,7 (20 °C)

Partition coefficient: n-octanol/water : log Pow: -0,35 (20 °C)

Bioaccumulation	: Remarks: No bioaccumulation is to be expected (log Pow <= 4).
-----------------	---

Partition coefficient: n-octanol/water : Pow: 10 (25 °C)

Distribution among environmental compartments	Remarks: Highly mobile in soils This chemical is known to leach through soil into ground water under certain conditions.
---	---

Distribution among environmental compartments	:	Koc: 300 ml/g, log Koc: 2,47 Remarks: Moderately mobile in soils
---	---	---

Stability in soil :

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

carfentrazone-ethyl (ISO):

Distribution among environmental compartments : Koc: 866, log Koc: 2,93
Remarks: Mobile in soils

Other adverse effects**Product:**

Results of PBT and vPvB assessment : Product contains substances which are very persistent and very bioaccumulative (vPvB).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

Components:**clomazone (ISO):**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : It is prohibited to reuse, bury, burn or sell packaging.

Washable packaging: Triple wash packs of less than 20 liters and pressure wash packs of 20 liters or more. Triple Wash (Manual Wash): Completely empty the contents of the package into the sprayer tank, keeping it in an upright position for 30 seconds; Add clean water to the package up to ¼ of its volume; Cover the package well and shake it for 30 seconds; Pour the wash water into the spray tank; Do this operation three times; Make the plastic or metal packaging unusable by perforating the bottom.

Pressure wash: Fit the empty package in the appropriate place of the funnel installed on the sprayer; Activate the mechanism to release the water jet; Direct the water jet to all the inside walls of the package, for 30 seconds; Wash water must be transferred to the sprayer tank; Make the plastic or metal packaging unusable by perforating the bottom. In both procedures, puncture the container at its base without damaging the label. Within a period of up to one year from the date of purchase, the user must return the empty packaging, with

SAFETY DATA SHEET



PROFIT®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

lid, to the establishment where the product was purchased or to the place indicated on the invoice, issued at the time of purchase. Activate the mechanism to release the water jet. Direct the water jet to all the inside walls of the package, for 30 seconds. Wash water must be transferred to the sprayer tank. Make the plastic or metal packaging unusable by perforating the bottom.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clomazone, Carfentrazone-ethyl, Aromatic hydrocarbons)

Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Clomazone, Carfentrazone-ethyl, Aromatic hydrocarbons)

Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clomazone, Carfentrazone-ethyl, Aromatic hydrocarbons)

Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

SAFETY DATA SHEET



PROFIT®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

ANTT

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Clomazone, Carfentrazone-ethyl, Aromatic hydrocarbons)

Class : 9
Packing group : III
Labels : 9
Hazard Identification Number : 90

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Law No. 14,785 of December 27, 2023. Decree 4,074 of January 4, 2002 and its regulatory standards. ANTT Resolution No. 5,998/22 of November 3, 2022. This MSDS was prepared in accordance with the criteria of ABNT NBR 14725. The user is recommended to pay attention to local regulations.

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : ethanol
2-methylpropan-1-ol

The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory
TSCA : Product contains substance(s) not listed on TSCA inventory.
AIIC : Not in compliance with the inventory
DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.
clomazone (ISO)
carfentrazone-ethyl (ISO)
o-Chlorobenzaldehyde
ENCS : Not in compliance with the inventory
ISHL : Not in compliance with the inventory
KECI : Not in compliance with the inventory

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date	:	15.09.2025
Date format	:	dd.mm.yyyy

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
BR OEL	:	Brazil. NR 15 - Unhealthy activities and operations

ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
BR OEL / LT	:	Up to 48 hours /week

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

SAFETY DATA SHEET



PROFIT®

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	15.09.2025	50000160	Date of first issue: 28.12.2017

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

BR / EN