

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

SECTION 1. IDENTIFICATION

Product identifier

Product name FMC Fluroxypyr 333 EC Herbicide

Other means of identification

Product code 50003089

Product Registration Number PCP #35260

Recommended use of the chemical and restrictions on use

Recommended use Can be used as herbicide only.

Restrictions on use Use as recommended by the label.

Manufacturer or supplier's details

Manufacturer FMC Corporation
2929 WALNUT ST
PHILADELPHIA PA 19104
USA
Web: <https://ag.fmc.com/ca/en>
SDS-Info@fmc.com

Supplier Address FMC of Canada Limited
6755 Mississauga Road, Suite 204
Mississauga, ON L5N 7Y2
Canada

Emergency telephone

For leak, fire, spill or accident emergencies, call:
1 800 / 424-9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527-3887 (CHEMTREC - Alternate)

Medical emergency:
U.S.A. & Canada: +1 800 / 331-3148
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Flammable liquids : Category 4

Reproductive toxicity : Category 1B

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

Aspiration hazard : Category 1

GHS label elements

Hazard pictograms :



Signal Word : DANGER

Hazard Statements : H227 Combustible liquid.
H304 May be fatal if swallowed and enters airways.
H360 May damage fertility or the unborn child.

Precautionary Statements :

Prevention:
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER.
P331 Do NOT induce vomiting.
P370 + P378 In case of fire: Use dry powder or dry sand for extinction.
P370 + P378 In case of fire: Use carbon dioxide to extinguish.

Storage:
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Very toxic to aquatic life with long lasting effects.
May be harmful if swallowed.
Harmful in contact with skin.
Harmful if inhaled.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version 1.1 Revision Date: 09/15/2025 SDS Number: 50003089 Date of last issue: 09/12/2025
Date of first issue: 09/12/2025

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
fluroxypyr-meptyl (ISO)	Fluroxypyr-meptyl	81406-37-3	$\geq 40 - \leq 50$ *
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	Aromatic hydrocarbons	64742-94-5	$\geq 10 - < 20$ *
N-methyl-2-pyrrolidone	N-Methyl-2-pyrrolidone	872-50-4	$\geq 10 - < 20$ *
Castor oil, ethoxylated	Castor oil, ethoxylated	61791-12-6	$\geq 5 - \leq 10$ *
Solvent naphtha (petroleum), light arom.; Low boiling point naphtha - unspecified	Solvent naphtha (petroleum), light aromatic	64742-95-6	$\geq 5 - < 10$ *
calcium dodecylbenzenesulphonate	Benzenesulfonic acid, dodecyl-, calcium salt	26264-06-2	$\geq 3 - < 5$ *
alpha-Hydro-omega-[tris(1-phe-nylethyl)phenoxy]poly(oxyethylene)	Poly(oxy-1,2-ethanediyl), .alpha.-[tris(1-phe-nylethyl)phenyl]-.omega.-hydroxy-	99734-09-5	$\geq 1 - \leq 5$ *

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Symptoms of poisoning may appear several hours later.
Do not leave the victim unattended.
Immediate medical attention is required.

If inhaled : Move to fresh air.
Consult a physician after significant exposure.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
Administer oxygen if breathing is difficult or cyanosis is observed.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

- | | |
|---|--|
| In case of skin contact | : If on skin, rinse well with water.
Wash off immediately with plenty of water for at least 15 minutes.
If on clothes, remove clothes.
Wash clothing before reuse. |
| In case of eye contact | : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital. |
| Most important symptoms and effects, both acute and delayed | : Inhalation may result in difficulty breathing.
Disorientation
Cough
wheezing
May be fatal if swallowed and enters airways.
May damage fertility or the unborn child. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment. |
| Notes to physician | : The product contains petroleum distillates which may pose an aspiration pneumonia hazard.
Treat symptomatically. |

SECTION 5. FIRE-FIGHTING MEASURES

- | | |
|---------------------------------------|--|
| Suitable extinguishing media | : Dry chemical, CO2, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable extinguishing media | : High volume water jet
Do not spread spilled material with high-pressure water streams. |
| Specific hazards during fire fighting | : Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.
Exposure to decomposition products may be a hazard to health. |

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

- Hazardous combustion products : Fluorinated compounds
Nitrogen oxides (NO_x)
Carbon oxides
Fire may produce irritating, corrosive and/or toxic gases.
Sulfur oxides
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.
Use a water spray to cool fully closed containers.
- Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.
If it can be safely done, stop the leak.
Evacuate personnel to safe areas.
Use personal protective equipment.
Ensure adequate ventilation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
Keep away from open flames, hot surfaces and sources of ignition.
- Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapors/dust.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version 1.1 Revision Date: 09/15/2025 SDS Number: 50003089 Date of last issue: 09/12/2025
Date of first issue: 09/12/2025

Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : No smoking.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
N-methyl-2-pyrrolidone	872-50-4	TWA	400 mg/m ³	CA ON OEL
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified	64742-94-5	TWA	200 mg/m ³ (total hydrocarbon vapor)	CA AB OEL
		TWAEV	200 mg/m ³	CA QC OEL
		TWA	200 mg/m ³ (total hydrocarbon vapor)	ACGIH
2-ethylhexan-1-ol	104-76-7	TWA	5 ppm	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
N-methyl-2-pyrrolidone	872-50-4	5-Hydroxy-N-methyl-2-pyrrolidone	Urine	End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version 1.1	Revision Date: 09/15/2025	SDS Number: 50003089	Date of last issue: 09/12/2025 Date of first issue: 09/12/2025
----------------	------------------------------	-------------------------	---

	quired.
Hand protection Material	: Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles
Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective measures	: Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions. Ensure that eye flushing systems and safety showers are located close to the working place. Wear suitable protective equipment.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Color	: light yellow
Odor	: Aromatic
Odor Threshold	: No data available
pH	: 5.07
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 60.5 °C

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version 1.1	Revision Date: 09/15/2025	SDS Number: 50003089	Date of last issue: 09/12/2025 Date of first issue: 09/12/2025
----------------	------------------------------	-------------------------	---

Evaporation rate	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 1.071
Density	: 1.071 g/cm ³
Bulk density	: No data available
Solubility(ies)	
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: 22.4 - 23.4 mPa.s (20 °C)
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed. Vapors may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

Incompatible materials : Avoid strong acids, bases, and oxidizers.

Hazardous decomposition products : Carbon oxides
Hydrogen chloride gas
Hydrogen fluoride
Nitrogen oxides (NOx)
No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 Oral (Rat): > 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.93 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 Dermal (Rat): > 2,000 mg/kg

Components:

fluroxypyr-meptyl (ISO):

Acute oral toxicity : LD50 (Rat): 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 1.16 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Highest attainable concentration.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 4.688 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Assessment: The substance or mixture has no acute inhalation toxicity

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

N-methyl-2-pyrrolidone:

Acute oral toxicity : LD50 (Rat): 4,150 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC0 (Rat): > 5.1 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402

Castor oil, ethoxylated:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Remarks: Based on data from similar materials

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Acute oral toxicity : LD50 (Rat, female): 3,492 mg/kg
Method: OECD Test Guideline 401

LD50 (Rat, male): 6,984 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 6.193 mg/l
Exposure time: 4 h
Test atmosphere: vapor
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit, male and female): > 3,160 mg/kg
Assessment: The component/mixture is minimally toxic after single contact with skin.

calcium dodecylbenzenesulphonate:

Acute oral toxicity : LD50 (Rat, male and female): 1,300 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: Not classified

Acute dermal toxicity : LD50 (Rat, male and female): > 2000 milligram per kilogram

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal toxicity

Remarks: Based on data from similar materials

alpha-Hydro-omega-[tris(1-phenylethyl)phenoxy]poly(oxyethylene):

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 401

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 404
Result	: No skin irritation

Components:

fluroxypyr-meptyl (ISO):

Species	: Rabbit
Assessment	: Not classified as irritant
Result	: No skin irritation

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species	: Rabbit
Assessment	: Repeated exposure may cause skin dryness or cracking.
Result	: No skin irritation
Remarks	: Minimal effects that do not meet the threshold for classification. Based on data from similar materials

N-methyl-2-pyrrolidone:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: irritating

Castor oil, ethoxylated:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

Remarks : Based on data from similar materials

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Mild skin irritation

calcium dodecylbenzenesulphonate:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

alpha-Hydro-omega-[tris(1-phenylethyl)phenoxy]poly(oxyethylene):

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	: Rat
Result	: No eye irritation
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 405

Remarks : Vapors may cause irritation to the eyes, respiratory system and the skin.

Components:

fluroxypyr-meptyl (ISO):

Species	: Rabbit
Assessment	: No eye irritation
Method	: OECD Test Guideline 405
Remarks	: Minimal effects that do not meet the threshold for classification.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species	: Rabbit
Assessment	: No eye irritation
Remarks	: Minimal effects that do not meet the threshold for classification. Based on data from similar materials

N-methyl-2-pyrrolidone:

Species	: Rabbit
Result	: irritating

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

Method : OECD Test Guideline 405

Castor oil, ethoxylated:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405
Remarks	: Based on data from similar materials

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Species	: Rabbit
Result	: No eye irritation

calcium dodecylbenzenesulphonate:

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: OECD Test Guideline 405
Remarks	: Based on data from similar materials

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: OECD Test Guideline 405

alpha-Hydro-omega-[tris(1-phenylethyl)phenoxy]poly(oxyethylene):

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Species	: Guinea pig
Assessment	: Not a skin sensitizer.
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.

Components:

fluroxypyr-meptyl (ISO):

Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Test Type	:	Maximization Test
Species	:	Guinea pig
Result	:	Not a skin sensitizer.
Remarks	:	Based on data from similar materials

N-methyl-2-pyrrolidone:

Method	:	OECD Test Guideline 429
Result	:	Not a skin sensitizer.

Castor oil, ethoxylated:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	Does not cause skin sensitization.
Remarks	:	Based on data from similar materials

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Not a skin sensitizer.

calcium dodecylbenzenesulphonate:

Test Type	:	Maximization Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Not a skin sensitizer.
Remarks	:	Based on data from similar materials

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Genotoxicity in vitro	:	Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
-----------------------	---	---

Genotoxicity in vivo	:	Test Type: Bone marrow chromosome aberration. Species: Rat Application Route: inhalation (vapor) Result: negative
----------------------	---	--

N-methyl-2-pyrrolidone:

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: unscheduled DNA synthesis assay
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative

Castor oil, ethoxylated:

Genotoxicity in vitro : Test Type: gene mutation test
Test system: Salmonella typhimurium
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Test Type: reverse mutation assay
Test system: Escherichia coli
Method: OECD Test Guideline 472
Result: negative
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Result: negative
Remarks: Based on data from similar materials

Test Type: gene mutation test
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 476
Result: positive
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster lung cells
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Genotoxicity in vitro : Test Type: in vitro DNA damage and/or repair study
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Result: negative

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Result: negative

Genotoxicity in vivo : Test Type: Bone marrow chromosome aberration.
Species: Rat (male and female)
Application Route: Inhalation
Result: negative

calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay
Species: Rat (male and female)
Application Route: Oral
Exposure time: 90 d
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

alpha-Hydro-omega-[tris(1-phenylethyl)phenoxy]poly(oxyethylene):

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

fluroxypyr-meptyl (ISO):

Species : Rat
Method : OECD Test Guideline 451
Result : negative

Species : Mouse
Method : OECD Test Guideline 453
Result : negative

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species : Rat, male and female
Application Route : inhalation (vapor)

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

Exposure time : 12 month(s)
NOAEC : 1.8 mg/l
Result : negative
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

N-methyl-2-pyrrolidone:

Species : Rat, male and female
Application Route : Oral
NOAEL : 207 - 283 mg/kg bw/day
Result : negative

Species : Rat, male
Application Route : Inhalation
NOAEC : 0.04 mg/l
Result : negative

Species : Mouse, male
Application Route : Oral
NOAEL : 89 mg/kg body weight
Method : OECD Test Guideline 451
Result : negative

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

calcium dodecylbenzenesulphonate:

Species : Rat, male and female
Application Route : Oral
Exposure time : 720 d
NOAEL : 250 mg/kg body weight
Result : negative
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

May damage fertility or the unborn child.

Components:

fluroxypyr-meptyl (ISO):

Effects on fertility : Method: OECD Test Guideline 416
Result: negative

Effects on fetal development : Method: OECD Test Guideline 414

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

Result: negative

N-methyl-2-pyrrolidone:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
Method: OECD Test Guideline 416
Result: positive

Effects on fetal development : Test Type: Pre-natal
Species: Rat
Application Route: Oral
Method: OECD Test Guideline 414
Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Effects on fertility : Test Type: Three-generation study
Species: Rat
Application Route: inhalation (vapor)
Fertility: NOAEC Mating/Fertility: 7.5 mg/l
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Species: Mouse
Application Route: inhalation (vapor)
General Toxicity Maternal: LOAEC: 500 part per million
Symptoms: Maternal effects.

calcium dodecylbenzenesulphonate:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Application Route: Ingestion
General Toxicity Parent: NOAEL: 400 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Ingestion
General Toxicity Maternal: NOAEL: 300 mg/kg body weight
Developmental Toxicity: NOAEL: 600 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

STOT-single exposure

Based on available data, the classification criteria are not met.

Components:

N-methyl-2-pyrrolidone:

Assessment : May cause respiratory irritation.

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Assessment : May cause respiratory irritation., May cause drowsiness or dizziness.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Repeated dose toxicity

Components:

fluroxypyr-meptyl (ISO):

Species : Rat
NOAEL : 80 mg/kg
Exposure time : 90 d
Method : OECD Test Guideline 408
Target Organs : Kidney

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Species : Rat, male and female
NOAEC : 0.9 - 1.8 mg/l
Application Route : inhalation (vapor)
Exposure time : 12 Months

N-methyl-2-pyrrolidone:

Species : Rat, male
NOAEL : 169 mg/kg
Application Route : Oral

Species : Mouse, male
NOAEL : 89 mg/kg
Application Route : Oral
Method : OECD Test Guideline 408
Target Organs : Liver

Species : Rabbit
NOAEL : 826 mg/kg
Application Route : Dermal

Species : Rat, male
NOAEL : 3 mg/l
Application Route : inhalation (vapor)

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

Target Organs : Testes

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Species : Rat, male and female
NOAEC : 0.8 - 0.9 mg/l
Application Route : Inhalation
Test atmosphere : vapor
Remarks : Based on data from similar materials

Species : Rat, male
NOAEL : 600 mg/kg
Application Route : Oral
Remarks : Based on data from similar materials

calcium dodecylbenzenesulphonate:

Species : Rat, male and female
NOAEL : 85 mg/kg
LOAEL : 145 mg/kg
Application Route : Oral
Exposure time : 9 Months
Remarks : Based on data from similar materials

Species : Rat, male
LOAEL : 286 mg/kg
Application Route : Skin contact
Exposure time : 15 Days
Remarks : Based on data from similar materials

Species : Rat, male and female
NOAEL : 100 mg/kg bw/day
LOAEL : 200 mg/kg bw/day
Application Route : Oral - gavage
Exposure time : 28 - 54 Days
Method : OECD Test Guideline 422
Remarks : Based on data from similar materials

Aspiration toxicity

May be fatal if swallowed and enters airways.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

May be fatal if swallowed and enters airways.

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

May be fatal if swallowed and enters airways.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

Experience with human exposure

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Skin contact : Symptoms: Repeated exposure may cause skin dryness or cracking.

Further information

Product:

Remarks : Solvents may degrease the skin.

Components:

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Remarks : Vapour concentrations above recommended exposure levels are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, are anaesthetic and may have other central nervous system effects. Prolonged and/or repeated skin contact with low viscosity materials may defat the skin resulting in possible irritation and dermatitis. Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

fluroxypyr-meptyl (ISO):

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): > 0.63 mg/l Exposure time: 96 h LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.2 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 0.183 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 1.41 mg/l Exposure time: 72 h LC50 (Scenedesmus subspicatus): > 0.5 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	: NOEC (Oncorhynchus mykiss (rainbow trout)): 0.2 mg/l Exposure time: 21 d

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.06 mg/l
Exposure time: 21 d

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg
Exposure time: 14 d

Toxicity to terrestrial organisms : LD50 (Anas platyrhynchos (Mallard duck)): > 2,000 mg/kg

LD50 (Colinus virginianus (Bobwhite quail)): > 2,000 mg/kg

LD50 (Apis mellifera (bees)): > 100 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): > 100 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 1.4 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): 1 - 3 mg/l
Exposure time: 24 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EL50 (Daphnia magna (Water flea)): 0.89 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : LL50 (Tetrahymena pyriformis): 677.9 mg/l
Exposure time: 72 h
Test Type: Growth inhibition

N-methyl-2-pyrrolidone:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,000 mg/l
Exposure time: 24 h

LC50 (Palaeomonetes vulgaris (Grass shrimp)): 1,107 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 600.5 mg/l
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 12.5 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (activated sludge): 100 mg/l
Exposure time: 48 h

EC50 (activated sludge): > 600 mg/l
Exposure time: 30 min

Castor oil, ethoxylated:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 100 mg/l
Exposure time: 48 h
Test Type: flow-through test

Toxicity to fish (Chronic toxicity) : Remarks: No data available

Toxicity to microorganisms : EC50 (Vibrio fischerii (Bacteria)): 1,000 mg/l
Exposure time: 5 min

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Toxicity to fish : NOEC (Oncorhynchus mykiss (rainbow trout)): 4.5 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

LL50 (Pimephales promelas (fathead minnow)): 8.2 mg/l
Exposure time: 96 h
Test Type: semi-static test
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 4.5 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (microalgae)): 3.1 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOELR (Pimephales promelas (fathead minnow)): 2.6 mg/l
Exposure time: 14 d

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

Method: OECD Test Guideline 204

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 2.6 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (Tetrahymena pyriformis): 15.41 mg/l
Exposure time: 40 h
Test Type: Growth inhibition
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

LC50 (Pimephales promelas (fathead minnow)): 4.6 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 7.9 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC50 (Pseudokirchneriella subcapitata (green algae)): 65.4 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1.65 mg/l
Exposure time: 21 d
Remarks: Based on data from similar materials

NOEC (Daphnia magna (Water flea)): 1.18 mg/l

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

Exposure time: 21 d
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 500 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): 1,000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50 (*Colinus virginianus* (Bobwhite quail)): 1,356 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 223

alpha-Hydro-omega-[tris(1-phenylethyl)phenoxy]poly(oxyethylene):

Toxicity to fish : LC50 (*Brachydanio rerio* (zebrafish)): 21 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to microorganisms : Remarks: No data available

Persistence and degradability

Components:

fluroxypyr-meptyl (ISO):

Biodegradability : Remarks: Not readily biodegradable.

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 58.6 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

N-methyl-2-pyrrolidone:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 73 %
Exposure time: 28 d

Castor oil, ethoxylated:

Biodegradability : Result: Not readily biodegradable.

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified:

Biodegradability : Concentration: 49.2 mg/l
Result: Inherently biodegradable.
Biodegradation: 77.05 %

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

Exposure time: 28 d
Method: OECD Test Guideline 301F

calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301E

alpha-Hydro-omega-[tris(1-phenylethyl)phenoxy]poly(oxyethylene):

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 8 %
Exposure time: 28 d
Method: OECD Test Guideline 301

Bioaccumulative potential

Components:

fluroxypyr-meptyl (ISO):

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): 26
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 4.5 (25 °C)

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Bioaccumulation : Remarks: The product/substance has a potential to bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3.72
Method: QSAR

N-methyl-2-pyrrolidone:

Partition coefficient: n-octanol/water : log Pow: -0.46 (25 °C)

calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 70.79
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4.77 (25 °C)

alpha-Hydro-omega-[tris(1-phenylethyl)phenoxy]poly(oxyethylene):

Partition coefficient: n-octanol/water : Remarks: No data available

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

Mobility in soil

Components:

fluroxypyr-meptyl (ISO):

Distribution among environmental compartments	:	Koc: 6200 - 43000 Remarks: The product is not expected to be mobile in soils.
---	---	--

Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:

Distribution among environmental compartments	:	Remarks: Expected to partition to sediment and wastewater solids. Moderately volatile.
---	---	--

Other adverse effects

Product:

Additional ecological information	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.
-----------------------------------	---	--

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Fluroxypyr-meptyl, Solvent naphtha (petroleum), heavy arom.)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

IATA-DGR

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Fluroxypyr-meptyl, Solvent naphtha (petroleum), heavy arom.)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fluroxypyr-meptyl, Solvent naphtha (petroleum), heavy arom.)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

TDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fluroxypyr-meptyl, Solvent naphtha (petroleum), heavy arom.)
Class : 9
Packing group : III
Labels : 9
ERG Code : 171
Marine pollutant : yes(Fluroxypyr-meptyl, Solvent naphtha (petroleum), heavy arom.)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

NPRI Components : N-methyl-2-pyrrolidone
Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

Solvent naphtha (petroleum), light arom.; Low boiling point naphtha -unspecified

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

Canadian lists

No substances are subject to a Significant New Activity Notification.

PMRA/PCPA Information

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label: Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product

CAUTION

Avoid contact with skin, eyes and clothing., Avoid breathing dust or spray mist., Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet., Wear long-sleeved shirt and long pants, socks, shoes, and chemical resistant gloves when handling., Harmful if swallowed, Harmful if inhaled, Harmful if absorbed through the skin.

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA ON OEL	:	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for air-borne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA ON OEL / TWA	:	Time-Weighted Average Limit (TWA)
CA QC OEL / TWA EV	:	Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

SAFETY DATA SHEET

according to the Hazardous Products Regulations



FMC Fluroxypyr 333 EC Herbicide

Version	Revision Date:	SDS Number:	Date of last issue: 09/12/2025
1.1	09/15/2025	50003089	Date of first issue: 09/12/2025

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

CA / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet