

SAFETY DATA SHEET

Fluazinam 500 g/l SC



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/03	50000004	Date of first issue: 2026/02/03

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Fluazinam 500 g/l SC

Other means of identification : None

Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Taiwan Co. Ltd.

Address : 3F, No. 179, Fuhuiyuan Blvd.,
Xitun Dist., Taichung City, 40758
Taiwan

Telephone : +886 4 2254 2785

Telefax : +886 4 2254 2831

E-mail address : SDS-Info@fmc.com

Emergency telephone : For leak, fire, spill or accident emergencies, call:
00801-14-8954 (CHEMTREC)

Medical emergency:
00886 2 28757525 (in case of chemical spill, fire or poisoning
accident)

2. HAZARDS IDENTIFICATION

GHS Classification

Skin sensitization : Sub-category 1B

Reproductive toxicity : Category 2

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

SAFETY DATA SHEET

Fluazinam 500 g/l SC



Version 1.0 Revision Date: 2026/02/03 SDS Number: 50000004 Date of last issue: -
Date of first issue: 2026/02/03

Hazard pictograms

:



Signal Word

: WARNING

Hazard Statements

: H317 May cause an allergic skin reaction.
H361 Suspected of damaging fertility or the unborn child.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P261 Avoid breathing mist or vapors.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Hazardous ingredients	CAS-No.	Concentration (% w/w)
fluazinam (ISO)	79622-59-6	>= 30 -< 50
Alkylated Naphthalene Sulfonate Sodium Salt	68425-94-5	>= 1 -< 2.5
Alcohols, C13-15, branched and linear, ethoxylated	157627-86-6	>= 1 -< 2.5

SAFETY DATA SHEET

Fluazinam 500 g/l SC



Version 1.0	Revision Date: 2026/02/03	SDS Number: 50000004	Date of last issue: - Date of first issue: 2026/02/03
----------------	------------------------------	-------------------------	--

1,2-benzisothiazol-3(2H)-one	2634-33-5	>= 0.0025 -< 0.025
------------------------------	-----------	--------------------

4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Consult a physician.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

First aid measures for different exposure routes

If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.

In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
Wash contaminated clothing before re-use.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

Most important symptoms and effects, both acute and delayed : Exposure to skin may result in mild symptoms include itching, hives or rash, and skin redness. More severe symptoms include sneezing, itchy watery eyes, and difficulty breathing. May cause an allergic skin reaction.
Suspected of damaging fertility or the unborn child.

Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.

SAFETY DATA SHEET

Fluazinam 500 g/l SC



Version 1.0	Revision Date: 2026/02/03	SDS Number: 50000004	Date of last issue: - Date of first issue: 2026/02/03
----------------	------------------------------	-------------------------	--

Notes to physician : Treat symptomatically.
Immediate medical attention is required in case of ingestion.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
High volume water jet

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Halogenated compounds
Nitrogen oxides (NO_x)
Carbon oxides
Ammonia

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Do not touch or walk through the spilled material.
If it can be safely done, stop the leak.
Use personal protective equipment.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for : Never return spills in original containers for re-use.

SAFETY DATA SHEET

Fluazinam 500 g/l SC



Version 1.0	Revision Date: 2026/02/03	SDS Number: 50000004	Date of last issue: - Date of first issue: 2026/02/03
----------------	------------------------------	-------------------------	--

containment and cleaning up	Collect as much of the spill as possible with a suitable absorbent material. Pick up and transfer to properly labeled containers. Keep in suitable, closed containers for disposal.
-----------------------------	---

7. HANDLING AND STORAGE

Handling

Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Advice on safe handling	: Avoid formation of aerosol. Do not breathe vapors/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Provide sufficient air exchange and/or exhaust in work rooms. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Storage

Conditions for safe storage	: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Further information on storage conditions	: The product is stable under normal conditions of warehouse storage. Protect from heat and direct sunlight. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.
Recommended storage temperature	: 5 - 30 °C
Further information on storage stability	: No decomposition if stored and applied as directed.

SAFETY DATA SHEET

Fluazinam 500 g/l SC



Version 1.0	Revision Date: 2026/02/03	SDS Number: 50000004	Date of last issue: - Date of first issue: 2026/02/03
----------------	------------------------------	-------------------------	--

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Biological occupational exposure limits

Contains no substances with biological exposure indices.

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

Hygiene measures : Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
Remove and wash contaminated clothing and gloves, including the inside, before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

SAFETY DATA SHEET

Fluazinam 500 g/l SC



Version 1.0	Revision Date: 2026/02/03	SDS Number: 50000004	Date of last issue: - Date of first issue: 2026/02/03
----------------	------------------------------	-------------------------	--

Color	:	light yellow, yellowish-brown, beige
Odor	:	odorless, Aromatic
Odor Threshold	:	No data available
pH	:	7.5 - 8.3 Concentration: 1 %
Melting point/ range	:	not determined
Boiling point/boiling range	:	No data available
Flash point	:	> 103 °C Method: Pensky-Martens closed cup - PMCC
Evaporation rate	:	No data available
Flammability (liquids)	:	The product may be combustible.
Self-ignition	:	> 400 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Vapor pressure	:	0.0011 Pa (20 °C)
Relative vapor density	:	not determined
Relative density	:	1.28 (20 °C)
Density	:	1.28 g/cm ³ (20 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	partly miscible Solvent: Methanol partly miscible Solvent: hexane
Partition coefficient: n-octanol/water	:	Not available for this mixture.

SAFETY DATA SHEET

Fluazinam 500 g/l SC



Version 1.0	Revision Date: 2026/02/03	SDS Number: 50000004	Date of last issue: - Date of first issue: 2026/02/03
----------------	------------------------------	-------------------------	--

Autoignition temperature	: No data available
Decomposition temperature	: not determined
Viscosity	
Viscosity, dynamic	: 15.5 mPa.s (20 °C)
Viscosity, kinematic	: 1094 - 1406 mm ² /s
Explosive properties	: Not explosive
Oxidizing properties	: Non-oxidizing
Molecular weight	: Not applicable
Particle size	: Not applicable

10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Avoid extreme temperatures. Avoid formation of aerosol. Heat, flames and sparks. Heating of the mixture may evolve harmful and irritant vapours.
Incompatible materials	: Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	: Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Symptoms of Overexposure	: Exposure to skin may result in mild symptoms include itching, hives or rash, and skin redness. More severe symptoms include sneezing, itchy watery eyes, and difficulty breathing.
--------------------------	--

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	: LD50 Oral (Rat, female): > 2,000 mg/kg
---------------------	--

SAFETY DATA SHEET

Fluazinam 500 g/l SC



Version 1.0	Revision Date: 2026/02/03	SDS Number: 50000004	Date of last issue: - Date of first issue: 2026/02/03
----------------	------------------------------	-------------------------	--

Method: OECD Test Guideline 425
Symptoms: Diarrhea
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 3.56 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Breathing difficulties, piloerection, sneezing
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality
Highest attainable concentration.

Acute dermal toxicity : LD50 Dermal (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: no mortality

Components:

fluazinam (ISO):

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 425
Symptoms: Diarrhea
GLP: yes
Assessment: The component/mixture is minimally toxic after single ingestion.
Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male): 1.32 - 2.13 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Fatality, Breathing difficulties, ataxia
GLP: yes

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The component/mixture is minimally toxic after single contact with skin.
Remarks: no mortality

Alkylated Naphthalene Sulfonate Sodium Salt:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

SAFETY DATA SHEET



Fluazinam 500 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/03	50000004	Date of first issue: 2026/02/03

Alcohols, C13-15, branched and linear, ethoxylated:

Acute oral toxicity : LD50 (Rat): 500 - 2,000 mg/kg

1,2-benzisothiazol-3(2H)-one:

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Assessment : Not classified as irritant
Method : OECD Test Guideline 404
GLP : yes
Remarks : Minimal effects that do not meet the threshold for classification.

Components:

fluazinam (ISO):

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
GLP : yes
Remarks : Minimal effects that do not meet the threshold for classification.

Alkylated Naphthalene Sulfonate Sodium Salt:

Remarks : No data available

Alcohols, C13-15, branched and linear, ethoxylated:

Result : No skin irritation

1,2-benzisothiazol-3(2H)-one:

Species : Rabbit
Exposure time : 72 h
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

SAFETY DATA SHEET



Fluazinam 500 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/03	50000004	Date of first issue: 2026/02/03

Remarks : Minimal effects that do not meet the threshold for classification.

Components:

fluazinam (ISO):

Species	: Rabbit
Assessment	: Irritating to eyes.
Method	: OECD Test Guideline 405
GLP	: yes

Alkylated Naphthalene Sulfonate Sodium Salt:

Result	: Eye irritation
--------	------------------

Alcohols, C13-15, branched and linear, ethoxylated:

Result	: Irreversible effects on the eye
--------	-----------------------------------

1,2-benzisothiazol-3(2H)-one:

Species	: Bovine cornea
Result	: No eye irritation
Method	: OECD Test Guideline 437

Species	: Rabbit
Result	: Irreversible effects on the eye
Method	: EPA OPP 81-4

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type	: Local lymph node assay (LLNA)
Assessment	: The product is a skin sensitizer, sub-category 1B.
Method	: OECD Test Guideline 429
Result	: Causes skin sensitization.
GLP	: yes

Components:

fluazinam (ISO):

Test Type	: Local lymph node assay (LLNA)
Routes of exposure	: Skin contact
Species	: Mouse
Assessment	: The product is a skin sensitizer, sub-category 1A.
Method	: OECD Test Guideline 429
Result	: May cause sensitization by skin contact.
GLP	: yes

SAFETY DATA SHEET

Fluazinam 500 g/l SC



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/03	50000004	Date of first issue: 2026/02/03

1,2-benzisothiazol-3(2H)-one:

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: May cause sensitization by skin contact.

Species	: Guinea pig
Method	: FIFRA 81.06
Result	: May cause sensitization by skin contact.

Chronic toxicity

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Genotoxicity in vitro	: Test Type: Ames test Method: OECD Test Guideline 471 Result: negative
-----------------------	---

Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Result: negative
----------------------	--

Components:

fluazinam (ISO):

Genotoxicity in vitro	: Test Type: Ames test Metabolic activation: with and without metabolic activation Result: negative
-----------------------	---

Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Result: negative
----------------------	--

Germ cell mutagenicity - Assessment	: No genotoxic potential.
-------------------------------------	---------------------------

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro	: Test Type: gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative
-----------------------	--

	Test Type: Ames test Method: OECD Test Guideline 471 Result: negative
--	---

	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473
--	---

SAFETY DATA SHEET

Fluazinam 500 g/l SC



Version 1.0	Revision Date: 2026/02/03	SDS Number: 50000004	Date of last issue: - Date of first issue: 2026/02/03
----------------	------------------------------	-------------------------	--

Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Cell type: Liver cells
Application Route: Ingestion
Exposure time: 4 h
Method: OECD Test Guideline 486
Result: negative

Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

fluazinam (ISO):

Carcinogenicity - Assessment : Did not show carcinogenic effects in animal experiments.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Product:

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

Components:

fluazinam (ISO):

Effects on fetal development : Species: Rat
Symptoms: Fetal effects., placental abnormalities, fused or incompletely ossified sternebrae, abnormalities of the head bones, not developed renal papillae and distended ureter
Result: Embryotoxic effects and adverse effects on the offspring were detected.

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility., Some evidence of adverse effects on development, based on animal experiments.

1,2-benzisothiazol-3(2H)-one:

Effects on fertility : Species: Rat, male
Application Route: Ingestion

SAFETY DATA SHEET



Fluazinam 500 g/l SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/03	50000004	Date of first issue: 2026/02/03

General Toxicity Parent: NOAEL: 18.5 mg/kg body weight
General Toxicity F1: NOAEL: 48 mg/kg body weight
Fertility: NOAEL: 112 mg/kg bw/day
Symptoms: No effects on reproduction parameters.
Method: OPPTS 870.3800
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Based on available data, the classification criteria are not met.

Components:

fluazinam (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Components:

1,2-benzisothiazol-3(2H)-one:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

fluazinam (ISO):

Species : Rat
LOAEL : 41 mg/kg, 500 ppm
Application Route : Ingestion
Exposure time : 90 days
Target Organs : Liver
Symptoms : Reduced body weight, increased liver weight

1,2-benzisothiazol-3(2H)-one:

Species : Rat, male and female
NOAEL : 15 mg/kg
Application Route : Ingestion
Exposure time : 28 d
Method : OECD Test Guideline 407
Symptoms : Irritation

Species : Rat, male and female
NOAEL : 69 mg/kg
Application Route : Ingestion
Exposure time : 90 d

SAFETY DATA SHEET

Fluazinam 500 g/l SC



Version 1.0	Revision Date: 2026/02/03	SDS Number: 50000004	Date of last issue: - Date of first issue: 2026/02/03
----------------	------------------------------	-------------------------	--

Symptoms : Irritation, Reduced body weight

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

fluazinam (ISO):

The substance does not have properties associated with aspiration hazard potential.

Experience with human exposure

Components:

fluazinam (ISO):

Skin contact : Symptoms: irritant effects, sensitizing effects

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.11 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.23 mg/l
aquatic invertebrates Exposure time: 48 h

EC50 (Daphnia similis (Water flea)): 179.09 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic : EC50 (Desmodesmus subspicatus (green algae)): 0.13 mg/l
plants Exposure time: 96 h

ErC50 (Lemna gibba (duckweed)): 0.57 mg/l
Exposure time: 7 d

NOEC (Lemna gibba (duckweed)): 0.094 mg/l
Exposure time: 7 d

EC50 (Selenastrum capricornutum (green algae)): > 0.2 mg/l
Exposure time: 96 h

Toxicity to soil dwelling or- : LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg
ganisms Exposure time: 14 d

Toxicity to terrestrial organ- : LD50 (Apis mellifera (bees)): > 100 µg/bee
isms Exposure time: 48 h
End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): > 100 µg/bee

SAFETY DATA SHEET

Fluazinam 500 g/l SC



Version 1.0	Revision Date: 2026/02/03	SDS Number: 50000004	Date of last issue: - Date of first issue: 2026/02/03
----------------	------------------------------	-------------------------	--

Exposure time: 48 h

End point: Acute contact toxicity

LD50 (Coturnix japonica (Japanese quail)): > 2,000 mg/kg

LD50 (Anas platyrhynchos (Mallard duck)): > 4,190 mg/kg

LD50 (Colinus virginianus (Bobwhite quail)): > 1,782 mg/kg

Components:

fluazinam (ISO):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.11 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.19 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	IC50 (Selenastrum capricornutum (green algae)): > 0.2 mg/l Exposure time: 96 h
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0.012 mg/l Exposure time: 28 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): < 0.0125 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	:	1
Toxicity to microorganisms	:	EC50 (activated sludge): 75 mg/l Exposure time: 3 h
Toxicity to soil dwelling organisms	:	LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg Exposure time: 28 d
Toxicity to terrestrial organisms	:	LD50 (Anas platyrhynchos (Mallard duck)): > 4,190 mg/kg LD50 (Colinus virginianus (Bobwhite quail)): 1,782 mg/kg

Alkylated Naphthalene Sulfonate Sodium Salt:

Toxicity to fish	:	LC50 (Zebra fish): > 10 - 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h

SAFETY DATA SHEET

Fluazinam 500 g/l SC



Version 1.0	Revision Date: 2026/02/03	SDS Number: 50000004	Date of last issue: - Date of first issue: 2026/02/03
----------------	------------------------------	-------------------------	--

Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): > 10 - 100 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

Alcohols, C13-15, branched and linear, ethoxylated:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1 - 10 mg/l
Exposure time: 48 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Scenedesmus subspicatus): > 1 - 10 mg/l
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0.1 - 1 mg/l

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16.7 mg/l
Exposure time: 96 h
Test Type: static test

LC50 (Oncorhynchus mykiss (rainbow trout)): 2.15 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.9 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.070 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

SAFETY DATA SHEET

Fluazinam 500 g/l SC



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/03	50000004	Date of first issue: 2026/02/03

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.04 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

EC50 (activated sludge): 12.8 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Persistence and degradability

Product:

Biodegradability : Result: Not biodegradable

Components:

fluazinam (ISO):

Biodegradability : Result: Not readily biodegradable.

Alkylated Naphthalene Sulfonate Sodium Salt:

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

Alcohols, C13-15, branched and linear, ethoxylated:

Biodegradability : Result: Readily biodegradable.

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable
Method: OECD Test Guideline 301C

Bioaccumulative potential


Components:

fluazinam (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 500 - 800
Remarks: Low potential for bioaccumulation

Partition coefficient: n- : log Pow: 4.67 (21 °C)

Fluazinam 500 g/l SC



No data available

19 / 23

SAFETY DATA SHEET

Fluazinam 500 g/l SC



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2026/02/03	50000004	Date of first issue: 2026/02/03

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fluazinam)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Fluazinam)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passenger aircraft) : 964

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Fluazinam)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

SAFETY DATA SHEET



Fluazinam 500 g/l SC

Version 1.0	Revision Date: 2026/02/03	SDS Number: 50000004	Date of last issue: - Date of first issue: 2026/02/03
----------------	------------------------------	-------------------------	--

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Regulations on Occupational Safety and Health Facilities	: applicable
Standards for the Storage, Cleanup, Handling and Disposal of Industrial Waste	: applicable
Regulations on Labelling and Hazard Communication of Hazardous Chemicals	: applicable
Rules on Road Traffic Safety	: applicable
Standards of Permissible Exposure Limits in Workplace	: Contains no substances with occupational exposure limit values.
Rules on the Prevention of Poisoning from Organic Solvents.	: Not applicable
Standard for the Control of Designated Hazardous and Dangerous Chemicals	: Not applicable
Establishment Standards and Safety Control Regulations for Manufacturing, Storing, Processing Public Hazardous Substances and Flammable Pressurized Gases Places	: Quantity subject to control
Toxic and Concerned Chemical Substances Control Act	
Toxic chemical substances	: Not applicable
Concerned chemical substances	: Not applicable
Regulations for Governing Designating and Handling of Priority Management Chemicals	: Not applicable
Rules on Labour Health Protection	: Not applicable

The ingredients of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. fluazinam (ISO) mixture of polyorganosiloxanes and fillers Alcohols, C13-15, branched and linear, ethoxylated
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory

SAFETY DATA SHEET



Fluazinam 500 g/l SC

Version 1.0	Revision Date: 2026/02/03	SDS Number: 50000004	Date of last issue: - Date of first issue: 2026/02/03
----------------	------------------------------	-------------------------	--

IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

16. OTHER INFORMATION

Responsible Department	: FMC Corporation
Contact person	: Bee Huang
Revision Date	: 2026/02/03
Date format	: yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

SAFETY DATA SHEET

Fluazinam 500 g/l SC



Version
1.0

Revision Date:
2026/02/03

SDS Number:
50000004

Date of last issue: -
Date of first issue: 2026/02/03

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

TW / EN