

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Cyazypyr® 300 OD insecticide

Other means of identification : Zedelis 300 OD

Manufacturer or supplier's details

Company : FMC India Private Limited

Address : TCG Financial Centre, 2nd Floor, C-53,
Bandra Kurla Complex,
Bandra (E), Mumbai, Maharashtra-400098
India

E-mail address : SDS-Info@fmc.com

Emergency telephone : 022 6704 5504/5404
000-800-100-7141 (CHEMTREC)

Medical Emergency Number : 022 6704 5504/5404

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as insecticide only.

Restrictions on use : Use as recommended by the label.

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Skin corrosion/irritation : Category 3

Skin sensitization : Sub-category 1B

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

Cyazypyr® 300 OD insecticide

Version 1.0 Revision Date: 21.11.2025 SDS Number: 50002726 Date of last issue: -
Date of first issue: 21.11.2025

GHS label elements

Hazard pictograms



Signal Word

: WARNING

Hazard Statements

: H316 Causes mild skin irritation.
H317 May cause an allergic skin reaction.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**

P261 Avoid breathing mist or vapors.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P333 + P317 If skin irritation or rash occurs: Get medical help.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Cyantraniliprole	736994-63-1	>= 25 - < 30
Fatty acids, soya, Me esters	68919-53-9	>= 20 - < 30
Polyoxyethylene sorbitol hexaoleate	57171-56-9	>= 2.5 - < 10
calcium dodecylbenzenesulphonate	26264-06-2	>= 1 - < 2.5
2-ethylhexan-1-ol	104-76-7	>= 1 - < 2.5
docusate sodium	577-11-7	>= 1 - < 2.5

4. FIRST AID MEASURES

General advice : Move out of dangerous area.

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

	Show this material safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	: If unconscious, place in recovery position and seek medical advice. If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
In case of skin contact	: If on clothes, remove clothes. If on skin, rinse well with water. Wash off with soap and plenty of water. Get medical attention immediately if irritation develops and persists. Wash contaminated clothing before re-use.
In case of eye contact	: Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	: Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Do not induce vomiting without medical advice.
Most important symptoms and effects, both acute and delayed	: Causes mild skin irritation. May cause an allergic skin reaction.
Protection of first-aiders	: Avoid inhalation, ingestion and contact with skin and eyes.
Notes to physician	: Treat symptomatically. Immediate medical attention is required in case of ingestion.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Dry chemical, CO2, water spray or regular foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: High volume water jet Do not spread spilled material with high-pressure water streams.
Specific hazards during fire fighting	: Do not allow run-off from fire fighting to enter drains or water courses.

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

- | | |
|--|--|
| Hazardous combustion products | : Fire may produce irritating, corrosive and/or toxic gases.
brominated compounds
Nitrogen oxides (NOx)
Carbon oxides
Chlorinated compounds
Hydrogen chloride
Hydrogen cyanide
Hazardous combustion products
Sulfur oxides |
| Specific extinguishing methods | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : Wear self-contained breathing apparatus for firefighting if necessary. |

6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|--|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.
If it can be safely done, stop the leak.
Remove all sources of ignition.
Immediately evacuate personnel to safe areas.
Do not touch or walk through the spilled material.
Ensure adequate ventilation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene. |
| Environmental precautions | : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal. |

7. HANDLING AND STORAGE

- | | |
|---|--|
| Advice on protection against fire and explosion | : Normal measures for preventive fire protection. |
| Advice on safe handling | : Do not breathe vapors/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the ap- |

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

plication area.

Dispose of rinse water in accordance with local and national regulations.

Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage.
Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-ethylhexan-1-ol	104-76-7	TWA	5 ppm	ACGIH

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concen-

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

tration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
Remove and wash contaminated clothing and gloves, including the inside, before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Form	: Liquid dispersion
Color	: off-white
Odor	: Faint odour
Odor Threshold	: No data available
pH	: 4.59 Method: CIPAC MT 75.3 (1% solution in water)
Melting point/ range	: No data available
Boiling point/boiling range	: No data available
Evaporation rate	: No data available
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	1.053 g/cm ³
Solubility(ies)		
Water solubility	:	dispersible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	730 mPa.s (20 °C) 6 rpm
		745 mPa.s (40 °C) 6 rpm
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing
Surface tension	:	37.9 mN/m, Regulation (EC) No. 440/2008, Annex, A.5
Molecular weight	:	Not applicable
Particle size	:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac-	:	No decomposition if stored and applied as directed.

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

tions

Conditions to avoid	:	Avoid extreme temperatures. Avoid formation of aerosol. Protect from frost, heat and sunlight.
Incompatible materials	:	Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	:	Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Ingestion
Skin contact

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	:	LD50(Rat, female): > 5,000 mg/kg Method: OECD Test Guideline 425 GLP: yes Assessment: The substance or mixture has no acute oral toxicity Remarks: no mortality
Acute inhalation toxicity	:	LC50: > 5.16 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity Remarks: no mortality
Acute dermal toxicity	:	LD50(Rat, male and female): > 5,000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mixture has no acute dermal toxicity Remarks: no mortality

Components:

Cyantraniliprole:

Acute oral toxicity	:	LD50 (Mouse, female): > 5,000 mg/kg Method: OECD Test Guideline 425 GLP: yes Assessment: The substance or mixture has no acute oral toxicity
---------------------	---	---

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

Remarks: no mortality

LD50 (Rat, female): > 5,000 mg/kg

Method: OECD Test Guideline 425

GLP: yes

Assessment: The substance or mixture has no acute oral toxicity

Remarks: no mortality

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: no mortality

Fatty acids, soya, Me esters:

Acute oral toxicity : LD50 (Rat): 5,000 - 15,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Polyoxyethylene sorbitol hexaoleate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

calcium dodecylbenzenesulphonate:

Acute oral toxicity : LD50 (Rat, male and female): 1,300 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: Not classified

Acute dermal toxicity : LD50 (Rat, male and female): > 2000 milligram per kilogram
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

2-ethylhexan-1-ol:

Acute oral toxicity : LD50 (Rat, male): 2,047 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4.3 mg/l
Exposure time: 4 h

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 3,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

docusate sodium:

Acute oral toxicity : LD50 (Rat, male and female): > 2,100 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit, male): > 10,000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Causes mild skin irritation.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Mild skin irritant

Components:

Cyantraniliprole:

Species : Rabbit
Assessment : No skin irritation

Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

Fatty acids, soya, Me esters:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Polyoxyethylene sorbitol hexaoleate:

Species : Rabbit
Result : No skin irritation

calcium dodecylbenzenesulphonate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

2-ethylhexan-1-ol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

docusate sodium:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation
Remarks	: Minimal effects that do not meet the threshold for classification.

Remarks	: Vapors may cause irritation to the eyes, respiratory system and the skin.
---------	---

Components:

Cyantraniliprole:

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 405
Result	: slight irritation
GLP	: yes

Fatty acids, soya, Me esters:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation

Polyoxyethylene sorbitol hexaoleate:

Species	: Rabbit
Result	: No eye irritation

calcium dodecylbenzenesulphonate:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Irreversible effects on the eye
Remarks	: Based on data from similar materials

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irreversible effects on the eye

2-ethylhexan-1-ol:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irritation to eyes, reversing within 21 days

docusate sodium:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Risk of serious damage to eyes.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type	:	Local lymph node assay (LLNA)
Routes of exposure	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	The product is a skin sensitizer, sub-category 1B.

Test Type	:	Buehler Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Not a skin sensitizer.

Components:

Cyantraniliprole:

Test Type	:	Local lymph node test
Routes of exposure	:	Dermal
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitization.
GLP	:	yes

Test Type	:	Maximization Test
Routes of exposure	:	Dermal
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitization.
GLP	:	yes

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

Test Type	: Buehler Test
Routes of exposure	: Dermal
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitization.
GLP	: yes

Fatty acids, soya, Me esters:

Result	: Does not cause skin sensitization.
--------	--------------------------------------

Polyoxyethylene sorbitol hexaoleate:

Test Type	: Human repeat insult patch test (HRIPT)
Species	: Humans
Result	: negative

calcium dodecylbenzenesulphonate:

Test Type	: Maximization Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.
Remarks	: Based on data from similar materials

docosate sodium:

Routes of exposure	: Skin contact
Species	: Humans
Result	: Does not cause skin sensitization.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Genotoxicity in vitro	: Test Type: reverse mutation assay Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative
	Test Type: reverse mutation assay Test system: Escherichia coli Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative
	Test Type: Chromosome aberration test in vitro Test system: Human lymphocytes Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative
GLP: yes

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay
Species: Rat (male and female)
Application Route: Oral
Exposure time: 90 d
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

2-ethylhexan-1-ol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

docusate sodium:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Remarks: No data available

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Species	: Rat, male
Application Route	: Ingestion
Exposure time	: 2 Years
NOAEL	: 200 ppm
Method	: OECD Test Guideline 453
Result	: negative

Species	: Rat, female
Application Route	: Ingestion
Exposure time	: 2 Years
NOAEL	: 2,000 ppm
Method	: OECD Test Guideline 453
Result	: negative

Species	: Mouse, male and female
Application Route	: Ingestion
Exposure time	: 18 month(s)
NOAEL	: 7,000 ppm
Method	: OECD Test Guideline 451
Result	: negative

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

Fatty acids, soya, Me esters:

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

calcium dodecylbenzenesulphonate:

Species	: Rat, male and female
Application Route	: Oral
Exposure time	: 720 d
NOAEL	: 250 mg/kg body weight
Result	: negative
Remarks	: Based on data from similar materials

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

2-ethylhexan-1-ol:

Species	: Rat
Application Route	: Oral
Exposure time	: 24 month(s)
Result	: negative

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Effects on fetal development : Test Type: Pre-natal
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 1,000 mg/kg bw/day
Embryo-fetal toxicity.: NOAEL: 1,000 mg/kg bw/day
Method: OECD Test Guideline 414
Result: negative

Test Type: Pre-natal
Species: Rabbit
Application Route: Oral
General Toxicity Maternal: NOAEL: 25 mg/kg bw/day
Embryo-fetal toxicity.: NOAEL: 100 mg/kg bw/day
Symptoms: Maternal effects.
Method: OECD Test Guideline 414
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

calcium dodecylbenzenesulphonate:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Application Route: Ingestion
General Toxicity Parent: NOAEL: 400 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Ingestion
General Toxicity Maternal: NOAEL: 300 mg/kg body weight
Developmental Toxicity: NOAEL: 600 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

2-ethylhexan-1-ol:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

Result: negative

docusate sodium:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Rat, male and female
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative

Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Duration of Single Treatment: 6 - 15 d
Method: OECD Test Guideline 414
Result: Embryotoxic effects and adverse effects on the off-spring were detected only at high maternally toxic doses

STOT-single exposure

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

2-ethylhexan-1-ol:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Cyantraniliprole:

Species : Rat
NOAEL : > 1,000 mg/kg
Application Route : Oral
Exposure time : 28 Days
Method : OECD Test Guideline 407
Symptoms : increased liver weight
Remarks : Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

Species : Rat, male and female
NOAEL : 6.9 - 168 mg/kg bw/day
Application Route : Ingestion
Exposure time : 90 Days
Method : OPPTS 870.3100
Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female
NOAEL : 1091.8 mg/kg bw/day
Application Route : Ingestion
Exposure time : 90 Days
Method : OPPTS 870.3100
Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female
NOAEL : 3.08 - 3.48 mg/kg bw/day
Application Route : Ingestion
Exposure time : 90 Days
Method : OPPTS 870.3150
Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female
NOAEL : 8.3 - 106.6 mg/kg bw/day
Application Route : Ingestion
Exposure time : 2 yr
Method : OPPTS 870.4300
Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female
NOAEL : 768.8 - 903.8 mg/kg bw/day
Application Route : Ingestion
Exposure time : 18 Months
Method : OPPTS 870.4200
Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female
NOAEL : 5.67 - 6 mg/kg bw/day
Application Route : Ingestion
Exposure time : 1 yr
Method : OPPTS 870.4100
Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female
NOAEL : 1000 mg/kg
Application Route : Dermal
Exposure time : 28 Days
Method : OECD Test Guideline 410
GLP : yes
Symptoms : Irritation
Remarks : Effects are of limited toxicological significance.

calcium dodecylbenzenesulphonate:

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

Species	: Rat, male and female
NOAEL	: 85 mg/kg
LOAEL	: 145 mg/kg
Application Route	: Oral
Exposure time	: 9 Months
Remarks	: Based on data from similar materials

Species	: Rat, male
LOAEL	: 286 mg/kg
Application Route	: Skin contact
Exposure time	: 15 Days
Remarks	: Based on data from similar materials

Species	: Rat, male and female
NOAEL	: 100 mg/kg bw/day
LOAEL	: 200 mg/kg bw/day
Application Route	: Oral - gavage
Exposure time	: 28 - 54 Days
Method	: OECD Test Guideline 422
Remarks	: Based on data from similar materials

2-ethylhexan-1-ol:

Species	: Rat
	: 250 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Method	: OECD Test Guideline 408

docusate sodium:

Species	: Rat, male and female
NOAEL	: 750 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Method	: OECD Test Guideline 408

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

Neurological effects

Components:

Cyantraniliprole:

No neurotoxicity observed in animal studies.

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 53 mg/l Exposure time: 96 h Test Type: Static renewal test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.096 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	: EyC50 (Raphidocelis subcapitata (freshwater green alga)): ca. 6.6 mg/l Exposure time: 96 h Method: OECD Test Guideline 201 GLP: yes
Toxicity to terrestrial organisms	: LD50: > 750 mg/kg End point: Acute oral toxicity Species: Colinus virginianus (Bobwhite quail) Method: OECD Test Guideline 223 GLP: yes LD50: 0.59 µg/bee Exposure time: 48 d End point: Acute oral toxicity Species: Apis mellifera L. Method: OECD Test Guideline 213 LD50: 1.06 µg/bee Exposure time: 48 d End point: Acute contact toxicity Species: Apis mellifera L. Method: OECD Test Guideline 214 ER50: > 1000 g/ha Species: Typhlodromus pyri. LR50: > 1000 g/ha Species: Typhlodromus pyri.

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

Components:

Cyantraniliprole:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 12.6 mg/l Exposure time: 96 h Method: US EPA Test Guideline OPP 72-1 GLP: yes
		LC50 (Ictalurus punctatus (channel catfish)): > 10 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.0204 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 13 mg/l Exposure time: 72 h
		ErC50 (Lemna gibba (duckweed)): 0.278 mg/l Exposure time: 7 d
		EyC50 (Lemna gibba (duckweed)): 0.060 mg/l Exposure time: 7 d
M-Factor (Acute aquatic toxicity)	:	10
	:	10
Toxicity to fish (Chronic toxicity)	:	NOEC: 2.9 mg/l Exposure time: 28 d Species: Cyprinodon variegatus (sheepshead minnow)
		NOEC: 0.11 mg/l Exposure time: 21 d Species: Oncorhynchus mykiss (rainbow trout)
		NOEC: 1.01 mg/l Exposure time: 90 d Species: Oncorhynchus mykiss (rainbow trout) Test Type: Early Life-Stage Method: US EPA Test Guideline OPP 72-4 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0.00656 mg/l End point: Growth Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: Static-Renewal Method: US EPA Test Guideline OPPTS 850.1300 GLP: yes
		LOEC: 0.00969 mg/l

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

End point: Growth
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Test Type: Static-Renewal
Method: US EPA Test Guideline OPPTS 850.1300
GLP: yes

NOEC: 0.00447 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

NOEC: 0.72 mg/l
End point: reproduction
Exposure time: 35 d
Species: Americamysis bahia (mysid shrimp)
Test Type: flow-through test
Method: US EPA Test Guideline OPP 72-4
GLP: yes

M-Factor (Chronic aquatic toxicity) : 10

: 10

Toxicity to soil dwelling organisms : NOEC: 1,000 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 222
GLP: yes

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organisms : LD50: > 0.0934 µg/bee
Exposure time: 72 h
End point: Acute contact toxicity
Species: Apis mellifera (bees)
Method: OECD Test Guideline 214
GLP: yes

LD50: > 0.1055 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: Apis mellifera (bees)
Method: OECD Test Guideline 213
GLP: yes

LD50: > 2,250 mg/kg

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

End point: Acute oral toxicity
Species: *Colinus virginianus*
Method: US EPA Test Guideline OPPTS 850.2100
GLP: yes

NOEC: 1,000 ppm
End point: Reproduction Test
Species: *Anas platyrhynchos* (Mallard duck)
Method: OECD Test Guideline 206
GLP: yes

Fatty acids, soya, Me esters:

Toxicity to fish : LC50 (Fish): > 1,000 mg/l
Exposure time: 96 h

LC50 (*Leuciscus idus* (Golden orfe)): > 100 mg/l
Exposure time: 48 h
Method: ISO 7346/2

Toxicity to daphnia and other : EC50 (Crustaceans): 800 - 5,243 mg/l
aquatic invertebrates Exposure time: 48 h

Polyoxyethylene sorbitol hexaoleate:

Toxicity to algae/aquatic : EbC50 (*Skeletonema costatum* (Diatom)): 20 mg/l
plants Exposure time: 72 h

ErC50 (*Skeletonema costatum* (Diatom)): 98 mg/l
Exposure time: 72 h

calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (*Danio rerio* (zebra fish)): 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

LC50 (*Pimephales promelas* (fathead minnow)): 4.6 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC50 (*Daphnia magna* (Water flea)): 3.5 mg/l
aquatic invertebrates Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic : NOEC (*Pseudokirchneriella subcapitata* (green algae)): 7.9
plants mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC50 (*Pseudokirchneriella subcapitata* (green algae)): 65.4

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

		mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to microorganisms	:	EC50 (activated sludge): 500 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 1.65 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Remarks: Based on data from similar materials
		NOEC: 1.18 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Remarks: Based on data from similar materials
Toxicity to soil dwelling organisms	:	LC50: 1,000 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 207
Toxicity to terrestrial organisms	:	LD50: 1,356 mg/kg Exposure time: 14 d Species: Colinus virginianus (Bobwhite quail) Method: OECD Test Guideline 223
2-ethylhexan-1-ol:		
Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 17.1 - 28.2 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 39 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC10 (Desmodesmus subspicatus (green algae)): 3.2 mg/l Exposure time: 72 h EC50 (Desmodesmus subspicatus (green algae)): 11.5 mg/l Exposure time: 72 h
Toxicity to microorganisms	:	EC50 (Anabaena flos-aquae (cyanobacterium)): 16.6 mg/l Exposure time: 72 h
docusate sodium:		
Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 49 mg/l Exposure time: 96 h Method: Regulation (EC) No. 440/2008, Annex, C.1
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 15.2 mg/l Exposure time: 48 h

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

Method: Regulation (EC) No. 440/2008, Annex, C.2

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 82.5 mg/l
Exposure time: 72 h
Method: Regulation (EC) No. 440/2008, Annex, C.3

Toxicity to microorganisms : EC50 (Pseudomonas putida): 164 mg/l
Exposure time: 16.5 h
Method: DIN 38 412 Part 8

EC10 (Pseudomonas putida): 122 mg/l
Exposure time: 16.5 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 9 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

Persistence and degradability

Product:

Biodegradability : Remarks: No data is available on the product itself.

Components:

Cyantraniliprole:

Biodegradability : Remarks: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 9.09 - 37.7 d
Remarks: Fresh water

Degradation half life (DT50): 76.6 - 119 d
Remarks: Soil

Degradation half life (DT50): 22.8 - 25.1 d
Remarks: total system

Fatty acids, soya, Me esters:

Biodegradability : Result: Readily biodegradable.

Polyoxyethylene sorbitol hexaoleate:

Biodegradability : Result: Biodegradable
Biodegradation: 99 %

Result: Biodegradable
Biodegradation: 65 %

calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301E

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

2-ethylhexan-1-ol:

Biodegradability : Result: Readily biodegradable.

docusate sodium:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 91 %
Exposure time: 28 d

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

Cyantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): < 1
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 1.97 (22 °C)
pH: 4

log Pow: 2.07 (22 °C)
pH: 7

log Pow: 1.74 (22 °C)
pH: 9

Fatty acids, soya, Me esters:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 70.79
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4.77 (25 °C)

2-ethylhexan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 2.9 (25 °C)

docusate sodium:

Bioaccumulation : Remarks: Not applicable

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

Partition coefficient: n-octanol/water : log Pow: 1.998 (20 °C)

Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

Components:

Cyantraniliprole:

Distribution among environmental compartments : Koc: 241 ml/g, log Koc: 2.38
Kd: 3.73 ml/g
Remarks: Mobile in soils

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

(Cyantraniliprole)

Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Cyantraniliprole)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyantraniliprole)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The ingredients of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesti-

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

cide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.

ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date	:	21.11.2025
Date format	:	dd.mm.yyyy

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA	:	8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New

SAFETY DATA SHEET

according to the Globally Harmonized System



Cyazypyr® 300 OD insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	21.11.2025	50002726	Date of first issue: 21.11.2025

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

IN / EN