

SAFETY DATA SHEET

TUVENTA 200SC



Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/10	50000015	Date of first issue: 2025/11/10

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : TUVENTA 200SC

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as insecticide only.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : FMC Agro Philippines, Inc.

Address : 32nd Floor Seven Neo Building,
5th Avenue between 26th and 28th Street,
Bonifacio Global City, Taguig City 1634
Philippines

Telephone : +63 (2) 5323-5750

E-mail address : SDS-Info@fmc.com

National Poison Control Center : U.P. PGH, Padre Faura, Manila (+63) 2 8524 1078
East Avenue, Quezon City (+63) 2 8928 0611
Southern Philippines Medical Center (+63) 82 227 2731
(formerly Davao Medical Center Davao City)

Emergency telephone : For leak, fire, spill or accident emergencies, call:
+(63) 2-395-3308 (CHEMTREC)
Toll-free mobile enabled: 1800 1 322 0553 (CHEMTREC)

Medical emergency:
All other countries: +1 651 / 632-6793 (Collect)

2. HAZARDS IDENTIFICATION

GHS Classification

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

SAFETY DATA SHEET



TUVENTA 200SC

Version 1.0	Revision Date: 2025/11/10	SDS Number: 50000015	Date of last issue: - Date of first issue: 2025/11/10
----------------	------------------------------	-------------------------	--

Hazard pictograms

:



Signal Word

: WARNING

Hazard Statements

: H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

:
Prevention:
P273 Avoid release to the environment.
Response:
P391 Collect spillage.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

: Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Chlorantraniliprole	500008-45-7	>= 10 -< 20

4. FIRST AID MEASURES

General advice

: Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled

: If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Get medical attention if discomfort does not disappear.

In case of skin contact

: If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
Wash contaminated clothing before re-use.

In case of eye contact

: Flush eyes with water as a precaution.

TUVENTA 200SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/10	50000015	Date of first issue: 2025/11/10

- Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Do not induce vomiting without medical advice.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- Notes to physician : Treat symptomatically.
Immediate medical attention is required in case of ingestion.
-

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
Do not spread spilled material with high-pressure water streams.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Nitrogen oxides (NO_x)
Carbon oxides
Bromine compounds
Hydrogen cyanide
Hydrogen chloride
Chlorinated compounds
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

TUVENTA 200SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/10	50000015	Date of first issue: 2025/11/10

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Do not touch or walk through the spilled material.
If it can be safely done, stop the leak.
Use personal protective equipment.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
Keep in suitable, closed containers for disposal.
Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : For personal protection see section 8.
Avoid formation of respirable particles.
Dispose of rinse water in accordance with local and national regulations.
Smoking, eating and drinking should be prohibited in the application area.
- Conditions for safe storage : Store in a place accessible by authorized persons only.
Store in original container.
Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : The product is stable under normal conditions of warehouse storage.
Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

TUVENTA 200SC

Version 1.0	Revision Date: 2025/11/10	SDS Number: 50000015	Date of last issue: - Date of first issue: 2025/11/10
----------------	------------------------------	-------------------------	--

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

- | | |
|--------------------------|--|
| Respiratory protection | : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. |
| Hand protection | |
| Material | : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber. |
| Remarks | : The suitability for a specific workplace should be discussed with the producers of the protective gloves. |
| Eye protection | : Eye wash bottle with pure water
Tightly fitting safety goggles |
| Skin and body protection | : Impervious clothing
Long sleeved clothing.
Footwear protecting against chemicals
Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Protective measures | : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use. |
| Hygiene measures | : Avoid contact with skin, eyes and clothing.
This product should be used only by all personnel thoroughly trained to handle it.
Do not inhale aerosol.
Wash hands before breaks and immediately after handling the product.
When using do not smoke.
When using do not eat or drink.
Remove and wash contaminated clothing and gloves, including the inside, before re-use.
Contaminated work clothing should not be allowed out of the workplace. |

SAFETY DATA SHEET

TUVENTA 200SC



Version 1.0	Revision Date: 2025/11/10	SDS Number: 50000015	Date of last issue: - Date of first issue: 2025/11/10
----------------	------------------------------	-------------------------	--

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Color	: white
Odor	: alcohol-like
Odor Threshold	: not determined
pH	: 7.8 Concentration: 1 % Method: CIPAC MT 75.3
Melting point/ range	: -6 °C
Boiling point/boiling range	: not determined
Flash point	: > 100 °C No flash up to boiling point.
Evaporation rate	: Not available for this mixture.
Self-ignition	: not auto-flammable
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Vapor pressure	: Not available for this mixture.
Relative vapor density	: Not available for this mixture.
Density	: 1.094 g/cm ³ (20 °C)
Solubility(ies) Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not available for this mixture.
Autoignition temperature	: No data available
Viscosity Viscosity, dynamic	: 583 mPa.s 30 rpm

SAFETY DATA SHEET



TUVENTA 200SC

Version 1.0	Revision Date: 2025/11/10	SDS Number: 50000015	Date of last issue: - Date of first issue: 2025/11/10
----------------	------------------------------	-------------------------	--

Viscosity, kinematic	: 367 - 734 mm ² /s 30 rpm
Explosive properties	: Not explosive
Oxidizing properties	: Non-oxidizing
Molecular weight	: Not applicable
Particle size	: Not applicable

10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: Avoid formation of aerosol. Protect from frost, heat and sunlight.
Incompatible materials	: Avoid strong acids, bases, and oxidizers.
Hazardous decomposition products	: Stable under recommended storage conditions. No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 425 GLP: yes Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: LC50 (Rat): > 2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes Assessment: The substance or mixture has no acute inhalation toxicity

SAFETY DATA SHEET



TUVENTA 200SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/10	50000015	Date of first issue: 2025/11/10

Remarks: Highest attainable concentration.
no mortality

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity

Components:

Chlorantraniliprole:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Information source: Internal study report

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Information source: Internal study report

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Assessment : Not classified as irritant
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

Components:

Chlorantraniliprole:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes
Remarks : Information source: Internal study report

TUVENTA 200SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/10	50000015	Date of first issue: 2025/11/10

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Result	:	No eye irritation
Assessment	:	Not classified as irritant
Method	:	OECD Test Guideline 405
GLP	:	yes

Components:**Chlorantraniliprole:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
GLP	:	yes
Remarks	:	Information source: Internal study report

Respiratory or skin sensitization**Skin sensitization**

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type	:	Local lymph node assay (LLNA)
Species	:	mice
Assessment	:	Not a skin sensitizer.
Method	:	OECD Test Guideline 429
Result	:	Animal test did not cause sensitization by skin contact.
GLP	:	yes

Components:**Chlorantraniliprole:**

Test Type	:	Maximization Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitization.
GLP	:	yes
Remarks	:	Information source: Internal study report

Test Type	:	Local lymph node assay (LLNA)
Species	:	mice
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitization.

TUVENTA 200SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/10	50000015	Date of first issue: 2025/11/10

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Components:**Chlorantraniliprole:**

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:**Chlorantraniliprole:**

Species : Rat, male and female
Application Route : Oral
Exposure time : 2 Years
NOAEL : 805 - 1,076 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Species : Mouse, male and female
Application Route : Oral
Exposure time : 18 month(s)
NOAEL : 158 - 1,155 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Species : Dog
Exposure time : 1 Years
NOAEL : 1,164 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

SAFETY DATA SHEET



TUVENTA 200SC

Version 1.0	Revision Date: 2025/11/10	SDS Number: 50000015	Date of last issue: - Date of first issue: 2025/11/10
----------------	------------------------------	-------------------------	--

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects., Weight of evidence does not support classification as a carcinogen

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

Chlorantraniliprole:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
General Toxicity Parent: NOAEL: 20,000 ppm
General Toxicity F1: NOAEL: 20,000 ppm
Method: OECD Test Guideline 416
Result: negative

Effects on fetal development : Test Type: Pre-natal
Species: Rat
Application Route: Oral
Duration of Single Treatment: 6 - 20 Days
General Toxicity Maternal: NOEL: 1,000 mg/kg bw/day
Developmental Toxicity: NOEL: 1,000 mg/kg bw/day
Method: OECD Test Guideline 414
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Repeated dose toxicity

Components:

Chlorantraniliprole:

Species : Rat, male and female
NOEL : 1188 - 1526 mg/kg
Application Route : Oral
Exposure time : 90 Days
Method : OECD Test Guideline 408

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Chlorantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

SAFETY DATA SHEET

TUVENTA 200SC



Version 1.0	Revision Date: 2025/11/10	SDS Number: 50000015	Date of last issue: - Date of first issue: 2025/11/10
----------------	------------------------------	-------------------------	--

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): > 9.9 mg/l Exposure time: 96 h LC50 (Danio rerio (zebra fish)): >1.6 mg a.i./L Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 8.2 µg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: NOEC (Pseudokirchneriella subcapitata (green algae)): 20 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 ErC50 (Pseudokirchneriella subcapitata (green algae)): > 20 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201
Toxicity to soil dwelling organisms	: NOEC (Eisenia andrei (red worm)): 1,000 mg/kg Exposure time: 28 d Method: OECD Test Guideline 222 LC50 (Eisenia andrei (red worm)): > 1,000 mg/kg Exposure time: 28 d Method: OECD Test Guideline 222
Toxicity to terrestrial organisms	: LD50 (Apis mellifera L.): >= 109.91 µg a.i./bee Exposure time: 48 h End point: Acute oral toxicity Method: OECD Test Guideline 213 NOEL (Apis mellifera L.): >= 109.91 µg a.i./bee Exposure time: 48 h End point: Acute oral toxicity

TUVENTA 200SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/10	50000015	Date of first issue: 2025/11/10

Method: OECD Test Guideline 213

LD50 (*Apis mellifera* L.): $\geq 100 \mu\text{g a.i./bee}$
Exposure time: 48 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214

NOEL (*Apis mellifera* L.): $\geq 100 \mu\text{g a.i./bee}$
Exposure time: 48 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214

NOEC (*Colinus virginianus* (Bobwhite quail)): 1,726 mg/kg
Exposure time: 5 d
Method: US EPA Test Guideline OPP 71-2

LC50 (*Colinus virginianus* (Bobwhite quail)): $> 1,726 \text{ mg/kg}$
Exposure time: 5 d
Method: US EPA Test Guideline OPP 71-2

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.
Remarks: According to calculation method of Regulation (EC) No 1272/2008.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.
Remarks: According to calculation method of Regulation (EC) No 1272/2008.

Components:**Chlorantraniliprole:**

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 13.8 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
Remarks: Information source: Internal study report

LC50 (*Lepomis macrochirus* (Bluegill sunfish)): $> 15.1 \text{ mg/l}$
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes
Remarks: Information source: Internal study report

LC50 (*Cyprinodon* sp. (minnow)): $> 12 \text{ mg/l}$
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0.0116 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

TUVENTA 200SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/10	50000015	Date of first issue: 2025/11/10

GLP: yes

Toxicity to algae/aquatic plants : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): > 2 mg/l
Exposure time: 120 h

NOEC (*Lemna gibba* (duckweed)): > 2 mg/l
End point: Biomass
Exposure time: 14 d
Test Type: static test

ErC50 (*Selenastrum capricornutum* (green algae)): > 2 mg/l
Exposure time: 72 h

NOEC (*Anabaena flos-aquae* (cyanobacterium)): > 2 mg/l
End point: Growth rate
Exposure time: 120 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

NOEC (*Skeletonema costatum* (Diatom)): > 14.6 mg/l
End point: Growth rate
Exposure time: 120 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

NOEC (*Navicula pelliculosa* (Diatom)): > 15.1 mg/l
End point: Growth rate
Exposure time: 120 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (*Cyprinodon variegatus* (sheepshead minnow)): 1.28 mg/l
Exposure time: 36 d

NOEC (*Oncorhynchus mykiss* (rainbow trout)): 0.110 mg/l
Exposure time: 28 d
Method: OECD Test Guideline 210
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0.00447 mg/l
Exposure time: 21 d
Method: US EPA Test Guideline OPPTS 850.1300
GLP: yes

M-Factor (Chronic aquatic toxicity) : 10

SAFETY DATA SHEET



TUVENTA 200SC

Version 1.0	Revision Date: 2025/11/10	SDS Number: 50000015	Date of last issue: - Date of first issue: 2025/11/10
----------------	------------------------------	-------------------------	--

Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): > 1,000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207
GLP: yes

EC50 (*Hypoaspis aculeifer*): >100 mg/kg dry weight (d.w.)
Exposure time: 16 d
Method: OECD Test Guideline 207

NOEC (*Hypoaspis aculeifer*): 100 mg/kg dry weight (d.w.)
Exposure time: 16 d
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50 (*Apis mellifera* (bees)): > 4.0 µg/bee
Exposure time: 72 h
End point: Acute contact toxicity
Remarks: Active substance dissolved in acetone

LD50 (*Apis mellifera* (bees)): > 0.005 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Remarks: Active substance dissolved in water

LD50 (*Apis mellifera* (bees)): > 104.1 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Remarks: Active substance dissolved in acetone

LD50 (*Apis mellifera* (bees)): > 0.0274 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Remarks: Active substance dissolved in water

LD50 (*Poephila guttata* (zebra finch)): > 2,250 mg/kg

Persistence and degradability

Components:

Chlorantraniliprole:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 10 d (25 °C) pH: 9
Degradation half life (DT50): 0.3 d (50 °C) pH: 9
Degradation half life (DT50): > 31 d pH: 5

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate.

SAFETY DATA SHEET

TUVENTA 200SC



Version 1.0	Revision Date: 2025/11/10	SDS Number: 50000015	Date of last issue: - Date of first issue: 2025/11/10
----------------	------------------------------	-------------------------	--

Estimation based on data obtained on active ingredient.

Components:

Chlorantraniliprole:

Bioaccumulation : Species: *Lepomis macrochirus* (Bluegill sunfish)
Bioconcentration factor (BCF): 14
Method: OECD Test Guideline 305
GLP: yes
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2.77 (20 °C)
pH: 4

log Pow: 2.86 (20 °C)
pH: 7

log Pow: 2.80 (20 °C)
pH: 9

Mobility in soil

Components:

Chlorantraniliprole:

Distribution among environmental compartments : Koc: 362 ml/g, log Koc: 2.55
Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SAFETY DATA SHEET



TUVENTA 200SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/10	50000015	Date of first issue: 2025/11/10

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Chlorantraniliprole)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Chlorantraniliprole)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Chlorantraniliprole)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Priority Chemical List (PCL)	: Not applicable
Chemical Control Order (CCO)	: Not applicable

SAFETY DATA SHEET



TUVENTA 200SC

Version 1.0	Revision Date: 2025/11/10	SDS Number: 50000015	Date of last issue: - Date of first issue: 2025/11/10
----------------	------------------------------	-------------------------	--

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date	: 2025/11/10
Date format	: yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New

SAFETY DATA SHEET



TUVENTA 200SC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	2025/11/10	50000015	Date of first issue: 2025/11/10

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

PH / EN