

# SAFETY DATA SHEET



## SUCCESSOR® T, SE (CAKCECCOP® T, EC)

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name** SUCCESSOR® T, SE (CAKCECCOP® T, EC)

**Other means of identification**

**Product code** 50000675

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Herbicide  
stance/Mixture

Recommended restrictions : Use as recommended by the label.  
on use

#### 1.3 Details of the supplier of the safety data sheet

**Supplier Address**

FMC Ukraine LLC  
8 Illinska Street  
04070 Kyiv  
Ukraine

Telephone: Website: fmc.com.ua  
E-mail address: SDS-Info@fmc.com, info@fmc.com.ua .

#### 1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
Ukraine: 380-947101374 (CHEMTREC)

Medical emergency:  
All other countries: +1 651 / 632-6793 (Collect)

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION (EC) No 1272/2008)**

Acute toxicity, Category 4 H302: Harmful if swallowed.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Specific target organ toxicity - repeated H373: May cause damage to organs through pro-  
exposure, Category 2 longed or repeated exposure.

## SUCCESSOR® T, SE (CAKCECCOP® T, EC)

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

Short-term (acute) aquatic hazard, Category 1

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

## 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements :

- H302 Harmful if swallowed.
- H319 Causes serious eye irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

#### Prevention:

P260 Do not breathe mist or vapours.  
P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P314 Get medical advice/ attention if you feel unwell.

#### Disposal:

P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

Hazardous components which must be listed on the label:

pethoxamid (ISO)  
terbutylazine (ISO)  
ethanediol  
calcium dodecylbenzenesulphonate

### Additional Labelling

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH208 Contains pethoxamid (ISO), 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

## SAFETY DATA SHEET



## SUCCESSOR® T, SE (CAKCECCOP® T, EC)

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

**2.3 Other hazards**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**SECTION 3: Composition/information on ingredients****3.2 Mixtures****Components**

| Chemical name                                                    | CAS-No.<br>EC-No.<br>Index-No.<br>Registration number | Classification                                                                                         | Concentration<br>(% w/w) |
|------------------------------------------------------------------|-------------------------------------------------------|--------------------------------------------------------------------------------------------------------|--------------------------|
| pethoxamid (ISO)                                                 | 106700-29-2<br><br>616-145-00-3                       | Acute Tox. 4; H302<br>Skin Sens. 1A;<br>H317<br>Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410 | >= 25 - < 30             |
| terbuthylazine (ISO)                                             | 5915-41-3<br>227-637-9<br>613-323-00-2                | Acute Tox. 4; H302<br>STOT RE 2; H373<br>Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410        | >= 10 - < 20             |
| Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified | 64742-94-5<br>265-198-5<br>649-424-00-3               | Asp. Tox. 1; H304                                                                                      | >= 10 - < 20             |
| Tristyrylphenol ethoxylates                                      | 99734-09-5                                            | Aquatic Chronic 3;<br>H412                                                                             | >= 2,5 - < 10            |
| ethanediol                                                       | 107-21-1<br>203-473-3<br>603-027-00-1                 | Acute Tox. 4; H302<br>STOT RE 2; H373<br>(Kidney)                                                      | >= 2,5 - < 10            |
| Alcohols, C9-11-iso-, C10-rich, ethoxylated                      | 78330-20-8                                            | Acute Tox. 4; H302<br>Eye Dam. 1; H318                                                                 | >= 1 - < 2,5             |
| calcium dodecylbenzenesulphonate                                 | 26264-06-2<br>247-557-8                               | Acute Tox. 4; H302<br>Skin Irrit. 2; H315<br>Eye Dam. 1; H318<br>Aquatic Chronic 4;<br>H413            | >= 1 - < 2,5             |
| naphthalene                                                      | 91-20-3<br>202-049-5                                  | Flam. Sol. 2; H228<br>Acute Tox. 4; H302                                                               | >= 0,1 - < 0,25          |

# SAFETY DATA SHEET



## SUCCESSOR® T, SE (CAKCECCOP® T, EC)

Version 1.0      Revision Date: 22.10.2025      SDS Number: 50000675      Date of last issue: -  
Date of first issue: 22.10.2025

|                              |                                        |                                                                                                                                                                         |                         |
|------------------------------|----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                              | 601-052-00-2                           | Carc. 2; H351<br>Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410                                                                                                 |                         |
| 1,2-benzisothiazol-3(2H)-one | 2634-33-5<br>220-120-9<br>613-088-00-6 | Acute Tox. 4; H302<br>Acute Tox. 2; H330<br>Skin Irrit. 2; H315<br>Eye Dam. 1; H318<br>Skin Sens. 1A;<br>H317<br>Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410 | $\geq 0,0025 - < 0,025$ |

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- If inhaled : Remove to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : If on clothes, remove clothes.  
If on skin, rinse well with water.  
Wash off with soap and plenty of water.  
Get medical attention immediately if irritation develops and persists.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Do NOT induce vomiting.  
Keep respiratory tract clear.  
Do not give milk or alcoholic beverages.

# SAFETY DATA SHEET



## SUCCESSOR® T, SE (CAKCECCOP® T, EC)

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

Never give anything by mouth to an unconscious person.  
Take victim immediately to hospital.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed.  
Causes serious eye irritation.  
May cause damage to organs through prolonged or repeated exposure.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.  
Immediate medical attention is required in case of ingestion.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, water spray or regular foam.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.  
High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.  
Carbon oxides  
Sulphur oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Hydrogen chloride  
Chlorinated compounds

### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Evacuate personnel to safe areas.

---

**SUCCESSOR® T, SE (CAKCECCOP® T, EC)**

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

Use personal protective equipment.  
If it can be safely done, stop the leak.  
Do not touch or walk through the spilled material.  
Remove all sources of ignition.  
Ensure adequate ventilation.  
Never return spills in original containers for re-use.  
Mark the contaminated area with signs and prevent access to unauthorized personnel.  
Only qualified personnel equipped with suitable protective equipment may intervene.

**6.2 Environmental precautions**

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Prevent product from entering drains.  
If the product contaminates rivers and lakes or drains inform respective authorities.

**6.3 Methods and material for containment and cleaning up**

Methods for cleaning up : Never return spills in original containers for re-use.  
Collect as much of the spill as possible with a suitable absorbent material.  
Pick up and transfer to properly labelled containers.  
Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections**

See sections: 7, 8, 11, 12 and 13.

---

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Advice on safe handling : Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : General industrial hygiene practice. Avoid contact with skin, eyes and clothing. Do not inhale aerosol.

When using do not eat or drink. When using do not smoke.

**SUCCESSOR® T, SE (CAKCECCOP® T, EC)**

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

Wash hands before breaks and at the end of workday. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

**7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Protect from frost and extreme heat. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Recommended storage temperature : > 0 - < 30 °C

Further information on storage stability : No decomposition if stored and applied as directed.

**7.3 Specific end use(s)**

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Occupational Exposure Limits**

| Components  | CAS-No.                                                                                            | Value type (Form of exposure) | Control parameters              | Basis      |
|-------------|----------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------|------------|
| ethanediol  | 107-21-1                                                                                           | MAC (aerosol and vapour)      | 5 mg/m <sup>3</sup>             | UA OEL     |
|             | Further information: Danger class 3                                                                |                               |                                 |            |
|             |                                                                                                    | TWA                           | 20 ppm<br>52 mg/m <sup>3</sup>  | 2000/39/EC |
|             | Further information: Identifies the possibility of significant uptake through the skin, Indicative |                               |                                 |            |
|             |                                                                                                    | STEL                          | 40 ppm<br>104 mg/m <sup>3</sup> | 2000/39/EC |
|             | Further information: Identifies the possibility of significant uptake through the skin, Indicative |                               |                                 |            |
| naphthalene | 91-20-3                                                                                            | MAC (Vapour)                  | 20 mg/m <sup>3</sup>            | UA OEL     |
|             | Further information: Danger class 4                                                                |                               |                                 |            |

## SAFETY DATA SHEET



## SUCCESSOR® T, SE (CAKCECCOP® T, EC)

Version 1.0      Revision Date: 22.10.2025      SDS Number: 50000675      Date of last issue: -  
Date of first issue: 22.10.2025

|                                 |  |     |                                |            |
|---------------------------------|--|-----|--------------------------------|------------|
|                                 |  | TWA | 10 ppm<br>50 mg/m <sup>3</sup> | 91/322/EEC |
| Further information: Indicative |  |     |                                |            |

**Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006**

| Substance name                                                                                | End Use   | Exposure routes | Potential health effects   | Value                  |
|-----------------------------------------------------------------------------------------------|-----------|-----------------|----------------------------|------------------------|
| pethoxamid (ISO)                                                                              |           |                 | Systemic effects           | 0,02 mg/kg             |
| ethanediol                                                                                    | Workers   | Inhalation      | Long-term local effects    | 35 mg/m <sup>3</sup>   |
|                                                                                               | Workers   | Dermal          | Long-term systemic effects | 106 mg/kg              |
|                                                                                               | Consumers | Inhalation      | Long-term local effects    | 7 mg/m <sup>3</sup>    |
|                                                                                               | Consumers | Dermal          | Long-term systemic effects | 53 mg/kg               |
| naphthalene                                                                                   | Workers   | Inhalation      | Long-term systemic effects | 25 mg/m <sup>3</sup>   |
|                                                                                               | Workers   | Inhalation      | Long-term local effects    | 25 mg/m <sup>3</sup>   |
|                                                                                               | Workers   | Dermal          | Long-term systemic effects | 3,57 mg/kg bw/day      |
| 1,2-benzisothiazol-3(2H)-one                                                                  | Workers   | Inhalation      | Long-term systemic effects | 6,81 mg/m <sup>3</sup> |
|                                                                                               | Workers   | Dermal          | Long-term systemic effects | 0,966 mg/kg            |
|                                                                                               | Consumers | Inhalation      | Long-term systemic effects | 1,2 mg/m <sup>3</sup>  |
|                                                                                               | Consumers | Dermal          | Long-term systemic effects | 0,345 mg/kg            |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | Workers   | Inhalation      | Long-term local effects    | 0,02 mg/m <sup>3</sup> |
|                                                                                               | Workers   | Inhalation      | Acute local effects        | 0,04 mg/m <sup>3</sup> |
|                                                                                               | Consumers | Inhalation      | Long-term local effects    | 0,02 mg/m <sup>3</sup> |
|                                                                                               | Consumers | Inhalation      | Acute local effects        | 0,04 mg/m <sup>3</sup> |
|                                                                                               | Consumers | Oral            | Long-term systemic effects | 0,09 mg/kg             |
|                                                                                               | Consumers | Oral            | Acute systemic effects     | 0,11 mg/kg             |

**Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006**

| Substance name   | Environmental Compartment | Value                      |
|------------------|---------------------------|----------------------------|
| pethoxamid (ISO) |                           | 0,29 µg/l                  |
| ethanediol       | Fresh water               | 10 mg/l                    |
|                  | Marine water              | 1 mg/l                     |
|                  | Sewage treatment plant    | 199,5 mg/l                 |
|                  | Fresh water sediment      | 37 mg/kg dry weight (d.w.) |
|                  | Marine sediment           | 3,7 mg/kg dry              |



## SAFETY DATA SHEET



## SUCCESSOR® T, SE (CAKCECCOP® T, EC)

Version 1.0      Revision Date: 22.10.2025      SDS Number: 50000675      Date of last issue: -  
Date of first issue: 22.10.2025

|                                                                                               |                          |                                |
|-----------------------------------------------------------------------------------------------|--------------------------|--------------------------------|
|                                                                                               |                          | weight (d.w.)                  |
|                                                                                               | Soil                     | 1,53 mg/kg dry weight (d.w.)   |
| naphthalene                                                                                   | Fresh water              | 0,0024 mg/l                    |
|                                                                                               | Intermittent use/release | 0,020 mg/l                     |
|                                                                                               | Marine water             | 0,0024 mg/l                    |
|                                                                                               | Sewage treatment plant   | 2,9 mg/l                       |
|                                                                                               | Fresh water sediment     | 0,0672 mg/kg dry weight (d.w.) |
|                                                                                               | Marine sediment          | 0,0672 mg/kg dry weight (d.w.) |
|                                                                                               | Soil                     | 0,0533 mg/kg dry weight (d.w.) |
| 1,2-benzisothiazol-3(2H)-one                                                                  | Fresh water              | 0,00403 mg/l                   |
|                                                                                               | Marine water             | 0,000403 mg/l                  |
|                                                                                               | Sewage treatment plant   | 1,03 mg/l                      |
|                                                                                               | Fresh water sediment     | 0,0499 mg/l                    |
|                                                                                               | Marine sediment          | 0,00499 mg/l                   |
| reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | Fresh water              | 0,00339 mg/l                   |
|                                                                                               | Intermittent use/release | 0,00339 mg/l                   |
|                                                                                               | Marine water             | 0,00339 mg/l                   |
|                                                                                               | Sewage treatment plant   | 0,23 mg/l                      |
|                                                                                               | Fresh water sediment     | 0,027 mg/kg                    |
|                                                                                               | Marine sediment          | 0,027 mg/kg                    |

## 8.2 Exposure controls

## Personal protective equipment

Eye/face protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

## Hand protection

Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

## Remarks

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

## Skin and body protection

: Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

## Respiratory protection

: In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

## Protective measures

: Plan first aid action before beginning work with this product.  
Always have on hand a first-aid kit, together with proper instructions.

**SUCCESSOR® T, SE (CAKCECCOP® T, EC)**

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

Wear suitable protective equipment.  
When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

---

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

|                                                  |   |                                           |
|--------------------------------------------------|---|-------------------------------------------|
| Physical state                                   | : | liquid                                    |
| Colour                                           | : | light brown, opaque                       |
| Odour                                            | : | Aromatic                                  |
| Odour Threshold                                  | : | not determined                            |
| pH                                               | : | 5,02                                      |
|                                                  |   | Concentration: 1 %                        |
|                                                  |   | Based on data from a similar product.     |
| Melting point/freezing point                     | : | not determined                            |
| Boiling point/boiling range                      | : |                                           |
|                                                  |   | not determined                            |
| Flash point                                      | : | Not determined, but expected to be > 95°C |
| Evaporation rate                                 | : | not determined                            |
| Upper explosion limit / Upper flammability limit | : | Not available for this mixture.           |
| Lower explosion limit / Lower flammability limit | : | Not available for this mixture.           |
| Vapour pressure                                  | : | Not available for this mixture.           |
| Relative vapour density                          | : | Not available for this mixture.           |
| Relative density                                 | : |                                           |
| Density                                          | : | ca. 1,06 g/cm <sup>3</sup>                |
| Solubility(ies)                                  |   |                                           |
| Water solubility                                 | : | No data available                         |
| Solubility in other solvents                     | : | No data available                         |
| Partition coefficient: n-octanol/water           | : | Not available for this mixture.           |
| Auto-ignition temperature                        | : | No data available                         |
| Decomposition temperature                        | : | not determined                            |
| Viscosity                                        |   |                                           |
| Viscosity, dynamic                               | : |                                           |
|                                                  |   | not determined                            |
| Viscosity, kinematic                             | : | not determined                            |
| Explosive properties                             | : | Not explosive                             |
| Oxidizing properties                             | : | Non-oxidizing                             |

**9.2 Other information**

|                            |   |                |
|----------------------------|---|----------------|
| Flammability (liquids)     | : | Not applicable |
| Molecular weight           | : | Not applicable |
| Particle size              | : | Not applicable |
| Particle Size Distribution | : | Not applicable |

**SUCCESSOR® T, SE (CAKCECCOP® T, EC)**

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

---

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No decomposition if stored and applied as directed.

**10.2 Chemical stability**

No decomposition if stored and applied as directed.

**10.3 Possibility of hazardous reactions**

Hazardous reactions : No decomposition if stored and applied as directed.

**10.4 Conditions to avoid**Conditions to avoid : Avoid extreme temperatures  
Avoid formation of aerosol.  
Heat, flames and sparks.  
Heating of the product will produce harmful and irritant vapours.**10.5 Incompatible materials**

Materials to avoid : Avoid strong acids, bases, and oxidizers

**10.6 Hazardous decomposition products**

Stable under recommended storage conditions.

---

**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity**

Harmful if swallowed.

**Product:**Acute oral toxicity : LD50 (Rat): 300 - 2.000 mg/kg  
Method: OECD Test Guideline 420  
Assessment: The component/mixture is moderately toxic after single ingestion.Acute inhalation toxicity : LC50 (Rat): > 4,95 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The component/mixture is minimally toxic after short term inhalation.  
Remarks: Based on data from similar materialsAcute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The component/mixture is minimally toxic after single contact with skin.

# SAFETY DATA SHEET



## SUCCESSOR® T, SE (CAKCECCOP® T, EC)

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>22.10.2025 | SDS Number:<br>50000675 | Date of last issue: -<br>Date of first issue: 22.10.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

Remarks: Based on data from similar materials

### Components:

#### **pethoxamid (ISO):**

|                           |                                                                                                                                                                                                                                                                                             |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity       | : Acute toxicity estimate: 980 mg/kg<br><br>LD50 (Rat, male): 983 mg/kg<br>Method: US EPA Test Guideline OPP 81-1<br>Symptoms: Tremors, Breathing difficulties<br>GLP: yes                                                                                                                  |
| Acute inhalation toxicity | : LC50 (Rat, male and female): > 4,16 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: US EPA Test Guideline OPP 81-3<br>GLP: yes<br>Assessment: The substance or mixture has no acute inhalation toxicity<br>Remarks: Highest attainable concentration.<br>no mortality |
| Acute dermal toxicity     | : LD50 (Rat, male and female): > 2.000 mg/kg<br>Method: US EPA Test Guideline OPP 81-2<br>GLP: yes<br>Assessment: The substance or mixture has no acute dermal toxicity<br>Remarks: no mortality                                                                                            |

#### **terbuthylazine (ISO):**

|                           |                                                                              |
|---------------------------|------------------------------------------------------------------------------|
| Acute oral toxicity       | : LD50 (Rat): 1.000 - 1.590 mg/kg                                            |
| Acute inhalation toxicity | : LC50 (Rat): > 5,3 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist |
| Acute dermal toxicity     | : LD50 (Rat): > 2.000 mg/kg                                                  |

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

|                           |                                                                                                                                                      |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity       | : LD50 (Rat, male and female): > 5.000 mg/kg<br>Method: OECD Test Guideline 401<br>Remarks: Based on data from similar materials                     |
| Acute inhalation toxicity | : LC50 (Rat): > 4,688 mg/l<br>Exposure time: 4 h<br>Test atmosphere: vapour<br>Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity     | : LD50 (Rabbit): > 2.000 mg/kg<br>Method: OECD Test Guideline 402<br>Assessment: The substance or mixture has no acute dermal                        |

**SUCCESSOR® T, SE (CAKCECCOP® T, EC)**

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

toxicity

**Tristyrylphenol ethoxylates:**

- Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials
- Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**ethanediol:**

- Acute inhalation toxicity : LC50 (Rat, male and female): > 2,5 mg/l  
Exposure time: 6 h  
Test atmosphere: dust/mist  
Remarks: no mortality
- Acute dermal toxicity : LD50 (Mouse, male and female): > 3.500 mg/kg

**Alcohols, C9-11-iso-, C10-rich, ethoxylated:**

- Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

**calcium dodecylbenzenesulphonate:**

- Acute oral toxicity : LD50 (Rat, male and female): 1.300 mg/kg  
Remarks: Based on data from similar materials
- Acute inhalation toxicity : Remarks: Not classified
- Acute dermal toxicity : LD50 (Rat, male and female): > 2000 milligram per kilogram  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

**naphthalene:**

- Acute oral toxicity : LD50 (Mouse, female): 710 mg/kg  
Method: OECD Test Guideline 401
- Acute inhalation toxicity : LC0 (Rat, male and female): > 0,4 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rat, male and female): > 16.000 mg/kg  
Method: OECD Test Guideline 402

# SAFETY DATA SHEET



## SUCCESSOR® T, SE (CAKCECCOP® T, EC)

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

### 1,2-benzisothiazol-3(2H)-one:

|                           |   |                                                                                                                                                    |
|---------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity       | : | Acute toxicity estimate: 450 mg/kg<br>Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008                                   |
| Acute inhalation toxicity | : | Acute toxicity estimate: 0,21 mg/l<br>Test atmosphere: dust/mist<br>Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008     |
| Acute dermal toxicity     | : | LD50 (Rat, male and female): > 2.000 mg/kg<br>Method: OECD Test Guideline 402<br>Assessment: The substance or mixture has no acute dermal toxicity |

### Skin corrosion/irritation

Not classified based on available information.

### Product:

|         |   |                                                                                                                                                                    |
|---------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Method  | : | OECD Test Guideline 404                                                                                                                                            |
| Result  | : | Moderate skin irritation                                                                                                                                           |
| Remarks | : | Based on data from similar materials<br>Repeated exposure may cause skin dryness or cracking.<br>Based on available data, the classification criteria are not met. |

### Components:

#### **pethoxamid (ISO):**

|            |   |                                |
|------------|---|--------------------------------|
| Species    | : | Rabbit                         |
| Assessment | : | Not classified as irritant     |
| Method     | : | US EPA Test Guideline OPP 81-5 |
| Result     | : | slight irritation              |

#### **terbuthylazine (ISO):**

|         |   |                                                                    |
|---------|---|--------------------------------------------------------------------|
| Result  | : | No skin irritation                                                 |
| Remarks | : | Minimal effects that do not meet the threshold for classification. |

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

|            |   |                                                                                                            |
|------------|---|------------------------------------------------------------------------------------------------------------|
| Species    | : | Rabbit                                                                                                     |
| Assessment | : | Repeated exposure may cause skin dryness or cracking.                                                      |
| Result     | : | No skin irritation                                                                                         |
| Remarks    | : | Minimal effects that do not meet the threshold for classification.<br>Based on data from similar materials |

#### **Tristyrylphenol ethoxylates:**

|         |   |                         |
|---------|---|-------------------------|
| Species | : | Rabbit                  |
| Method  | : | OECD Test Guideline 404 |
| Result  | : | No skin irritation      |

**SUCCESSOR® T, SE (CAKCECCOP® T, EC)**

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

**ethanediol:**

|         |                      |
|---------|----------------------|
| Species | : Rabbit             |
| Result  | : No skin irritation |

**Alcohols, C9-11-iso-, C10-rich, ethoxylated:**

|               |                                                                      |
|---------------|----------------------------------------------------------------------|
| Species       | : Rabbit                                                             |
| Exposure time | : 4 h                                                                |
| Assessment    | : No skin irritation                                                 |
| Remarks       | : Minimal effects that do not meet the threshold for classification. |

**calcium dodecylbenzenesulphonate:**

|         |                           |
|---------|---------------------------|
| Species | : Rabbit                  |
| Method  | : OECD Test Guideline 404 |
| Result  | : Skin irritation         |

**naphthalene:**

|         |                      |
|---------|----------------------|
| Species | : Rabbit             |
| Result  | : No skin irritation |

**1,2-benzisothiazol-3(2H)-one:**

|               |                           |
|---------------|---------------------------|
| Species       | : Rabbit                  |
| Exposure time | : 72 h                    |
| Method        | : OECD Test Guideline 404 |
| Result        | : No skin irritation      |

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Product:**

|            |                                        |
|------------|----------------------------------------|
| Assessment | : Irritating to eyes.                  |
| Method     | : OECD Test Guideline 405              |
| Result     | : Mild eye irritant                    |
| Remarks    | : Based on data from similar materials |

**Components:****pethoxamid (ISO):**

|            |                                  |
|------------|----------------------------------|
| Species    | : Rabbit                         |
| Assessment | : Not classified as irritant     |
| Method     | : US EPA Test Guideline OPP 81-4 |
| Result     | : slight irritation              |

**terbuthylazine (ISO):**

|         |                                                                      |
|---------|----------------------------------------------------------------------|
| Result  | : No eye irritation                                                  |
| Remarks | : Minimal effects that do not meet the threshold for classification. |

**SUCCESSOR® T, SE (CAKCECCOP® T, EC)**

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

**Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

|            |                                                                                                              |
|------------|--------------------------------------------------------------------------------------------------------------|
| Species    | : Rabbit                                                                                                     |
| Assessment | : No eye irritation                                                                                          |
| Remarks    | : Minimal effects that do not meet the threshold for classification.<br>Based on data from similar materials |

**Tristyrylphenol ethoxylates:**

|         |                           |
|---------|---------------------------|
| Species | : Rabbit                  |
| Method  | : OECD Test Guideline 405 |
| Result  | : No eye irritation       |

**ethanediol:**

|         |                     |
|---------|---------------------|
| Species | : Rabbit            |
| Result  | : No eye irritation |

**Alcohols, C9-11-iso-, C10-rich, ethoxylated:**

|         |                                   |
|---------|-----------------------------------|
| Species | : Rabbit                          |
| Method  | : Draize Test                     |
| Result  | : Irreversible effects on the eye |

**calcium dodecylbenzenesulphonate:**

|         |                                        |
|---------|----------------------------------------|
| Species | : Rabbit                               |
| Method  | : OECD Test Guideline 405              |
| Result  | : Irreversible effects on the eye      |
| Remarks | : Based on data from similar materials |

|         |                                   |
|---------|-----------------------------------|
| Species | : Rabbit                          |
| Method  | : OECD Test Guideline 405         |
| Result  | : Irreversible effects on the eye |

**naphthalene:**

|         |                     |
|---------|---------------------|
| Species | : Rabbit            |
| Result  | : No eye irritation |

**1,2-benzisothiazol-3(2H)-one:**

|         |                           |
|---------|---------------------------|
| Species | : Bovine cornea           |
| Method  | : OECD Test Guideline 437 |
| Result  | : No eye irritation       |

|         |                                   |
|---------|-----------------------------------|
| Species | : Rabbit                          |
| Method  | : EPA OPP 81-4                    |
| Result  | : Irreversible effects on the eye |



**SUCCESSOR ® T, SE (CAKCECCOP® T, EC)**

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Product:**

|         |   |                                       |
|---------|---|---------------------------------------|
| Method  | : | OECD Test Guideline 406               |
| Result  | : | Not a skin sensitizer.                |
| Remarks | : | Based on data from a similar product. |

**Components:****pethoxamid (ISO):**

|                 |   |                                          |
|-----------------|---|------------------------------------------|
| Exposure routes | : | Dermal                                   |
| Species         | : | Guinea pig                               |
| Method          | : | US EPA Test Guideline OPPTS 870.2600     |
| Result          | : | May cause sensitisation by skin contact. |

|            |   |                                                               |
|------------|---|---------------------------------------------------------------|
| Assessment | : | Harmful if swallowed.<br>May cause an allergic skin reaction. |
|------------|---|---------------------------------------------------------------|

**terbuthylazine (ISO):**

|            |   |                                                                    |
|------------|---|--------------------------------------------------------------------|
| Assessment | : | Not a skin sensitizer.                                             |
| Remarks    | : | Minimal effects that do not meet the threshold for classification. |

**Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

|           |   |                                      |
|-----------|---|--------------------------------------|
| Test Type | : | Maximisation Test                    |
| Species   | : | Guinea pig                           |
| Result    | : | Not a skin sensitizer.               |
| Remarks   | : | Based on data from similar materials |

**ethanediol:**

|           |   |                                    |
|-----------|---|------------------------------------|
| Test Type | : | Maximisation Test                  |
| Species   | : | Guinea pig                         |
| Result    | : | Does not cause skin sensitisation. |

**Alcohols, C9-11-iso-, C10-rich, ethoxylated:**

|        |   |                                    |
|--------|---|------------------------------------|
| Result | : | Does not cause skin sensitisation. |
|--------|---|------------------------------------|

**calcium dodecylbenzenesulphonate:**

|           |   |                                      |
|-----------|---|--------------------------------------|
| Test Type | : | Maximisation Type                    |
| Species   | : | Guinea pig                           |
| Method    | : | OECD Test Guideline 406              |
| Result    | : | Not a skin sensitizer.               |
| Remarks   | : | Based on data from similar materials |

**SUCCESSOR® T, SE (CAKCECCOP® T, EC)**

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

**naphthalene:**

|           |                                      |
|-----------|--------------------------------------|
| Test Type | : Maximisation Test                  |
| Species   | : Guinea pig                         |
| Method    | : OECD Test Guideline 406            |
| Result    | : Does not cause skin sensitisation. |

**1,2-benzisothiazol-3(2H)-one:**

|           |                                            |
|-----------|--------------------------------------------|
| Test Type | : Maximisation Test                        |
| Species   | : Guinea pig                               |
| Method    | : OECD Test Guideline 406                  |
| Result    | : May cause sensitisation by skin contact. |

|         |                                            |
|---------|--------------------------------------------|
| Species | : Guinea pig                               |
| Method  | : FIFRA 81.06                              |
| Result  | : May cause sensitisation by skin contact. |

**Germ cell mutagenicity**

Not classified based on available information.

**Product:**

|                                    |                                              |
|------------------------------------|----------------------------------------------|
| Germ cell mutagenicity- Assessment | : Contains no ingredient listed as a mutagen |
|------------------------------------|----------------------------------------------|

**Components:****pethoxamid (ISO):**

|                      |                                              |
|----------------------|----------------------------------------------|
| Genotoxicity in vivo | : Test Type: Micronucleus test               |
|                      | Species: Mouse                               |
|                      | Result: negative                             |
|                      | Test Type: In Vivo Rat Liver DNA Repair Test |
|                      | Species: Rat                                 |
|                      | Application Route: Oral                      |
|                      | Result: negative                             |

**terbuthylazine (ISO):**

|                                    |                                                                              |
|------------------------------------|------------------------------------------------------------------------------|
| Germ cell mutagenicity- Assessment | : Weight of evidence does not support classification as a germ cell mutagen. |
|------------------------------------|------------------------------------------------------------------------------|

**Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

|                       |                                                |
|-----------------------|------------------------------------------------|
| Genotoxicity in vitro | : Test Type: reverse mutation assay            |
|                       | Method: OECD Test Guideline 471                |
|                       | Result: negative                               |
|                       | Remarks: Based on data from similar materials  |
| Genotoxicity in vivo  | : Test Type: Bone marrow chromosome aberration |
|                       | Species: Rat                                   |
|                       | Application Route: inhalation (vapour)         |
|                       | Result: negative                               |

**SUCCESSOR® T, SE (CAKCECCOP® T, EC)**

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

**Tristyrylphenol ethoxylates:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative

Genotoxicity in vivo : Remarks: No data available

**ethanediol:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OPPTS 870.5100  
Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test  
Species: Rat  
Application Route: Oral  
Result: negative

**Alcohols, C9-11-iso-, C10-rich, ethoxylated:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Result: negative  
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : In vivo tests did not show mutagenic effects

**calcium dodecylbenzenesulphonate:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay  
Species: Rat (male and female)  
Application Route: Oral  
Exposure time: 90 d  
Result: negative  
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**naphthalene:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

**SUCCESSOR® T, SE (CAKCECCOP® T, EC)**

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

**1,2-benzisothiazol-3(2H)-one:**

- Genotoxicity in vitro : Test Type: gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative
- Test Type: Ames test  
Method: OECD Test Guideline 471  
Result: negative
- Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: positive
- Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay  
Species: Rat (male)  
Cell type: Liver cells  
Application Route: Ingestion  
Exposure time: 4 h  
Method: OECD Test Guideline 486  
Result: negative
- Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Method: OECD Test Guideline 474  
Result: negative
- Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**Carcinogenicity**

Not classified based on available information.

**Product:**

- Carcinogenicity - Assessment : Contains no ingredient listed as a carcinogen

**Components:****pethoxamid (ISO):**

- Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
LOAEL : 17 mg/kg bw/day  
Result : negative
- Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

**SUCCESSOR ® T, SE (CAKCECCOP® T, EC)**

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

**terbuthylazine (ISO):**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

**Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species : Rat, male and female  
Application Route : inhalation (vapour)  
Exposure time : 12 month(s)  
NOAEC : 1,8 mg/l  
Result : negative  
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

**ethanediol:**

Species : Mouse  
Application Route : Oral  
Exposure time : 24 month(s)  
Result : negative

**calcium dodecylbenzenesulphonate:**

Species : Rat, male and female  
Application Route : Oral  
Exposure time : 720 d  
NOAEL : 250 mg/kg body weight  
Result : negative  
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

**naphthalene:**

Species : Rat  
Application Route : Inhalation  
Exposure time : 2 Years  
Result : positive

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

**Reproductive toxicity**

Not classified based on available information.

**Product:**

Reproductive toxicity - Assessment : Contains no ingredient listed as toxic to reproduction

**SUCCESSOR® T, SE (CAKCECCOP® T, EC)**

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

**Components:****pethoxamid (ISO):**

|                                    |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Effects on fertility               | : | Test Type: Two-generation study<br>Species: Rat<br>General Toxicity - Parent: NOAEL: 14 mg/kg bw/day<br>Fertility: NOAEL: 112 mg/kg bw/day<br>Result: negative                                                                                                                                                                                                                                                                                                                                                   |
| Effects on foetal development      | : | Test Type: Developmental toxicity study<br>Species: Rat, female<br>Application Route: Oral<br>General Toxicity Maternal: NOAEL: 75 mg/kg bw/day<br>Developmental Toxicity: NOAEL: 75 mg/kg bw/day<br>Symptoms: Maternal effects<br>Result: negative<br><br>Test Type: Developmental toxicity study<br>Species: Rabbit, female<br>Application Route: Oral<br>General Toxicity Maternal: NOAEL: 50 mg/kg bw/day<br>Developmental Toxicity: NOEL: 50 mg/kg bw/day<br>Symptoms: Maternal effects<br>Result: negative |
| Reproductive toxicity - Assessment | : | Animal testing showed no reproductive toxicity.                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

**terbuthylazine (ISO):**

|                                    |   |                                                                              |
|------------------------------------|---|------------------------------------------------------------------------------|
| Reproductive toxicity - Assessment | : | Weight of evidence does not support classification for reproductive toxicity |
|------------------------------------|---|------------------------------------------------------------------------------|

**Alcohols, C9-11-iso-, C10-rich, ethoxylated:**

|                                    |   |                                                                                                                                                         |
|------------------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| Effects on fertility               | : | Species: Rat<br>Application Route: Dermal<br>General Toxicity - Parent: NOEL: 250 mg/kg body weight<br>General Toxicity F1: NOEL: 250 mg/kg body weight |
| Effects on foetal development      | : | Species: Rat<br>Application Route: Dermal<br>General Toxicity Maternal: NOEL: 250 mg/kg body weight<br>Teratogenicity: NOEL: 250 mg/kg body weight      |
| Reproductive toxicity - Assessment | : | Weight of evidence does not support classification for reproductive toxicity                                                                            |

**calcium dodecylbenzenesulphonate:**

|                      |   |                                                                                                                                                                              |
|----------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Effects on fertility | : | Test Type: Fertility/early embryonic development<br>Species: Rat, male and female<br>Application Route: Ingestion<br>General Toxicity - Parent: NOAEL: 400 mg/kg body weight |
|----------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## SUCCESSOR ® T, SE (CAKCECCOP® T, EC)

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

Method: OECD Test Guideline 422  
Result: negative

Effects on foetal development : Test Type: reproductive and developmental toxicity study  
Species: Rat  
Application Route: Ingestion  
General Toxicity Maternal: NOAEL: 300 mg/kg body weight  
Developmental Toxicity: NOAEL: 600 mg/kg body weight  
Method: OECD Test Guideline 422  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

**naphthalene:**

Effects on fertility : Test Type: reproductive and developmental toxicity study  
Species: Rat  
Application Route: Inhalation  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Method: OECD Test Guideline 414  
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

**1,2-benzisothiazol-3(2H)-one:**

Effects on fertility : Species: Rat, male  
Application Route: Ingestion  
General Toxicity - Parent: NOAEL: 18,5 mg/kg body weight  
General Toxicity F1: NOAEL: 48 mg/kg body weight  
Fertility: NOAEL: 112 mg/kg bw/day  
Symptoms: No effects on reproduction parameters  
Method: OPPTS 870.3800  
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

**STOT - single exposure**

Not classified based on available information.

**Components:****pethoxamid (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

**Alcohols, C9-11-iso-, C10-rich, ethoxylated:**

Assessment : The substance or mixture is not classified as specific target

## SUCCESSOR® T, SE (CAKCECCOP® T, EC)

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

organ toxicant, single exposure.

**STOT - repeated exposure**

May cause damage to organs through prolonged or repeated exposure.

**Product:**

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

**Components:****pethoxamid (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**terbuthylazine (ISO):**

Assessment : May cause damage to organs through prolonged or repeated exposure.

**ethanediol:**

Exposure routes : Oral  
Target Organs : Kidney  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

**Alcohols, C9-11-iso-, C10-rich, ethoxylated:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**1,2-benzisothiazol-3(2H)-one:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Repeated dose toxicity****Components:****pethoxamid (ISO):**

Species : Rat  
LOAEL : 36.2 mg/kg bw/day  
Application Route : Oral - feed  
Exposure time : 90 Days  
Method : OECD Test Guideline 408  
Remarks : Effects are of limited toxicological significance.

**terbuthylazine (ISO):**

Species : Mouse  
NOEL : 2,97 mg/kg



# SAFETY DATA SHEET



## SUCCESSOR® T, SE (CAKCECCOP® T, EC)

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

Application Route : Oral  
Exposure time : 2 yr

Species : Rat  
NOEL : 0,35 mg/kg  
Application Route : Oral  
Exposure time : 2 yr

Species : Dog  
NOEL : 0,4 mg/kg  
Application Route : Oral  
Exposure time : 1 yr

Species : Rat  
NOAEL : 2,1 mg/kg  
Exposure time : 90 Days  
Target Organs : No specific target organs noted

### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Species : Rat, male and female  
NOAEC : 0,9 - 1,8 mg/l  
Application Route : inhalation (vapour)  
Exposure time : 12 Months

### **ethanediol:**

Species : Rat  
NOAEL : 150 mg/kg  
Application Route : Oral  
Exposure time : 12 Months

Species : Dog  
NOAEL : > 2.200 - < 4.400 mg/kg  
Application Route : Dermal  
Exposure time : 4 Weeks  
Method : OECD Test Guideline 410

### **Alcohols, C9-11-iso-, C10-rich, ethoxylated:**

Species : Rat  
NOAEL : 80 mg/kg  
Application Route : Dermal  
Exposure time : 90 d

Species : Rat  
NOAEL : 150 mg/kg  
Application Route : Oral  
Exposure time : 90 d

### **calcium dodecylbenzenesulphonate:**

Species : Rat, male and female  
NOAEL : 85 mg/kg  
LOAEL : 145 mg/kg

# SAFETY DATA SHEET



## SUCCESSOR ® T, SE (CAKCECCOP® T, EC)

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

Application Route : Oral  
Exposure time : 9 Months  
Remarks : Based on data from similar materials

Species : Rat, male  
LOAEL : 286 mg/kg  
Application Route : Skin contact  
Exposure time : 15 Days  
Remarks : Based on data from similar materials

Species : Rat, male and female  
NOAEL : 100 mg/kg bw/day  
LOAEL : 200 mg/kg bw/day  
Application Route : Oral - gavage  
Exposure time : 28 - 54 Days  
Method : OECD Test Guideline 422  
Remarks : Based on data from similar materials

### **1,2-benzisothiazol-3(2H)-one:**

Species : Rat, male and female  
NOAEL : 15 mg/kg  
Application Route : Ingestion  
Exposure time : 28 d  
Method : OECD Test Guideline 407  
Symptoms : Irritation

Species : Rat, male and female  
NOAEL : 69 mg/kg  
Application Route : Ingestion  
Exposure time : 90 d  
Symptoms : Irritation, Reduced body weight

### **Aspiration toxicity**

Not classified based on available information.

### **Product:**

No aspiration toxicity classification

Remarks : Based on data from a similar product.

### **Components:**

#### **pethoxamid (ISO):**

No aspiration toxicity classification

#### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

May be fatal if swallowed and enters airways.

**SUCCESSOR ® T, SE (CAKCECCOP® T, EC)**

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

**Experience with human exposure****Components:****Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Skin contact : Symptoms: Repeated exposure may cause skin dryness or cracking.

**Neurological effects****Components:****pethoxamid (ISO):**

No neurotoxicity observed in animal studies

**Further information****Product:**

Remarks : No data available

**Components:****Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Remarks : Vapour concentrations above recommended exposure levels are irritating to the eyes and the respiratory tract, may cause headaches and dizziness, are anaesthetic and may have other central nervous system effects. Prolonged and/or repeated skin contact with low viscosity materials may defat the skin resulting in possible irritation and dermatitis. Small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

---

**SECTION 12: Ecological information****12.1 Toxicity****Product:**

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 6,4 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 40,2 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic : EC50 (Desmodesmus subspicatus (green algae)): 0,168 mg/l  
plants : Exposure time: 72 h  
Remarks: Based on data from similar materials

EC50 (Lemna gibba (duckweed)): 0,147 mg/l

# SAFETY DATA SHEET



## SUCCESSOR® T, SE (CAKCECCOP® T, EC)

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

Exposure time: 7 d  
Remarks: Based on data from similar materials

Toxicity to soil dwelling organisms : LC50: 320 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)  
Remarks: Based on data from similar materials

Toxicity to terrestrial organisms : LC50: > 200 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)  
Remarks: Information given is based on data obtained from similar product.

LC50: > 200 µg/bee  
Exposure time: 48 h  
Species: Apis mellifera (bees)  
Remarks: Information given is based on data obtained from similar product.

### Components:

#### **pethoxamid (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

NOEC (Oncorhynchus mykiss (rainbow trout)): 1,7 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

LC50 (Lepomis macrochirus (Bluegill sunfish)): 6,6 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 20 - 25 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes

NOEC (Daphnia magna (Water flea)): 17 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): 0,00195 mg/l  
Exposure time: 72 h

ErC50 (Lemna gibba (duckweed)): 0,0172 mg/l  
End point: Growth rate  
Exposure time: 14 d

# SAFETY DATA SHEET



## SUCCESSOR® T, SE (CAKCECCOP® T, EC)

|                |                              |                         |                                                          |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|
| Version<br>1.0 | Revision Date:<br>22.10.2025 | SDS Number:<br>50000675 | Date of last issue: -<br>Date of first issue: 22.10.2025 |
|----------------|------------------------------|-------------------------|----------------------------------------------------------|

---

ErC50 (Lemna minor (duckweed)): 0,018 mg/l  
Exposure time: 14 d  
GLP: yes

ErC50 (Pseudokirchneriella subcapitata (green algae)): 0,004 mg/l  
Exposure time: 72 h  
Test Type: static test

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,0012 mg/l  
Exposure time: 120 h  
Test Type: static test

EC50 (Anabaena flos-aquae (cyanobacterium)): 9,4 mg/l  
Exposure time: 96 h

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : NOEC: 0,0924 mg/l  
Exposure time: 28 d  
Species: Oncorhynchus mykiss (rainbow trout)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 2,8 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50: 527 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)

Method: OECD Test Guideline 216  
Remarks: No significant adverse effect on nitrogen mineralization.

Method: OECD Test Guideline 217  
Remarks: No significant adverse effect on carbon mineralization.

Toxicity to terrestrial organisms : LD50: 84.4 -120.5  
End point: Acute oral toxicity  
Species: Apis mellifera (bees)

LD50: > 200 µg/bee  
Exposure time: 48 h  
End point: Acute contact toxicity  
Species: Apis mellifera (bees)

## SUCCESSOR® T, SE (CAKCECCOP® T, EC)

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

LD50: ca. 1.500 - 2.100 mg/kg  
 Species: *Colinus virginianus* (Bobwhite quail)  
 Method: EPA OPP 71-1

**terbuthylazine (ISO):**

- |                                                                        |   |                                                                                                 |
|------------------------------------------------------------------------|---|-------------------------------------------------------------------------------------------------|
| Toxicity to fish                                                       | : | LC50 ( <i>Oncorhynchus mykiss</i> (rainbow trout)): 2,2 mg/l<br>Exposure time: 96 h             |
| Toxicity to daphnia and other aquatic invertebrates                    | : | LC50 ( <i>Daphnia</i> (water flea)): 69,3 mg/l<br>Exposure time: 48 h                           |
| Toxicity to algae/aquatic plants                                       | : | EC50 ( <i>Pseudokirchneriella subcapitata</i> (algae)): 0,012 mg/l<br>Exposure time: 72 h       |
|                                                                        |   | EC50 ( <i>Lemna gibba</i> (gibbous duckweed)): 0,0128 mg/l<br>Exposure time: 14 d               |
|                                                                        |   | EC50 ( <i>Microcystis aeruginosa</i> (blue-green algae)): 0,102 mg/l<br>Exposure time: 72 h     |
| M-Factor (Acute aquatic toxicity)                                      | : | 10                                                                                              |
| Toxicity to fish (Chronic toxicity)                                    | : | NOEC: 0,09 mg/l<br>Exposure time: 21 d<br>Species: <i>Oncorhynchus mykiss</i> (rainbow trout)   |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC: 0,019 mg/l<br>Exposure time: 21 d<br>Species: <i>Daphnia magna</i> (Water flea)           |
| M-Factor (Chronic aquatic toxicity)                                    | : | 10                                                                                              |
| Toxicity to soil dwelling organisms                                    | : | LC50: > 141,7 mg/kg<br>Exposure time: 14 d<br>Species: <i>Eisenia fetida</i> (earthworms)       |
| Toxicity to terrestrial organisms                                      | : | LD50: 1.236 mg/kg<br>Species: <i>Colinus virginianus</i> (Bobwhite quail)                       |
|                                                                        |   | LD50: > 22,6 µg/bee<br>End point: Acute oral toxicity<br>Species: <i>Apis mellifera</i> (bees)  |
|                                                                        |   | LD50: > 32 µg/bee<br>End point: Acute contact toxicity<br>Species: <i>Apis mellifera</i> (bees) |

**Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

- |                  |   |                                                                                       |
|------------------|---|---------------------------------------------------------------------------------------|
| Toxicity to fish | : | LL50 ( <i>Oncorhynchus mykiss</i> (rainbow trout)): 2 - 5 mg/l<br>Exposure time: 96 h |
|------------------|---|---------------------------------------------------------------------------------------|

## SUCCESSOR® T, SE (CAKCECCOP® T, EC)

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 1,4 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): 1 - 3 mg/l  
Exposure time: 24 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : LL50 (Tetrahymena pyriformis): 677,9 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EL50: 0,89 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

**Tristyrylphenol ethoxylates:**

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 21 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to microorganisms :  
Remarks: No data available

**ethanediol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 72.860 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : IC50 (Pseudokirchneriella subcapitata (green algae)): 10.940 mg/l  
Exposure time: 96 h

Toxicity to microorganisms : (activated sludge): > 1.995 mg/l  
Exposure time: 30 min  
Method: ISO 8192

Toxicity to fish (Chronic toxicity) : 1.500 mg/l  
Exposure time: 28 d  
Species: Menidia peninsulæ (tidewater silverside)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : 33.911 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

**SUCCESSOR® T, SE (CAKCECCOP® T, EC)**

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

**Alcohols, C9-11-iso-, C10-rich, ethoxylated:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 8,5 mg/l  
Exposure time: 96 h

**calcium dodecylbenzenesulphonate:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 10 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

LC50 (Pimephales promelas (fathead minnow)): 4,6 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3,5 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 7,9 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC50 (Pseudokirchneriella subcapitata (green algae)): 65,4 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 500 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1,65 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Remarks: Based on data from similar materials

NOEC: 1,18 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Remarks: Based on data from similar materials

Toxicity to soil dwelling organisms : LC50: 1.000 mg/kg  
Exposure time: 14 d  
Species: Eisenia fetida (earthworms)  
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50: 1.356 mg/kg  
Exposure time: 14 d  
Species: Colinus virginianus (Bobwhite quail)



**SUCCESSOR® T, SE (CAKCECCOP® T, EC)**

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

Method: OECD Test Guideline 223

**naphthalene:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,6 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,16 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Skeletonema costatum (marine diatom)): 0,4 - 0,5 mg/l  
Exposure time: 72 h
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to microorganisms : IC50 (Bacteria): 29 mg/l  
Exposure time: 24 h
- Toxicity to fish (Chronic toxicity) : NOEC: 0,37 mg/l  
Exposure time: 40 d  
Species: Oncorhynchus kisutch (coho salmon)
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,59 mg/l  
Exposure time: 125 d  
Species: Daphnia pulex (Water flea)
- M-Factor (Chronic aquatic toxicity) : 1

**1,2-benzisothiazol-3(2H)-one:**

- Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 16,7 mg/l  
Exposure time: 96 h  
Test Type: static test
- LC50 (Oncorhynchus mykiss (rainbow trout)): 2,15 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,9 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0,070 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201
- NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04

# SAFETY DATA SHEET



## SUCCESSOR® T, SE (CAKCECCOP® T, EC)

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): 24 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

EC50 (activated sludge): 12,8 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

M-Factor (Chronic aquatic toxicity) : 1

### 12.2 Persistence and degradability

#### **Product:**

Biodegradability : Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

#### **Components:**

##### **pethoxamid (ISO):**

Biodegradability : Remarks: Not readily biodegradable.

##### **terbuthylazine (ISO):**

Biodegradability : Remarks: Not readily biodegradable.

##### **Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 58,6 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

##### **Tristyrylphenol ethoxylates:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 8 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301

##### **ethanediol:**

Biodegradability : Result: Readily biodegradable.

**SUCCESSOR® T, SE (CAKCECCOP® T, EC)**

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

Biodegradation: 90 - 100 %  
Exposure time: 10 d  
Method: OECD Test Guideline 301A

**Alcohols, C9-11-iso-, C10-rich, ethoxylated:**

Biodegradability : Result: Readily biodegradable.

**calcium dodecylbenzenesulphonate:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301E

**naphthalene:**

Biodegradability : Result: Inherently biodegradable.  
Biodegradation: 67 %  
Exposure time: 12 d

**1,2-benzisothiazol-3(2H)-one:**

Biodegradability : Result: rapidly biodegradable  
Method: OECD Test Guideline 301C

**12.3 Bioaccumulative potential****Product:**

Bioaccumulation : Remarks: No data is available on the product itself.

**Components:****pethoxamid (ISO):**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-  
octanol/water : log Pow: 2,96 (20 °C)  
pH: 5

**terbuthylazine (ISO):**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-  
octanol/water : log Pow: 3,4 (25 °C)

**Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Bioaccumulation : Remarks: The product/substance has a potential to bioaccumulate.

Partition coefficient: n-  
octanol/water : log Pow: 3,72  
Method: QSAR

**Tristyrylphenol ethoxylates:**

# SAFETY DATA SHEET



## SUCCESSOR® T, SE (CAKCECCOP® T, EC)

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

Partition coefficient: n-octanol/water : Remarks: No data available

### ethanediol:

Partition coefficient: n-octanol/water : log Pow: -1,36

### calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Fish  
Bioconcentration factor (BCF): 70,79  
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4,77 (25 °C)

### naphthalene:

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 168

Partition coefficient: n-octanol/water : log Pow: 3,7

### 1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Exposure time: 56 d  
Bioconcentration factor (BCF): 6,62  
Method: OECD Test Guideline 305  
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0,7 (20 °C)  
pH: 7  
  
log Pow: 0,99 (20 °C)  
pH: 5

## 12.4 Mobility in soil

### Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

### Components:

#### pethoxamid (ISO):

Distribution among environmental compartments : Remarks: Moderately mobile in soils

#### terbuthylazine (ISO):

**SUCCESSOR ® T, SE (CAKCECCOP® T, EC)**

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

Distribution among environmental compartments : Remarks: immobile

Stability in soil :

**Solvent naphtha (petroleum), heavy arom.; Kerosine — unspecified:**

Distribution among environmental compartments : Remarks: Expected to partition to sediment and wastewater solids. Moderately volatile.

**1,2-benzisothiazol-3(2H)-one:**

Distribution among environmental compartments : Koc: 9,33 ml/g, log Koc: 0,97  
Method: OECD Test Guideline 121  
Remarks: Highly mobile in soils

**12.5 Results of PBT and vPvB assessment****Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Other adverse effects****Product:**

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Do not re-use empty containers.  
Packaging that is not properly emptied must be disposed of as

**SUCCESSOR® T, SE (CAKCECCOP® T, EC)**

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

the unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

**SECTION 14: Transport information****14.1 UN number**

|             |   |         |
|-------------|---|---------|
| <b>ADR</b>  | : | UN 3082 |
| <b>IMDG</b> | : | UN 3082 |
| <b>IATA</b> | : | UN 3082 |

**14.2 UN proper shipping name**

|             |   |                                                                                                           |
|-------------|---|-----------------------------------------------------------------------------------------------------------|
| <b>ADR</b>  | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Pethoxamide, Terbutylazine, ALKYL(C3-C6)BENZENES) |
| <b>IMDG</b> | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Pethoxamide, Terbutylazine, ALKYL(C3-C6)BENZENES) |
| <b>IATA</b> | : | Environmentally hazardous substance, liquid, n.o.s.<br>(Pethoxamide, Terbutylazine, ALKYL(C3-C6)BENZENES) |

**14.3 Transport hazard class(es)**

|             | Class | Subsidiary risks |
|-------------|-------|------------------|
| <b>ADR</b>  | :     | 9                |
| <b>IMDG</b> | :     | 9                |
| <b>IATA</b> | :     | 9                |

**14.4 Packing group**

|                                      |                 |
|--------------------------------------|-----------------|
| <b>ADR</b>                           |                 |
| Packing group                        | : III           |
| Classification Code                  | : M6            |
| Hazard Identification Number         | : 90            |
| Labels                               | : 9             |
| Tunnel restriction code              | : (-)           |
| <b>IMDG</b>                          |                 |
| Packing group                        | : III           |
| Labels                               | : 9             |
| EmS Code                             | : F-A, S-F      |
| <b>IATA (Cargo)</b>                  |                 |
| Packing instruction (cargo aircraft) | : 964           |
| Packing instruction (LQ)             | : Y964          |
| Packing group                        | : III           |
| Labels                               | : Miscellaneous |
| <b>IATA (Passenger)</b>              |                 |

# SAFETY DATA SHEET



## SUCCESSOR ® T, SE (CAKCECCOP® T, EC)

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

|                                          |   |               |
|------------------------------------------|---|---------------|
| Packing instruction (passenger aircraft) | : | 964           |
| Packing instruction (LQ)                 | : | Y964          |
| Packing group                            | : | III           |
| Labels                                   | : | Miscellaneous |

### 14.5 Environmental hazards

#### ADR

Environmentally hazardous : yes

#### IMDG

Marine pollutant : yes

#### IATA (Passenger)

Environmentally hazardous : yes

#### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### The components of this product are reported in the following inventories:

|      |   |                                                                                                                                                                                                                                                                                                                                          |
|------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TCSI | : | Not in compliance with the inventory                                                                                                                                                                                                                                                                                                     |
| TSCA | : | Product contains substance(s) not listed on TSCA inventory.                                                                                                                                                                                                                                                                              |
| AIIC | : | Not in compliance with the inventory                                                                                                                                                                                                                                                                                                     |
| DSL  | : | This product contains the following components that are not on the Canadian DSL nor NDSL.<br><br>2-chloro-N-(2-ethoxyethyl)-N-(2-methyl-1-phenylprop-1-enyl)acetamide<br>Ethanol, 2,2',2''-nitrilotris-, compd. with .alpha.-[2,4,6-tris(1-phenylethyl)phenyl]-.omega.-hydroxypoly(oxy-1,2-ethanediyl) phosphate<br>terbuthylazine (ISO) |
| ENCS | : | Not in compliance with the inventory                                                                                                                                                                                                                                                                                                     |

# SAFETY DATA SHEET



## SUCCESSOR® T, SE (CAKCECCOP® T, EC)

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

|       |                                        |
|-------|----------------------------------------|
| ISHL  | : Not in compliance with the inventory |
| KECI  | : Not in compliance with the inventory |
| PICCS | : Not in compliance with the inventory |
| IECSC | : Not in compliance with the inventory |
| NZIoC | : Not in compliance with the inventory |
| TECI  | : Not in compliance with the inventory |

### 15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

## SECTION 16: Other information

### Full text of H-Statements

|      |                                                                                   |
|------|-----------------------------------------------------------------------------------|
| H228 | : Flammable solid.                                                                |
| H302 | : Harmful if swallowed.                                                           |
| H304 | : May be fatal if swallowed and enters airways.                                   |
| H315 | : Causes skin irritation.                                                         |
| H317 | : May cause an allergic skin reaction.                                            |
| H318 | : Causes serious eye damage.                                                      |
| H330 | : Fatal if inhaled.                                                               |
| H351 | : Suspected of causing cancer.                                                    |
| H373 | : May cause damage to organs through prolonged or repeated exposure.              |
| H373 | : May cause damage to organs through prolonged or repeated exposure if swallowed. |
| H400 | : Very toxic to aquatic life.                                                     |
| H410 | : Very toxic to aquatic life with long lasting effects.                           |
| H412 | : Harmful to aquatic life with long lasting effects.                              |
| H413 | : May cause long lasting harmful effects to aquatic life.                         |

### Full text of other abbreviations

|                  |                                                                                                                      |
|------------------|----------------------------------------------------------------------------------------------------------------------|
| Acute Tox.       | : Acute toxicity                                                                                                     |
| Aquatic Acute    | : Short-term (acute) aquatic hazard                                                                                  |
| Aquatic Chronic  | : Long-term (chronic) aquatic hazard                                                                                 |
| Asp. Tox.        | : Aspiration hazard                                                                                                  |
| Carc.            | : Carcinogenicity                                                                                                    |
| Eye Dam.         | : Serious eye damage                                                                                                 |
| Flam. Sol.       | : Flammable solids                                                                                                   |
| Skin Irrit.      | : Skin irritation                                                                                                    |
| Skin Sens.       | : Skin sensitisation                                                                                                 |
| STOT RE          | : Specific target organ toxicity - repeated exposure                                                                 |
| 2000/39/EC       | : Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values |
| 91/322/EEC       | : Europe. Commission Directive 91/322/EEC on establishing indicative limit values                                    |
| UA OEL           | : Ukraine OEL - Order on Approval of the Hygienic Regulations of Chemicals in the Air of the Working Zone            |
| 2000/39/EC / TWA | : Limit Value - eight hours                                                                                          |



# SAFETY DATA SHEET



## SUCCESSOR® T, SE (CAKCECCOP® T, EC)

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

|                   |   |                                 |
|-------------------|---|---------------------------------|
| 2000/39/EC / STEL | : | Short term exposure limit       |
| 91/322/EEC / TWA  | : | Limit Value - eight hours       |
| UA OEL / MAC      | : | Maximum allowable concentration |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

#### Classification of the mixture:

|                   |      |
|-------------------|------|
| Acute Tox. 4      | H302 |
| Eye Irrit. 2      | H319 |
| STOT RE 2         | H373 |
| Aquatic Acute 1   | H400 |
| Aquatic Chronic 1 | H410 |

#### Classification procedure:

|                                     |
|-------------------------------------|
| Based on product data or assessment |
| Based on product data or assessment |
| Based on product data or assessment |
| Based on product data or assessment |
| Calculation method                  |

### Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or

# SAFETY DATA SHEET



## SUCCESSOR® T, SE (CAKCECCOP® T, EC)

|         |                |             |                                 |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: -           |
| 1.0     | 22.10.2025     | 50000675    | Date of first issue: 22.10.2025 |

---

implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

### **Prepared by**

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

UA / 6N