

SAFETY DATA SHEET



VINCIT® 050SC (БИЦИТ®050SC, KC)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50000696	Date of first issue: 22.10.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name VINCIT® 050SC (БИЦИТ®050SC, KC)

Other means of identification

Product code 50000696

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Fungicide
stance/Mixture

Recommended restrictions : Use as recommended by the label.
on use

1.3 Details of the supplier of the safety data sheet

Supplier Address

FMC Ukraine LLC
8 Illinska Street
04070 Kyiv
Ukraine

Telephone: Website: fmc.com.ua
E-mail address: SDS-Info@fmc.com, info@fmc.com.ua .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
Ukraine: 380-947101374 (CHEMTREC)

Medical emergency:
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Cat- H411: Toxic to aquatic life with long lasting effects.
egory 2

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET



VINCIT® 050SC (БИЦИТ®050SC, КС)

Version 1.0 Revision Date: 22.10.2025 SDS Number: 50000696 Date of last issue: -
Date of first issue: 22.10.2025

Hazard pictograms :



Hazard statements : H411 Toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

Additional Labelling

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
propane-1,2-diol	57-55-6 200-338-0		>= 1 - < 10
thiabendazole (ISO)	148-79-8 205-725-8 613-054-00-0	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 1 - < 2,5
Flutriafol	76674-21-0	Acute Tox. 4; H302 Aquatic Chronic 2; H411	>= 1 - < 2,5
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0,025 - <

SAFETY DATA SHEET



VINCIT® 050SC (ВИНЦИТ®050SC, KC)

Version 1.0	Revision Date: 22.10.2025	SDS Number: 50000696	Date of last issue: - Date of first issue: 22.10.2025
----------------	------------------------------	-------------------------	--

	220-120-9 613-088-00-6	Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	0,1
--	---------------------------	---	-----

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Do not induce vomiting without medical advice.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Contains a triazole. Symptoms may include nausea, vomiting,

VINCIT® 050SC (БИЦИТ®050SC, KC)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50000696	Date of first issue: 22.10.2025

diarrhea, visual changes, hallucinations, rash, itching, and alopecia.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.
Immediate medical attention is required in case of ingestion.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : High volume water jet
Do not spread spilled material with high-pressure water streams.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Carbon oxides
Hydrogen fluoride
Nitrogen oxides (NO_x)
Fluorinated compounds
Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : Firefighters should wear protective clothing and self-contained breathing apparatus.

Wear self-contained breathing apparatus for firefighting if necessary.

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

VINCIT® 050SC (БИЦИТ®050SC, KC)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50000696	Date of first issue: 22.10.2025

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.
If it can be safely done, stop the leak.
Keep people away from and upwind of spill/leak.
Remove all sources of ignition.
Immediately evacuate personnel to safe areas.
Ensure adequate ventilation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labelled containers.
Keep in suitable, closed containers for disposal.

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke. Wash hands before

SAFETY DATA SHEET



VINCIT® 050SC (БИЦИТ®050SC, KC)

Version 1.0 Revision Date: 22.10.2025 SDS Number: 50000696 Date of last issue: -
Date of first issue: 22.10.2025

breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : Protect against strong heat, frost and excessive sunlight. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Recommended storage temperature : < 25 °C

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
propane-1,2-diol	57-55-6	MAC (aerosol and vapour)	7 mg/m ³	UA OEL
Further information: Danger class 3				
thiabendazole (ISO)	148-79-8	TWA	5 mg/m ³	

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
1,2-benzisothiazol-3(2H)-one	Workers	Inhalation	Long-term systemic effects	6,81 mg/m ³
	Workers	Dermal	Long-term systemic effects	0,966 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1,2 mg/m ³
	Consumers	Dermal	Long-term systemic	0,345 mg/kg

SAFETY DATA SHEET



VINCIT® 050SC (БИЦИТ®050SC, KC)

Version 1.0 Revision Date: 22.10.2025 SDS Number: 50000696 Date of last issue: -
Date of first issue: 22.10.2025

			effects	
--	--	--	---------	--

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
1,2-benzisothiazol-3(2H)-one	Fresh water	0,00403 mg/l
	Marine water	0,000403 mg/l
	Sewage treatment plant	1,03 mg/l
	Fresh water sediment	0,0499 mg/l
	Marine sediment	0,00499 mg/l

8.2 Exposure controls

Personal protective equipment

- Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
- In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Physical state : liquid
Form : liquid, suspension
Colour : red
Odour : odourless
Odour Threshold : No data available
pH : not determined
Melting point/freezing point : < 0 °C

SAFETY DATA SHEET



VINCIT® 050SC (БИЦИТ®050SC, KC)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50000696	Date of first issue: 22.10.2025

Boiling point/boiling range	:	> 100 °C
Flash point	:	> 100 °C
Evaporation rate	:	No data available
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Vapour pressure	:	Not available for this mixture.
Relative vapour density	:	not determined
Relative density	:	
Density	:	ca. 1.040 g/l
Solubility(ies)		
Water solubility	:	dispersible
Partition coefficient: n-octanol/water	:	Not available for this mixture.
Auto-ignition temperature	:	No data available
Decomposition temperature	:	not determined
Viscosity		
Viscosity, dynamic	:	900 - 1.300 mPa.s Non-newtonian fluid: viscosity is dependent on shear rate.
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	Non-oxidizing

9.2 Other information

Molecular weight	:	Not applicable
Particle size	:	Not applicable
Particle Size Distribution	:	Not applicable
Self-ignition	:	> 400 °C

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	Heat, flames and sparks. Heating of the mixture may evolve harmful and irritant vapours.
---------------------	---	---

10.5 Incompatible materials

Materials to avoid	:	Avoid strong acids, bases, and oxidizers
--------------------	---	--

VINCIT® 050SC (БИЦИТ®050SC, КС)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50000696	Date of first issue: 22.10.2025

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : Acute toxicity estimate: > 10 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Remarks: Based on data from similar materials

Components:**propane-1,2-diol:**

Acute oral toxicity : LD50 (Rat, male and female): 22.000 mg/kg

Acute inhalation toxicity : LC0 (Rabbit): 31,7 mg/l
Exposure time: 2 h
Test atmosphere: vapour
Remarks: no mortality

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

thiabendazole (ISO):

Acute oral toxicity : LD50 (Rat, female): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0,53 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Highest attainable concentration.

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Flutriafol:

Acute oral toxicity : LD50 (Rat, female): 300 - 2.000 mg/kg

SAFETY DATA SHEET



VINCIT® 050SC (БИЦИТ®050SC, KC)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50000696	Date of first issue: 22.10.2025

Method: OECD Test Guideline 423
Target Organs: Liver, Gastrointestinal tract
Symptoms: Fatality
GLP: yes
Assessment: The component/mixture is moderately toxic after single ingestion.

LD50 (Rat, female): 1.030 mg/kg
Method: OECD Test Guideline 425
Target Organs: Liver, Gastrointestinal tract
Symptoms: Breathing difficulties

Acute inhalation toxicity : LC50 (Rat): > 5,2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Fatality, ataxia, Breathing difficulties
GLP: yes

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Remarks: no mortality

LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 402
Symptoms: Irritation
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: no mortality

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : Acute toxicity estimate: 450 mg/kg
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Acute inhalation toxicity : Acute toxicity estimate: 0,21 mg/l
Test atmosphere: dust/mist
Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008

Acute dermal toxicity : LD50 (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Result : No skin irritation
Remarks : Based on data from a similar product.

VINCIT® 050SC (БИЦИТ®050SC, КС)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50000696	Date of first issue: 22.10.2025

Components:**propane-1,2-diol:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

thiabendazole (ISO):

Species	: Rabbit
Assessment	: No skin irritation
Remarks	: Minimal effects that do not meet the threshold for classification.

Flutriafol:

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 404
Result	: No skin irritation
GLP	: yes

Species	: Rabbit
Result	: No skin irritation

1,2-benzisothiazol-3(2H)-one:

Species	: Rabbit
Exposure time	: 72 h
Method	: OECD Test Guideline 404
Result	: No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Result	: No eye irritation
Remarks	: Minimal effects that do not meet the threshold for classification. Based on data from a similar product.

Components:**propane-1,2-diol:**

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation

thiabendazole (ISO):

Species	: Rabbit
Assessment	: No eye irritation

SAFETY DATA SHEET



VINCIT® 050SC (БИЦИТ®050SC, КС)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50000696	Date of first issue: 22.10.2025

Remarks : Minimal effects that do not meet the threshold for classification.

Flutriafol:

Species : Rabbit
Assessment : Not classified as irritant
Method : OECD Test Guideline 405
Result : slight irritation
GLP : yes

Species : Rabbit
Assessment : Not classified as irritant
Method : OECD Test Guideline 405
Result : Slight or no eye irritation
GLP : yes

Species : Rabbit
Result : slight irritation

1,2-benzisothiazol-3(2H)-one:

Species : Bovine cornea
Method : OECD Test Guideline 437
Result : No eye irritation

Species : Rabbit
Method : EPA OPP 81-4
Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Result : Not a skin sensitizer.
Remarks : Based on data from similar materials

Components:

propane-1,2-diol:

Test Type : Maximisation Test
Species : Guinea pig
Result : negative

thiabendazole (ISO):

Species : Guinea pig
Method : Maximisation Test
Result : Does not cause skin sensitisation.

SAFETY DATA SHEET



VINCIT® 050SC (БИЦИТ®050SC, KC)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50000696	Date of first issue: 22.10.2025

Flutriafol:

Test Type	: Buehler Test
Exposure routes	: Skin contact
Species	: Guinea pig
Assessment	: Did not cause sensitisation on laboratory animals.
Method	: OECD Test Guideline 406
GLP	: yes

Species	: Guinea pig
Result	: Not a skin sensitizer.

1,2-benzisothiazol-3(2H)-one:

Test Type	: Maximisation Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: May cause sensitisation by skin contact.

Species	: Guinea pig
Method	: FIFRA 81.06
Result	: May cause sensitisation by skin contact.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

propane-1,2-diol:

Genotoxicity in vitro	: Test Type: reverse mutation assay Result: negative
Genotoxicity in vivo	: Test Type: In vivo micronucleus test Species: Mouse Result: negative

thiabendazole (ISO):

Germ cell mutagenicity- Assessment	: No genotoxic potential
------------------------------------	--------------------------

Flutriafol:

Genotoxicity in vivo	: Test Type: dominant lethal test Method: OECD Test Guideline 478 Result: negative
----------------------	--

1,2-benzisothiazol-3(2H)-one:

Genotoxicity in vitro	: Test Type: gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476
-----------------------	--

VINCIT® 050SC (ВІНЦІТ®050SC, КС)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50000696	Date of first issue: 22.10.2025

Result: negative

Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Genotoxicity in vivo : Test Type: unscheduled DNA synthesis assay
Species: Rat (male)
Cell type: Liver cells
Application Route: Ingestion
Exposure time: 4 h
Method: OECD Test Guideline 486
Result: negative

Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:**propane-1,2-diol:**

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

thiabendazole (ISO):

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Flutriafol:

Species : Mouse
Exposure time : 2 Years
NOAEL : 1,2 mg/kg bw/day
Result : negative

Species : Rat
Exposure time : 2 Years
NOAEL : 1 mg/kg bw/day
Result : negative

VINCIT® 050SC (БИЦИТ®050SC, KC)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50000696	Date of first issue: 22.10.2025

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:**propane-1,2-diol:**

Effects on fertility : Test Type: reproductive and developmental toxicity study
Species: Mouse
Application Route: Oral
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: Animal testing did not show any effects on fertility.
Remarks: Based on data from similar materials

thiabendazole (ISO):

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

Flutriafol:

Effects on fertility : Test Type: reproductive and developmental toxicity study
Method: OECD Test Guideline 416
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Method: OECD Test Guideline 414
Result: negative

1,2-benzisothiazol-3(2H)-one:

Effects on fertility : Species: Rat, male
Application Route: Ingestion
General Toxicity - Parent: NOAEL: 18,5 mg/kg body weight
General Toxicity F1: NOAEL: 48 mg/kg body weight
Fertility: NOAEL: 112 mg/kg bw/day
Symptoms: No effects on reproduction parameters
Method: OPPTS 870.3800
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT - single exposure

Based on available data, the classification criteria are not met.

VINCIT® 050SC (БИЦИТ®050SC, KC)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50000696	Date of first issue: 22.10.2025

Components:**Flutriafol:**

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Components:**1,2-benzisothiazol-3(2H)-one:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity**Components:****propane-1,2-diol:**

Species	: Rat, male and female
NOAEL	: 1.700 mg/kg
Application Route	: Oral
Exposure time	: 2 Years

Species	: Rat, male and female
NOAEL	: 1.000 mg/kg
LOAEL	: 160 mg/kg
Application Route	: Inhalation
Exposure time	: 90 Days

thiabendazole (ISO):

Species	: Rat
NOAEL	: ca. 10 mg/kg
Exposure time	: 90 d
Target Organs	: Blood, Liver, Thyroid

Flutriafol:

Species	: Rat
NOAEL	: 13.3 mg/kg bw/day
Application Route	: Oral - feed
Exposure time	: 90 d
Symptoms	: anemia, Liver effects

Species	: Dog
NOAEL	: 5 mg/kg bw/day
Application Route	: Oral
Exposure time	: 90 d
Symptoms	: blood effects, Liver effects

1,2-benzisothiazol-3(2H)-one:

Species : Rat, male and female

VINCIT® 050SC (БИЦИТ®050SC, KC)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50000696	Date of first issue: 22.10.2025

NOAEL	:	15 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 d
Method	:	OECD Test Guideline 407
Symptoms	:	Irritation
Species	:	Rat, male and female
NOAEL	:	69 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 d
Symptoms	:	Irritation, Reduced body weight

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:**Flutriafol:**

The substance does not have properties associated with aspiration hazard potential.

Neurological effects**Components:****Flutriafol:**

No neurotoxicity observed in animal studies

Further information**Product:**

Remarks	:	To our knowledge, adverse effects in humans have not been reported. When fed to animals at high dosage, similar compounds caused salivation, depression of activity, muscle spasms, ataxia and increased body temperature.
---------	---	--

SECTION 12: Ecological information**12.1 Toxicity****Product:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 22,8 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	IC50 (Desmodesmus subspicatus (green algae)): 62,65 mg/l Exposure time: 72 h Remarks: Based on data from similar materials

VINCIT® 050SC (БИЦИТ®050SC, KC)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50000696	Date of first issue: 22.10.2025

Components:**propane-1,2-diol:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 40.613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	(Mysidopsis bahia (opossum shrimp)): 18.800 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 34.100 mg/l Exposure time: 48 h Method: OECD Test Guideline 201
Toxicity to microorganisms	:	EC50 (Pseudomonas putida): > 20.000 mg/l Exposure time: 18 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 13.020 mg/l Exposure time: 7 d

thiabendazole (ISO):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0,55 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0,81 mg/l Exposure time: 48 h LC50 (Americamysis bahia (mysid shrimp)): 0,34 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 14,7 mg/l Exposure time: 96 h NOEC (Pseudokirchneriella subcapitata (green algae)): 0,53 mg/l End point: Growth rate Exposure time: 96 h
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to microorganisms	:	EC50 (activated sludge): > 1.000 mg/l Exposure time: 3 h
Toxicity to fish (Chronic toxicity)	:	NOEC: 0,012 mg/l Exposure time: 69 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,041 mg/l Exposure time: 21 d

VINCIT® 050SC (БИЦИТ®050SC, KC)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50000696	Date of first issue: 22.10.2025

ic toxicity) Species: *Daphnia magna* (Water flea)

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to terrestrial organisms : LD50: > 2.250 mg/kg
Species: *Colinus virginianus* (Bobwhite quail)

Flutriafol:

Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 33 mg/l
Exposure time: 96 h

LC50 (*Danio rerio* (zebra fish)): 22,97 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 67 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

EC50 (*Daphnia magna* (Water flea)): 42,21 mg/l
End point: Immobilization
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : IC50 (*Selenastrum capricornutum* (green algae)): 12 mg/l
Exposure time: 96 h

IC50 (*Scenedesmus subspicatus*): 1,9 mg/l
Exposure time: 72 h

EbC50 (*Lemna gibba* (duckweed)): 0,65 mg/l
Exposure time: 7 d

EyC50 (*Pseudokirchneriella subcapitata* (algae)): 3,69 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes

Toxicity to fish (Chronic toxicity) : NOEC: 4,8 mg/l
Exposure time: 28 d
Species: *Lepomis macrochirus* (Bluegill sunfish)

NOEC: 20 mg/l
Exposure time: 14 d
Species: *Danio rerio* (zebra fish)
Method: OECD Test Guideline 204

Toxicity to daphnia and other aquatic invertebrates (Chron- : NOEC: 0,31 mg/l
Exposure time: 21 d

VINCIT® 050SC (БИЦИТ®050SC, KC)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50000696	Date of first issue: 22.10.2025

ic toxicity)

Species: *Daphnia magna* (Water flea)

NOEC: 0,45 mg/l

Exposure time: 21 d

Species: *Daphnia magna* (Water flea)

Method: OECD Test Guideline 211

Toxicity to soil dwelling organisms

: NOEC:

0.01 mg/cm²

Exposure time: 180 d

Species: *Eisenia fetida* (earthworms)

LC50: > 1.000 mg/kg

Exposure time: 14 d

Species: *Eisenia fetida* (earthworms)

Method: OECD Test Guideline 207

Toxicity to terrestrial organisms

: LD50: > 144 µg/bee

End point: Acute oral toxicity

Species: *Apis mellifera* (bees)

Method: OECD Test Guideline 213

GLP:yes

LD50: > 150 µg/bee

End point: Acute contact toxicity

Species: *Apis mellifera* (bees)

Method: OECD Test Guideline 214

GLP:yes

LD50: > 100 µg/bee

End point: Acute contact toxicity

Species: *Apis mellifera* (bees)

Method: OECD Test Guideline 214

LD50: 872,53 µg/bee

Exposure time: 48 h

End point: Acute oral toxicity

Species: *Apis mellifera* (bees)

Method: OECD Test Guideline 213

LD50: > 5.000 mg/kg

Species: *Anas platyrhynchos* (Mallard duck)

LD50: ca. 385 mg/kg

Species: *Coturnix japonica* (Japanese quail)

Method: US EPA Test Guideline OPPTS 850.2100

LD50: 4260 ppm

Species: *Coturnix japonica* (Japanese quail)

Method: OPPTS 850.2200

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish

: LC50 (*Cyprinodon variegatus* (sheepshead minnow)): 16,7

SAFETY DATA SHEET



VINCIT® 050SC (БИЦИТ®050SC, KC)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50000696	Date of first issue: 22.10.2025

	mg/l Exposure time: 96 h Test Type: static test LC50 (Oncorhynchus mykiss (rainbow trout)): 2,15 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 2,9 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 0,070 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to microorganisms	: EC50 (activated sludge): 24 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 EC50 (activated sludge): 12,8 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
M-Factor (Chronic aquatic toxicity)	: 1

12.2 Persistence and degradability

Product:

Biodegradability	: Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.
------------------	---

Components:

propane-1,2-diol:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 23,6 % Exposure time: 64 d Method: OECD Test Guideline 306
------------------	--

SAFETY DATA SHEET



VINCIT® 050SC (БИЦИТ®050SC, KC)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50000696	Date of first issue: 22.10.2025

thiabendazole (ISO):

Biodegradability : Remarks: Not readily biodegradable.

Flutriafol:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Remarks: Does not readily hydrolyze

1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: rapidly biodegradable
Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

propane-1,2-diol:

Partition coefficient: n-octanol/water : log Pow: -1,07

thiabendazole (ISO):

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2,39 (20 °C)
pH: 7

Flutriafol:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 7
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2,29

1,2-benzisothiazol-3(2H)-one:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 56 d
Bioconcentration factor (BCF): 6,62
Method: OECD Test Guideline 305
Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).

Partition coefficient: n-octanol/water : log Pow: 0,7 (20 °C)
pH: 7

VINCIT® 050SC (БИЦИТ®050SC, KC)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50000696	Date of first issue: 22.10.2025

log Pow: 0,99 (20 °C)
pH: 5

12.4 Mobility in soil**Product:**

Distribution among environmental compartments : Remarks: No data is available on the product itself.

Components:**thiabendazole (ISO):**

Distribution among environmental compartments : Remarks: Low mobility in soil

Flutriafol:

Distribution among environmental compartments : Remarks: Moderately mobile in soils

Stability in soil : Remarks: Very persistent in soil.

1,2-benzisothiazol-3(2H)-one:

Distribution among environmental compartments : Koc: 9,33 ml/g, log Koc: 0,97
Method: OECD Test Guideline 121
Remarks: Highly mobile in soils

12.5 Results of PBT and vPvB assessment**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects**Product:**

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET



VINCIT® 050SC (БИЦИТ®050SC, КС)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50000696	Date of first issue: 22.10.2025

Components:

Flutriafol:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Do not re-use empty containers. Packaging that is not properly emptied must be disposed of as the unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

ADR	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

14.2 UN proper shipping name

ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (thiabendazol, Flutriafol)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (thiabendazol, Flutriafol)
IATA	: Environmentally hazardous substance, liquid, n.o.s. (thiabendazol, Flutriafol)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADR	: 9	
IMDG	: 9	
IATA	: 9	

SAFETY DATA SHEET



VINCIT® 050SC (ВИНЦИТ®050SC, KC)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50000696	Date of first issue: 22.10.2025

14.4 Packing group

ADR

Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)

IMDG

Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous

14.5 Environmental hazards

ADR

Environmentally hazardous	: yes
---------------------------	-------

IMDG

Marine pollutant	: yes
------------------	-------

IATA (Passenger)

Environmentally hazardous	: yes
---------------------------	-------

IATA (Cargo)

Environmentally hazardous	: yes
---------------------------	-------

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

VINCIT® 050SC (БИЦИТ®050SC, KC)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50000696	Date of first issue: 22.10.2025

The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information**Full text of H-Statements**

H302	: Harmful if swallowed.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H330	: Fatal if inhaled.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation

SAFETY DATA SHEET



VINCIT® 050SC (БИЦИТ®050SC, KC)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50000696	Date of first issue: 22.10.2025

UA OEL : Ukraine OEL - Order on Approval of the Hygienic Regulations of Chemicals in the Air of the Working Zone
UA OEL / MAC : Maximum allowable concentration

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information :

Classification of the mixture:

Aquatic Chronic 2 H411

Classification procedure:

Calculation method

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions

SAFETY DATA SHEET



VINCIT® 050SC (ВІНЦІТ®050SC, КС)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50000696	Date of first issue: 22.10.2025

and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

UA / 6N