

SAFETY DATA SHEET



ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version 1.0	Revision Date: 22.10.2025	SDS Number: 50002726	Date of last issue: - Date of first issue: 22.10.2025
----------------	------------------------------	-------------------------	--

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Other means of identification

Product code 50002726

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-stance/Mixture : Can be used as insecticide only.

Recommended restrictions on use : Use as recommended by the label.

1.3 Details of the supplier of the safety data sheet

Supplier Address

FMC Ukraine LLC
8 Illinska Street
04070 Kyiv
Ukraine

Telephone: Website: fmc.com.ua
E-mail address: SDS-Info@fmc.com, info@fmc.com.ua .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
Ukraine: 380-947101374 (CHEMTREC)

Medical emergency:
All other countries: +1 651 / 632-6793 (Collect)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Sub-category 1B H317: May cause an allergic skin reaction.

Short-term (acute) aquatic hazard, Category 1 H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 1 H410: Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET



ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:
P261 Avoid breathing mist or vapours.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Disposal:
P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)

SAFETY DATA SHEET



ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version 1.0 Revision Date: 22.10.2025 SDS Number: 50002726 Date of last issue: -
Date of first issue: 22.10.2025

Cyantraniliprole	736994-63-1	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 25 - < 30
calcium dodecylbenzenesulphonate	26264-06-2 247-557-8	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 4; H413	>= 1 - < 2,5
docusate sodium	577-11-7 209-406-4	Skin Irrit. 2; H315 Eye Dam. 1; H318	>= 1 - < 3
2-ethylhexan-1-ol	104-76-7 203-234-3	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system)	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
Wash contaminated clothing before re-use.
- In case of eye contact : Flush eyes with water as a precaution.

ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Do not induce vomiting without medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.
Immediate medical attention is required in case of ingestion.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : High volume water jet
Do not spread spilled material with high-pressure water streams.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
brominated compounds
Nitrogen oxides (NO_x)
Carbon oxides
Chlorinated compounds
Hydrogen chloride
Hydrogen cyanide
Hazardous combustion products
Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must

ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.
If it can be safely done, stop the leak.
Remove all sources of ignition.
Immediately evacuate personnel to safe areas.
Do not touch or walk through the spilled material.
Ensure adequate ventilation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Advice on safe handling : Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against : Normal measures for preventive fire protection.

SAFETY DATA SHEET



ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version 1.0 Revision Date: 22.10.2025 SDS Number: 50002726 Date of last issue: -
Date of first issue: 22.10.2025

fire and explosion

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. Avoid contact with skin, eyes and clothing. Do not inhale aerosol. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
tris(2-ethylhexyl) phosphate	78-42-2	MAC (Vapour)	0,1 mg/m3	UA OEL
Further information: Danger class 2				
2-ethylhexan-1-ol	104-76-7	MAC (aerosol)	10 mg/m3	UA OEL
Further information: Danger class 3				
		MAC (Vapour)	50 mg/m3	UA OEL
Further information: Danger class 4				
		TWA	1 ppm 5,4 mg/m3	2017/164/EU
Further information: Indicative				

SAFETY DATA SHEET



ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

8.2 Exposure controls

Personal protective equipment

- | | | |
|--------------------------|---|--|
| Eye/face protection | : | Eye wash bottle with pure water
Tightly fitting safety goggles |
| Hand protection | : | |
| Material | : | Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber. |
| Remarks | : | The suitability for a specific workplace should be discussed with the producers of the protective gloves. |
| Skin and body protection | : | Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place. |
| Respiratory protection | : | In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit. |
| Protective measures | : | Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use. |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | | |
|--|---|---|
| Physical state | : | liquid |
| Form | : | Liquid dispersion |
| Colour | : | off-white |
| Odour | : | Faint odour |
| Odour Threshold | : | No data available |
| pH | : | 4,59
Method: CIPAC MT 75.3
(1% solution in water) |
| Melting point/ range | : | No data available |
| Boiling point/boiling range | : | No data available |
| Evaporation rate | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapour pressure | : | No data available |
| Relative vapour density | : | No data available |

SAFETY DATA SHEET



ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

Relative density	:	
Density	:	1,053 g/cm3
Solubility(ies)	:	
Water solubility	:	dispersible
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	730 mPa.s (20 °C)
		6 rpm
		745 mPa.s (40 °C)
		6 rpm
Viscosity, kinematic	:	No data available
Explosive properties	:	
		Not explosive
Oxidizing properties	:	Non-oxidizing

9.2 Other information

Flammability (liquids)	:	No data available
Surface tension	:	37,9 mN/m, Regulation (EC) No. 440/2008, Annex, A.5
Molecular weight	:	Not applicable
Particle size	:	Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	Avoid extreme temperatures Avoid formation of aerosol. Protect from frost, heat and sunlight.
---------------------	---	---

10.5 Incompatible materials

Materials to avoid	:	Avoid strong acids, bases, and oxidizers
--------------------	---	--

10.6 Hazardous decomposition products

Stable under recommended storage conditions.

ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

Product:

- | | |
|---------------------------|--|
| Acute oral toxicity | : LD50 (Rat, female): > 5.000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: no mortality |
| Acute inhalation toxicity | : LC50: > 5,16 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality |
| Acute dermal toxicity | : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: no mortality |

Components:**Cyantraniliprole:**

- | | |
|---------------------------|--|
| Acute oral toxicity | : LD50 (Mouse, female): > 5.000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: no mortality

LD50 (Rat, female): > 5.000 mg/kg
Method: OECD Test Guideline 425
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: no mortality |
| Acute inhalation toxicity | : LC50 (Rat, male and female): > 5,2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: no mortality |

SAFETY DATA SHEET



ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

tion toxicity
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: no mortality

calcium dodecylbenzenesulphonate:

Acute oral toxicity : LD50 (Rat, male and female): 1.300 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: Not classified

Acute dermal toxicity : LD50 (Rat, male and female): > 2000 milligram per kilogram
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

docusate sodium:

Acute oral toxicity : LD50 (Rat, male and female): > 2.100 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit, male): > 10.000 mg/kg
Method: OECD Test Guideline 402

2-ethylhexan-1-ol:

Acute oral toxicity : LD50 (Rat, male): 2.047 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4,3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 3.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Assessment : Not classified as irritant

SAFETY DATA SHEET



ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

Method : OECD Test Guideline 404
Result : slight irritation

Components:

Cyantraniliprole:

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

calcium dodecylbenzenesulphonate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

docusate sodium:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

2-ethylhexan-1-ol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Method : OECD Test Guideline 405
Result : No eye irritation
Remarks : Minimal effects that do not meet the threshold for classification.

Remarks : Vapours may cause irritation to the eyes, respiratory system and the skin.

Components:

Cyantraniliprole:

Species : Rabbit
Assessment : Not classified as irritant
Method : OECD Test Guideline 405
Result : slight irritation
GLP : yes

SAFETY DATA SHEET



ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

calcium dodecylbenzenesulphonate:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irreversible effects on the eye
Remarks	:	Based on data from similar materials

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irreversible effects on the eye

docusate sodium:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Risk of serious damage to eyes.

2-ethylhexan-1-ol:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	The product is a skin sensitiser, sub-category 1B.

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Not a skin sensitizer.

Components:

Cyantraniliprole:

Test Type	:	Local lymph node test
Exposure routes	:	Dermal
Species	:	Mouse
Method	:	OECD Test Guideline 429
Result	:	Does not cause skin sensitisation.
GLP	:	yes

SAFETY DATA SHEET



ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

Test Type	: Maximisation Test
Exposure routes	: Dermal
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitisation.
GLP	: yes

Test Type	: Buehler Test
Exposure routes	: Dermal
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitisation.
GLP	: yes

calcium dodecylbenzenesulphonate:

Test Type	: Maximisation Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.
Remarks	: Based on data from similar materials

docusate sodium:

Exposure routes	: Skin contact
Species	: Humans
Result	: Does not cause skin sensitisation.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Genotoxicity in vitro	: Test Type: reverse mutation assay Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative
	Test Type: reverse mutation assay Test system: Escherichia coli Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative
	Test Type: Chromosome aberration test in vitro Test system: Human lymphocytes Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative

SAFETY DATA SHEET



ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative
GLP: yes

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay
Species: Rat (male and female)
Application Route: Oral
Exposure time: 90 d
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

docusate sodium:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Remarks: No data available

2-ethylhexan-1-ol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:**Cyantraniliprole:**

Species	: Rat, male
Application Route	: Ingestion
Exposure time	: 2 Years
NOAEL	: 200 ppm
Method	: OECD Test Guideline 453
Result	: negative

Species	: Rat, female
Application Route	: Ingestion
Exposure time	: 2 Years
NOAEL	: 2.000 ppm
Method	: OECD Test Guideline 453
Result	: negative

Species	: Mouse, male and female
Application Route	: Ingestion
Exposure time	: 18 month(s)
NOAEL	: 7.000 ppm
Method	: OECD Test Guideline 451
Result	: negative

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

calcium dodecylbenzenesulphonate:

Species	: Rat, male and female
Application Route	: Oral
Exposure time	: 720 d
NOAEL	: 250 mg/kg body weight
Result	: negative
Remarks	: Based on data from similar materials

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

2-ethylhexan-1-ol:

Species	: Rat
Application Route	: Oral
Exposure time	: 24 month(s)
Result	: negative

Reproductive toxicity

Based on available data, the classification criteria are not met.

ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

Components:**Cyantraniliprole:**

Effects on foetal development	:	Test Type: Pre-natal Species: Rat Application Route: Oral General Toxicity Maternal: NOAEL: 1.000 mg/kg bw/day Embryo-foetal toxicity: NOAEL: 1.000 mg/kg bw/day Method: OECD Test Guideline 414 Result: negative Test Type: Pre-natal Species: Rabbit Application Route: Oral General Toxicity Maternal: NOAEL: 25 mg/kg bw/day Embryo-foetal toxicity: NOAEL: 100 mg/kg bw/day Symptoms: Maternal effects Method: OECD Test Guideline 414 Result: negative
Reproductive toxicity - Assessment	:	Weight of evidence does not support classification for reproductive toxicity

calcium dodecylbenzenesulphonate:

Effects on fertility	:	Test Type: Fertility/early embryonic development Species: Rat, male and female Application Route: Ingestion General Toxicity - Parent: NOAEL: 400 mg/kg body weight Method: OECD Test Guideline 422 Result: negative
Effects on foetal development	:	Test Type: reproductive and developmental toxicity study Species: Rat Application Route: Ingestion General Toxicity Maternal: NOAEL: 300 mg/kg body weight Developmental Toxicity: NOAEL: 600 mg/kg body weight Method: OECD Test Guideline 422 Result: negative
Reproductive toxicity - Assessment	:	Weight of evidence does not support classification for reproductive toxicity

docosate sodium:

Effects on fertility	:	Test Type: reproductive and developmental toxicity study Species: Rat, male and female Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative
Effects on foetal development	:	Test Type: reproductive and developmental toxicity study Species: Rat Duration of Single Treatment: 6 - 15 d

SAFETY DATA SHEET



ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

Method: OECD Test Guideline 414
Result: Embryotoxic effects and adverse effects on the off-spring were detected only at high maternally toxic doses

2-ethylhexan-1-ol:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: negative

STOT - single exposure

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

2-ethylhexan-1-ol:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Cyantraniliprole:

Species : Rat
NOAEL : > 1.000 mg/kg
Application Route : Oral
Exposure time : 28 Days
Method : OECD Test Guideline 407
Symptoms : increased liver weight
Remarks : Based on available data, the classification criteria are not met.

Species : Rat, male and female
NOAEL : 6,9 - 168 mg/kg bw/day
Application Route : Ingestion
Exposure time : 90 Days
Method : OPPTS 870.3100
Remarks : Effects are of limited toxicological significance.

SAFETY DATA SHEET



ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

Species : Mouse, male and female
NOAEL : 1091,8 mg/kg bw/day
Application Route : Ingestion
Exposure time : 90 Days
Method : OPPTS 870.3100
Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female
NOAEL : 3,08 - 3,48 mg/kg bw/day
Application Route : Ingestion
Exposure time : 90 Days
Method : OPPTS 870.3150
Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female
NOAEL : 8,3 - 106,6 mg/kg bw/day
Application Route : Ingestion
Exposure time : 2 yr
Method : OPPTS 870.4300
Remarks : Effects are of limited toxicological significance.

Species : Mouse, male and female
NOAEL : 768,8 - 903,8 mg/kg bw/day
Application Route : Ingestion
Exposure time : 18 Months
Method : OPPTS 870.4200
Remarks : Effects are of limited toxicological significance.

Species : Dog, male and female
NOAEL : 5,67 - 6 mg/kg bw/day
Application Route : Ingestion
Exposure time : 1 yr
Method : OPPTS 870.4100
Remarks : Effects are of limited toxicological significance.

Species : Rat, male and female
NOAEL : 1000 mg/kg
Application Route : Dermal
Exposure time : 28 Days
Method : OECD Test Guideline 410
GLP : yes
Symptoms : Irritation
Remarks : Effects are of limited toxicological significance.

calcium dodecylbenzenesulphonate:

Species : Rat, male and female
NOAEL : 85 mg/kg
LOAEL : 145 mg/kg
Application Route : Oral
Exposure time : 9 Months
Remarks : Based on data from similar materials

SAFETY DATA SHEET



ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

Species	: Rat, male
LOAEL	: 286 mg/kg
Application Route	: Skin contact
Exposure time	: 15 Days
Remarks	: Based on data from similar materials

Species	: Rat, male and female
NOAEL	: 100 mg/kg bw/day
LOAEL	: 200 mg/kg bw/day
Application Route	: Oral - gavage
Exposure time	: 28 - 54 Days
Method	: OECD Test Guideline 422
Remarks	: Based on data from similar materials

docusate sodium:

Species	: Rat, male and female
NOAEL	: 750 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Method	: OECD Test Guideline 408

2-ethylhexan-1-ol:

Species	: Rat
	: 250 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Method	: OECD Test Guideline 408

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

Cyantraniliprole:

The substance does not have properties associated with aspiration hazard potential.

Neurological effects

Components:

Cyantraniliprole:

No neurotoxicity observed in animal studies

Further information

Product:

Remarks	: No data available
---------	---------------------

ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

SECTION 12: Ecological information**12.1 Toxicity****Product:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 53 mg/l
Exposure time: 96 h
Test Type: Static renewal test
Method: OECD Test Guideline 203
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,096 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes
- Toxicity to algae/aquatic plants : EyC50 (Raphidocelis subcapitata (freshwater green alga)): ca. 6,6 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 201
GLP: yes
- Toxicity to terrestrial organisms : LD50: > 750 mg/kg
End point: Acute oral toxicity
Species: Colinus virginianus (Bobwhite quail)
Method: OECD Test Guideline 223
GLP:yes
- LD50: 0,59 µg/bee
Exposure time: 48 d
End point: Acute oral toxicity
Species: Apis mellifera L.
Method: OECD Test Guideline 213
- LD50: 1,06 µg/bee
Exposure time: 48 d
End point: Acute contact toxicity
Species: Apis mellifera L.
Method: OECD Test Guideline 214
- ER50: > 1000 g/ha
Species: Typhlodromus pyri.
- LR50: > 1000 g/ha
Species: Typhlodromus pyri.

Components:**Cyantraniliprole:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 12,6 mg/l
Exposure time: 96 h

SAFETY DATA SHEET



ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

Method: US EPA Test Guideline OPP 72-1
GLP: yes

LC50 (*Ictalurus punctatus* (channel catfish)): > 10 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0,0204 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): > 13 mg/l
Exposure time: 72 h

ErC50 (*Lemna gibba* (duckweed)): 0,278 mg/l
Exposure time: 7 d

EyC50 (*Lemna gibba* (duckweed)): 0,060 mg/l
Exposure time: 7 d

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 2,9 mg/l
Exposure time: 28 d
Species: *Cyprinodon variegatus* (sheepshead minnow)

NOEC: 0,11 mg/l
Exposure time: 21 d
Species: *Oncorhynchus mykiss* (rainbow trout)

NOEC: 1,01 mg/l
Exposure time: 90 d
Species: *Oncorhynchus mykiss* (rainbow trout)
Test Type: Early Life-Stage
Method: US EPA Test Guideline OPP 72-4
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,00656 mg/l
End point: Growth
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)
Test Type: Static-Renewal
Method: US EPA Test Guideline OPPTS 850.1300
GLP: yes

LOEC: 0,00969 mg/l
End point: Growth
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)
Test Type: Static-Renewal
Method: US EPA Test Guideline OPPTS 850.1300
GLP: yes

NOEC: 0,00447 mg/l

SAFETY DATA SHEET



ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

Exposure time: 21 d
Species: Daphnia magna (Water flea)

NOEC: 0,72 mg/l
End point: reproduction
Exposure time: 35 d
Species: Americamysis bahia (mysid shrimp)
Test Type: flow-through test
Method: US EPA Test Guideline OPP 72-4
GLP: yes

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : NOEC: 1.000 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 222
GLP:yes

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on carbon mineralization.

Toxicity to terrestrial organisms : LD50: > 0,0934 µg/bee
Exposure time: 72 h
End point: Acute contact toxicity
Species: Apis mellifera (bees)
Method: OECD Test Guideline 214
GLP:yes

LD50: > 0,1055 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Species: Apis mellifera (bees)
Method: OECD Test Guideline 213
GLP:yes

LD50: > 2.250 mg/kg
End point: Acute oral toxicity
Species: Colinius virginianus
Method: US EPA Test Guideline OPPTS 850.2100
GLP:yes

NOEC: 1.000 ppm
End point: Reproduction Test
Species: Anas platyrhynchos (Mallard duck)
Method: OECD Test Guideline 206

ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

GLP:yes

calcium dodecylbenzenesulphonate:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials
- LC50 (Pimephales promelas (fathead minnow)): 4,6 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3,5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials
- Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 7,9 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- EC50 (Pseudokirchneriella subcapitata (green algae)): 65,4 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- Toxicity to microorganisms : EC50 (activated sludge): 500 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1,65 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Remarks: Based on data from similar materials
- NOEC: 1,18 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Remarks: Based on data from similar materials
- Toxicity to soil dwelling organisms : LC50: 1.000 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207
- Toxicity to terrestrial organisms : LD50: 1.356 mg/kg
Exposure time: 14 d
Species: Colinus virginianus (Bobwhite quail)
Method: OECD Test Guideline 223

ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

Ecotoxicology Assessment

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

docusate sodium:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 49 mg/l
Exposure time: 96 h
Method: Regulation (EC) No. 440/2008, Annex, C.1

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 15,2 mg/l
Exposure time: 48 h
Method: Regulation (EC) No. 440/2008, Annex, C.2

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 82,5 mg/l
Exposure time: 72 h
Method: Regulation (EC) No. 440/2008, Annex, C.3

Toxicity to microorganisms : EC50 (Pseudomonas putida): 164 mg/l
Exposure time: 16,5 h
Method: DIN 38 412 Part 8

EC10 (Pseudomonas putida): 122 mg/l
Exposure time: 16,5 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 9 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

2-ethylhexan-1-ol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 17,1 - 28,2 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 39 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC10 (Desmodesmus subspicatus (green algae)): 3,2 mg/l
Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): 11,5 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50 (Anabaena flos-aquae (cyanobacterium)): 16,6 mg/l
Exposure time: 72 h

12.2 Persistence and degradability**Product:**

Biodegradability : Remarks: No data is available on the product itself.

SAFETY DATA SHEET



ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

Components:

Cyantraniliprole:

Biodegradability	:	Remarks: Not readily biodegradable.
Stability in water	:	Degradation half life (DT50): 9,09 - 37,7 d Remarks: Fresh water Degradation half life (DT50): 76,6 - 119 d Remarks: Soil Degradation half life (DT50): 22,8 - 25,1 d Remarks: total system

calcium dodecylbenzenesulphonate:

Biodegradability	:	Result: Readily biodegradable. Method: OECD Test Guideline 301E
------------------	---	--

docosate sodium:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 91 % Exposure time: 28 d
------------------	---	---

2-ethylhexan-1-ol:

Biodegradability	:	Result: Readily biodegradable.
------------------	---	--------------------------------

12.3 Bioaccumulative potential

Product:

Bioaccumulation	:	Remarks: No data is available on the product itself.
-----------------	---	--

Components:

Cyantraniliprole:

Bioaccumulation	:	Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): < 1 Remarks: Bioaccumulation is unlikely.
Partition coefficient: n-octanol/water	:	log Pow: 1,97 (22 °C) pH: 4 log Pow: 2,07 (22 °C) pH: 7 log Pow: 1,74 (22 °C) pH: 9

calcium dodecylbenzenesulphonate:

Bioaccumulation	:	Species: Fish Bioconcentration factor (BCF): 70,79
-----------------	---	---

SAFETY DATA SHEET



ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version 1.0	Revision Date: 22.10.2025	SDS Number: 50002726	Date of last issue: - Date of first issue: 22.10.2025
----------------	------------------------------	-------------------------	--

Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4,77 (25 °C)

docusate sodium:

Bioaccumulation : Remarks: Not applicable

Partition coefficient: n-octanol/water : log Pow: 1,998 (20 °C)

2-ethylhexan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 2,9 (25 °C)

12.4 Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data is available on the product itself.

Components:

Cyantraniliprole:

Distribution among environmental compartments : Koc: 241 ml/g, log Koc: 2,38
Kd: 3,73 ml/g
Remarks: Mobile in soils

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET



ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

Components:

Cyantraniliprole:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

ADR : UN 3082
IMDG : UN 3082
IATA : UN 3082

14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Cyantraniliprole)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Cyantraniliprole)

IATA : Environmentally hazardous substance, liquid, n.o.s.
(Cyantraniliprole)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADR	: 9	

SAFETY DATA SHEET



ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

IMDG : 9

IATA : 9

14.4 Packing group

ADR

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADR

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****The components of this product are reported in the following inventories:**

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains chemical substance(s) exempt from CEPA DSL Inventory requirements. It is regulated as a pesticide subject to Pest Control Products Act (PCPA) requirements. Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture.

SECTION 16: Other information**Full text of H-Statements**

H302	: Harmful if swallowed.
H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H335	: May cause respiratory irritation.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET



ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

H413 : May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Skin Irrit.	: Skin irritation
STOT SE	: Specific target organ toxicity - single exposure
2017/164/EU	: Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
UA OEL	: Ukraine OEL - Order on Approval of the Hygienic Regulations of Chemicals in the Air of the Working Zone
2017/164/EU / TWA	: Limit Value - eight hours
UA OEL / MAC	: Maximum allowable concentration

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information :

SAFETY DATA SHEET



ZEDELIS™, OD(ЦЕДЕЛІС™, МД)

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	22.10.2025	50002726	Date of first issue: 22.10.2025

Classification of the mixture:

Skin Sens. 1B	H317
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment
Based on product data or assessment
Calculation method

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

UA / 6N