

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIVATE 6 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09.03.2026	50003159	Date of first issue: 09.03.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name ALTIVATE 6 WG

Other means of identification

Product code 50003159

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Herbicide

Recommended restrictions on use : Use as recommended by the label.
For professional users only.

1.3 Details of the supplier of the safety data sheet

Supplier Address

Cheminova Deutschland GmbH & Co. KG
Stader Elbstrasse 26
21683 Stade
Germany

Telephone: +49 (0) 4141 9204 0
Telefax: +45 (0) 4141 9204 206
E-mail address: datenblatt@fmc.com, SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
Germany: +49-69643508409 (CHEMTREC)
0800-181-7059 (CHEMTREC)

Medical emergency:
Germany: +49 (0) 551 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIVATE 6 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09.03.2026	50003159	Date of first issue: 09.03.2026

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Response:**
P391 Collect spillage.

Disposal:

P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

Additional Labelling

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Mefenpyr-diethyl	135590-91-9	Aquatic Chronic 2;	>= 10 - < 20

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIVATE 6 WG

Version 1.0 Revision Date: 09.03.2026 SDS Number: 50003159 Date of last issue: -
Date of first issue: 09.03.2026

		H411	
mesosulfuron-methyl (ISO)	208465-21-8 607-729-00-9	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 2,5 - < 10
sodium carbonate	497-19-8 207-838-8 011-005-00-2	Eye Irrit. 2; H319	>= 1 - < 10
Substances with a workplace exposure limit :			
kaolin	1332-58-7 310-194-1		>= 70 - < 90

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
Call a doctor immediately if allergic signs, particularly in the respiratory tract, are observed.
- If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention if irritation develops and persists.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIVATE 6 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09.03.2026	50003159	Date of first issue: 09.03.2026

If swallowed : Keep respiratory tract clear.
Rinse mouth with water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Do not induce vomiting without medical advice.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.
Immediate medical attention is required in case of ingestion.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam
Dry chemical
Carbon dioxide (CO₂)
Water spray

Unsuitable extinguishing media : High volume water jet
Do not spread spilled material with high-pressure water streams.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Carbon dioxide (CO₂)
Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid dust formation.
Use personal protective equipment.
If it can be safely done, stop the leak.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIVATE 6 WG

Version 1.0	Revision Date: 09.03.2026	SDS Number: 50003159	Date of last issue: - Date of first issue: 09.03.2026
----------------	------------------------------	-------------------------	--

Keep people away from and upwind of spill/leak.
Remove all sources of ignition.
Ensure adequate ventilation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.
Pick up and transfer to properly labeled containers without creating dust.
Use mechanical handling equipment.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed. During processing, dust may form explosive mixture in air. Avoid dust formation. Keep away from heat and sources of ignition. Take measures to prevent the build up of electrostatic charge.

Hygiene measures : Wash hands before breaks and at the end of workday. Avoid contact with skin, eyes and clothing. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re-sealed and kept upright to prevent leakage. Electrical installa-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIVATE 6 WG

Version 1.0 Revision Date: 09.03.2026 SDS Number: 50003159 Date of last issue: -
Date of first issue: 09.03.2026

tions / working materials must comply with the technological safety standards.

Further information on storage conditions : Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Storage class (TRGS 510) : 13

Recommended storage temperature : 0 - 25 °C

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
	Further information: Substances that cause concern that they could be carcinogenic for man but cannot be assessed conclusively because of lack of data			
kaolin	1332-58-7	TWA (Respirable dust)	0,1 mg/m ³	2004/37/EC
	Further information: Carcinogens or mutagens			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Mefenpyr-diethyl	Workers	Inhalation	Long-term systemic effects	7 mg/m ³
	Workers	Dermal	Long-term systemic effects	6 mg/kg
	Consumers	Inhalation	Long-term systemic effects	3 mg/kg
	Consumers	Dermal	Long-term systemic effects	3 mg/kg
sodium carbonate	Workers	Inhalation	Long-term local effects	10 mg/m ³

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIVATE 6 WG

Version 1.0 Revision Date: 09.03.2026 SDS Number: 50003159 Date of last issue: -
Date of first issue: 09.03.2026

	Consumers	Inhalation	Acute local effects	10 mg/m3
--	-----------	------------	---------------------	----------

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Mefenpyr-diethyl	Fresh water	0,01 mg/l
	Marine water	0,001 mg/l
	Fresh water sediment	0,384 mg/kg
	Sewage treatment plant	10 mg/l
	Intermittent use (freshwater)	0,024 mg/l

8.2 Exposure controls

Personal protective equipment

- Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Equipment should conform to EN 166
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.
Directive : Equipment should conform to EN 374
- Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Preventive skin protection
- Respiratory protection : In case of dust exposure wear suitable personal respiratory protection and protective suit.
Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
- Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper instructions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
- In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Physical state : solid
Colour : beige
Odour : No data available
Odour Threshold : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIVATE 6 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09.03.2026	50003159	Date of first issue: 09.03.2026

Melting point/freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability	:	Not classified as a flammability hazard Method: EEC A.10
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	No data available
pH	:	ca. 8,7 (20 °C) Concentration: 1 % Method: CIPAC MT 75.3 (as aqueous solution)
Viscosity	:	
Viscosity, kinematic	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Density	:	No data available
Bulk density	:	ca. 0,776 g/cm ³ (20 °C) Method: CIPAC MT 186 Tap density ca. 0,858 g/cm ³ (20 °C) Method: CIPAC MT 186
Relative vapour density	:	Not applicable
Particle characteristics	:	
Assessment	:	No data available
Particle size	:	No data available

9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	Non-oxidizing Method: Directive 67/548/EEC, Annex V, A.17.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No hazardous reactions when stored and handled according to prescribed instructions.
---------------------	---	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIVATE 6 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09.03.2026	50003159	Date of first issue: 09.03.2026

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers

10.6 Hazardous decomposition products

No decomposition if used as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Components:

Mefenpyr-diethyl:

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC0 (Rat, male and female): > 1,32 mg/l
Exposure time: 4 Hour
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat, male and female): > 4.000 mg/kg
Method: OECD Test Guideline 402

sodium carbonate:

Acute oral toxicity : LD50 (Rat, male and female): 2.800 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): 2,3 mg/l
Exposure time: 2 Hour
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Target Organs: Skin
Symptoms: Erythema

kaolin:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401

LD50: > 2.000 mg/kg
Method: OECD Test Guideline 420
Assessment: The substance or mixture has no acute oral tox-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIVATE 6 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09.03.2026	50003159	Date of first issue: 09.03.2026

icity

Acute inhalation toxicity : LC50: 5,07 mg/l
Exposure time: 4 Hour
Test atmosphere: dust/mist
Method: OECD Test Guideline 436

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

LD50: > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : human skin
Method : OECD Test Guideline 439
Result : No skin irritation

Components:

Mefenpyr-diethyl:

Species : Rabbit
Exposure time : 4 Hour
Method : OECD Test Guideline 404
Result : No skin irritation

sodium carbonate:

Species : Rabbit
Exposure time : 4 Hour
Method : OECD Test Guideline 404
Result : No skin irritation

kaolin:

Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Bovine cornea
Method : OECD Test Guideline 437
Result : No eye irritation

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIVATE 6 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09.03.2026	50003159	Date of first issue: 09.03.2026

Components:

Mefenpyr-diethyl:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: No eye irritation

sodium carbonate:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days

kaolin:

Method	: OECD Test Guideline 405
Result	: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Components:

Mefenpyr-diethyl:

Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.

kaolin:

Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitisation.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

Mefenpyr-diethyl:

Genotoxicity in vitro	: Test Type: reverse mutation assay Test system: Escherichia coli Method: OECD Test Guideline 471 Result: negative
	Test Type: reverse mutation assay Test system: Escherichia coli Method: OECD Test Guideline 472 Result: negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIVATE 6 WG

Version 1.0	Revision Date: 09.03.2026	SDS Number: 50003159	Date of last issue: - Date of first issue: 09.03.2026
----------------	------------------------------	-------------------------	--

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster lung cells
Method: OECD Test Guideline 473
Result: negative

Test Type: gene mutation test
Test system: Chinese hamster lung cells
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative

sodium carbonate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

kaolin:

Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Remarks: No data available

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

sodium carbonate:

Effects on foetal development : Species: Rat
Application Route: Oral
Dose: 2.45, 11.4, 52.9, 245 milligram per kilogram
Duration of Single Treatment: 6 - 15 Day
General Toxicity Maternal: NOAEL: > 245 mg/kg body weight
Teratogenicity: NOAEL: > 245 mg/kg body weight
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for repro-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIVATE 6 WG

Version 1.0	Revision Date: 09.03.2026	SDS Number: 50003159	Date of last issue: - Date of first issue: 09.03.2026
----------------	------------------------------	-------------------------	--

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to algae/aquatic plants : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): 1,14 mg/l
Exposure time: 72 Hour
Method: OECD Test Guideline 201

ErC50 (*Navicula pelliculosa* (Diatom)): 1,92 mg/l
Exposure time: 72 Hour
Method: OECD Test Guideline 201

NOEC (*Lemna gibba* (duckweed)): 0,02 mg/l
Exposure time: 7 Day
Method: OECD Test Guideline 221

Components:

Mefenpyr-diethyl:

Toxicity to fish : LC50 (*Cyprinus carpio* (Carp)): 2,4 mg/l
Exposure time: 96 Hour
Test Type: static test
Method: OECD Test Guideline 203

LC50 (*Oncorhynchus mykiss* (rainbow trout)): 4,2 mg/l
Exposure time: 96 Hour

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 5,9 mg/l
Exposure time: 48 Hour
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l
Exposure time: 3 Hour
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 0,1 mg/l
Exposure time: 28 Day

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIVATE 6 WG

Version 1.0	Revision Date: 09.03.2026	SDS Number: 50003159	Date of last issue: - Date of first issue: 09.03.2026
----------------	------------------------------	-------------------------	--

Species: Oncorhynchus mykiss (rainbow trout)
Test Type: flow-through test
Method: OECD Test Guideline 215

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,32 mg/l
Exposure time: 21 Day
Species: Daphnia magna (Water flea)
Test Type: semi-static test

Toxicity to soil dwelling organisms : LC50: > 1.000 mg/kg
Exposure time: 14 Day
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : NOEC: 106 mg/kg
Exposure time: 6 Weeks
Species: Coturnix japonica (Japanese quail)
Method: OECD Test Guideline 206

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

mesosulfuron-methyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 Hour

M-Factor (Acute aquatic toxicity) : 100

M-Factor (Chronic aquatic toxicity) : 100

sodium carbonate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 300 mg/l
Exposure time: 96 Hour
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia (water flea)): 200 mg/l
Exposure time: 48 Hour
Test Type: semi-static test

kaolin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 Hour
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1.000 mg/l
Exposure time: 48 Hour
Method: OECD Test Guideline 202

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIVATE 6 WG

Version 1.0	Revision Date: 09.03.2026	SDS Number: 50003159	Date of last issue: - Date of first issue: 09.03.2026
----------------	------------------------------	-------------------------	--

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l
Exposure time: 72 Hour
Method: OECD Test Guideline 201

Toxicity to microorganisms : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: No data available

12.2 Persistence and degradability

Components:

Mefenpyr-diethyl:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge, non-adapted
Result: Not readily biodegradable.
Biodegradation: 2,5 %
Exposure time: 42 Day
Method: OECD Test Guideline 301B

mesosulfuron-methyl (ISO):

Biodegradability : Result: Not rapidly biodegradable

sodium carbonate:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

kaolin:

Biodegradability : Remarks: The methods for determining biodegradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Components:

Mefenpyr-diethyl:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Exposure time: 28 Day
Concentration: 0,01 mg/l
Bioconcentration factor (BCF): 196
Method: OECD Test Guideline 305
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : Pow: 6.783 (21 °C)
pH: 6,3

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIVATE 6 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09.03.2026	50003159	Date of first issue: 09.03.2026

mesosulfuron-methyl (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

sodium carbonate:

Bioaccumulation : Remarks: Does not bioaccumulate.

kaolin:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : Remarks: Not applicable

12.4 Mobility in soil

Components:

Mefenpyr-diethyl:

Distribution among environmental compartments : Remarks: Slightly mobile in soils

mesosulfuron-methyl (ISO):

Distribution among environmental compartments : Remarks: Moderately mobile in soils

kaolin:

Distribution among environmental compartments : Remarks: Low mobility in soil

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIVATE 6 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09.03.2026	50003159	Date of first issue: 09.03.2026

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 3077
ADR	: UN 3077
RID	: UN 3077
IMDG	: UN 3077
IATA	: UN 3077

14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Mesosulfuron-methyl, Mefenpyr-diethyl)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Mesosulfuron-methyl, Mefenpyr-diethyl)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Mesosulfuron-methyl, Mefenpyr-diethyl)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Mesosulfuron-methyl, Mefenpyr-diethyl)
IATA	: Environmentally hazardous substance, solid, n.o.s. (Mesosulfuron-methyl, Mefenpyr-diethyl)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIVATE 6 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09.03.2026	50003159	Date of first issue: 09.03.2026

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADN	
Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9
ADR	
Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)
RID	
Packing group	: III
Classification Code	: M7
Hazard Identification Number	: 90
Labels	: 9
IMDG	
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
IATA (Cargo)	
Packing instruction (cargo aircraft)	: 956
Packing instruction (LQ)	: Y956
Packing group	: III
Labels	: Miscellaneous
IATA (Passenger)	
Packing instruction (passenger aircraft)	: 956
Packing instruction (LQ)	: Y956
Packing group	: III
Labels	: Miscellaneous

14.5 Environmental hazards

ADN	
Environmentally hazardous	: yes
ADR	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIVATE 6 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09.03.2026	50003159	Date of first issue: 09.03.2026

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the following entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your vendor.
--	---	--

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Not applicable
---	---	----------------

Regulation (EU) No 2024/590 on substances that deplete the ozone layer	:	Not applicable
--	---	----------------

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
---	---	----------------

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	:	Not applicable
--	---	----------------

REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
---	---	----------------

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving	E1	ENVIRONMENTAL HAZARDS
---	----	-----------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIVATE 6 WG

Version 1.0	Revision Date: 09.03.2026	SDS Number: 50003159	Date of last issue: - Date of first issue: 09.03.2026
----------------	------------------------------	-------------------------	--

dangerous substances.

Water hazard class (Germany)	:	WGK 3 highly hazardous to water Classification according to AwSV, Annex 1 (5.2)
TA Luft List (Germany)	:	5.2.1: Total dust: Not applicable 5.2.2: Inorganic substances in powdered form: Not applicable 5.2.4: Inorganic substances in gaseous form: Not applicable 5.2.5: Organic Substances: Not applicable 5.2.7.1.1: Carcinogenic substance: Not applicable 5.2.7.1.1: Quartz fine dust PM4: Not applicable 5.2.7.1.1: Formaldehyde: Not applicable 5.2.7.1.1: fibres: Not applicable 5.2.7.1.2: Germ cell mutagens: Not applicable 5.2.7.1.3: Substances toxic to reproduction: Not applicable 5.2.7.2: Poorly degradable, easily enrichable and highly toxic organic substances: Not applicable

The components of this product are reported in the following inventories:

TCSI	:	Not in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	Not in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL. Mefenpyr-diethyl mesosulfuron-methyl (ISO)
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIVATE 6 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09.03.2026	50003159	Date of first issue: 09.03.2026

IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H319	:	Causes serious eye irritation.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Irrit.	:	Eye irritation
2004/37/EC	:	Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens, mutagens or reprotoxic substances at work - Annex III
2004/37/EC / TWA	:	Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



ALTIVATE 6 WG

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	09.03.2026	50003159	Date of first issue: 09.03.2026

tative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Aquatic Chronic 1 H410

Classification procedure:

Based on product data or assessment

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2026 FMC Corporation. All Rights Reserved.

DE / 6N