

SAFETY DATA SHEET

FERTERRA® 0.4 GR Insecticide



Version 1.1	Revision Date: 2025/09/17	SDS Number: 50000063	Date of last issue: - Date of first issue: 2020/06/20
----------------	------------------------------	-------------------------	--

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : FERTERRA® 0.4 GR Insecticide

Recommended use of the chemical and restrictions on use

Recommended use : Can be used as insecticide only.

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : PT BINA GUNA KIMIA

Address : WISMA KODEL LANTAI 10 JALAN HR.RASUNA
SAID,KAV.B-4,KEL.SETIA BUDI,
KEC.SETIABUDI,
KOTA ADM. JAKARTA SELATAN,PROV.DKI JAKAR
Indonesia

Telephone : +62 21-50890890

E-mail address : SDS-Info@fmc.com

Emergency telephone : For leak, fire, spill or accident emergencies, call:
001-803-017-9114 (CHEMTREC)
1 703 / 741-5970 (CHEMTREC - International)

Medical emergency:
0800 140 1447

2. HAZARDS IDENTIFICATION

GHS Classification

Long-term (chronic) aquatic hazard : Category 2

GHS label elements

Hazard pictograms :



Signal Word : None

Hazard Statements : H411 Toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET



FERTERRA® 0.4 GR Insecticide

Version 1.1 Revision Date: 2025/09/17 SDS Number: 50000063 Date of last issue: -
Date of first issue: 2020/06/20

Precautionary Statements : **Prevention:**
P273 Avoid release to the environment.
Response:
P391 Collect spillage.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Chlorantraniliprole	500008-45-7	0,4
Talc (Mg ₃ H ₂ (SiO ₃) ₄)	14807-96-6	< 10
Quartz (SiO ₂)	14808-60-7	>= 70 -< 90

4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and plenty of water.

In case of eye contact : Remove contact lenses.
Protect unharmed eye.
If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : None known.

Notes to physician : Treat symptomatically.

FERTERRA® 0.4 GR Insecticide

Version 1.1	Revision Date: 2025/09/17	SDS Number: 50000063	Date of last issue: - Date of first issue: 2020/06/20
----------------	------------------------------	-------------------------	--

5. FIRE-FIGHTING MEASURES

- | | |
|--|---|
| Suitable extinguishing media | : Water spray
Foam
Carbon dioxide (CO ₂)
Dry chemical |
| Unsuitable extinguishing media | : High volume water jet
Do not spread spilled material with high-pressure water streams. |
| Specific hazards during fire fighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : No hazardous combustion products are known |
| Specific extinguishing methods | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for fire-fighters | : Wear self-contained breathing apparatus for firefighting if necessary. |

6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|--|
| Personal precautions, protective equipment and emergency procedures | : Avoid dust formation.
Use personal protective equipment.
Refer to protective measures listed in sections 7 and 8. |
| Environmental precautions | : Prevent product from entering drains.
If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up | : Pick up and arrange disposal without creating dust.
Keep in suitable, closed containers for disposal. |

7. HANDLING AND STORAGE

- | | |
|---|--|
| Advice on protection against fire and explosion | : Provide appropriate exhaust ventilation at places where dust is formed. |
| Advice on safe handling | : For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area. |
| Conditions for safe storage | : Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards. |

SAFETY DATA SHEET



FERTERRA® 0.4 GR Insecticide

Version 1.1	Revision Date: 2025/09/17	SDS Number: 50000063	Date of last issue: - Date of first issue: 2020/06/20
----------------	------------------------------	-------------------------	--

Materials to avoid : No materials to be especially mentioned.

Further information on storage stability : No decomposition if stored and applied as directed.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Quartz (SiO ₂)	14808-60-7	NAB (Respirable particulate matter)	0,025 mg/m ³	ID OEL
		Further information: Suspected human carcinogen		
		TWA (Respirable particulate matter)	0,025 mg/m ³ (Silica)	ACGIH
Talc (Mg ₃ H ₂ (SiO ₃) ₄)	14807-96-6	NAB	0,1 fibres per millilitre	ID OEL
		Further information: Confirmed human carcinogen		
		NAB (Respirable particulate matter)	2 mg/m ³	ID OEL
		Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals		
		TWA	0,1 fibres per cubic centimeter	ACGIH
		TWA (Respirable particulate matter)	2 mg/m ³	ACGIH

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Eye protection : Safety glasses

Skin and body protection : Protective suit

Protective measures : Always have on hand a first-aid kit, together with proper instructions.

SAFETY DATA SHEET

FERTERRA® 0.4 GR Insecticide



Version 1.1	Revision Date: 2025/09/17	SDS Number: 50000063	Date of last issue: - Date of first issue: 2020/06/20
----------------	------------------------------	-------------------------	--

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: solid
Form	: granules
Color	: blue green
Odor	: none
pH	: 4 - 8 (aqueous suspension)
Melting point/freezing point	: Not available for this mixture.
Boiling point/boiling range	: Not applicable
Flash point	: Not applicable
Flammability (solid, gas)	: The product is not flammable.
Density	: 1,3 g/cm ³
Partition coefficient: n-octanol/water	: Not applicable
Viscosity Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: The product is not oxidizing.

10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reac-	: Stable under recommended storage conditions.

SAFETY DATA SHEET



FERTERRA® 0.4 GR Insecticide

Version 1.1	Revision Date: 2025/09/17	SDS Number: 50000063	Date of last issue: - Date of first issue: 2020/06/20
----------------	------------------------------	-------------------------	--

tions	No hazards to be specially mentioned.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Strong bases Strong oxidizing agents Strong acids
Hazardous decomposition products	: Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	: LD50 (Rat, female): > 5.000 mg/kg Method: OECD Test Guideline 425
Acute inhalation toxicity	: LC50 (Rat, male and female): > 5,1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rat, male and female): > 5.000 mg/kg Method: OECD Test Guideline 402

Components:

Chlorantraniliprole:

Acute oral toxicity	: LD50 (Rat, female): > 5.000 mg/kg Method: OECD Test Guideline 425 GLP: yes Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: LC50 (Rat, male and female): > 5,1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes Assessment: The substance or mixture has no acute inhalation toxicity Remarks: Information source: Internal study report
Acute dermal toxicity	: LD50 (Rat, male and female): > 5.000 mg/kg Method: OECD Test Guideline 402 GLP: yes Assessment: The substance or mixture has no acute dermal

SAFETY DATA SHEET



FERTERRA® 0.4 GR Insecticide

Version 1.1	Revision Date: 2025/09/17	SDS Number: 50000063	Date of last issue: - Date of first issue: 2020/06/20
----------------	------------------------------	-------------------------	--

toxicity

Remarks: Information source: Internal study report

Talc ($\text{Mg}_3\text{H}_2(\text{SiO}_3)_4$):

Acute oral toxicity : LD₀ (Rat, male): > 5.000 mg/kg
Method: OECD Test Guideline 423
Remarks: no mortality

Acute inhalation toxicity : LC₀ (Rat, male and female): > 2,1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: no mortality

Acute dermal toxicity : LD₀ (Rat, male and female): > 2.000 mg/kg
Method: OECD Test Guideline 402
Remarks: no mortality

Quartz (SiO_2):

Acute oral toxicity : LD₅₀ (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC₅₀ (Rat): > 5,01 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 436
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: Based on data from similar materials

Acute dermal toxicity : LD₅₀ (Rabbit): > 2.000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Components:

Chlorantraniliprole:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes
Remarks : Information source: Internal study report

SAFETY DATA SHEET



FERTERRA® 0.4 GR Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/17	50000063	Date of first issue: 2020/06/20

Talc (Mg₃H₂(SiO₃)₄):

Species	: reconstructed human epidermis (RhE)
Result	: No skin irritation

Quartz (SiO₂):

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
Remarks	: Based on data from similar materials

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

Components:

Chlorantraniliprole:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405
GLP	: yes
Remarks	: Information source: Internal study report

Talc (Mg₃H₂(SiO₃)₄):

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

Quartz (SiO₂):

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405
Remarks	: Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Product:

Test Type	: Local lymph node assay (LLNA)
Species	: mice
Method	: OECD Test Guideline 429

SAFETY DATA SHEET



FERTERRA® 0.4 GR Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/17	50000063	Date of first issue: 2020/06/20

Result : Not a skin sensitizer.

Components:

Chlorantraniliprole:

Test Type : Maximization Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitization.
GLP : yes
Remarks : Information source: Internal study report

Test Type : Local lymph node assay (LLNA)
Species : mice
Method : OECD Test Guideline 429
Result : Does not cause skin sensitization.

Talc (Mg₃H₂(SiO₃)₄):

Test Type : Maximization Test
Routes of exposure : Dermal
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitization.

Routes of exposure : Inhalation
Species : Rat
Result : Does not cause respiratory sensitization.

Quartz (SiO₂):

Test Type : Local lymph node assay (LLNA)
Species : Mouse
Method : OECD Test Guideline 429
Result : Does not cause skin sensitization.
Remarks : Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

Chlorantraniliprole:

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse

SAFETY DATA SHEET

FERTERRA® 0.4 GR Insecticide



Version 1.1	Revision Date: 2025/09/17	SDS Number: 50000063	Date of last issue: - Date of first issue: 2020/06/20
----------------	------------------------------	-------------------------	--

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Talc (Mg₃H₂(SiO₃)₄):

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: gene mutation test

Method: QSAR

Result: negative

Test Type: reverse mutation assay

Result: negative

Genotoxicity in vivo : Test Type: dominant lethal test
Species: Rat (male)
Application Route: Oral
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Quartz (SiO₂):

Genotoxicity in vitro : Test Type: reverse mutation assay
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Rat
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Product:

Carcinogenicity - Assessment : This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product., Weight of evidence does not support classification as a carcinogen

Components:

Chlorantraniliprole:

Species : Rat, male and female
Application Route : Oral
Exposure time : 2 Years

SAFETY DATA SHEET



FERTERRA® 0.4 GR Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/17	50000063	Date of first issue: 2020/06/20

NOAEL : 805 - 1.076 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Species : Mouse, male and female
Application Route : Oral
Exposure time : 18 month(s)
NOAEL : 158 - 1.155 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative

Species : Dog
Exposure time : 1 Years
NOAEL : 1.164 mg/kg bw/day
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Talc ($\text{Mg}_3\text{H}_2(\text{SiO}_3)_4$):

Species : Rat, male and female
Application Route : Oral
Exposure time : 101 days
Dose : 100 mg/kg bw/day
NOAEL : 100 mg/kg bw/day
Method : OECD Test Guideline 453
Result : negative
Target Organs : Stomach
Tumor Type : Leiomyosarcoma

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Quartz (SiO_2):

Carcinogenicity - Assessment : Human carcinogen.

Reproductive toxicity

Not classified based on available information.

Components:

Chlorantraniliprole:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Application Route: Oral
General Toxicity Parent: NOAEL: 20.000 ppm
General Toxicity F1: NOAEL: 20.000 ppm
Method: OECD Test Guideline 416
Result: negative

Effects on fetal development : Test Type: Pre-natal

SAFETY DATA SHEET



FERTERRA® 0.4 GR Insecticide

Version 1.1	Revision Date: 2025/09/17	SDS Number: 50000063	Date of last issue: - Date of first issue: 2020/06/20
----------------	------------------------------	-------------------------	--

Species: Rat
Application Route: Oral
Duration of Single Treatment: 6 - 20 Days
General Toxicity Maternal: NOEL: 1.000 mg/kg bw/day
Developmental Toxicity: NOEL: 1.000 mg/kg bw/day
Method: OECD Test Guideline 414
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

Talc (Mg₃H₂(SiO₃)₄):

Effects on fertility : Species: Rabbit, female
Application Route: Oral
Dose: 9, 42, 195, 900 mg/kg bw/day
General Toxicity Parent: NOAEL: > 900 mg/kg body weight
General Toxicity F1: NOAEL: > 900 mg/kg body weight
Result: negative

Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Oral
Dose: 0,16,74,350,1600mg/kg bw/day
Duration of Single Treatment: 20 d
General Toxicity Maternal: NOAEL: >= 1.600 mg/kg bw/day
Embryo-fetal toxicity.: NOAEL: 1.600 mg/kg bw/day
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Not classified based on available information.

Components:

Talc (Mg₃H₂(SiO₃)₄):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

Not classified based on available information.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product.

SAFETY DATA SHEET



FERTERRA® 0.4 GR Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/17	50000063	Date of first issue: 2020/06/20

Components:

Quartz (SiO₂):

Routes of exposure	: Inhalation
Target Organs	: Lungs
Assessment	: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

Routes of exposure	: Inhalation
Target Organs	: Immune system, Kidney
Assessment	: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Repeated dose toxicity

Components:

Chlorantraniliprole:

Species	: Rat, male and female
NOEL	: 1188 - 1526 mg/kg
Application Route	: Oral
Exposure time	: 90 Days
Method	: OECD Test Guideline 408

Talc (Mg₃H₂(SiO₃)₄):

Species	: Rat, male and female
NOAEL	: 100 mg/kg
Application Route	: Oral - feed
Exposure time	: 101 d
Dose	: 100 mg/kg bw/day

Species	: Rat, male and female
NOAEL	: 2 mg/m ³
LOAEL	: 6 mg/m ³
Application Route	: inhalation (dust/mist/fume)
Test atmosphere	: dust/mist
Exposure time	: 20 d
Dose	: 0, 2, 6, 18 mg/m ³

Quartz (SiO₂):

Species	: Rat
LOAEC	: 0,0025 mg/l
Application Route	: Inhalation
Exposure time	: 90 day
Method	: OECD Test Guideline 413
Target Organs	: Lungs
Remarks	: Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

FERTERRA® 0.4 GR Insecticide

Version 1.1	Revision Date: 2025/09/17	SDS Number: 50000063	Date of last issue: - Date of first issue: 2020/06/20
----------------	------------------------------	-------------------------	--

Components:**Chlorantraniliprole:**

The substance does not have properties associated with aspiration hazard potential.

Further information**Product:**

Remarks : No data available

12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish	: LC50 (Cyprinus carpio (Carp)): > 5.000 mg/l Exposure time: 96 h
Toxicity to terrestrial organisms	: LD50 (Columba livia (feral pigeon)): > 5.000 mg/kg End point: Acute oral toxicity LD50 (Honey Bee): > 200 µg/bee

Components:**Chlorantraniliprole:**

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 13,8 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 Remarks: Information source: Internal study report LC50 (Lepomis macrochirus (Bluegill sunfish)): > 15,1 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203 GLP: yes Remarks: Information source: Internal study report LC50 (Cyprinodon sp. (minnow)): > 12 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0,0116 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 2 mg/l Exposure time: 120 h

FERTERRA® 0.4 GR Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/17	50000063	Date of first issue: 2020/06/20

NOEC (*Lemna gibba* (duckweed)): > 2 mg/l

End point: Biomass

Exposure time: 14 d

Test Type: static test

ErC50 (*Selenastrum capricornutum* (green algae)): > 2 mg/l

Exposure time: 72 h

NOEC (*Anabaena flos-aquae* (cyanobacterium)): > 2 mg/l

End point: Growth rate

Exposure time: 120 h

Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

NOEC (*Skeletonema costatum* (Diatom)): > 14,6 mg/l

End point: Growth rate

Exposure time: 120 h

Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

NOEC (*Navicula pelliculosa* (Diatom)): > 15,1 mg/l

End point: Growth rate

Exposure time: 120 h

Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (*Cyprinodon variegatus* (sheepshead minnow)): 1,28 mg/l
Exposure time: 36 d

NOEC (*Oncorhynchus mykiss* (rainbow trout)): 0,110 mg/l

Exposure time: 28 d

Method: OECD Test Guideline 210

GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 0,00447 mg/l
Exposure time: 21 d
Method: US EPA Test Guideline OPPTS 850.1300
GLP: yes

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): > 1.000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207
GLP: yes

FERTERRA® 0.4 GR Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/17	50000063	Date of first issue: 2020/06/20

EC50 (*Hypoaspis aculeifer*): >100 mg/kg dry weight (d.w.)
Exposure time: 16 d
Method: OECD Test Guideline 207

NOEC (*Hypoaspis aculeifer*): 100 mg/kg dry weight (d.w.)
Exposure time: 16 d
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50 (*Apis mellifera* (bees)): > 4,0 µg/bee
Exposure time: 72 h
End point: Acute contact toxicity
Remarks: Active substance dissolved in acetone

LD50 (*Apis mellifera* (bees)): > 0,005 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Remarks: Active substance dissolved in water

LD50 (*Apis mellifera* (bees)): > 104,1 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Remarks: Active substance dissolved in acetone

LD50 (*Apis mellifera* (bees)): > 0,0274 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Remarks: Active substance dissolved in water

LD50 (*Poephila guttata* (zebra finch)): > 2.250 mg/kg

Talc (Mg₃H₂(SiO₃)₄):

Toxicity to fish : LC50 (Fish): 89.581,016 mg/l
Exposure time: 96 h
Method: QSAR

Toxicity to daphnia and other aquatic invertebrates : LC50 (*Daphnia magna* (Water flea)): 36.812,359 mg/l
Exposure time: 48 h
Method: QSAR

Toxicity to algae/aquatic plants : NOEC (green algae): 918,089 mg/l
Exposure time: 30 d
Method: QSAR

EC50 (green algae): 7.202,7 mg/l
Exposure time: 96 h
Method: QSAR

Toxicity to fish (Chronic toxicity) : NOEC (Fish): 1.412,648 mg/l
Exposure time: 30 d
Method: QSAR

Toxicity to daphnia and other : NOEC (*Daphnia*): 1.459,798 mg/l

SAFETY DATA SHEET



FERTERRA® 0.4 GR Insecticide

Version 1.1	Revision Date: 2025/09/17	SDS Number: 50000063	Date of last issue: - Date of first issue: 2020/06/20
----------------	------------------------------	-------------------------	--

aquatic invertebrates (Chronic toxicity)

Exposure time: 30 d
Method: QSAR

Quartz (SiO₂):

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 10.000 mg/l
Exposure time: 72 h

Persistence and degradability

Components:

Chlorantraniliprole:

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 10 d (25 °C) pH: 9
Degradation half life (DT50): 0,3 d (50 °C) pH: 9
Degradation half life (DT50): > 31 d pH: 5

Quartz (SiO₂):

Biodegradability : Result: Not biodegradable

Bioaccumulative potential

Components:

Chlorantraniliprole:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 14
Method: OECD Test Guideline 305
GLP: yes
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2,77 (20 °C)
pH: 4

log Pow: 2,86 (20 °C)
pH: 7

log Pow: 2,80 (20 °C)
pH: 9

Talc (Mg₃H₂(SiO₃)₄):

Bioaccumulation : Bioconcentration factor (BCF): 3,16
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: -9,4 (25 °C)
pH: 7
Method: QSAR

SAFETY DATA SHEET



FERTERRA® 0.4 GR Insecticide

Version 1.1	Revision Date: 2025/09/17	SDS Number: 50000063	Date of last issue: - Date of first issue: 2020/06/20
----------------	------------------------------	-------------------------	--

Quartz (SiO₂):

Bioaccumulation : Remarks: Does not bioaccumulate.

Mobility in soil

Components:

Chlorantraniliprole:

Distribution among environmental compartments : Koc: 362 ml/g, log Koc: 2,55
Remarks: Mobile in soils

Stability in soil : Remarks: Very persistent in soil.

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Chlorantraniliprole)
Class : 9
Subsidiary risk : ENVIRONM.
Packing group : III
Labels : 9 (ENVIRONM.)
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

SAFETY DATA SHEET



FERTERRA® 0.4 GR Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/17	50000063	Date of first issue: 2020/06/20

(Chlorantraniliprole)

Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(Chlorantraniliprole)

Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered	: Not applicable
--	------------------

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use	: Not applicable
---------------------------------------	------------------

Prohibited substances	: Not applicable
-----------------------	------------------

Restricted substances	: Not applicable
-----------------------	------------------

The ingredients of this product are reported in the following inventories:

SAFETY DATA SHEET



FERTERRA® 0.4 GR Insecticide

Version 1.1	Revision Date: 2025/09/17	SDS Number: 50000063	Date of last issue: - Date of first issue: 2020/06/20
----------------	------------------------------	-------------------------	--

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. 3-BROMO-4'-CHLORO-1-(3-CHLORO-2-PYRIDYL)-2'-METHYL-6'-(METHYLCARBAMOYL)-1H-PYRAZOLE-5-CARBOXANILIDE
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date	: 2025/09/17
Date format	: yyyy/mm/dd

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ID OEL	: Indonesia. Occupational Exposure Limits
ACGIH / TWA	: 8-hour, time-weighted average
ID OEL / NAB	: Long term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-

SAFETY DATA SHEET



FERTERRA® 0.4 GR Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/17	50000063	Date of first issue: 2020/06/20

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

ID / EN