

SAFETY DATA SHEET



Ammate® 150EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/17	50000122	Date of first issue: 2018/03/01

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Ammate® 150EC Insecticide

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Use as recommended by the label.

Manufacturer or supplier's details

Company : PT BINA GUNA KIMIA

Address : WISMA KODEL LANTAI 10 JALAN HR.RASUNA
SAID,KAV.B-4,KEL.SETIA BUDI,
KEC.SETIABUDI,
KOTA ADM. JAKARTA SELATAN,PROV.DKI JAKAR
Indonesia

Telephone : +62 21-50890890

E-mail address : SDS-Info@fmc.com

Emergency telephone : For leak, fire, spill or accident emergencies, call:
001-803-017-9114 (CHEMTREC)
1 703 / 741-5970 (CHEMTREC - International)

Medical emergency:
0800 140 1447

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

Specific target organ toxicity - : Category 2 (Central nervous system)
single exposure

Specific target organ toxicity - : Category 1 (Blood, Nervous system)
repeated exposure

Long-term (chronic) aquatic : Category 2
hazard

GHS label elements

SAFETY DATA SHEET



Ammate® 150EC Insecticide

Version 1.1 Revision Date: 2025/09/17 SDS Number: 50000122 Date of last issue: -
Date of first issue: 2018/03/01

Hazard pictograms

:



Signal Word

: DANGER

Hazard Statements

: H302 Harmful if swallowed.
H371 May cause damage to organs (Central nervous system).
H372 Causes damage to organs (Blood, Nervous system) through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

: **Prevention:**
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
Response:
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P391 Collect spillage.
Storage:
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
indoxacarb (ISO)	173584-44-6	15,84
calcium dodecylbenzenesulphonate	26264-06-2	>= 3 -< 10
2-ethylhexan-1-ol	104-76-7	< 10

4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.

SAFETY DATA SHEET



Ammate® 150EC Insecticide

Version 1.1	Revision Date: 2025/09/17	SDS Number: 50000122	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

- Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off with soap and water.
If symptoms persist, call a physician.
Wash contaminated clothing before re-use.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
May cause damage to organs.
Causes damage to organs through prolonged or repeated exposure.
Exposure may result in loss of coordination and tremors.
Exposure to skin may result in mild symptoms include itching, hives or rash, and skin redness. More severe symptoms include sneezing, itchy watery eyes, and difficulty breathing.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- Notes to physician : Treat symptomatically.

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical
Water spray
Carbon dioxide (CO₂)
Foam
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire : Do not allow run-off from fire fighting to enter drains or water

Ammate® 150EC Insecticide

Version 1.1	Revision Date: 2025/09/17	SDS Number: 50000122	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

- fighting courses.
- Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Chlorinated compounds
Fluorinated compounds
Nitrogen oxides (NOx)
Carbon oxides
Hydrogen cyanide
Sulfur oxides
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.
-

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Do not touch or walk through the spilled material.
If it can be safely done, stop the leak.
Use personal protective equipment.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
Keep in suitable, closed containers for disposal.
-

7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
Keep away from open flames, hot surfaces and sources of ignition.

SAFETY DATA SHEET



Ammate® 150EC Insecticide

Version 1.1	Revision Date: 2025/09/17	SDS Number: 50000122	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

- Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep tightly closed in a dry, cool and well-ventilated place.
Observe label precautions.
Keep container closed when not in use.
Keep locked up or in an area accessible only to qualified or authorized persons.
Keep in properly labeled containers.
No smoking.
Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage conditions : The product is stable under normal conditions of warehouse storage.
Protect from frost and extreme heat.
Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.
- Recommended storage temperature : > 0 °C
- Further information on storage stability : Do not freeze.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-ethylhexan-1-ol	104-76-7	TWA	5 ppm	ACGIH

Personal protective equipment

- Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.
- Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate,

SAFETY DATA SHEET



Ammate® 150EC Insecticide

Version 1.1	Revision Date: 2025/09/17	SDS Number: 50000122	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

	butyl rubber or nitrile rubber.
Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles
Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Protective measures	: Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions. Wear suitable protective equipment. When using do not eat, drink or smoke. In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.
Hygiene measures	: Avoid contact with skin, eyes and clothing. Do not inhale aerosol. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Color	: amber
Odor	: Pungent Sweet Pear faint burn smell
Odor Threshold	: No data available
pH	: 6,6 (20 - 25 °C) Concentration: 10 g/l 1 %
Melting point/ range	: No data available
Boiling point/boiling range	: No data available

SAFETY DATA SHEET



Ammate® 150EC Insecticide

Version 1.1	Revision Date: 2025/09/17	SDS Number: 50000122	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

Flash point	:	69 °C	
		Method: Regulation (EC) No. 440/2008, Annex, A.9	
Evaporation rate	:	No data available	
Flammability (liquids)	:	Not highly flammable, ignitable	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapor pressure	:	No data available	
Relative vapor density	:	No data available	
Relative density	:	0,9494	
		Method: OECD Test Guideline 109	
Density	:	0,9494 g/cm3	
		Method: OECD Test Guideline 109	
Solubility(ies)			
Water solubility	:	No data available	
Solubility in other solvents	:	No data available	
Partition coefficient: n-octanol/water	:	No data available	
Autoignition temperature	:	255 °C	
		Method: EEC A.15	
Viscosity			
Viscosity, dynamic	:	5,6 mPa.s (25 °C)	
Viscosity, kinematic	:	4,68 mm2/s (20 °C)	
		2,95 mm2/s (40 °C)	
Explosive properties	:	Not explosive	
		Method: Regulation (EC) No. 440/2008, Annex, A.14	
Oxidizing properties	:	Non-oxidizing	
Surface tension	:	28,9 mN/m, OECD Test Guideline 115, (undiluted)	
		39,3 mN/m, OECD Test Guideline 115, (Aqueous solution)	
Molecular weight	:	Not applicable	

SAFETY DATA SHEET



Ammate® 150EC Insecticide

Version 1.1	Revision Date: 2025/09/17	SDS Number: 50000122	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed. Vapors may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks. Heating of the product will produce harmful and irritant vapours.
Incompatible materials	: Strong oxidizing agents Strong acids and strong bases
Hazardous decomposition products	: Stable under recommended storage conditions. No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity	: LD50 (Rat, female): 977 mg/kg Method: OECD Test Guideline 425 Assessment: The component/mixture is moderately toxic after single ingestion. LD50 (Rat, female): 976,8 mg/kg Method: OECD Test Guideline 425 Symptoms: ataxia, hair loss, Breathing difficulties GLP: yes
Acute inhalation toxicity	: LC50 (Rat): > 5,2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 GLP: yes Assessment: The substance or mixture has no acute inhalation toxicity

Ammate® 150EC Insecticide

Version 1.1	Revision Date: 2025/09/17	SDS Number: 50000122	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

Components:**indoxacarb (ISO):**

Acute oral toxicity : LD50 (Rat, male and female): 281 - 294 mg/kg
Method: OECD Test Guideline 420
Symptoms: ataxia, Tremors, Diarrhea, clonic convulsions,
abnormal posture, incoordination, Lethargy
GLP: yes

Acute inhalation toxicity : LC50 (Rat, female): 4,2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: nasal discharge, lethargy
GLP: yes

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 402
Symptoms: Irritation
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity

calcium dodecylbenzenesulphonate:

Acute oral toxicity : LD50 (Rat, male and female): 1.300 mg/kg
Remarks: Based on data from similar materials

Acute inhalation toxicity : Remarks: Not classified

Acute dermal toxicity : LD50 (Rat, male and female): > 2000 milligram per kilogram
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

2-ethylhexan-1-ol:

Acute oral toxicity : LD50 (Rat, male): 2.047 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4,3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 3.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

SAFETY DATA SHEET



Ammate® 150EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/17	50000122	Date of first issue: 2018/03/01

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Mild skin irritation

Remarks	: May cause skin irritation in susceptible persons.
---------	---

Components:

indoxacarb (ISO):

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 404
Result	: slight irritation
GLP	: yes

calcium dodecylbenzenesulphonate:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

2-ethylhexan-1-ol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	: Rabbit
Assessment	: No eye irritation
Method	: OECD Test Guideline 405
GLP	: yes

Remarks	: Vapors may cause irritation to the eyes, respiratory system and the skin.
---------	---

Components:

indoxacarb (ISO):

Species	: Rabbit
Result	: slight irritation
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 405
GLP	: yes
Remarks	: Product dust may be irritating to eyes, skin and respiratory system.

Ammate® 150EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/17	50000122	Date of first issue: 2018/03/01

calcium dodecylbenzenesulphonate:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

2-ethylhexan-1-ol:

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days
Method	:	OECD Test Guideline 405

Respiratory or skin sensitization**Skin sensitization**

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Did not cause sensitization on laboratory animals.
GLP	:	yes

Components:**indoxacarb (ISO):**

Species	:	Guinea pig
Result	:	May cause sensitization by skin contact.

Test Type	:	Maximization Test
Species	:	Guinea pig
Assessment	:	May cause sensitization by skin contact.
Method	:	US EPA Test Guideline OPPTS 870.2600
Result	:	May cause sensitization by skin contact.
GLP	:	yes

calcium dodecylbenzenesulphonate:

Test Type	:	Maximization Test
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Not a skin sensitizer.
Remarks	:	Based on data from similar materials

Ammate® 150EC Insecticide

Version 1.1	Revision Date: 2025/09/17	SDS Number: 50000122	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:**indoxacarb (ISO):**

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: gene mutation test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay
Species: Rat (male and female)
Application Route: Oral
Exposure time: 90 d
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

2-ethylhexan-1-ol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Ammate® 150EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/17	50000122	Date of first issue: 2018/03/01

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:**indoxacarb (ISO):**

Species	: Rat, female
Application Route	: Oral
Exposure time	: 24 m
	: 2,13 mg/kg bw/day
Result	: negative

Species	: Rat, male
Application Route	: Oral
Exposure time	: 24 m
	: 2,4 mg/kg bw/day
Result	: negative

Carcinogenicity - Assessment	: Animal testing did not show any carcinogenic effects.
------------------------------	---

calcium dodecylbenzenesulphonate:

Species	: Rat, male and female
Application Route	: Oral
Exposure time	: 720 d
NOAEL	: 250 mg/kg body weight
Result	: negative
Remarks	: Based on data from similar materials

Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen
------------------------------	--

2-ethylhexan-1-ol:

Species	: Rat
Application Route	: Oral
Exposure time	: 24 month(s)
Result	: negative

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:**indoxacarb (ISO):**

Effects on fertility	: Test Type: Two-generation study
	Species: Rat, male and female
	Dose: 0, 20, 60, 100 parts per million
	General Toxicity Parent: NOEL: 20 ppm
	Fertility: NOEL: 60 ppm
	Early Embryonic Development: NOEL: 20 ppm
	Symptoms: Reduced body weight, reduced food consumption
	Target Organs: spleen

Ammate® 150EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/17	50000122	Date of first issue: 2018/03/01

- Effects on fetal development : Test Type: Developmental toxicity study
Species: Rabbit
Dose: 0, 250, 500, 1000 mg/kg bw/day
General Toxicity Maternal: NOEL: 500 mg/kg bw/day
Developmental Toxicity: NOEL: 500 mg/kg bw/day
Symptoms: Reduced body weight, Reduced fetal weight., Skeletal malformations.
Method: EPA OPP 83-3
GLP: yes
- Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.
Animal testing did not show any effects on fetal development.

calcium dodecylbenzenesulphonate:

- Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Application Route: Ingestion
General Toxicity Parent: NOAEL: 400 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative
- Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Ingestion
General Toxicity Maternal: NOAEL: 300 mg/kg body weight
Developmental Toxicity: NOAEL: 600 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative
- Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

2-ethylhexan-1-ol:

- Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: negative

STOT-single exposure

May cause damage to organs (Central nervous system).

Components:**indoxacarb (ISO):**

- Target Organs : Central nervous system
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 2.

Ammate® 150EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/17	50000122	Date of first issue: 2018/03/01

2-ethylhexan-1-ol:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Causes damage to organs (Blood, Nervous system) through prolonged or repeated exposure.

Components:**indoxacarb (ISO):**

Target Organs : Blood, Nervous system
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****indoxacarb (ISO):**

Species : Rat, female
NOAEL : 1,7 mg/kg
LOAEL : 4,1 mg/kg
Application Route : Oral
Exposure time : 90 d
Method : OECD Test Guideline 408
GLP : yes
Target Organs : Blood
Symptoms : Reduced body weight, reduced food consumption

Species : Rat, male
NOAEL : 3,2 mg/kg
LOAEL : 6,6 mg/kg
Application Route : Oral
Exposure time : 90 d
Method : OECD Test Guideline 408
GLP : yes
Symptoms : Reduced body weight, reduced food consumption

Species : Rat, female
NOAEL : 0,685 mg/kg, 10 ppm
LOAEL : 3,3 mg/kg, 50 ppm
Application Route : Oral
Exposure time : 90 d
Dose : 0, 10, 50, 100 ppm
Method : EPA OPP 82-7
GLP : yes
Symptoms : Fatality, reduced food consumption, Reduced body weight
Remarks : No neurotoxicity detected.

Species : Rat, male
NOAEL : 0,569 mg/kg, 10 ppm
LOAEL : 5,62 mg/kg, 100 ppm
Application Route : Oral
Exposure time : 90 d

SAFETY DATA SHEET



Ammate® 150EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/17	50000122	Date of first issue: 2018/03/01

Dose : 0, 10, 100, 200 ppm
Method : EPA OPP 82-7
GLP : yes
Symptoms : Fatality, reduced food consumption, Reduced body weight
Remarks : No neurotoxicity detected.

Species : Dog, male and female
NOEL : 1,1 - 1,3 mg/kg
LOAEL : 2,3 - 2,4 mg/kg
Application Route : Oral - feed
Exposure time : 12 m
Method : OECD Test Guideline 452
GLP : yes
Target Organs : Blood
Symptoms : reduced food consumption, Reduced body weight

calcium dodecylbenzenesulphonate:

Species : Rat, male and female
NOAEL : 85 mg/kg
LOAEL : 145 mg/kg
Application Route : Oral
Exposure time : 9 Months
Remarks : Based on data from similar materials

Species : Rat, male
LOAEL : 286 mg/kg
Application Route : Skin contact
Exposure time : 15 Days
Remarks : Based on data from similar materials

Species : Rat, male and female
NOAEL : 100 mg/kg bw/day
LOAEL : 200 mg/kg bw/day
Application Route : Oral - gavage
Exposure time : 28 - 54 Days
Method : OECD Test Guideline 422
Remarks : Based on data from similar materials

2-ethylhexan-1-ol:

Species : Rat
NOAEL : 250 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Method : OECD Test Guideline 408

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

No aspiration toxicity classification

SAFETY DATA SHEET



Ammate® 150EC Insecticide

Version 1.1	Revision Date: 2025/09/17	SDS Number: 50000122	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 7,0 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,67 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 16 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

EbC50 (Pseudokirchneriella subcapitata (green algae)): 12,5 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

Toxicity to soil dwelling organisms : LD50 (Eisenia fetida (earthworms)): 921 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organisms : LD50 (Apis mellifera (bees)): 0,08 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity

LD50 (Apis mellifera (bees)): 0,11 µg/bee

Ammate® 150EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/17	50000122	Date of first issue: 2018/03/01

Exposure time: 48 h
End point: Acute oral toxicity

LD50 (*Colinus virginianus* (Bobwhite quail)): 593 mg/kg
Method: EPA OPP 71-1

Components:**indoxacarb (ISO):**

Toxicity to fish : LC50 (*Lepomis macrochirus* (Bluegill sunfish)): 0,90 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other : EC50 (*Daphnia magna* (Water flea)): 0,47 mg/l
aquatic invertebrates
Exposure time: 48 h
Test Type: static test

EC50 (*Daphnia magna* (Water flea)): > 0,17 mg/l
Exposure time: 48 h
Test Type: flow-through test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic : NOEC (*Pseudokirchneriella subcapitata* (algae)): > 0,0793
plants
mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201
GLP: yes

NOEC (*Pseudokirchneriella subcapitata* (algae)): 1,1 mg/l
End point: Growth inhibition
Exposure time: 5 d
Method: Directive 67/548/EEC, Annex V, C.3.
GLP: yes

M-Factor (Acute aquatic tox- : 1
icity)

Toxicity to fish (Chronic tox- : NOEC (*Oncorhynchus mykiss* (rainbow trout)): 0,12 mg/l
icity)
Exposure time: 90 d
Test Type: Early Life-Stage
Method: OECD Test Guideline 210
GLP: yes

NOEC (*Pimephales promelas* (fathead minnow)): 0,0675 mg/l
Exposure time: 28 d
Test Type: Early Life-Stage
Method: OECD Test Guideline 210
GLP: yes

Toxicity to daphnia and other : NOEC (*Daphnia magna* (Water flea)): 0,0351 mg/l

Ammate® 150EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/17	50000122	Date of first issue: 2018/03/01

aquatic invertebrates (Chronic toxicity)

Exposure time: 21 d
Test Type: Static renewal test
Method: OECD Test Guideline 211
GLP: yes

M-Factor (Chronic aquatic toxicity)

: 1

Toxicity to soil dwelling organisms

: LC50 (*Eisenia fetida* (earthworms)): > 1.000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207
GLP: yes

NOEC (*Eisenia fetida* (earthworms)): < 62,5 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207
GLP: yes

LC50 (*Eisenia fetida* (earthworms)): > 94,5 mg/kg
Exposure time: 28 d
Method: OECD Test Guideline 222
GLP: yes

NOEC (*Eisenia fetida* (earthworms)): 94,5 mg/kg
Exposure time: 28 d
Method: OECD Test Guideline 222
GLP: yes

NOEC (*Eisenia fetida* (earthworms)): 29,2 mg/kg
Exposure time: 56 d
End point: reproduction
Method: OECD Test Guideline 222
GLP: yes

Toxicity to terrestrial organisms

: NOEL (*Apis mellifera* (bees)): 0,048 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214

NOEL (*Apis mellifera* (bees)): 0,163 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213

LD50 (*Apis mellifera* (bees)): 0,068 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214

LD50 (*Apis mellifera* (bees)): 0,232 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213

Ammate® 150EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/17	50000122	Date of first issue: 2018/03/01

LD50 (Colinus virginianus (Bobwhite quail)): 98 mg/kg
Method: US EPA Test Guideline OPP 71-1
GLP: yes

NOEC (Anas platyrhynchos (Mallard duck)): 720 ppm
Exposure time: 147 d
End point: Reproduction Test
Method: OECD Test Guideline 206
GLP: yes

NOEC (Colinus virginianus (Bobwhite quail)): 144 ppm
Exposure time: 147 d
End point: Reproduction Test
Method: OECD Test Guideline 206

LC50 (Anas platyrhynchos (Mallard duck)): > 5.620 ppm
Exposure time: 5 d
Method: US EPA Test Guideline OPP 71-2
Remarks: Dietary

NOEC (Anas platyrhynchos (Mallard duck)): 562 ppm
Exposure time: 5 d
Method: US EPA Test Guideline OPP 71-2
Remarks: Dietary

LC50 (Colinus virginianus (Bobwhite quail)): 808 ppm
Exposure time: 5 d
Method: US EPA Test Guideline OPP 71-2
Remarks: Dietary

NOEC (Colinus virginianus (Bobwhite quail)): 316 ppm
Exposure time: 5 d
Method: US EPA Test Guideline OPP 71-1
Remarks: Dietary

calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

LC50 (Pimephales promelas (fathead minnow)): 4,6 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3,5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 7,9 mg/l
Exposure time: 72 h

SAFETY DATA SHEET



Ammate® 150EC Insecticide

Version 1.1	Revision Date: 2025/09/17	SDS Number: 50000122	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC50 (*Pseudokirchneriella subcapitata* (green algae)): 65,4 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 1,65 mg/l
Exposure time: 21 d
Remarks: Based on data from similar materials

NOEC (*Daphnia magna* (Water flea)): 1,18 mg/l

Exposure time: 21 d

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 500 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to soil dwelling organisms : LC50 (*Eisenia fetida* (earthworms)): 1.000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50 (*Colinus virginianus* (Bobwhite quail)): 1.356 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 223

2-ethylhexan-1-ol:

Toxicity to fish : LC50 (*Leuciscus idus* (Golden orfe)): 17,1 - 28,2 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 39 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC10 (*Desmodesmus subspicatus* (green algae)): 3,2 mg/l
Exposure time: 72 h

EC50 (*Desmodesmus subspicatus* (green algae)): 11,5 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50 (*Anabaena flos-aquae* (cyanobacterium)): 16,6 mg/l
Exposure time: 72 h

Persistence and degradability

Components:

indoxacarb (ISO):

Biodegradability : Result: Not readily biodegradable.

calcium dodecylbenzenesulphonate:

SAFETY DATA SHEET



Ammate® 150EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/17	50000122	Date of first issue: 2018/03/01

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301E

2-ethylhexan-1-ol:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

indoxacarb (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 1.053
Exposure time: 21 d
Concentration: 0,1 mg/l

Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 847
Exposure time: 28 d
Concentration: 0,1 mg/l

Partition coefficient: n-octanol/water : log Pow: 4,52 (20 °C)
Method: OECD Test Guideline 107
GLP: yes

calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 70,79
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4,77 (25 °C)

2-ethylhexan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 2,9 (25 °C)

Mobility in soil

Components:

indoxacarb (ISO):

Distribution among environmental compartments : Koc: 4483 ml/g, log Koc: 3,65
Remarks: Low mobility in soil.

Kd: 46 - 150

SAFETY DATA SHEET



Ammate® 150EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/17	50000122	Date of first issue: 2018/03/01

Other adverse effects

Product:

Additional ecological information : See product label for additional application instructions relating to environmental precautions.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life.
Toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Do not re-use empty containers.
Packaging that is not properly emptied must be disposed of as the unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Indoxacarb)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Indoxacarb)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 964
Packing instruction (passen-

SAFETY DATA SHEET



Ammate® 150EC Insecticide

Version 1.1	Revision Date: 2025/09/17	SDS Number: 50000122	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

ger aircraft)

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Indoxacarb)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

SAFETY DATA SHEET



Ammate® 150EC Insecticide

Version 1.1	Revision Date: 2025/09/17	SDS Number: 50000122	Date of last issue: - Date of first issue: 2018/03/01
----------------	------------------------------	-------------------------	--

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. indoxacarb (ISO) Fatty acids, C6-10, Me esters
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

16. OTHER INFORMATION

Revision Date	: 2025/09/17
Date format	: yyyy/mm/dd

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
-------	---

ACGIH / TWA	: 8-hour, time-weighted average
-------------	---------------------------------

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International

SAFETY DATA SHEET



Ammate® 150EC Insecticide

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	2025/09/17	50000122	Date of first issue: 2018/03/01

Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

ID / EN