

SAFETY DATA SHEET



AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product name AVAUNT® EC

Other means of identification

Product code 50000122

Product Registration Number RSCO-INAC-01020-0246-009-15.84

Recommended use of the chemical and restrictions on use

Recommended use Can be used as insecticide only.

Restrictions on use Use as recommended by the label.

Manufacturer or supplier's details**Manufacturer**

FMC AGROQUÍMICA DE MÉXICO,
S. DE R.L. DE C.V AV. VALLARTA NO.
6503, LOCAL A1-6, COL. CD. GRANJA,
45010 ZAPOPAN, JALISCO, MÉXICO
TEL.: (33) 3003 4500
CONTACTOMEXICO@FMC.COM
SDS-Info@fmc.com

Emergency telephone

For leak, fire, spill or accident emergencies, call:
800-681-9531 (CHEMTREC - Mexico)
1 703 / 741-5970 (CHEMTREC - International)

Medical emergency:
911

SINTOX (Toxicological Information Service): 800 009 2800; 55 5611 2634 and 55 5598 6659, service 24 hours a day, 365 days a year.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 5

Skin corrosion/irritation : Category 3

Specific target organ toxicity : Category 2 (Central nervous system)
- single exposure

SAFETY DATA SHEET



AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

Specific target organ toxicity : Category 1 (Blood, Nervous system)
- repeated exposure

GHS label elements

Hazard pictograms :



Signal Word : DANGER

Hazard Statements : H227 Combustible liquid.
H302 Harmful if swallowed.
H316 Causes mild skin irritation.
H333 May be harmful if inhaled.
H371 May cause damage to organs (Central nervous system).
H372 Causes damage to organs (Blood, Nervous system) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
P304 + P312 IF INHALED: Call a POISON CENTER or doctor/ physician if you feel unwell.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 Store in a well-ventilated place.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET



AVAUNT® EC

Version 3.0 Revision Date: 12.03.2026 SDS Number: 50000122 Date of last issue: -
Date of first issue: 01.11.2019

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Fatty acids, C6-10, Me esters	68937-83-7	>= 50 -< 70
indoxacarb (ISO)	173584-44-6	>= 10 -< 20
Fatty acids, soya, Me esters	68919-53-9	>= 1 -< 5
calcium dodecylbenzenesulphonate	26264-06-2	>= 3 -< 5
2-ethylhexan-1-ol	104-76-7	>= 1 -< 5

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this material safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.
- In case of skin contact : Take off all contaminated clothing immediately.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists.
Wash contaminated clothing before re-use.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do not induce vomiting without medical advice.
Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
Causes mild skin irritation.
May be harmful if inhaled.
May cause damage to organs.

SAFETY DATA SHEET



AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

Causes damage to organs through prolonged or repeated exposure.
Exposure may result in loss of coordination and tremors.
Exposure to skin may result in mild symptoms include itching, hives or rash, and skin redness. More severe symptoms include sneezing, itchy watery eyes, and difficulty breathing.

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
Avoid inhalation, ingestion and contact with skin and eyes.
If potential for exposure exists refer to Section 8 for specific personal protective equipment.

Notes to physician : Treat symptomatically.
Immediate medical attention is required in case of ingestion.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet
Do not spread spilled material with high-pressure water streams.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Chlorinated compounds
Fluorinated compounds
Nitrogen oxides (NO_x)
Carbon oxides
Hydrogen cyanide
Sulfur oxides
- Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Use a water spray to cool fully closed containers.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for fire-fighters : Firefighters should wear protective clothing and self-contained breathing apparatus.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protection : Evacuate personnel to safe areas.

SAFETY DATA SHEET



AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

- tive equipment and emergency procedures
- Do not touch or walk through the spilled material.
If it can be safely done, stop the leak.
Use personal protective equipment.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.
For disposal considerations see section 13.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Never return spills in original containers for re-use.
Collect as much of the spill as possible with a suitable absorbent material.
Pick up and transfer to properly labeled containers.
Keep in suitable, closed containers for disposal.
- For further cleaning instructions call CHEMTREC, 800-681-9531.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.
Keep away from open flames, hot surfaces and sources of ignition.
- Advice on safe handling : For incompatible materials see section 10.
- Avoid formation of aerosol.
Do not breathe vapors/dust.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
Dispose of rinse water in accordance with local and national regulations.
- Hygiene measures : Avoid contact with skin, eyes and clothing.
Do not inhale aerosol.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.
Remove and wash contaminated clothing and gloves, including the inside, before re-use.
- Conditions for safe storage : Keep tightly closed in a dry, cool and well-ventilated place.
Observe label precautions.
Keep container closed when not in use.

SAFETY DATA SHEET



AVAUNT® EC

Version 3.0 Revision Date: 12.03.2026 SDS Number: 50000122 Date of last issue: -
Date of first issue: 01.11.2019

Keep locked up or in an area accessible only to qualified or authorized persons.
Keep in properly labeled containers.
No smoking.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable under normal conditions of warehouse storage.
Protect from frost and extreme heat.
Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Recommended storage temperature : > 0 °C

Further information on storage stability : Do not freeze.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-ethylhexan-1-ol	104-76-7	TWA	5 ppm	ACGIH

Personal protective equipment

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Plan first aid action before beginning work with this product.
Always have on hand a first-aid kit, together with proper in-

SAFETY DATA SHEET



AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

structions.
Wear suitable protective equipment.
When using do not eat, drink or smoke.
In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	liquid
Color	:	amber
Odor	:	Pungent Sweet Pear faint burn smell
Odor Threshold	:	No data available
pH	:	6.6 (20 - 25 °C) Concentration: 10 g/l 1 %
Melting point/ range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	69 °C Method: Regulation (EC) No. 440/2008, Annex, A.9
Evaporation rate	:	No data available
Flammability (liquids)	:	Not highly flammable, ignitable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	0.9494 Method: OECD Test Guideline 109

SAFETY DATA SHEET



AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

Density	:	0.9494 g/cm ³ Method: OECD Test Guideline 109
Solubility(ies)	:	
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	255 °C Method: EEC A.15
Decomposition temperature	:	Hazardous decomposition products formed under fire conditions.
Viscosity	:	
Viscosity, dynamic	:	5.6 mPa.s (25 °C)
Viscosity, kinematic	:	4.68 mm ² /s (20 °C) 2.95 mm ² /s (40 °C)
Explosive properties	:	Not explosive Method: Regulation (EC) No. 440/2008, Annex, A.14
Oxidizing properties	:	Non-oxidizing
Surface tension	:	28.9 mN/m, OECD Test Guideline 115, (undiluted) 39.3 mN/m, OECD Test Guideline 115, (Aqueous solution)
Molecular weight	:	Not applicable
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed. Vapors may form explosive mixture with air.
Conditions to avoid	:	Heat, flames and sparks. Heating of the product will produce harmful and irritant vapours.

AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

Incompatible materials : Strong oxidizing agents
Strong acids and strong bases

Hazardous decomposition products : Stable under recommended storage conditions.
No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Skin contact

Acute toxicity

Harmful if swallowed.
May be harmful if inhaled.

Product:

Acute oral toxicity : LD50 (Rat, female): 977 mg/kg
Method: OECD Test Guideline 425
Assessment: The component/mixture is moderately toxic after single ingestion.

LD50 (Rat, female): 976.8 mg/kg
Method: OECD Test Guideline 425
Symptoms: ataxia, hair loss, Breathing difficulties
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: Fatality, lethargy
GLP: yes
Assessment: The component/mixture is minimally toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402
Symptoms: Irritation, Reduced body weight
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: no mortality

Components:**Fatty acids, C6-10, Me esters:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Assessment: The substance or mixture has no acute oral tox-

AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

icity

indoxacarb (ISO):

- Acute oral toxicity : LD50 (Rat, male and female): 281 - 294 mg/kg
Method: OECD Test Guideline 420
Symptoms: ataxia, Tremors, Diarrhea, clonic convulsions, abnormal posture, incoordination, Lethargy
GLP: yes
- Acute inhalation toxicity : LC50 (Rat, female): 4.2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Symptoms: nasal discharge, lethargy
GLP: yes
- Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 402
Symptoms: Irritation
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity

Fatty acids, soya, Me esters:

- Acute oral toxicity : LD50 (Rat): 5,000 - 15,000 mg/kg
- Acute dermal toxicity : LD50 (Rabbit): 2,000 - 20,000 mg/kg

calcium dodecylbenzenesulphonate:

- Acute oral toxicity : LD50 (Rat, male and female): 1,300 mg/kg
Remarks: Based on data from similar materials
- Acute inhalation toxicity : Remarks: Not classified
- Acute dermal toxicity : LD50 (Rat, male and female): > 2000 milligram per kilogram
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

2-ethylhexan-1-ol:

- Acute oral toxicity : LD50 (Rat, male): 2,047 mg/kg
- Acute inhalation toxicity : LC50 (Rat): 4.3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
- Acute dermal toxicity : LD50 (Rat, male and female): > 3,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

Skin corrosion/irritation

Causes mild skin irritation.

Product:

Species	: Rabbit
Assessment	: Causes mild skin irritation.
Method	: OECD Test Guideline 404
Result	: Mild skin irritation
GLP	: yes

Remarks	: May cause skin irritation in susceptible persons.
---------	---

Components:**Fatty acids, C6-10, Me esters:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

indoxacarb (ISO):

Species	: Rabbit
Assessment	: Not classified as irritant
Method	: OECD Test Guideline 404
Result	: slight irritation
GLP	: yes

Fatty acids, soya, Me esters:

Result	: slight irritation
--------	---------------------

calcium dodecylbenzenesulphonate:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

2-ethylhexan-1-ol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	: Rabbit
Assessment	: No eye irritation
Method	: OECD Test Guideline 405
GLP	: yes

SAFETY DATA SHEET



AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

Remarks : Vapors may cause irritation to the eyes, respiratory system and the skin.

Components:

Fatty acids, C6-10, Me esters:

Species : Rabbit
Result : slight irritation
Method : OECD Test Guideline 405

indoxacarb (ISO):

Species : Rabbit
Result : slight irritation
Assessment : Not classified as irritant
Method : OECD Test Guideline 405
GLP : yes
Remarks : Product dust may be irritating to eyes, skin and respiratory system.

Fatty acids, soya, Me esters:

Result : Irritation to eyes, reversing within 7 days

calcium dodecylbenzenesulphonate:

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405
Remarks : Based on data from similar materials

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

2-ethylhexan-1-ol:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days
Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406

SAFETY DATA SHEET



AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

Result : Did not cause sensitization on laboratory animals.
GLP : yes

Components:

Fatty acids, C6-10, Me esters:

Routes of exposure : Skin contact
Species : Guinea pig
Result : Not a skin sensitizer.

indoxacarb (ISO):

Test Type : Local lymph node assay (LLNA)
Routes of exposure : Skin contact
Species : Mouse
Assessment : The product is a skin sensitizer, sub-category 1B.
Method : OECD Test Guideline 429
Result : May cause sensitization by skin contact.
GLP : yes

Test Type : Maximization Test
Species : Guinea pig
Assessment : May cause sensitization by skin contact.
Method : US EPA Test Guideline OPPTS 870.2600
Result : May cause sensitization by skin contact.
GLP : yes

Fatty acids, soya, Me esters:

Result : Does not cause skin sensitization.

calcium dodecylbenzenesulphonate:

Test Type : Maximization Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Not a skin sensitizer.
Remarks : Based on data from similar materials

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Test Type: Ames test
Method: OECD Test Guideline 472
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Method: OECD Test Guideline 474

AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

Result: negative

Components:**Fatty acids, C6-10, Me esters:**

Genotoxicity in vitro : Test Type: Ames test
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

indoxacarb (ISO):

Genotoxicity in vitro : Test Type: reverse mutation assay
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: gene mutation test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

calcium dodecylbenzenesulphonate:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: chromosome aberration assay
Species: Rat (male and female)
Application Route: Oral
Exposure time: 90 d
Result: negative
Remarks: Based on data from similar materials

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

2-ethylhexan-1-ol:

Genotoxicity in vitro : Test Type: reverse mutation assay
Method: OECD Test Guideline 471
Result: negative

SAFETY DATA SHEET



AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

Components:

indoxacarb (ISO):

Species : Rat, female
Application Route : Oral
Exposure time : 24 m
: 2.13 mg/kg bw/day
Result : negative

Species : Rat, male
Application Route : Oral
Exposure time : 24 m
: 2.4 mg/kg bw/day
Result : negative

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

Fatty acids, soya, Me esters:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

calcium dodecylbenzenesulphonate:

Species : Rat, male and female
Application Route : Oral
Exposure time : 720 d
NOAEL : 250 mg/kg body weight
Result : negative
Remarks : Based on data from similar materials

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

2-ethylhexan-1-ol:

Species : Rat
Application Route : Oral
Exposure time : 24 month(s)
Result : negative

Reproductive toxicity

Based on available data, the classification criteria are not met.

AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

Components:**indoxacarb (ISO):**

- Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
Dose: 0, 20, 60, 100 parts per million
General Toxicity Parent: NOEL: 20 ppm
Fertility: NOEL: 60 ppm
Early Embryonic Development: NOEL: 20 ppm
Symptoms: Reduced body weight, reduced food consumption
Target Organs: spleen
- Effects on fetal development : Test Type: Developmental toxicity study
Species: Rabbit
Dose: 0, 250, 500, 1000 mg/kg bw/day
General Toxicity Maternal: NOEL: 500 mg/kg bw/day
Developmental Toxicity: NOEL: 500 mg/kg bw/day
Symptoms: Reduced body weight, Reduced fetal weight.,
Skeletal malformations.
Method: EPA OPP 83-3
GLP: yes
- Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.
Animal testing did not show any effects on fetal development.

calcium dodecylbenzenesulphonate:

- Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Application Route: Ingestion
General Toxicity Parent: NOAEL: 400 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative
- Effects on fetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Ingestion
General Toxicity Maternal: NOAEL: 300 mg/kg body weight
Developmental Toxicity: NOAEL: 600 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative
- Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

2-ethylhexan-1-ol:

- Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: negative

AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

STOT-single exposure

May cause damage to organs (Central nervous system).

Components:**indoxacarb (ISO):**

Target Organs	:	Central nervous system
Assessment	:	The substance or mixture is classified as specific target organ toxicant, single exposure, category 2.

2-ethylhexan-1-ol:

Assessment	:	May cause respiratory irritation.
------------	---	-----------------------------------

STOT-repeated exposure

Causes damage to organs (Blood, Nervous system) through prolonged or repeated exposure.

Components:**indoxacarb (ISO):**

Target Organs	:	Blood, Nervous system
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Product:**

Species	:	Rat, female
Application Route	:	Oral - feed
Exposure time	:	28 d
Method	:	OECD Test Guideline 408
GLP	:	yes
Target Organs	:	Blood

Species	:	Rat, female
Application Route	:	Oral - feed
Exposure time	:	90 d
Method	:	OECD Test Guideline 408
GLP	:	yes
Target Organs	:	Blood

Components:**indoxacarb (ISO):**

Species	:	Rat, female
NOAEL	:	1.7 mg/kg
LOAEL	:	4.1 mg/kg
Application Route	:	Oral
Exposure time	:	90 d
Method	:	OECD Test Guideline 408
GLP	:	yes
Target Organs	:	Blood
Symptoms	:	Reduced body weight, reduced food consumption

SAFETY DATA SHEET



AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

Species : Rat, male
NOAEL : 3.2 mg/kg
LOAEL : 6.6 mg/kg
Application Route : Oral
Exposure time : 90 d
Method : OECD Test Guideline 408
GLP : yes
Symptoms : Reduced body weight, reduced food consumption

Species : Rat, female
NOAEL : 0.685 mg/kg, 10 ppm
LOAEL : 3.3 mg/kg, 50 ppm
Application Route : Oral
Exposure time : 90 d
Dose : 0, 10, 50, 100 ppm
Method : EPA OPP 82-7
GLP : yes
Symptoms : Fatality, reduced food consumption, Reduced body weight
Remarks : No neurotoxicity detected.

Species : Rat, male
NOAEL : 0.569 mg/kg, 10 ppm
LOAEL : 5.62 mg/kg, 100 ppm
Application Route : Oral
Exposure time : 90 d
Dose : 0, 10, 100, 200 ppm
Method : EPA OPP 82-7
GLP : yes
Symptoms : Fatality, reduced food consumption, Reduced body weight
Remarks : No neurotoxicity detected.

Species : Dog, male and female
NOEL : 1.1 - 1.3 mg/kg
LOAEL : 2.3 - 2.4 mg/kg
Application Route : Oral - feed
Exposure time : 12 m
Method : OECD Test Guideline 452
GLP : yes
Target Organs : Blood
Symptoms : reduced food consumption, Reduced body weight

calcium dodecylbenzenesulphonate:

Species : Rat, male and female
NOAEL : 85 mg/kg
LOAEL : 145 mg/kg
Application Route : Oral
Exposure time : 9 Months
Remarks : Based on data from similar materials

Species : Rat, male
LOAEL : 286 mg/kg
Application Route : Skin contact

SAFETY DATA SHEET



AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

Exposure time : 15 Days
Remarks : Based on data from similar materials

Species : Rat, male and female
NOAEL : 100 mg/kg bw/day
LOAEL : 200 mg/kg bw/day
Application Route : Oral - gavage
Exposure time : 28 - 54 Days
Method : OECD Test Guideline 422
Remarks : Based on data from similar materials

2-ethylhexan-1-ol:

Species : Rat
: 250 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Method : OECD Test Guideline 408

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

No aspiration toxicity classification

Further information

Product:

Remarks : No data available

Components:

indoxacarb (ISO):

Remarks : Acute effects on nervous system: drowsiness, tremors, paralysis. Chronic effects include cyanosis

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 7.0 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.84 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203

SAFETY DATA SHEET



AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.67 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

EC50 (Daphnia magna (Water flea)): 0.256 mg/l
Exposure time: 48 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 16 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

EbC50 (Pseudokirchneriella subcapitata (green algae)): 12.5 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

Toxicity to soil dwelling organisms : LD50 (Eisenia fetida (earthworms)): 921 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organisms : LD50 (Apis mellifera (bees)): 0.08 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity

LD50 (Apis mellifera (bees)): 0.11 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity

LD50 (Colinus virginianus (Bobwhite quail)): 593 mg/kg
Method: EPA OPP 71-1

SAFETY DATA SHEET



AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

Components:

Fatty acids, C6-10, Me esters:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 95 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Gammarus fasciatus (freshwater shrimp)): 14.7 mg/l Remarks: Based on data from similar materials

indoxacarb (ISO):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.65 mg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203 GLP: yes LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.90 mg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.47 mg/l Exposure time: 48 h Test Type: static test EC50 (Daphnia magna (Water flea)): > 0.17 mg/l Exposure time: 48 h Test Type: flow-through test Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (algae)): > 0.0793 mg/l Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201 GLP: yes NOEC (Pseudokirchneriella subcapitata (algae)): 1.1 mg/l End point: Growth inhibition Exposure time: 5 d Method: Directive 67/548/EEC, Annex V, C.3. GLP: yes
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0.12 mg/l Exposure time: 90 d Test Type: Early Life-Stage Method: OECD Test Guideline 210 GLP: yes NOEC (Pimephales promelas (fathead minnow)): 0.0675 mg/l

SAFETY DATA SHEET



AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

Exposure time: 28 d
Test Type: Early Life-Stage
Method: OECD Test Guideline 210
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0351 mg/l
Exposure time: 21 d
Test Type: Static renewal test
Method: OECD Test Guideline 211
GLP: yes

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg
Exposure time: 14 d
Method: OECD Test Guideline 207
GLP: yes

Method: OECD Test Guideline 216
Remarks: No significant adverse effect on Nitrogen mineralization.

Method: OECD Test Guideline 217
Remarks: No significant adverse effect on Carbon mineralization.

Toxicity to terrestrial organisms : NOEL (Apis mellifera (bees)): 0.048 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214

NOEL (Apis mellifera (bees)): 0.163 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213

LD50 (Apis mellifera (bees)): 0.068 µg/bee
Exposure time: 48 h
End point: Acute contact toxicity
Method: OECD Test Guideline 214

LD50 (Apis mellifera (bees)): 0.232 µg/bee
Exposure time: 48 h
End point: Acute oral toxicity
Method: OECD Test Guideline 213

LD50 (Colinus virginianus (Bobwhite quail)): 98 mg/kg
Method: US EPA Test Guideline OPP 71-1
GLP: yes

NOEC (Anas platyrhynchos (Mallard duck)): 720 ppm
Exposure time: 147 d
End point: Reproduction Test
Method: OECD Test Guideline 206
GLP: yes

SAFETY DATA SHEET



AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

NOEC (*Colinus virginianus* (Bobwhite quail)): 144 ppm
Exposure time: 147 d
End point: Reproduction Test
Method: OECD Test Guideline 206

LC50 (*Anas platyrhynchos* (Mallard duck)): > 5,620 ppm
Exposure time: 5 d
Method: US EPA Test Guideline OPP 71-2
Remarks: Dietary

NOEC (*Anas platyrhynchos* (Mallard duck)): 562 ppm
Exposure time: 5 d
Method: US EPA Test Guideline OPP 71-2
Remarks: Dietary

LC50 (*Colinus virginianus* (Bobwhite quail)): 808 ppm
Exposure time: 5 d
Method: US EPA Test Guideline OPP 71-2
Remarks: Dietary

NOEC (*Colinus virginianus* (Bobwhite quail)): 316 ppm
Exposure time: 5 d
Method: US EPA Test Guideline OPP 71-1
Remarks: Dietary

Fatty acids, soya, Me esters:

Toxicity to fish : LC50 (Fish): > 1,000 mg/l
Exposure time: 96 h

LC50 (*Leuciscus idus* (Golden orfe)): > 100 mg/l
Exposure time: 48 h
Method: ISO 7346/2

Toxicity to daphnia and other aquatic invertebrates : EC50 (Crustaceans): 800 - 5,243 mg/l
Exposure time: 48 h

calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (*Danio rerio* (zebra fish)): 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

LC50 (*Pimephales promelas* (fathead minnow)): 4.6 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 3.5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic : NOEC (*Pseudokirchneriella subcapitata* (green algae)): 7.9

SAFETY DATA SHEET



AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

plants	:	mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials EC50 (Pseudokirchneriella subcapitata (green algae)): 65.4 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 1.65 mg/l Exposure time: 21 d Remarks: Based on data from similar materials NOEC (Daphnia magna (Water flea)): 1.18 mg/l Exposure time: 21 d Remarks: Based on data from similar materials
Toxicity to microorganisms	:	EC50 (activated sludge): 500 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Toxicity to soil dwelling organisms	:	LC50 (Eisenia fetida (earthworms)): 1,000 mg/kg Exposure time: 14 d Method: OECD Test Guideline 207
Toxicity to terrestrial organisms	:	LD50 (Colinus virginianus (Bobwhite quail)): 1,356 mg/kg Exposure time: 14 d Method: OECD Test Guideline 223

2-ethylhexan-1-ol:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 17.1 - 28.2 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 39 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC10 (Desmodesmus subspicatus (green algae)): 3.2 mg/l Exposure time: 72 h EC50 (Desmodesmus subspicatus (green algae)): 11.5 mg/l Exposure time: 72 h
Toxicity to microorganisms	:	EC50 (Anabaena flos-aquae (cyanobacterium)): 16.6 mg/l Exposure time: 72 h

Persistence and degradability

Components:

Fatty acids, C6-10, Me esters:

Biodegradability	:	Result: Readily biodegradable.
------------------	---	--------------------------------

SAFETY DATA SHEET



AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

indoxacarb (ISO):

Biodegradability : Result: Not readily biodegradable.

Fatty acids, soya, Me esters:

Biodegradability : Result: Readily biodegradable.

calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301E

2-ethylhexan-1-ol:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

indoxacarb (ISO):

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 1,053
Exposure time: 21 d
Concentration: 0.1 mg/l

Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 847
Exposure time: 28 d
Concentration: 0.1 mg/l

Partition coefficient: n-octanol/water : log Pow: 4.52 (20 °C)
Method: OECD Test Guideline 107
GLP: yes

Fatty acids, soya, Me esters:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 70.79
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4.77 (25 °C)

SAFETY DATA SHEET



AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

2-ethylhexan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 2.9 (25 °C)

Mobility in soil

Components:

indoxacarb (ISO):

Distribution among environmental compartments : Koc: 4483 ml/g, log Koc: 3.65
Remarks: Low mobility in soil.

Kd: 46 - 150

Stability in soil :

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life.
Toxic to aquatic life with long lasting effects.

Components:

indoxacarb (ISO):

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Appropriate personal protective equipment, as described in Sections 7 and 8, should be worn when handling materials for waste disposal.

Contaminated packaging : Containers must be disposed of in accordance with local, state and federal regulations. It is prohibited to reuse, bury, burn or sell containers. Washable containers: Triple wash containers smaller than 20 liters and pressure wash containers of 20 liters or more. Triple wash: Add water up to ¼ of the container's capacity, close and shake for 30 seconds. Pour

SAFETY DATA SHEET



AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

the wash water into the mixing tank, considering this volume of water within the recommended volume for mixing. Perform this procedure three times. Pressure washing: Activate the pressure washing device for 30 seconds, considering the volume of water used as part of the recommended volume for the mixture. For both procedures, make the container unusable by piercing it at the base without damaging the label. Non-washable containers: Containers that cannot be washed, make them unusable by perforating them without damaging the label. In all cases, deliver the containers to collection points indicated by the local container collection program. For more information on the Empty Pesticide Container Management Plan, visit <http://campolimpio.org.mx/>.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Indoxacarb)

Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Indoxacarb)

Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Indoxacarb)

Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SAFETY DATA SHEET



AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

Domestic regulation

NOM-002-SCT

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Indoxacarb)

Class : 9
Packing group : III
Labels : 9

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

This document has been prepared in accordance with the Globally Harmonized System (GHS). The document consists of 16 points that cover the Official Mexican STANDARD NOM-018-STPS-2015 Harmonized system for the identification and communication of hazards and risks due to dangerous chemical substances in the workplace. 271000

Federal Law for the control of chemical precursors, : Not applicable
essential chemical products and machinery for producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: Not in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL. indoxacarb (ISO) Fatty acids, C6-10, Me esters
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Not in compliance with the inventory

AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

NZIoC : Not in compliance with the inventory

TECI : Not in compliance with the inventory

SECTION 16. OTHER INFORMATION

Revision Date : 12.03.2026

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA	: 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

SAFETY DATA SHEET



AVAUNT® EC

Version	Revision Date:	SDS Number:	Date of last issue: -
3.0	12.03.2026	50000122	Date of first issue: 01.11.2019

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to insure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

MX / EN

Prepared by:

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2026 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet