

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.09.2025	50000003	Date of first issue: 01.09.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name FYFANON® 1000 g/l EC

Other means of identification

Product code 50000003

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Insecticide

Recommended restrictions on use : Use as recommended by the label.

1.3 Details of the supplier of the safety data sheet

Supplier Address FMC Agricultural Solutions A/S
Thyborønvej 78
DK-7673 Harbøre
Denmark

Telephone: +45 9690 9690
Telefax: +45 9690 9691
E-mail address: SDS-Info@fmc.com .

1.4 Emergency telephone number

For leak, fire, spill or accident emergencies, call:
Denmark: +45-69918573 (CHEMTREC)

Medical emergency:
Denmark: +45 82 12 12 12

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4 H302: Harmful if swallowed.

Short-term (acute) aquatic hazard, Category 1 H400: Very toxic to aquatic life.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version 1.0	Revision Date: 01.09.2025	SDS Number: 50000003	Date of last issue: - Date of first issue: 01.09.2025
----------------	------------------------------	-------------------------	--

Long-term (chronic) aquatic hazard, Category 1

H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H302 Harmful if swallowed.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P330 IF SWALLOWED: Rinse mouth.
P312 Call a POISON CENTER/ doctor if you feel unwell.

Disposal:

P501 Dispose of contents/container as hazardous waste in accordance with local regulations.

Hazardous components which must be listed on the label:

malathion (ISO) [containing $\leq 0,03$ % isomalathion]

Additional Labelling

EUH208 Contains malathion (ISO) [containing $\leq 0,03$ % isomalathion]. May produce an allergic reaction.

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

For special phrases (SP) and safety intervals, consult the label.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version 1.0 Revision Date: 01.09.2025 SDS Number: 50000003 Date of last issue: -
Date of first issue: 01.09.2025

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
malathion (ISO) [containing ≤ 0,03 % isomalathion]	121-75-5 204-497-7 015-041-00-X	Acute Tox. 4; H302 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1.000 M-Factor (Chronic aquatic toxicity): 1.000 Acute toxicity estimate Acute oral toxicity: 500 mg/kg	>= 70 - < 90
Oxirane, methyl-, polymer with oxirane, mono(nonylphenyl) ether, branched	68891-11-2	Aquatic Chronic 3; H412	>= 2,5 - < 10
2-ethylhexan-1-ol	104-76-7 203-234-3	Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 (Respiratory system) Acute toxicity estimate Acute inhalation toxicity (dust/mist): 4,3 mg/l	>= 1 - < 10
calcium dodecylbenzenesulphonate	26264-06-2 247-557-8	Acute Tox. 4; H302 Skin Irrit. 2; H315	>= 1 - < 2,5

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version 1.0 Revision Date: 01.09.2025 SDS Number: 50000003 Date of last issue: -
Date of first issue: 01.09.2025

		Eye Dam. 1; H318 Aquatic Chronic 4; H413	
		Acute toxicity estimate	
		Acute oral toxicity: 1.300 mg/kg	
xylene	1330-20-7 215-535-7 601-022-00-9	Flam. Liq. 3; H226 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Irrit. 2; H315 Aquatic Chronic 3; H412	$\geq 1 - < 2,5$
butan-1-ol	71-36-3 200-751-6 603-004-00-6	Flam. Liq. 3; H226 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H336 (Central nervous system) STOT SE 3; H335 (Respiratory system)	$\geq 1 - < 3$
		Acute toxicity estimate	
		Acute oral toxicity: 1.000 mg/kg	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- Protection of first-aiders : Avoid inhalation, ingestion and contact with skin and eyes.
- If inhaled : Remove to fresh air.
If unconscious, place in recovery position and seek medical advice.
If experiencing any discomfort, immediately remove from exposure. Light cases: Keep person under surveillance. Get medical attention immediately if symptoms develop. Serious cases: Get medical attention immediately or call for an ambulance.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version 1.0	Revision Date: 01.09.2025	SDS Number: 50000003	Date of last issue: - Date of first issue: 01.09.2025
----------------	------------------------------	-------------------------	--

- | | |
|-------------------------|---|
| In case of skin contact | : If on clothes, remove clothes.
If on skin, rinse well with water.
Wash off with soap and plenty of water.
Get medical attention immediately if irritation develops and persists. |
| In case of eye contact | : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist. |
| If swallowed | : Keep respiratory tract clear.
Do not induce vomiting without medical advice.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital. |

4.2 Most important symptoms and effects, both acute and delayed

- | | |
|----------|---|
| Symptoms | : Primarily irritation.
On exposure to larger quantities of aged product, symptoms of poisoning (cholinesterase inhibition) may occur. |
| Risks | : Harmful if swallowed. |

4.3 Indication of any immediate medical attention and special treatment needed

- | | |
|-----------|--|
| Treatment | : If any of the signs of cholinesterase inhibition occurs, call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to an organophosphorus insecticide.
Describe his/her condition and the extent of exposure. Immediately remove the exposed person from the area where the product is present.

It may be helpful to show this safety data sheet to physician. In an industrial setting, the antidote atropine sulphate should be available at the workplace.
Malathion is a cholinesterase inhibitor affecting the central and peripheral nervous systems producing respiratory depression. Decontamination procedures such as whole body washing, gastric lavage and administration of activated charcoal are often required.
Antidote: If symptoms of cholinesterase inhibition (see section 11) are present, administer atropine sulphate, which often is a lifesaving antidote, in large doses, TWO to FOUR mg intravenously or intramuscularly as soon as possible. Repeat at 5 to 10 minute intervals until signs of atropinisation appear and maintain full atropinisation until all organophosphate is metabolised. |
|-----------|--|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version 1.0	Revision Date: 01.09.2025	SDS Number: 50000003	Date of last issue: - Date of first issue: 01.09.2025
----------------	------------------------------	-------------------------	--

Obidoxime chloride (Toxogonin), alternatively pralidoxime chloride(2-PAM), may be administered as an adjunct to, but not a substitute for atropine sulphate. Treatment with oxime should be maintained as long as atropine sulphate is administered.

At first sign of pulmonary oedema the patient should be given supplementary oxygen and treated symptomatically.

Relapse can occur after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS, DEPENDING ON THE SEVERITY OF POISONING.

Much information on (acetyl)cholinesterase inhibition and its treatment can be found on the internet.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry chemical, CO₂, water spray or regular foam.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : Do not spread spilled material with high-pressure water streams.
High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Fire may produce irritating, corrosive and/or toxic gases.
Oxides of phosphorus
Carbon oxides
Sulphur oxides
hydrogen sulphide
dimethyl sulphide
methyl mercaptan

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.
Use a water spray to cool fully closed containers.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.09.2025	50000003	Date of first issue: 01.09.2025

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
If it can be safely done, stop the leak.
Remove all sources of ignition.
Immediately evacuate personnel to safe areas.
Ensure adequate ventilation.
Never return spills in original containers for re-use.
Mark the contaminated area with signs and prevent access to unauthorized personnel.
Only qualified personnel equipped with suitable protective equipment may intervene.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.
Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid formation of aerosol.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Provide sufficient air exchange and/or exhaust in work rooms.
To avoid spills during handling keep bottle on a metal tray.
Dispose of rinse water in accordance with local and national regulations.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version 1.0	Revision Date: 01.09.2025	SDS Number: 50000003	Date of last issue: - Date of first issue: 01.09.2025
----------------	------------------------------	-------------------------	--

used.

Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material. Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : No smoking. Keep in a well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : The product is stable when stored at temperatures not exceeding 25°C. The product should never be heated above 55°C. Local heating above this temperature should be avoided as well. Store in closed, labelled containers. The storage room should be constructed of incombustible material, closed, dry, ventilated and with impermeable floor, without access of unauthorised persons or children. A warning sign reading "POISON" is recommended. The room should only be used for storage of chemicals. Food, drink, feed and seed should not be present. A hand wash station should be available.

Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Registered pesticide to be used in accordance with a label approved by country-specific regulatory authorities.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
malathion (ISO) [containing ≤ 0,03 % isomalathion]	121-75-5	GV	5 mg/m ³	DK OEL
	Further information: Means that the substance can be absorbed through the skin.			
		S	10 mg/m ³	DK OEL
	Further information: Means that the substance can be absorbed through the			

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version 1.0 Revision Date: 01.09.2025 SDS Number: 50000003 Date of last issue: -
Date of first issue: 01.09.2025

	skin.			
2-ethylhexan-1-ol	104-76-7	TWA	1 ppm 5,4 mg/m3	2017/164/EU
	Further information: Indicative			
		GV	1 ppm 5,4 mg/m3	DK OEL
		S	2 ppm 10,8 mg/m3	DK OEL
xylene	1330-20-7	TWA	50 ppm 221 mg/m3	2000/39/EC
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		STEL	100 ppm 442 mg/m3	2000/39/EC
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		S	100 ppm 442 mg/m3	DK OEL
	Further information: Means that the substance can be absorbed through the skin., Guiding list of organic solvents.			
		GV	25 ppm 109 mg/m3	DK OEL
	Further information: Means that the substance can be absorbed through the skin., Guiding list of organic solvents.			
butan-1-ol	71-36-3	L	50 ppm 150 mg/m3	DK OEL
	Further information: Means that the substance can be absorbed through the skin., Guiding list of organic solvents.			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
xylene	Workers	Inhalation	Long-term systemic effects	221 mg/m3
	Workers	Inhalation	Acute systemic effects	442 mg/m3
	Workers	Inhalation	Long-term local effects	221 mg/m3
	Workers	Inhalation	Acute local effects	442 mg/m3
	Workers	Dermal	Long-term systemic effects	212 mg/kg
	Consumers	Inhalation	Long-term systemic effects	66,3 mg/m3
	Consumers	Inhalation	Acute systemic effects	260 mg/m3
	Consumers	Inhalation	Long-term local effects	65,3 mg/m3
	Consumers	Inhalation	Acute local effects	260 mg/m3
	Consumers	Dermal	Long-term systemic effects	125 mg/m3
	Consumers	Dermal	Long-term systemic effects	12,5 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version 1.0 Revision Date: 01.09.2025 SDS Number: 50000003 Date of last issue: -
Date of first issue: 01.09.2025

butan-1-ol	Workers	Inhalation	Long-term local effects	310 mg/m3
	Consumers	Inhalation	Long-term local effects	155 mg/m3
	Consumers	Inhalation	Long-term systemic effects	55,357 mg/m3
	Consumers	Dermal	Long-term systemic effects	3,125 mg/kg
	Consumers	Oral	Long-term systemic effects	1,562 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
malathion (ISO) [containing ≤ 0,03 % isomalathion]	Fresh water	1,2
xylene	Fresh water	0,327 mg/l
	Intermittent use (freshwater)	0,327 mg/l
	Marine water	0,327 mg/l
	Sewage treatment plant	6,58 mg/l
	Fresh water sediment	12,46 mg/kg
	Marine sediment	12,46 mg/kg
butan-1-ol	Fresh water	82 mg/l
	Intermittent use/release	2,25 mg/l
	Marine water	0,0082 mg/l
	Sewage treatment plant	2476 mg/l
	Fresh water sediment	0,324 mg/kg dry weight (d.w.)
	Marine sediment	0,0324 mg/kg dry weight (d.w.)

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Hand protection
Material : Wear chemical resistant gloves, such as barrier laminate, butyl rubber or nitrile rubber.

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : In case of mist, spray or aerosol exposure wear suitable personal respiratory protection and protective suit.

Protective measures : Plan first aid action before beginning work with this product.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version 1.0	Revision Date: 01.09.2025	SDS Number: 50000003	Date of last issue: - Date of first issue: 01.09.2025
----------------	------------------------------	-------------------------	--

Always have on hand a first-aid kit, together with proper instructions.

Wear suitable protective equipment.

When using do not eat, drink or smoke.

In the context of professional plant protection use as recommended, the end user must refer to the label and the instructions for use.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Form	: Emulsion
Colour	: light yellow
Odour	: characteristic, Aromatic hydrocarbon
Melting point/freezing point	: < 0 °C
Boiling point/boiling range	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Flash point	: 64 °C Method: Pensky-Martens closed cup - PMCC
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
pH	: 3,29 (20 °C) Concentration: 1 %
Viscosity	
Viscosity, dynamic	: 42 mPa.s
Viscosity, kinematic	: No data available
Solubility(ies)	
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Vapour pressure	: No data available
Density	: 1,191 g/cm ³ (20 °C)
Relative vapour density	: No data available
Particle characteristics	
Particle size	: No data available

9.2 Other information

Explosives	: Not explosive
Oxidizing properties	: Non-oxidizing
Flammability (liquids)	: No data available
Miscibility with water	: Miscible

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.09.2025	50000003	Date of first issue: 01.09.2025

SECTION 10: Stability and reactivity

10.1 Reactivity

To our knowledge, the product has no special reactivities.

10.2 Chemical stability

Malathion will decompose rapidly when heated to temperatures above 100°C, significantly increasing the risk of explosion. Direct local heating such as electric heating or by steam must be avoided.

The decomposition is dependent on time as well as temperature due to self-accelerating exothermic and autocatalytic reactions. The reactions involve rearrangements and polymerisation releasing volatile malodorous and inflammable compounds such as dimethyl sulphide and methyl mercaptan.

10.3 Possibility of hazardous reactions

Hazardous reactions : None known

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.
Storage at too high temperatures may induce formation of the more toxic and synergistic contaminant isomalathion.
Heating of the product will produce harmful and irritant vapours.

10.5 Incompatible materials

Materials to avoid : Avoid strong acids, bases, and oxidizers
The product can corrode metals (but does not meet the criteria for classification).

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.
Remarks: Because of possible formation of isomalathion during long-term storage, the product is classified category 4.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version 1.0	Revision Date: 01.09.2025	SDS Number: 50000003	Date of last issue: - Date of first issue: 01.09.2025
----------------	------------------------------	-------------------------	--

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Components:

malathion (ISO) [containing $\leq 0,03$ % isomalathion]:

Acute oral toxicity : LD50 (Rat): 1.857 mg/kg
Method: OECD Test Guideline 401

LD50 (Rat, female): 1.608 - 2.550 mg/kg
Method: OECD Test Guideline 401
Symptoms: Tremors, hypoactivity
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5,2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: EPA OPP 81 - 3
GLP: yes
Remarks: no mortality

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: US EPA Test Guideline OPP 81-2
GLP: yes
Assessment: The component/mixture is minimally toxic after single contact with skin.

LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The component/mixture is minimally toxic after single contact with skin.

Oxirane, methyl-, polymer with oxirane, mono(nonylphenyl) ether, branched:

Acute oral toxicity : LD50 (Rat): > 10.000 mg/kg
Remarks: Based on data from similar materials

2-ethylhexan-1-ol:

Acute oral toxicity : LD50 (Rat, male): 2.047 mg/kg

Acute inhalation toxicity : LC50 (Rat): 4,3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 3.000 mg/kg
Method: OECD Test Guideline 402

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version 1.0	Revision Date: 01.09.2025	SDS Number: 50000003	Date of last issue: - Date of first issue: 01.09.2025
----------------	------------------------------	-------------------------	--

Assessment: The substance or mixture has no acute dermal toxicity

calcium dodecylbenzenesulphonate:

Acute oral toxicity	: LD50 (Rat, male and female): 1.300 mg/kg Remarks: Based on data from similar materials
Acute inhalation toxicity	: Remarks: Not classified
Acute dermal toxicity	: LD50 (Rat, male and female): > 2000 milligram per kilogram Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

xylene:

Acute oral toxicity	: LD50 (Rat, male): 3.523 mg/kg Method: Regulation (EC) No. 440/2008, Annex, B.1 bis LD50 (Rat, female): > 4.000 mg/kg Method: Regulation (EC) No. 440/2008, Annex, B.1 bis
Acute inhalation toxicity	: LC50 (Rat, male and female): 27,6 mg/l, 6350 ppm Exposure time: 4 h Test atmosphere: vapour Method: Regulation (EC) No. 440/2008, Annex, B.2
Acute dermal toxicity	: LD50 (Rabbit, male): > 4.200 mg/kg

butan-1-ol:

Acute oral toxicity	: LD50 (Rat): 2,292 mg/kg Acute toxicity estimate: 1.000 mg/kg Method: Expert judgement
Acute inhalation toxicity	: LC0 (Rat): > 17,76 mg/l Exposure time: 4 h Test atmosphere: vapour Remarks: no mortality
Acute dermal toxicity	: LD50 (Rabbit): 3.430 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Method	: OECD Test Guideline 404
Result	: No skin irritation
Remarks	: Based on data from a similar product.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.09.2025	50000003	Date of first issue: 01.09.2025

Components:

malathion (ISO) [containing $\leq 0,03$ % isomalathion]:

Species	: Rabbit
Method	: US EPA Test Guideline OPP 81-5
Result	: No skin irritation
GLP	: yes

2-ethylhexan-1-ol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

calcium dodecylbenzenesulphonate:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: Skin irritation

xylene:

Species	: Rabbit
Result	: Skin irritation
Remarks	: Based on data from similar materials

butan-1-ol:

Species	: Rabbit
Result	: Skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Method	: OECD Test Guideline 405
Result	: No eye irritation
Remarks	: Minimal effects that do not meet the threshold for classification. Based on data from a similar product.

Components:

malathion (ISO) [containing $\leq 0,03$ % isomalathion]:

Species	: Rabbit
Method	: EPA OPP 81-4
Result	: No eye irritation
GLP	: yes

2-ethylhexan-1-ol:

Species	: Rabbit
Method	: OECD Test Guideline 405

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version 1.0	Revision Date: 01.09.2025	SDS Number: 50000003	Date of last issue: - Date of first issue: 01.09.2025
----------------	------------------------------	-------------------------	--

Result : Irritation to eyes, reversing within 21 days

calcium dodecylbenzenesulphonate:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irreversible effects on the eye
Remarks : Based on data from similar materials

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irreversible effects on the eye

butan-1-ol:

Species : Rabbit
Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Method : FIFRA 81.06
Result : Not a skin sensitizer.
Remarks : Based on data from a similar product.

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Exposure routes : Dermal
Species : Guinea pig
Method : US EPA Test Guideline OPP 81-6
Result : Does not cause skin sensitisation.
GLP : yes

Test Type : Local lymph node assay (LLNA)
Exposure routes : Dermal
Species : mice
Method : OECD Test Guideline 429
Result : Does not cause skin sensitisation.
GLP : yes

Test Type : Maximisation Test
Exposure routes : Dermal
Species : Guinea pig
Method : OECD Test Guideline 406

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.09.2025	50000003	Date of first issue: 01.09.2025

Result : May cause sensitisation by skin contact.

calcium dodecylbenzenesulphonate:

Test Type	: Maximisation Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.
Remarks	: Based on data from similar materials

xylene:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Method	: OECD Test Guideline 429
Result	: Does not cause skin sensitisation.

butan-1-ol:

Result : Not a skin sensitizer.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Germ cell mutagenicity- Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Components:

malathion (ISO) [containing $\leq 0,03$ % isomalathion]:

Genotoxicity in vitro	: Test Type: Ames test Result: negative Test Type: In vitro mammalian cell gene mutation test Result: positive Remarks: Based on data from similar materials Test Type: unscheduled DNA synthesis assay Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: chromosome aberration assay Species: Rat Result: negative Remarks: Based on data from similar materials Test Type: unscheduled DNA synthesis assay Species: Rat Result: negative Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version 1.0	Revision Date: 01.09.2025	SDS Number: 50000003	Date of last issue: - Date of first issue: 01.09.2025
----------------	------------------------------	-------------------------	--

2-ethylhexan-1-ol:

Genotoxicity in vitro	: Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Application Route: Intraperitoneal injection Result: negative

calcium dodecylbenzenesulphonate:

Genotoxicity in vitro	: Test Type: reverse mutation assay Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: chromosome aberration assay Species: Rat (male and female) Application Route: Oral Exposure time: 90 d Result: negative Remarks: Based on data from similar materials
Germ cell mutagenicity- Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

xylene:

Genotoxicity in vitro	: Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Method: Regulation (EC) No. 440/2008, Annex, B.10 Result: negative Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells Result: negative
Genotoxicity in vivo	: Test Type: Rodent Dominant Lethal Assay Species: Mouse (male) Application Route: Intraperitoneal injection Method: OECD Test Guideline 478 Result: negative

butan-1-ol:

Genotoxicity in vitro	: Test Type: gene mutation test Method: OECD Test Guideline 476 Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Application Route: Oral Method: OECD Test Guideline 474

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version 1.0	Revision Date: 01.09.2025	SDS Number: 50000003	Date of last issue: - Date of first issue: 01.09.2025
----------------	------------------------------	-------------------------	--

Result: negative

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

Components:

malathion (ISO) [containing $\leq 0,03$ % isomalathion]:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 24 month(s)
NOAEL	: 6.000 ppm
Result	: positive

Remarks : Probably carcinogenic to humans (IARC 2A)

2-ethylhexan-1-ol:

Species	: Rat
Application Route	: Oral
Exposure time	: 24 month(s)
Result	: negative

calcium dodecylbenzenesulphonate:

Species	: Rat, male and female
Application Route	: Oral
Exposure time	: 720 d
NOAEL	: 250 mg/kg body weight
Result	: negative
Remarks	: Based on data from similar materials

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

xylene:

Species	: Rat
Application Route	: Oral
Exposure time	: 103 weeks
Result	: negative

Reproductive toxicity

Based on available data, the classification criteria are not met.

Product:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.09.2025	50000003	Date of first issue: 01.09.2025

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Effects on fertility : Test Type: Two-generation study
Species: Rat, male and female
General Toxicity F1: NOAEL: 132 - 152 mg/kg bw/day
Symptoms: Reduced offspring weight gain

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
General Toxicity Maternal: NOAEL: 400 mg/kg bw/day
Teratogenicity: NOAEL: 800 mg/kg bw/day
Result: No teratogenic effects

Test Type: Embryo-foetal development
Species: Rabbit
General Toxicity Maternal: NOAEL: 25 mg/kg bw/day
Teratogenicity: NOAEL: 25 mg/kg bw/day
Result: No teratogenic effects

2-ethylhexan-1-ol:

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Oral
Method: OECD Test Guideline 414
Result: negative

calcium dodecylbenzenesulphonate:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat, male and female
Application Route: Ingestion
General Toxicity - Parent: NOAEL: 400 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Effects on foetal development : Test Type: reproductive and developmental toxicity study
Species: Rat
Application Route: Ingestion
General Toxicity Maternal: NOAEL: 300 mg/kg body weight
Developmental Toxicity: NOAEL: 600 mg/kg body weight
Method: OECD Test Guideline 422
Result: negative

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

xylene:

Effects on fertility : Test Type: Two-generation study
Species: Rat

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version 1.0	Revision Date: 01.09.2025	SDS Number: 50000003	Date of last issue: - Date of first issue: 01.09.2025
----------------	------------------------------	-------------------------	--

Application Route: inhalation (vapour)
General Toxicity F1: NOAEC: 2,171 mg/l
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Pre-natal
Species: Rat
Application Route: inhalation (vapour)
Symptoms: Maternal effects
Result: negative
Remarks: Based on data from similar materials

STOT - single exposure

Based on available data, the classification criteria are not met.

Components:

2-ethylhexan-1-ol:

Assessment : May cause respiratory irritation.

butan-1-ol:

Assessment : May cause respiratory irritation., May cause drowsiness or dizziness.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Repeated dose toxicity

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Species : Rat
LOAEL : 34,4 mg/kg
Application Route : Oral - feed
Exposure time : 90 d
Target Organs : Nervous system
Symptoms : cholinesterase inhibition

2-ethylhexan-1-ol:

Species : Rat
: 250 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Method : OECD Test Guideline 408

calcium dodecylbenzenesulphonate:

Species : Rat, male and female
NOAEL : 85 mg/kg
LOAEL : 145 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.09.2025	50000003	Date of first issue: 01.09.2025

Application Route : Oral
Exposure time : 9 Months
Remarks : Based on data from similar materials

Species : Rat, male
LOAEL : 286 mg/kg
Application Route : Skin contact
Exposure time : 15 Days
Remarks : Based on data from similar materials

Species : Rat, male and female
NOAEL : 100 mg/kg bw/day
LOAEL : 200 mg/kg bw/day
Application Route : Oral - gavage
Exposure time : 28 - 54 Days
Method : OECD Test Guideline 422
Remarks : Based on data from similar materials

xylene:

Species : Rat
NOAEC : 3,515 mg/l
Application Route : Inhalation
Exposure time : 13 weeks

butan-1-ol:

Species : Rat
NOAEL : 1,500 mg/m³
Application Route : Inhalation

Aspiration toxicity

Based on available data, the classification criteria are not met.

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

The substance does not have properties associated with aspiration hazard potential.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version 1.0	Revision Date: 01.09.2025	SDS Number: 50000003	Date of last issue: - Date of first issue: 01.09.2025
----------------	------------------------------	-------------------------	--

Experience with human exposure

Components:

xylene:

General Information	:	Target Organs: inner ear Symptoms: hearing loss
		Target Organs: Central nervous system Symptoms: Drowsiness, Dizziness

Neurological effects

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Remarks	:	Neurotoxicity observed in animals studies
---------	---	---

Further information

Product:

Remarks	:	On contact, the first symptoms to appear may be irritation. On exposure to larger quantities of aged product symptoms of poisoning (cholinesterase inhibition) may occur. The symptoms of cholinesterase inhibition are: headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, laboured breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.
---------	---	---

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Remarks	:	The active ingredient malathion is a cholinesterase inhibitor of low mammalian toxicity. However, prolonged storage or storage at too high temperatures may induce formation of the much more toxic and synergistic contaminant isomalathion (LD50, oral, rat, 89 mg/kg). Both malathion and isomalathion rapidly enter the body on contact with all skin surfaces and eyes. Repeated exposures to cholinesterase inhibitors such as malathion or isomalathion may, without warning, cause increased susceptibility to doses of any cholinesterase inhibitor.
---------	---	---

SECTION 12: Ecological information

12.1 Toxicity

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version 1.0	Revision Date: 01.09.2025	SDS Number: 50000003	Date of last issue: - Date of first issue: 01.09.2025
----------------	------------------------------	-------------------------	--

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 0,18 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia similis (water flea)): 1,71 µg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: IC50 (Selenastrum capricornutum (green algae)): 4,06 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	: 1.000
Toxicity to fish (Chronic toxicity)	: NOEC: 0,021 mg/l Exposure time: 37 d Species: Oncorhynchus mykiss (rainbow trout)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0,00006 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	: 1.000
Toxicity to soil dwelling organisms	: 613 mg/kg Exposure time: 14 d Species: Eisenia fetida (earthworms)

Remarks: No significant adverse effect on nitrogen mineralization.
No significant adverse effect on carbon mineralization.

Toxicity to terrestrial organisms	: LD50: 359 mg/kg Exposure time: 5 d Species: Colinus virginianus (Bobwhite quail) LC50: 3.497 mg/kg Exposure time: 5 d Species: Colinus virginianus (Bobwhite quail) Remarks: Dietary LD50: > 2.250 mg/kg Species: Anas platyrhynchos (Mallard duck) LD50: 0.38 µg/bee End point: Acute oral toxicity Species: Apis mellifera (bees)
-----------------------------------	--

Ecotoxicology Assessment

Toxicity Data on Soil	: Harmful to the soil environment.
Other organisms relevant to	: Harmful to terrestrial vertebrates., Harmful to terrestrial inver-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version 1.0	Revision Date: 01.09.2025	SDS Number: 50000003	Date of last issue: - Date of first issue: 01.09.2025
----------------	------------------------------	-------------------------	--

the environment

tebrates.

Oxirane, methyl-, polymer with oxirane, mono(nonylphenyl) ether, branched:

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

2-ethylhexan-1-ol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 17,1 - 28,2 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 39 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC10 (Desmodesmus subspicatus (green algae)): 3,2 mg/l
Exposure time: 72 h

EC50 (Desmodesmus subspicatus (green algae)): 11,5 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC50 (Anabaena flos-aquae (cyanobacterium)): 16,6 mg/l
Exposure time: 72 h

calcium dodecylbenzenesulphonate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

LC50 (Pimephales promelas (fathead minnow)): 4,6 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3,5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 7,9 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

EC50 (Pseudokirchneriella subcapitata (green algae)): 65,4 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 (activated sludge): 500 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version 1.0	Revision Date: 01.09.2025	SDS Number: 50000003	Date of last issue: - Date of first issue: 01.09.2025
----------------	------------------------------	-------------------------	--

Exposure time: 3 h
Method: OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1,65 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Remarks: Based on data from similar materials

NOEC: 1,18 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Remarks: Based on data from similar materials

Toxicity to soil dwelling organisms : LC50: 1.000 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 207

Toxicity to terrestrial organisms : LD50: 1.356 mg/kg
Exposure time: 14 d
Species: Colinus virginianus (Bobwhite quail)
Method: OECD Test Guideline 223

Ecotoxicology Assessment

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

xylene:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2,6 mg/l
Exposure time: 96 h
Test Type: Static renewal test
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 2,2 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,44 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to microorganisms : NOEC (activated sludge): 16 mg/l
Exposure time: 28 h
Method: OECD Test Guideline 301F

Toxicity to fish (Chronic tox- : NOEC: > 1,3 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version 1.0	Revision Date: 01.09.2025	SDS Number: 50000003	Date of last issue: - Date of first issue: 01.09.2025
----------------	------------------------------	-------------------------	--

icity)
Exposure time: 56 d
Species: Oncorhynchus mykiss (rainbow trout)
Test Type: flow-through test
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,96 mg/l
Exposure time: 7 d
Species: Ceriodaphnia dubia (water flea)
Remarks: Based on data from similar materials

Toxicity to soil dwelling organisms : NOEC: 16 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)
Remarks: Based on data from similar materials

butan-1-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1.376 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.328 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 225 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): 225 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (Anabaena flos-aquae (cyanobacterium)): 225 mg/l
Exposure time: 4 d

EC50 (Natural microorganism): 4.390 mg/l
Exposure time: 17 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 4,1 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: Product contains minor amounts of not readily biodegradable components, which may not be degradable in waste water treatment plants.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version 1.0	Revision Date: 01.09.2025	SDS Number: 50000003	Date of last issue: - Date of first issue: 01.09.2025
----------------	------------------------------	-------------------------	--

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Biodegradability : Result: Not readily biodegradable.

Oxirane, methyl-, polymer with oxirane, mono(nonylphenyl) ether, branched:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: < 70 %
Exposure time: 28 d

2-ethylhexan-1-ol:

Biodegradability : Result: Readily biodegradable.

calcium dodecylbenzenesulphonate:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301E

xylene:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge, non-adapted
Concentration: 16 mg/l
Result: Readily biodegradable.
Biodegradation: 98 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

Test Type: aerobic
Inoculum: activated sludge, non-adapted
Concentration: 16 mg/l
Result: Readily biodegradable.
Biodegradation: 94 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

Test Type: aerobic
Inoculum: activated sludge, non-adapted
Concentration: 16,2 mg/l
Result: Readily biodegradable.
Biodegradation: 90 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

butan-1-ol:

Biodegradability : Result: Readily biodegradable.
Remarks: Expected to be biodegradable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version 1.0	Revision Date: 01.09.2025	SDS Number: 50000003	Date of last issue: - Date of first issue: 01.09.2025
----------------	------------------------------	-------------------------	--

12.3 Bioaccumulative potential

Components:

malathion (ISO) [containing ≤ 0,03 % isomalathion]:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 95
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 2,75

2-ethylhexan-1-ol:

Partition coefficient: n-octanol/water : log Pow: 2,9 (25 °C)

calcium dodecylbenzenesulphonate:

Bioaccumulation : Species: Fish
Bioconcentration factor (BCF): 70,79
Method: QSAR

Partition coefficient: n-octanol/water : log Pow: 4,77 (25 °C)

xylene:

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Exposure time: 7 d
Concentration: 1,3 mg/l
Bioconcentration factor (BCF): > 4,9
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 3,2 (20 °C)
pH: 7
Remarks: Based on data from similar materials

log Pow: 3,12 (20 °C)
pH: 7
Remarks: Based on data from similar materials

log Pow: 3,15 (20 °C)
pH: 7
Remarks: Based on data from similar materials

log Pow: 3,15 (20 °C)
pH: 7
Remarks: Based on data from similar materials

butan-1-ol:

Partition coefficient: n-octanol/water : Pow: 1 (25 °C)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.09.2025	50000003	Date of first issue: 01.09.2025

12.4 Mobility in soil

Components:

malathion (ISO) [containing $\leq 0,03$ % isomalathion]:

Distribution among environmental compartments : Remarks: medium mobility in soil

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	: Empty remaining contents. Triple rinse containers. Do not re-use empty containers. Packaging that is not properly emptied must be disposed of as the unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version 1.0	Revision Date: 01.09.2025	SDS Number: 50000003	Date of last issue: - Date of first issue: 01.09.2025
----------------	------------------------------	-------------------------	--

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Malathion)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Malathion)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Malathion)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Malathion)
IATA	: Environmentally hazardous substance, liquid, n.o.s. (Malathion)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADN	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
ADR	
Packing group	: III
Classification Code	: M6

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.09.2025	50000003	Date of first issue: 01.09.2025

Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID

Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.09.2025	50000003	Date of first issue: 01.09.2025

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your vendor.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : malathion (ISO) [containing $\leq 0,03$ % isomalathion]

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. E1 ENVIRONMENTAL HAZARDS

Other regulations:

When evaluating a workplace, measures must be taken to ensure that employees are not exposed to conditions that may pose a risk during pregnancy or breastfeeding (cf. The Danish Working Environment Authority's Executive Order on The Performance of Work)

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version 1.0	Revision Date: 01.09.2025	SDS Number: 50000003	Date of last issue: - Date of first issue: 01.09.2025
----------------	------------------------------	-------------------------	--

AIIC	: Not in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

15.2 Chemical safety assessment

A chemical safety assessment is not required for this product (mixture).

SECTION 16: Other information

Full text of H-Statements

H226	: Flammable liquid and vapour.
H302	: Harmful if swallowed.
H312	: Harmful in contact with skin.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H335	: May cause respiratory irritation.
H336	: May cause drowsiness or dizziness.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.
H412	: Harmful to aquatic life with long lasting effects.
H413	: May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation
STOT SE	: Specific target organ toxicity - single exposure
2000/39/EC	: Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.09.2025	50000003	Date of first issue: 01.09.2025

2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values
DK OEL	:	Denmark. Occupational Exposure Limits
2000/39/EC / TWA	:	Limit Value - eight hours
2000/39/EC / STEL	:	Short term exposure limit
2017/164/EU / TWA	:	Limit Value - eight hours
DK OEL / S	:	Exposure period of 15 minutes
DK OEL / GV	:	Long term exposure limit
DK OEL / L	:	Ceiling

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : see user defined free text

Classification of the mixture:

Acute Tox. 4	H302
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Based on product data or assessment
Calculation method
Calculation method

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



FYFANON® 1000 g/l EC

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01.09.2025	50000003	Date of first issue: 01.09.2025

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. You can contact FMC Corporation to ensure that this document is the most current available from FMC Corporation. No warranty of fitness for any particular purpose, warranty of merchantability or any other warranty, expressed or implied, is made concerning the information provided herein. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. The user is responsible for determining whether the product is fit for a particular purpose and suitable for the user's conditions and methods of use. Since the conditions and methods of use are beyond the control of FMC Corporation, FMC Corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared by

FMC Corporation

FMC and the FMC Logo are trademarks of FMC Corporation and/or an affiliate.

© 2021-2025 FMC Corporation. All Rights Reserved.

DK / 6N