

Page 1 of 9

Fuel Power Diesel Fuel Treatment

SDS Preparation Date (mm/dd/yyyy): 03/29/2020

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

: Fuel Power Diesel Fuel Treatment

Other means of identification: 00099, 00102PC

Recommended use of the chemical and restrictions on use

: Fuel system treatment

Restrictions on use: Not intended for use by children.

Chemical family : Mixture

Name, address, and telephone number Name, address, and telephone number of

of the supplier: the manufacturer:

FPPF Chemical Company, Inc. Refer to supplier

117 West Tupper Street Buffalo, NY, USA 14201

Supplier's Telephone # : (800) 735-3773

24 Hr. Emergency Tel # : PERS: North America 1-800-633-8253; International: +1-801-629-0667

Contract number: 8027

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Clear to slightly hazy amber liquid. Solvent odor.

Most important hazards: Combustible liquid .May be ignited by open flame. Occupational exposure to the substance or mixture may cause adverse effects. Avoid release to the environment.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification Flammable Liquid - Category 4

Label elements

Hazard pictogram(s)

None required under U.S. OSHA Hazcom 2012 and Canadian WHMIS 2015 regulations.

Signal Word

Warning!

Hazard statement(s)

Combustible liquid.



Fuel Power Diesel Fuel Treatment

SDS Preparation Date (mm/dd/yyyy): 03/29/2020

Page 2 of 9

SAFETY DATA SHEET

Precautionary statement(s)

Keep away from flames and hot surfaces. - No smoking. Wear protective gloves and eye/face protection. In case of fire, use water fog, dry chemical, CO2 or 'alcohol' foam.

Store in well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local regulation.

Other hazards

Other hazards which do not result in classification: Burning produces obnoxious and toxic fumes. Ingestion can cause gastrointestinal irritation, nausea, and diarrhea. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Prolonged or repeated contact may cause drying, cracking and defatting of the skin.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	Common name and synonyms	CAS#	Concentration (% by weight)
Dipropylene glycol monomethyl ether	1-(2-Methoxypropoxy) -2-propanol DPGME	34590-94-8	80.0 - 100.0

The exact concentrations of the above listed chemicals are being withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

Ingestion : If swallowed, DO NOT induce vomiting. Rinse mouth. Call a POISON CENTER or

doctor/physician.

Inhalation : If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a

POISON CENTER or doctor/physician.

Skin contact: IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or

doctor/physician if you feel unwell. Take off immediately all contaminated clothing and

wash it before reuse. If skin irritation occurs: get medical advice/attention.

Eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Flush eyes with water for at least 15

minutes. If eye irritation persists: get medical advice/attention.

Most important symptoms and effects, both acute and delayed

: Direct eye contact may cause slight redness.

Indication of any immediate medical attention and special treatment needed

: Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

: Dry chemical, foam, carbon dioxide and water fog.

Unsuitable extinguishing media


: Do not use water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture / Conditions of flammability

: Combustible liquid .Keep away from flames and hot surfaces. Vapours are heavier than air and collect in confined and low-lying areas.

Flammability classification (OSHA 29 CFR 1910.106)

: Flammable Liquid - Category 4





Fuel Power Diesel Fuel Treatment

SDS Preparation Date (mm/dd/yyyy): 03/29/2020

Page 3 of 9

SAFETY DATA SHEET

Hazardous combustion products

: None known or reported by the manufacturer. In the event of fire the following can be released: Carbon oxides;irritating fumes and smoke

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.

Special fire-fighting procedures

: Move containers from fire area if safe to do so. Use water spray to keep containers cool. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply or any natural waterway. Dike for water control.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Evacuate personnel to safe areas. Keep all other personnel upwind and away from the spill/release. All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Restrict access to area until completion of clean-up. Refer to protective measures listed in sections 7 and 8

Environmental precautions

Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.

Methods and material for containment and cleaning up

: Ventilate the area. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. Use only non-sparking tools. Pick up and transfer to properly labeled containers. Contact the proper local authorities.

Special spill response procedures

: In case of transportation emergencies: (613) 996-6666 (CANUTEC)

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

: Keep away from flames and hot surfaces. - No smoking. Use only outdoors or in a well-ventilated area. Wear protective gloves/clothing and eye/face protection. Avoid breathing mist or spray. Take precautionary measures against static discharges. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Do not ingest. Do not get in eyes, on skin, or on clothing. Use proper bonding and grounding techniques when transferring liquid. Avoid contact with incompatible materials.

Conditions for safe storage

Store in well-ventilated place. Keep cool. Keep tightly closed. Store locked up. Store

away from incompatibles and out of direct sunlight. No smoking in the area.

Incompatible materials : Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:					
Chemical Name	ACGIH TLV		OSHA PEL		
	<u>TWA</u>	STEL	<u>PEL</u>	STEL	
Dipropylene glycol monomethyl ether	100 ppm (skin)	150 ppm (skin)	100 ppm (600 mg/m³) (skin)	N/Av	



Fuel Power Diesel Fuel Treatment

SDS Preparation Date (mm/dd/yyyy): 03/29/2020

Page 4 of 9

SAFETY DATA SHEET

Exposure controls

Ventilation and engineering measures

: Use only outdoors or in a well-ventilated area. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. Use non-sparking equipment. In case of insufficient ventilation wear suitable respiratory

equipment.

Respiratory protection: If engineering controls and work practices are not effective in controlling exposure to

this material, then wear suitable approved respiratory protection. Seek advice from

respiratory protection specialists.

Skin protection: Wear protective gloves/clothing. Where extensive exposure to product is possible, use

resistant coveralls, apron and boots to prevent contact. The suitability for a specific

workplace should be discussed with the producers of the protective gloves.

Eye / face protection: Wear safety glasses with side shields.

Other protective equipment: Ensure that eyewash stations and safety showers are close to the workstation location.

Other equipment may be required depending on workplace standards.

General hygiene considerations

: Avoid breathing mist or spray. Do not eat, drink, smoke or use cosmetics while working with this product. Wash thoroughly after handling. Do not get in eyes, on skin, or on clothing. Remove and wash contaminated clothing before re-use. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear liquid.Odour: Solvent odor.

Odour threshold : N/Av
pH : N/Av
Melting Point/Freezing point : N/Av
Initial boiling point and boiling range

: N/Av : 79°C

Flashpoint (Method) : Tag closed cup

Evaporation rate (BuAe = 1) : Slower than n-butyl acetate

Flammability (solid, gas) : N/Ap Lower flammable limit (% by vol.)

: N/Av

Upper flammable limit (% by vol.)

Flash point

: N/Av : None.

Oxidizing properties : None.

Explosive properties : Not explosive

Vapour pressure : N/Av Vapour density : N/Av Relative density / Specific gravity

: 0.94-0.97

Solubility in water : Soluble
Other solubility(ies) : N/Av

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: N/Av

Auto-ignition temperature : N/Av
Decomposition temperature : N/Av
Viscosity : N/Av



Fuel Power Diesel Fuel Treatment

SDS Preparation Date (mm/dd/yyyy): 03/29/2020 Page 5 of 9

SAFETY DATA SHEET

Volatiles (% by weight) : N/Av Volatile organic Compounds (VOC's)

: N/Av

Absolute pressure of container

: N/Ap

Flame projection length : N/Av Other physical/chemical comments

: None known or reported by the manufacturer.

SECTION 10. STABILITY AND REACTIVITY

Reactivity: Not normally reactive.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : Keep away from flames and hot surfaces. Keep away from direct sunlight. Avoid

contact with incompatible materials.

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products

: None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

 $\begin{tabular}{lll} \textbf{Routes of entry inhalation} & : & YES \\ \textbf{Routes of entry skin \& eye} & : & YES \\ \textbf{Routes of entry Ingestion} & : & YES \\ \textbf{Routes of exposure skin absorption} \\ \end{tabular}$

: YES

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

Mild respiratory irritant

Sign and symptoms ingestion

Ingestion may irritate digestive tract and cause nausea, vomiting and diarrhea.

Sign and symptoms skin
 Direct skin contact may cause slight or mild, transient irritation.
 Sign and symptoms eyes
 Direct eye contact may cause slight or mild, transient irritation.

Potential Chronic Health Effects

None known or reported by the manufacturer.Not expected to be mutagenic in humans.

Mutagenicity: Not expected to be mutagenic in humans.Carcinogenicity: Not expected to have carcinogenic effects.

Reproductive effects & Teratogenicity

: This product is not expected to cause reproductive or developmental effects.

Sensitization to material: Not expected to be a skin or respiratory sensitizer.

Specific target organ effects: The substance or mixture is not classified as specific target organ toxicant, single

exposure.

The substance or mixture is not classified as specific target organ toxicant, repeated

exposure.



Fuel Power Diesel Fuel Treatment

SDS Preparation Date (mm/dd/yyyy): 03/29/2020

Page 6 of 9

SAFETY DATA SHEET

Medical conditions aggravated by overexposure

: Pre-existing skin, eye, respiratory and central nervous system disorders.

Synergistic materials

: Not available.

Toxicological data

: There is no available data for the product itself, only for the ingredients. See below for

individual ingredient acute toxicity data.

	LCso(4hr)	LDs	ס		
Chemical name	inh, rat	(Oral, rat)	(Rabbit, dermal)		
Dipropylene glycol monomethyl ether	> 3 mg/L (mist) (No mortality)	5120 mg/kg	9480 mg/kg		

Other important toxicological hazards

: None known or reported by the manufacturer.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity: Not expected to be harmful to aquatic organisms. See the following tables for

individual ingredient ecotoxicity data.

Ecotoxicity data:

Ingradianta	CAS No	Toxicity to Fish			
<u>Ingredients</u>	CAS No	LC50 / 96h	NOEC / 21 day	M Factor	
Dipropylene glycol monomethyl ether	34590-94-8	> 10,000 mg/L (Fathead minnow)	N/Av	None.	

<u>Ingredients</u>	CAS No	Тох	icity to Daphnia			
		EC50 / 48h	NOEC / 21 day	M Factor		
Dipropylene glycol monomethyl ether	34590-94-8	1919 mg/L (Daphnia magna)	≥ 0.5 mg/L	None.		

<u>Ingredients</u>	CAS No	Toxicity to Algae					
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor			
Dipropylene glycol monomethyl ether	34590-94-8	> 969 mg/L/72hr (Green algae)	969 mg/L/72hr	None.			

Persistence and degradability

: Expected to be biodegradable

Bioaccumulation potential : No data is available on the product itself. See the following data for ingredient

information.

<u>Components</u>	Partition coefficient n-octanol/water (log Kow)	Bioconcentration factor (BCF)
Dipropylene glycol monomethyl ether (CAS 34590-94-8)	0.0061	< 1

Mobility in soil : No data is available on the product itself.

Other Adverse Environmental effects



Fuel Power Diesel Fuel Treatment

SDS Preparation Date (mm/dd/yyyy): 03/29/2020

Page 7 of 9

SAFETY DATA SHEET

The ecological characteristics of this product have not been fully investigated. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal

: Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8.

Methods of Disposal

: Dispose in accordance with all applicable regulations.

RCRA

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
IMDG	None.	Not regulated.	not regulated	none	\bigotimes
IMDG Additional information	None.				
ICAO/IATA	None.	Not regulated.	not regulated	none	\bigotimes
ICAO/IATA Additional information	None.				
49CFR/DOT	None.	Not regulated.	not regulated	none	\otimes
49CFR/DOT Additional information	Not regulated for	or road or rail shipment if packaged in non-bulk containers	(450 L / 119 G	allons or les	ss each).
TDG	None	Not regulated.	Not regulated	none	\bigotimes
TDG Additional information	None.				

Special precautions for user: Keep away from heat and open flames. - No smoking.

Environmental hazards

This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not available.



Fuel Power Diesel Fuel Treatment

SDS Preparation Date (mm/dd/yyyy): 03/29/2020

Page 8 of 9

SAFETY DATA SHEET

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

		TSCA	CERCLA Reportable	SARA TITLE III: Sec. 302, Extremely	SARA TITLE III: Se 372, Specific To		
<u>Ingredients</u> CAS	CAS#	Inventory	Quantity(RQ) (40 CFR 117.302):	Hazardous Substance, 40 CFR 355:	Toxic Chemical	de minimus Concentration	
Dipropylene glycol monomethyl ether	34590-94-8	Yes	None.	None.	No	N/Ap	

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Flammable

Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds or the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS#	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Dipropylene glycol monomethyl ether	34590-94-8	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes

Canadian Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL). Refer to Section 2 for a WHMIS Classification for this product.

International Information:

Components listed below are present on the following International Inventory list:

Ingredients	CAS#	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Dipropylene glycol monomethyl ether	34590-94-8	252-104-2	Present	Present	(7)-97; (2)-426	KE-12230	Present	HSR001402

SECTION 16. OTHER INFORMATION

Legend : ACGIH: American Conference of Governmental Industrial Hygienists

CA: California

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

of 1980

CFR: Code of Federal Regulations CNS: Central Nervous System CSA: Canadian Standards Association DOT: Department of Transportation

EC50: Effective Concentration 50%





Fuel Power Diesel Fuel Treatment

SDS Preparation Date (mm/dd/yyyy): 03/29/2020

Page 9 of 9

SAFETY DATA SHEET

EINECS: European Inventory of Existing Commercial chemical Substances

ENCS: Existing and New Chemical Substances

EPA: Environmental Protection Agency HSDB: Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer IMDG: International Maritime Dangerous Goods KECI: Korean Existing Chemicals Inventory KECL: Korean Existing Chemicals List

LC: Lethal Concentration

LD: Lethal Dose
MA: Massachusetts
MN: Minnesota
N/Ap: Not Applicable
N/Av: Not Available

NIOSH: National Institute of Occupational Safety and Health

NJ: New Jersev

NOEC: No observable effect concentration

NTP: National Toxicology Program

OECD: Organisation for Economic Co-operation and Development OSHA:

Occupational Safety and Health Administration

PA: Pennsylvania

PEL: Permissible exposure limit

PICCS: Philippine Inventory of Chemicals and Chemical Substances

RCRA: Resource Conservation and Recovery Act

RI: Rhode Island

RTECS: Registry of Toxic Effects of Chemical Substances SARA: Superfund Amendments and Reauthorization Act

SDS: Safety Data Sheet

STEL: Short Term Exposure Limit

TDG: Canadian Transportation of Dangerous Goods Act & Regulations

TLV: Threshold Limit Values
TPQ: Threshold Planning Quantity
TSCA: Toxic Substance Control Act
TWA: Time Weighted Average

WHMIS: Workplace Hazardous Materials Identification System

References : Material Safety Data Sheets from manufacturer.

OECD - The Global Portal to Information on Chemical Substances

European Chemicals Agency, Classification Legislation

Preparation Date (mm/dd/yyyy)

: 03/29/2020

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

DISCLAIMER

The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. FPPF Chemical Company, Inc expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of FPPF Chemical Company, Inc.