

MATERIAL SAFETY DATA

5 GAL EBAG CERTO DESTAINER

Page: 1
3/30/2012

PRODUCT NAME: 5 GAL EBAG CERTO DESTAINER
TRADE SECRET REGISTRY #5 GAL EBAG CERTO DES
UN NUMBER :

HMIS CODES: H F R P
3 0 3 J

SECTION I - MANUFACTURER IDENTIFICATION

MANUFACTURER'S NAME: DSC
ADDRESS :
MILFORD, CT 06460

EMERGENCY PHONE : 800-424-9300 DATE PRINTED : 3/30/2012
INFORMATION PHONE : 800-424-9300 NAME OF PREPARER : ENVIRONMENTAL DEPT

SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION

REPORTABLE COMPONENTS	CAS NUMBER	VAPOR PRESSURE mm Hg @ TEMP	WEIGHT PERCENT
HYPOCHLORITE AQUEOUS SOLUTION NOT ESTABLISHED	7681-52-9	N/A N/A	100.00

*** No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present. ***

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

pH 1% SOLUTION : pH OF SOLUTIONS/13
BOILING RANGE: 110°C SPECIFIC GRAVITY (H2O=1): 1.21
VAPOR DENSITY: N/A EVAPORATION RATE: (WATER = 1): 1
COATING V.O.C.: NOT APPLICABLE MATERIAL V.O.C.: NOT APPLICABLE
SOLUBILITY IN WATER: SOLUBLE
APPEARANCE AND ODOR: LIGHT YELLOW - GREEN/PUNGENT LIKE CHLORINE

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT : N/A METHOD USED: n/a
FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: n/a UPPER: n/a

EXTINGUISHING MEDIA:
N/A

SPECIAL FIREFIGHTING PROCEDURES

USE WATER SPRAY TO COOL FIRE-EXPOSED CONTAINERS AND STRUCTURES. USE WATER SPRAY TO DISPERSE VAPORS; RE-IGNITION IS POSSIBLE. USE SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING.

MATERIAL SAFETY DATA

5 GAL EBAG CERTO DESTAINER

Page: 2
3/30/2012

UNUSUAL FIRE AND EXPLOSION HAZARDS
CAN DECOMPOSE TO FORM IRRITATING CHLORINE GAS AND OXYGEN.

SECTION V - REACTIVITY DATA

STABILITY: STABLE
CONDITIONS TO AVOID
NONE

INCOMPATIBILITY (MATERIALS TO AVOID)

AVOID MIXING WITH ACIDS (LIBERATE CHLORINE), AMMONIA, UREA, OXIDIZING MATERIALS AND METALS SUCH AS NICKEL, COPPER, TIN, MANGANESE AND IRON (WHICH CAUSE LIBERATION OF OXYGEN)

HAZARDOUS DECOMPOSITION OR BYPRODUCTS

IN A FIRE, MAY DECOMPOSE PRODUCING IRRITATING CHLORINE GAS AND OXYGEN.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION VI - HEALTH HAZARD DATA

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

LOW CONCENTRATIONS OF VAPOR MAY CAUSE IRRITATION OF THE RESPIRATORY TRACT, EXPERIENCED AS NASAL DISCOMFORT AND DISCHARGE, WITH CHEST PAIN AND COUGHING. HIGH CONCENTRATIONS OF VAPOR MAY CAUSE HEADACHE AND DROWSINESS.

ALWAYS SEEK MEDICAL ATTENTION!!

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

IRRITANT, REDDENING OF SKIN. SKIN DAMAGE. SEVERE IRRITATION TO EYES.

FLUSH EYES AND SKIN WITH PLENTY OF WATER FOR A LEAST 15 MINUTES. CALL A PHYSICIAN IF IRRITATION OCCURS

ALWAYS SEEK MEDICAL ATTENTION!!

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

SEE ABOVE

ALWAYS SEEK MEDICAL ATTENTION!!

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

INGESTION OF A FEW OUNCES CAN CAUSE CORROSION OF MUCOUS MEMBRANES, SWELLING OF THE THROAT, PERFORATION OF THE ESOPHAGUS AND STOMACH, VOMITING, COLIC, HYPOTENSION AND CIRCULATORY COLLAPSE. MAY LEAD TO CONVULSIONS, COMA OR DEATH. AT 15% CONCENTRATIONS, AS LITTLE AS ONE OUNCE MAY BE FATAL.

ALWAYS SEEK MEDICAL ATTENTION!!

HEALTH HAZARDS (ACUTE AND CHRONIC)

MATERIAL SAFETY DATA

5 GAL EBAG CERTO DESTAINER

Page: 3
3/30/2012

FUMES FROM SPILLS ARE VERY IRRITATING TO MUCOUS MEMBRANES. VERY LITTLE HAZARD FROM PROPERLY STORED SOLUTION.

CARCINOGENICITY: NTP CARCINOGEN: No IARC MONOGRAPHS: N/A OSHA REGULATED:
Yes

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE
NONE KNOWN

EMERGENCY AND FIRST AID PROCEDURES

INGESTION: IF PATIENT IS CONSCIOUS, GIVE TWO GLASSES OF WATER. DO NOT INDUCE VOMITING. IF SIGNS AND SYMPTOMS OF TOXICITY APPEAR, CALL A PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, ADMINISTER OXYGEN; IF BREATHING HAS STOPPED, ADMINISTER ARTIFICIAL RESPIRATION. OBTAIN MEDICAL ATTENTION. EYES: FLUSH THOROUGHLY WITH WATER.

ALWAYS SEEK MEDICAL ATTENTION!!

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

IMMEDIATELY EVACUATE THE AREA AND PROVIDE MAXIMUM VENTILATION. UNPROTECTED PERSONNEL SHOULD MOVE UPHILL OF SPILL. ONLY PERSONNEL EQUIPPED WITH PROPER RESPIRATORY AND SKIN/EYE PROTECTION SHOULD BE PERMITTED IN AREA. DIKE AREA TO CONTAIN SPILL. TAKE PRECAUTIONS AS NECESSARY TO PREVENT CONTAMINATION OF GROUND AND SURFACE WATERS.

WASTE DISPOSAL METHOD

DISPOSE IN AN APPROVED HAZARDOUS WASTE MANAGEMENT FACILITY. CARE MUST BE TAKEN WHEN USING OR DISPOSING OF CHEMICAL MATERIALS AND/OR THEIR CONTAINERS TO PREVENT ENVIRONMENTAL CONTAMINATION. IT IS YOUR DUTY TO DISPOSE OF THE CHEMICAL MATERIALS AND/OR THEIR CONTAINERS IN ACCORDANCE WITH ALL REGULATIONS REGARDING DISPOSAL.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

WHEN HANDLING, WEAR GLOVES, SAFETY GOGGLES AND RESPIRATORY PROTECTION. STORE IN A COOL, DRY, WELL-VENTILATED AREA. AVOID EXCESSIVE STORAGE TEMPERATURES AND DIRECT SUNLIGHT. STORE AWAY FROM ACIDS AND ORGANICS.

OTHER PRECAUTIONS

AVOID CONTACT WITH EYES AND SKIN. MAY CAUSE BURNS TO EYES AND SKIN. AVOID INHALATION OF VAPORS, MISTS AND FUMES. USE ADEQUATE VENTILATION. VENTILATION MUST BE SUFFICIENT TO MINIMIZE EMPLOYEE EXPOSURE TO SODIUM HYPOCHLORITE. WASH THOROUGHLY AFTER HANDLING. DO NOT SWALLOW. DO NOT EAT, DRINK OR SMOKE IN WORK AREA.

SECTION VIII - CONTROL MEASURES

RESPIRATORY PROTECTION

NIOSH/MSHA APPROVED RESPIRATOR FOR PARTICULATES. LOCAL EXHAUST, VENTILATE AS REQUIRED.

VENTILATION

GENERAL MECHANICAL VENTILATION OR LOCAL EXHAUST SHOULD BE SUITABLE TO KEEP VAPOR CONCENTRATIONS BELOW TLV. VENTILATION EQUIPMENT SHOULD BE EXPLOSION PROOF.

MATERIAL SAFETY DATA

5 GAL EBAG CERTO DESTAINER

Page: 4
3/30/2012

PROTECTIVE GLOVES

CHEMICAL RESISTANT GLOVES SHOULD BE WORN. GLOVES MAY BE DECONTAMINATED BY WASHING WITH MILD SOAP AND WATER. NATURAL AND BUTYL RUBBER HAVE BEEN SUGGESTED.

EYE PROTECTION

WEAR CHEMICAL SAFETY GOGGLES PLUS FULL FACE SHIELD TO PROTECT AGAINST SPLASHING.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

EYE BATH, SAFETY SHOWER

WORK/HYGIENIC PRACTICES

WARM WATER SHOWERING, HANDWASHING AND EYEWASH STATIONS ARE RECOMMENDED IN THE WORK AREA. THOROUGHLY WASH WITH SOAP AND WATER BEFORE HANDLING FOOD, SMOKING OR APPLYING MAKEUP. WASH CONTAMINATED CLOTHING AND DRY BEFORE REUSE.

SECTION IX - DISCLAIMER

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE, OBTAINED FROM SOURCES BELIEVED BY PARISER INDUSTRIES, INC., TO BE ACCURATE. AS WITH ALL CHEMICALS, KEEP AWAY FROM CHILDREN, ANIMALS, AND FOOD PRODUCTS. FOR INDUSTRIAL USE ONLY, USE AS DIRECTED.

SECTION X - UN CODE