

6/F East, Heping Building, Heping Road, Luohu, Shenzhen, China Phone: 86-755-26748019 Fax: 86-755-26748089 http://www.szhtw.com.cn



Report No.: TRC17030029/EN Page 1 of 8 Issued: 2017-03-10

SDS Report

Applicant : FUJIAN HUAXIANG POWER TECHNOLOGY

COMPANY LIMITED.

Address : NO.1 HUAXIANG ROAD, XINGTAI

DEVELOPMENT ZONE, CHANGTAI,

ZHANGZHOU, FUJIAN, CHINA

Product Name : SEALED STATIONARY BATTERY

Product Model : WHOLE SERIES

Shenzhen Huatongwei International Inspection Co., Ltd.

Completed by:

Reviewed by:

Wangzhen.cao

Renvou vang

Approved by:

Lab Manager Calor .Li

R/C: 11553



6/F East, Heping Building, Heping Road, Luohu, Shenzhen, China Phone: 86-755-26748019 Fax: 86-755-26748089 http://www.szhtw.com.cn



Report No. : TRC17030029/EN Page 2 of 8 Issued: 2017-03-10

SAFETY DATA SHEET

Section 1. PRODUCT AND COMPANY IDENTIFICATION

Product Identification		
Product Name:	SEALED STATIONARY BATTERY	
Package Model:	CARTON	
Company/Undertaking Identification		
Company Name:	FUJIAN HUAXIANG POWER TECHNOLOGY COMPANY LIMITED.	
Address:	NO.1 HUAXIANG ROAD, XINGTAI DEVELOPMENT ZONE, CHANGTAI, ZHANGZHOU, FUJIAN, CHINA	
Tel:	+86 595 22211585	
Emergency Telephone:	+86 595 22150076	
E-mail:	SALESMANAGER@HXEXPORT.COM	

Section 2. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture: Mixture

Ingredient(s):

Components	CAS#	Percent
LEAD	7439-92-1	60%
ABS	9003-56-9	7%
CALCIUM	7440-70-2	0.1%
SULFURIC ACID	7664-93-9	26%
AGM	-	6.9%



6/F East, Heping Building, Heping Road, Luohu, Shenzhen, China Phone: 86-755-26748019 Fax: 86-755-26748089 http://www.szhtw.com.cn



Report No.: TRC17030029/EN Page 3 of 8 Issued: 2017-03-10

Section 3. HAZARDS IDENTIFICATION

Under normal conditions of use, the battery is hermetically sealed

EMERGENCY OVERVIEW:

Ingestion: No effect under routine handling and use.

Inhalation: No effect under routine handling and use.

Skin Contact: Exposure to nickel may cause dermatitis in some sensitive individuals.

In contact with the internal components of the battery or the chemical hazards can cause severe irritation and chemical burns.

Inhalation of electrolyte vapors may cause irritation of the upper respiratory tract and lungs.

Section 4. FIRST AID MEASURES

Eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Skin contact: Wash off with soap and plenty of water. Consult a physician.

Inhalation: Supply fresh air and to be sure call for a doctor. In case of unconsciousness place

patient stably in side position for transportation.

Ingestion: Give at least 2 glasses of milk or water, Induce vomiting unless patient is unconscious.

Call a physician.

Notes to physician: Treat symptoms.

Section 5. FIRE FIGHTING MEASURES

Flammable properties	Not available.
Extinguishing media	
Suitable extinguishing media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Not available.
Firefighting equipment/instructions	In case of fire and/or explosion do not breathe dust. Protective respirator with independent air supply. According to size of fire, full protection, if necessary. Dispose of contaminated extinction

The above sample information was submitted by the applicant and the Laboratory was not responsible for its facticity. The results shown in this test report refer only to the sample(s) tested unless otherwise stated, This Test Report shall not be reproduced except in full, without written approval of the Laboratory.



6/F East, Heping Building, Heping Road, Luohu, Shenzhen, China Phone: 86-755-26748019 Fax: 86-755-26748089 http://www.szhtw.com.cn



	water according to official regulations.
Hazardous combustion products	Carbon monoxide, Carbon dioxide, sulfur oxides, Lead oxide and
	so on.

Section 6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

Use personal protective equipment.

Neutralize any electrolyte or exposal internal battery parts with soda ash (sodium bicarbonate) until fizzing stops. Keep untrained personnel away from electrolyte and broken battery. Place broken battery and clean-up materials in a plastic bag or non-metallic container. Dispose of clean-up materials as a hazardous waste. Ventilate area as hydrogen gas may be given off during neutralization. For personal protection see section 8.

Environmental precautions:

Avoid disposing into drainage/sewer system or directly into the aquatic environment.

Methods for cleaning up:

It is recommended to hand in the abandoned batteries to related department unified, and dispose of the batteries in accordance with approved local, state, and federal requirements. Consult state environmental protection agency and/or federal E PA.

Section 7. HANDLING AND STORAGE

Handling:

Ensure good ventilation/exhaustion at the workplace. Avoid contact with skin and eyes. Avoid inhalation of dust. Keep away from sources of ignition - No smoking. Batteries should be handled carefully to avoid short-circuits.

Storage:


Store in cool, dolt area away from combustible materials. Do not store in sealed, unventilated areas. Avoid overheating and overcharging. Do not charge in unventilated areas. Do not use organic solvents or other than recommended chemical cleaners on battery.

Section 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure limits:				
Source	Ingredient	Material name	TWA	Notes
US OSHA Permissible Exposure	Load	Lead / Lead -	0.050mg/m3	Total
Levels (PELs) - Table Z1	Lead	Respirable fraction	0.050mg/m ³	dust



6/F East, Heping Building, Heping Road, Luohu, Shenzhen, China





Report No. : TRC17030029/EN Page 5 of 8 Issued: 2017-03-10

Additional exposure limits under the conditions of use: Not available.

Engineering controls: Handle in accordance with good industrial hygiene and safety practice.

Wash hands before breaks and at the end of workday.

Personal protective equipment:

Eye / face protection Not necessary under normal conditions. Wear safety glasses

with side shields if handling an open or leaking battery.

Skin protection Wear gloves and suitable clothing.

Respiratory protection No special requirements under normal conditions..

General hygiene considerations Wash hands, forearms and face thoroughly after handling

chemical products, before eating, smoking and using the lavatory and at the end of the working period. Keep away from

foodstuffs, beverages and feed. Immediately remove all soiled

and contaminated clothing.


Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Cuboid
Form	Solid
Color	Black
Odor	None
Odor threshold	Not available
рН	Not available
Vapor pressure	Not available
Vapor density	Not available
Boiling point	Not available
Melting point/Freezing point	Not available
Solubility (water)	Insoluble
Specific gravity	Not available
Relative density	Not available
Density	Not available
Flash point	Not available
Flammability limits in air, upper, %by volume	Not available
Flammability limits in air, lower, % by volume	Not available
Auto-ignition temperature	Not available
VOC	Not available
Percent volatile	Not available
Other data	

The above sample information was submitted by the applicant and the Laboratory was not responsible for its facticity. The results shown in this test report refer only to the sample(s) tested unless otherwise stated, This Test Report shall not be reproduced except in full, without written approval of the Laboratory.



6/F East, Heping Building, Heping Road, Luohu, Shenzhen, China Phone: 86-755-26748019





Report No.: TRC17030029/EN Issued: 2017-03-10 Page 6 of 8

Viscosity	Not available
-----------	---------------

Section 10. STABILITY AND REACTIVITY

Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Avoid exposure to heat and open flame. Prevent movement which could lead to short circuits
Incompatible materials	Combination of sulfuric acid with combustibles and organic materials may cause fire and explosion. Avoid strong reducing agents, most metals, carbides, chlorates, nitrates, pirate.
Hazardous decomposition products	Hydrogen gas may be generated in an overcharged condition, in fire or at very high temperatures. CO, CO_2 and sulfur oxides may emit in fire .
Possibility of hazardous reactions	Hazardous polymerization will not occur.

Section 11. TOXICOLOGICAL INFORMATION

Toxicokinetics, metabolism and distribution:

Non-human toxicological data: Not available

Information on toxicological effects:

Acute toxicity:

LEAD (CAS#7439-92-1)

LD50(Oral, Rat): 3613 mg/kg Not available LD50(Dermal, Rabbit): LC50(Inhalation, Rat): Not available Skin corrosion/Irritation: Not available Not available **Serious eye damage/irritation:** Not available Respiratory or skin sensitization: Germ cell mutagenicity: Not available **Carcinogenicity:** Not available Reproductive toxicity: Not available Not available **STOT- single exposure:** Not available **STOT-repeated exposure:** Aspiration hazard: Not available

Section 12. ECOLOGICAL INFORMATION



6/F East, Heping Building, Heping Road, Luohu, Shenzhen, China

Phone: 86-755-26748019 Fax: 86-755-26748089 http://www.szhtw.com.cn



Report No.: TRC17030029/EN Page 7 of 8 Issued: 2017-03-10

Toxicity: Not available.

Persistence and degradability: Not available. Bioaccumulative potential: Not available.

Mobility in soil: Insoluble in water.

Results of PBT&vPvB assessment: Not available.

Other adverse effects: Not available.

Section 13. DISPOSAL CONSIDERATIONS

Dispose of according to Federal, State and local governmental regulations.

Section 14. TRANSPORT INFORMATION

DOT

Basic shipping requirements:

UN number Not regulated
Proper shipping name Not regulated
Hazard class Not regulated
Packing group Not regulated

Environmental hazards No

IATA

UN number Not regulated
UN proper shipping name Not regulated
Transport hazard class(es) Not regulated
Packing group Not regulated

IMDG

UN number Not regulated
UN proper shipping name Not regulated
Transport hazard class(es) Not regulated
Packing group Not regulated

Environmental hazards No

Section 15. REGULATORY INFORMATION

Special requirement be according to the local regulations.

The above sample information was submitted by the applicant and the Laboratory was not responsible for its facticity. The results shown in this test report refer only to the sample(s) tested unless otherwise stated, This Test Report shall not be reproduced except in full, without written approval of the Laboratory.



6/F East, Heping Building, Heping Road, Luohu, Shenzhen, China

Phone: 86-755-26748019 Fax: 86-755-26748089 http://www.szhtw.com.cn



Section 16. OTHER INFORMATION

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. We make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should mark their own investigations to determine the suitability of the information for their particular purposes. In no way shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising from using the above information.

*****End of Report****