

Revision Date: 09/12/2019

SAFETY DATA SHEET

1. Identification

Product identifier: DUTCH APPLE METERED AIR FRESHENER

Other means of identification

SDS number: RE1000003937

Recommended restrictions
Product Use: Air Freshener
Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: CLAIRE MANUFACTURING COMPANY

Address: 1000 Integram Dr Pacific, MO 63069

Telephone:

1-630-543-7600

Fax:

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol Category 1

Health Hazards

Serious Eye Damage/Eye Irritation Category 2A Specific Target Organ Toxicity - Category 3¹.

Single Exposure

Target Organs

1. Narcotic effect.

Environmental Hazards

Acute hazards to the aquatic Category 3 environment

Label Elements



Revision Date: 09/12/2019

Hazard Symbol:



Signal Word: Danger

Hazard Statement: Extremely flammable aerosol.

Causes serious eye irritation.

May cause drowsiness or dizziness.

Harmful to aquatic life.

Precautionary Statements

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Avoid release to the environment.

Response: IF INHALED: Remove person to fresh air and keep comfortable for

breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention. Call a POISON

CENTER/doctor if you feel unwell.

Storage: Protect from sunlight. Do not expose to temperatures exceeding

50°C/122°F. Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Disposal: Dispose of contents/container to an appropriate treatment and disposal

facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC):

None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
2-Propanone	67-64-1	50 - <100%
Propane	74-98-6	10 - <20%
Butane	106-97-8	10 - <20%
Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl-	1222-05-5	0.1 - <1%



Revision Date: 09/12/2019

1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	84-66-2	0.1 - <1%
Proprietary Fragrance		0.1 - <1%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

Inhalation: Move to fresh air.

Skin Contact: Wash skin thoroughly with soap and water. If skin irritation occurs: Get

medical advice/attention.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Get medical attention.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: No data available.

5. Fire-fighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Fight fire from a

protected location. Move containers from fire area if you can do so without

risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical:

Vapors may travel considerable distance to a source of ignition and flash

back.

Special protective equipment and precautions for firefighters

Special firefighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures



Revision Date: 09/12/2019

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

Methods and material for containment and cleaning

Absorb spill with vermiculite or other inert material, then place in a container

for chemical waste.

Notification Procedures:

up:

Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you

can do so without risk.

Environmental Precautions: Avoid release to the environment. Prevent further leakage or spillage if safe

to do so. Do not contaminate water sources or sewer.

7. Handling and storage

Precautions for safe handling: Avoid contact with eyes. Wash hands thoroughly after handling. Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not

pierce or burn, even after use.

Conditions for safe storage,

including any incompatibilities:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Aerosol Level 3

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure Limit Values	Source
2-Propanone	STEL	1,000 ppm 2,400 mg/m	3 US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	PEL	1,000 ppm 2,400 mg/m	3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	250 ppm	US. ACGIH Threshold Limit Values (03 2015)
	TWA	750 ppm 1,800 mg/m	3 US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	500 ppm	US. ACGIH Threshold Limit Values (03 2015)
	REL	250 ppm 590 mg/m	3 US. NIOSH: Pocket Guide to Chemical Hazards (2005)
Propane	REL	1,000 ppm 1,800 mg/m	3 US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	1,000 ppm 1,800 mg/m	3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1,000 ppm 1,800 mg/m	
Butane	REL	800 ppm 1,900 mg/m	3 US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	STEL	1,000 ppm	US. ACGIH Threshold Limit Values (03 2018)
	TWA	800 ppm 1,900 mg/m	3 US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	REL	5 mg/m	3 US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA	5 mg/m	3 US. ACGIH Threshold Limit Values (2008)
	TWA	5 mg/m	3 US. OSHA Table Z-1-A (29 CFR 1910.1000)



Revision Date: 09/12/2019

				(1989)
Ethanol, 2,2',2"-nitrilotris-	TWA		5 mg/m3	US. ACGIH Threshold Limit Values (2008)
Ethanol, 2,2'-iminobis-	REL	3 ppm	15 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA	2 nnm	15 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000)
	IVVA	3 ppm	15 mg/ms	(1989)
Ethanol, 2,2'-iminobis Inhalable fraction and vapor.	TWA		1 mg/m3	US. ACGIH Threshold Limit Values (2009)

Biological Limit Values

Chemical Identity	Exposure Limit Values	Source		
2-Propanone (acetone: Sampling time: End of shift.)	25 mg/l (Urine)	ACGIH BEL (03 2015)		

Appropriate Engineering

No data available.

Controls

Individual protection measures, such as personal protective equipment

General information: Provide easy access to water supply and eye wash facilities. Good general

ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process

enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If exposure limits have not been established, maintain airborne levels

to an acceptable level.

Eye/face protection: Wear safety glasses with side shields (or goggles).

Skin Protection

Hand Protection: No data available.

Other: No data available.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

Hygiene measures: Avoid contact with eyes. Observe good industrial hygiene practices. When

using do not smoke.

9. Physical and chemical properties

Appearance

Physical state: liquid

Form: Spray Aerosol
Color: No data available.
Odor: No data available.
Odor threshold: No data available.
PH: No data available.
Melting point/freezing point: No data available.
Initial boiling point and boiling range: No data available.

Flash Point: -104.44 °C

Evaporation rate:No data available.



Revision Date: 09/12/2019

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

Flammability limit - lower (%):

Explosive limit - upper (%):

No data available.

No data available.

No data available.

No data available.

Vapor pressure: 3,102.6408 - 4,481.5922 hPa (20 °C)

Vapor density:No data available.Density:No data available.Relative density:No data available.

Solubility(ies)

Solubility in water:

Solubility (other):

No data available.

No data available.

No data available.

No data available.

Auto-ignition temperature:No data available.Decomposition temperature:No data available.Viscosity:No data available.

Other information

Minimum ignition temperature: -104.44 °C

10. Stability and reactivity

Reactivity: No data available.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

Conditions to avoid: Avoid heat or contamination.

Incompatible Materials: No data available.

Hazardous Decomposition

Products:

No data available.

11. Toxicological information

Information on likely routes of exposure

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.



Revision Date: 09/12/2019

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available.

Skin Contact: No data available.

Eye contact: No data available.

Ingestion: No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

LD 50 (Rat): 5,800 mg/kg 2-Propanone

Cyclopenta[g]-2benzopyran, 1,3,4,6,7,8-

hexahydro-4,6,6,7,8,8-

hexamethyl-

LD 50 (Rat): > 4,640 mg/kg

1,2-Benzenedicarboxylic

acid, 1,2-diethyl ester

LD 50 (Mouse): 2,500 mg/kg

Proprietary Fragrance LD 50: > 2,000 mg/kg

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

2-Propanone LD 50 (Rabbit): > 7,426 mg/kg

Cyclopenta[g]-2benzopyran, 1,3,4,6,7,8hexahydro-4,6,6,7,8,8-

hexamethyl-

LD 50 (Rat): > 10,000 mg/kg

1,2-Benzenedicarboxylic

acid, 1,2-diethyl ester

LD 50: > 2,000 mg/kg

Proprietary Fragrance LD 50: > 2,000 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

2-Propanone LC 50 (Rat): 50.1 mg/l

LC 50: > 5 mg/l



Revision Date: 09/12/2019

Propane LC 50: > 100 mg/l

LC 50: > 100 mg/l

Butane LC 50: > 100 mg/l

LC 50: > 100 mg/l

Cyclopenta[g]-2-

benzopyran, 1,3,4,6,7,8hexahydro-4,6,6,7,8,8-

hexamethyl-

LC 50: > 5 mg/l

LC 50: > 20 mg/l

1,2-Benzenedicarboxylic acid, 1,2-diethyl ester

LC 50: > 20 mg/l LC 50: > 5 mg/l

Proprietary Fragrance

LC 50: > 5 mg/lLC 50: > 20 mg/l

Repeated dose toxicity

Product: No data available.

Specified substance(s):

2-Propanone NOAEL (Rat(Male), Oral, 13 Weeks): 10,000 ppm(m) Oral Experimental

result, Key study

Propane NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Butane

Experimental result, Key study

NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

Experimental result, Key study

Cyclopenta[g]-2-

benzopyran, 1,3,4,6,7,8-

hexamethyl-

hexahydro-4,6,6,7,8,8-

1,2-Benzenedicarboxylic acid, 1,2-diethyl ester

NOAEL (Rat(Female, Male), Oral, 13 Weeks): 150 mg/kg Oral Experimental

result, Key study

NOAEL (Rat(Female, Male), Oral, 6 - 16 Weeks): 150 mg/kg Oral

Experimental result, Key study

Skin Corrosion/Irritation **Product:**

No data available.

Specified substance(s):

2-Propanone in vivo (Rabbit): Not irritant Experimental result, Supporting study

Cyclopenta[g]-2benzopyran,

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl-

in vivo (Rabbit): Irritating Experimental result, Key study



Revision Date: 09/12/2019

1,2- in vivo (Rabbit): Not irritant Experimental result, Key study

Benzenedicarboxylic acid, 1,2-diethyl ester

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

2-Propanone Irritating.

Rabbit, 24 hrs: Minimum grade of severe eye irritant

Respiratory or Skin Sensitization

Product: No data available.

Specified substance(s):

2-Propanone Skin sensitization:, in vivo (Guinea pig): Non sensitising Cyclopenta[g]-2- Skin sensitization:, in vivo (Guinea pig): Non sensitising

benzopyran,

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl-

1,2- Skin sensitization:, in vivo (Guinea pig): Non sensitising

Benzenedicarboxylic acid, 1,2-diethyl ester

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure
Product:
No data available.

Specified substance(s):

2-Propanone Inhalation - vapor: Narcotic effect. - Category 3 with narcotic effects.



Revision Date: 09/12/2019

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Target Organs

Specific Target Organ Toxicity - Single Exposure: Narcotic effect.

Aspiration Hazard

Product: No data available.

Specified substance(s):

Proprietary Fragrance May be fatal if swallowed and enters airways.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

2-Propanone LC 50 (Oncorhynchus mykiss, 96 h): 5,540 mg/l Experimental result, Key

study

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Butane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Cyclopenta[g]-2-

benzopyran, 1,3,4,6,7,8-

hexahydro-4,6,6,7,8,8-

hexamethyl-

LC 50 (Lepomis macrochirus, 96 h): 1.36 mg/l Experimental result, Key

study

1,2-Benzenedicarboxylic

acid, 1,2-diethyl ester

NOAEL (Oncorhynchus mykiss, 96 h): 1.9 mg/l Experimental result, Key

study

LC 50 (Oncorhynchus mykiss, 96 h): 12 mg/l Experimental result, Key study

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

2-Propanone LC 50 (Daphnia pulex, 48 h): 8,800 mg/l Experimental result, Key study

Butane LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study

Cyclopenta[g]-2benzopyran, 1,3,4,6,7,8-

hexahydro-4,6,6,7,8,8-

hexamethyl-

EC 50 (Daphnia magna, 48 h): 0.885 mg/l Experimental result, Not specified

1,2-Benzenedicarboxylic NOAEL (Daphnia magna, 48 h): 43 mg/l Experimental result, Key study

SDS US - RE1000003937 10/16



Revision Date: 09/12/2019

acid, 1,2-diethyl ester LC 50 (Daphnia magna, 48 h): 90 mg/l Experimental result, Key study

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Cyclopenta[g]-2benzopyran, 1,3,4,6,7,8hexahydro-4,6,6,7,8,8-

hexamethyl-

LC 50 (Lepomis macrochirus): 0.452 mg/l Experimental result, Key study LOAEL (Pimephales promelas): 0.14 mg/l Experimental result, Key study

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

2-Propanone LOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study

NOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study

Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl-

NOAEL (Daphnia magna): 111 μ g/l Experimental result, Key study EC 50 (Daphnia magna): 282 μ g/l Experimental result, Key study

1,2-Benzenedicarboxylic acid, 1,2-diethyl ester

NOAEL (Daphnia magna): 25 mg/l Experimental result, Key study

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s):

2-Propanone 90.9 % (28 d) Detected in water. Experimental result, Key study

Propane 100 % (385.5 h) Detected in water. Experimental result, Key study

50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

Butane 100 % (385.5 h) Detected in water. Experimental result, Key study

Cyclopenta[g]-2benzopyran, 1,3,4,6,7,8hexahydro-4,6,6,7,8,8hexamethyl60 % (28 d) Sediment Experimental result, Key study

1,2-Benzenedicarboxylic acid, 1,2-diethyl ester

94.6 % (28 d) Detected in water. Experimental result, Key study

BOD/COD Ratio

Product: No data available.



Revision Date: 09/12/2019

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Specified substance(s):

2-Propanone Haddock, adult, Bioconcentration Factor (BCF): 0.69 Aquatic sediment

Experimental result, Not specified

Cyclopenta[g]-2-

benzopyran, 1,3,4,6,7,8-

hexahydro-4,6,6,7,8,8-

hexamethyl-

Lepomis macrochirus, Bioconcentration Factor (BCF): 1,550 Aquatic

sediment Experimental result, Key study

1,2-Benzenedicarboxylic

acid, 1,2-diethyl ester

Bluegill (Lepomis macrochirus), Bioconcentration Factor (BCF): 117 (Flow

through)

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

2-Propanone No data available.
Propane No data available.
Butane No data available.
Cyclopenta[g]-2- No data available.

benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-

hexamethyl-

1,2-Benzenedicarboxylic

acid, 1,2-diethyl ester

No data available.

Proprietary Fragrance No data available.

Other adverse effects: Harmful to aquatic organisms.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local

laws.

Contaminated Packaging: No data available.

14. Transport information

DOT

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2.1
Label(s): Packing Group: II
Marine Pollutant: No



Revision Date: 09/12/2019

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

IMDG

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2 Label(s): –

EmS No.:

Packing Group: -

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

IATA

UN Number: UN 1950

Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es):

Class: 2.1
Label(s): –

Packing Group: –

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

15. Regulatory information

US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical IdentityReportable quantity2-Propanonelbs. 5000Propanelbs. 100

Butane lbs. 100 1,2-Benzenedicarboxylic lbs. 1000

acid, 1,2-diethyl ester

Ethanol, 2,2'-iminobis- lbs. 100

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories



Revision Date: 09/12/2019

Fire Hazard Immediate (Acute) Health Hazards Flammable aerosol Serious Eye Damage/Eye Irritation Specific Target Organ Toxicity - Single Exposure

SARA 302 Extremely Hazardous Substance

<u>Reportable</u>

<u>Chemical Identity</u> <u>quantity</u> <u>Threshold Planning Quantity</u>

2-Propanone

SARA 304 Emergency Release Notification

Chemical IdentityReportable quantity2-PropanoneIbs. 5000PropaneIbs. 100ButaneIbs. 1001,2-BenzenedicarboxylicIbs. 1000acid, 1,2-diethyl esterIbs. 1000Ethanol, 2,2'-iminobis-Ibs. 100

SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
2-Propanone	10000 lbs
Propane	10000 lbs
Butane	10000 lbs
Cyclopenta[g]-2-	10000 lbs
benzopyran, 1,3,4,6,7,8-	
hexahydro-4,6,6,7,8,8-	
hexamethyl-	
1,2-Benzenedicarboxylic	10000 lbs
acid, 1,2-diethyl ester	
Proprietary Fragrance	10000 lbs

SARA 313 (TRI Reporting)

Ethanol, 2,2',2"-nitrilotris-

Ethanol, 2,2'-iminobis-

None present or none present in regulated quantities.

10000 lbs

10000 lbs

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Ethanol, 2,2'-iminobis- Carcinogenic. 07 2012

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

2-Propanone
Propane
Butane

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.



Revision Date: 09/12/2019

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

2-Propanone Propane Butane

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol

Not applicable

Inventory Status:

Australia AICS: On or in compliance with the inventory

Canada DSL Inventory List: On or in compliance with the inventory

EINECS, ELINCS or NLP: Not in compliance with the inventory.

Japan (ENCS) List: Not in compliance with the inventory.

China Inv. Existing Chemical Substances: Not in compliance with the inventory.

Korea Existing Chemicals Inv. (KECI): Not in compliance with the inventory.

Canada NDSL Inventory: Not in compliance with the inventory.

Philippines PICCS: On or in compliance with the inventory

US TSCA Inventory: On or in compliance with the inventory

New Zealand Inventory of Chemicals:

On or in compliance with the inventory

Japan ISHL Listing: On or in compliance with the inventory

Japan Pharmacopoeia Listing: Not in compliance with the inventory.

Mexico INSQ: On or in compliance with the inventory



Revision Date: 09/12/2019

Ontario Inventory: On or in compliance with the inventory

Taiwan Chemical Substance Inventory:

On or in compliance with the inventory

16.Other information, including date of preparation or last revision

Issue Date: 09/12/2019

Revision Information: No data available.

Version #: 1.0

Further Information: No data available.

Disclaimer: This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.