



STS749

Trade name: Window Cleaner & Stainless Steel Cleaner

1 Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: Window Cleaner & Stainless Steel Cleaner ST-749
- Article number: WK30
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

• Application of the substance / the preparation Window Cleaner

Product dilution information: 15 oz. (443 mL) per 2.5 gal. (9.5 L) of water.

Manufacturer/Supplier:

Stearns Packaging Corporation 4200 Sycamore Avenue (53714)

PO Box 3216

Madison, WI 53704-0216 Phone: 800-655-5008

Email: stearns@stearnspkg.com Website: www.stearnspkg.com • 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

2 Hazards identification

Classification according to Regulation (EC) No 1272/2008	
Product as SOLD	Product at USE DILUTION
GHS02	Not classified.
Flam. Liq. 3 H226 Flammable liquid and vapour.	Not classified.
(!) GHS07	Not classified.
STOT SE 3 H336 May cause drowsiness or dizziness.	Not classified.
Classification according to Directive 67/548/EEC or Directive 67/548/EEC	tive 1999/45/EC
R67-10: Vapours may cause drowsiness and dizziness. Flammable.	Not classified.
 Information concerning particular hazards for human and 	l environment:
The product has to be labeled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.	The mixture does not meet the criteria for classification.
Classification system:	
The classification is according to the latest editions of the EU	-lists and extended by company and literature data.
The classification is in accordance with the latest editions of information from technical literature and by information provides	
Labeling according to Regulation (EC) No 1272/2008	
The product is classified and labeled according to the CLP regulation.	The mixture does not meet the criteria for classification.
	(Contd. on pa

Trade name: Window Cleaner & Stainless Steel Cleaner

	(Contd. from page 1)
• 2.2 Label elements	
Product as SOLD	Product at USE DILUTION
Hazard pictograms	
	None
GHS02 GHS07	
Signal word Warning	None
Hazard statements	
H226 Flammable liquid and vapour. H336 May cause drowsiness or dizziness.	None
Precautionary statements	
 P210 Keep away from open flames and hot surfaces - No smoking P233 Keep container tightly closed. P243 Take precautionary measures against static discharge. P261 Avoid breathing mist/vapours/spray. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/eye protection. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312: Call a POISON CENTER/doctor if you feel unwell. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P370+P378 In case of fire: Use water to extinguish. P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container in accordance with local regulations. 	Keep out of reach of children.

3 Composition/information on ingredients

- 3.2 Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 107-98-2 EINECS: 203-539-1	1-methoxy-2-propanol R10-67	50-60%
Index number: 603-064-00-3	Flam. Liq. 3, H226	
	♦ STOT SE 3, H336	
CAS: 68585-34-2	Dodecyl alcohol ethoxylate (1) Sulfate Sodium Salt	<3%
NLP: 500-223-8	X Xi R36/38	
	Skin Irrit. 2, H315; Eye Irrit. 2A, H319	

• Additional information: For the wording of the listed risk phrases refer to section 16.

Trade name: Window Cleaner & Stainless Steel Cleaner

(Contd. from page 2)

4 First-aid measures

• 4.1 Description of first aid measures		
Product as SOLD	Product at USE DILUTION	
General information: Take affected persons out into the fresh air.	No special measures required.	
After inhalation: Supply fresh air; consult doctor in case of complaints.	No special measures required. Treat symptomatically.	
After skin contact: Wash with water and rinse thoroughly. If skin irritation continues, consult a doctor.	No known effect after skin contact.	
 After eye contact: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical attention. After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately. 	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. If eye irritation persists get medical attention. Get medical attention if symptoms occur.	
• 4.2 Most important symptoms and effects both acute and	delayed	
Headache Dizziness Disorientation Nausea Cramp	No known effects.	
Hazards		
Danger of convulsion. No further relevant information available.	No known effects.	
4.3 Indication of any immediate medical attention and special treatment needed		
May produce a narcotic effect. If swallowed, gastric irrigation with added, activated carbon. If necessary oxygen respiration treatment.	Treat symptomatically.	

5 Fire-fighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Cool endangered receptacles with water spray.

Use large quantities of foam as it is partially destroyed by the product.

Eliminate all ignition sources if safe to do so.

Trade name: Window Cleaner & Stainless Steel Cleaner

(Contd. from page 3)

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures		
Product as SOLD	Product at USE DILUTION	
Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation	Use personal protective equipment as required.	
6.2 Environmental precautions:		
Do not allow product to reach sewage system or any water course.	Avoid contact of large amounts of spilled material and run off with soil and surface waterways.	
6.3 Methods and material for containment and cleaning up	:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles. Ensure adequate ventilation.	Large Spills: Flush area with water. Prevent entry into waterways. Small Spills: Wipe up with absorbent material.	
6.4 Reference to other sections		
See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	

7 Handling and storage

• 7.1 Precautions for safe handling	
Product as SOLD	Product at USE DILUTION
Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid splashes or spray in enclosed areas.	Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid splashes or spray in enclosed areas.
Information about fire - and explosion protection:	
Keep ignition sources away - Do not smoke. Protect from heat.	No precautions necessary.
• 7.2 Conditions for safe storage, including any incompatib	ilities
Storage:	
• Requirements to be met by storerooms and receptacles:	
Store in a cool location. Avoid storage near extreme heat, ignition sources or open flame.	No special requirements.
• Information about storage in one common storage facility	<i>y</i> :
Store away from foodstuffs. Store away from oxidizing agents.	Store away from foodstuffs. Store away from oxidizing agents.
Further information about storage conditions:	
Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight.	No storage precautions necessary.
• 7.3 Specific end use(s)	
No further relevant information available.	

Trade name: Window Cleaner & Stainless Steel Cleaner

(Contd. from page 4)

8 Exposure controls/personal protection

	Product as SOLD	Product at USE DILUTION
8.1 Control para	meters	
Ingredients with	limit values that require monitoring at th	e workplace:
107-98-2 1-m	ethoxy-2-propanol	
IOELV (EU)	Short-term value: 568 mg/m³, 150 ppm Long-term value: 375 mg/m³, 100 ppm Skin	
REL (USA)	Short-term value: 540 mg/m³, 150 ppm Long-term value: 360 mg/m³, 100 ppm	
TLV (USA)	Short-term value: 369 mg/m³, 100 ppm Long-term value: 184 mg/m³, 50 ppm	
EL (Canada)	Short-term value: 75 ppm Long-term value: 50 ppm	
EV (Canada)	Short-term value: 550 mg/m³, 150 ppm Long-term value: 365 mg/m³, 100 ppm	
PNECs No furthe		 DNELs No further relevant information available. PNECs No further relevant information available. Additional information: The lists valid during the makin were used as basis.
Personal protec		
	• • • • • • • • • • • • • • • • • • • •	
General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes. Avoid close or long term contact with the skin.		The usual precautionary measures are to be adhered to when handling chemicals. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes. Avoid close or long term contact with the skin.
Respiratory prot	ection:	
Use suitable respinsufficient ventill Use suitable respinst is formed. NIOSH approved	er normal conditions of use. biratory protective device in case of ation. biratory protective device when aerosol or organic vapor respirator equipped with a should be used.	Not required under normal conditions of use.
Protection of ha	nds:	
Protect	tive gloves	No protective equipment is needed under normal conditions.

Trade name: Window Cleaner & Stainless Steel Cleaner

(Contd. from page 5)

Product as SOLD	Product at USE DILUTION	
For the permanent contact gloves made of the following materials are suitable:		
Butyl rubber, BR Neoprene gloves	No protective equipment is needed under normal conditions.	
• Eye protection:		
Safety glasses	No protective equipment is needed under normal conditions.	
Body protection:		
Protective work clothing	No protective equipment is needed under normal conditions.	
Limitation and supervision of exposure into the environment		
No further relevant information available.	No further relevant information available.	
Risk management measures		
See Section 7 for additional information. No further relevant information available.	See Section 7 for additional information. No further relevant information available.	

9 Physical and chemical properties

	Product as SOLD	Product at USE DILUTION
9.1 Information on basic physical and chemical properties		
General Information		
Appearance:		
Form:	Liquid	Liquid
Color:	Light blue	Light blue
• Odor:	Ether-like	Ether-like
Odor threshold:	Not determined.	Not determined.
• pH-value at 25 °C:	10 ± 0.5 for concentrate	7.2 - 8.5
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. Undetermined.	Undetermined. Undetermined.
• Flash point:	136 °F / 59 °C. Product determined not to support sustained combustion.	Undetermined.
• Flammability (solid, gaseous):	Not applicable.	Not applicable.
Ignition temperature:	518 °F / 270 °C	Undetermined.
Decomposition temperature:	Not determined.	Not determined.
Self-igniting:	Product is not self-igniting.	Product is not self-igniting.
Danger of explosion:	Product does not present an explosion hazard.	Product does not present an explosion hazard.
• Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	Not determined.

(Contd. on page 7)

Trade name: Window Cleaner & Stainless Steel Cleaner

(Contd. from page 6)

	Product as SOLD	Product at USE DILUTION
Vapor pressure at 20 °C:	23 hPa	Not determined.
 Density at 20 °C: Relative density Vapor density Evaporation rate 	0.96 g/cm³ Not determined. Not determined. Not determined.	Not determined. Not determined. Not determined.
Solubility in / Miscibility with water:	Fully miscible.	Complete
Partition coefficient (n-octanol/water):	Not determined.	Not determined.
Viscosity: Dynamic: Kinematic:	100 mPas Not determined.	Not determined.
• 9.2 Other information	No further relevant information available.	No further relevant information available.

10 Stability and reactivity

- 10.1 Reactivity Not determined.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

• 10.3 Possibility of hazardous reactions

Flammable

Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomised.

Used empty containers may contain product gases which form explosive mixtures with air.

Can react violently with oxygen rich (oxidizing) material. Danger of Explosion.

Reacts with strong acids.

• 10.4 Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidizing agents.

Keep away from heat and direct sunlight.

- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

• 11.1 Information on toxicological effects		
Product as SOLD	Product at USE DILUTION	
Acute toxicity: >5,000 mg/kg	Non-toxic at use-dilution.	
Primary irritant effect:		
 on the skin: Slight irritant effect on skin and mucous membranes. 	No adverse effects due to skin contact are expected.	
• on the eye: Slight irritant effect on eyes.	Direct contact with eyes may cause temporary irritation.	
Sensitization: No sensitizing effects known.	No sensitizing effects known.	

(Contd. on page 8)

Trade name: Window Cleaner & Stainless Steel Cleaner

(Contd. from page 7)

Product as SOLD	Product at USE DILUTION	
Additional toxicological information:		
Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc. At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent.	Not classified	
Acute effects (acute toxicity, irritation and corrosivity):		
Vapours have narcotic effect.	Not determined.	

12 Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Due to available data on eliminability/decomposition and bioaccumulation potential a prolonged damage of the environment is unlikely.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

• 13.1 Waste treatment methods	
Product as SOLD	Product at USE DILUTION
Recommendation	
Smaller quantities can be disposed of with household waste. Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.	Diluted product can be flushed to sanitary sewer. Discard empty container in trash.
Uncleaned packaging:	
Recommendation: Disposal must be made according to official regulations.	Diluted product can be flushed to sanitary sewer. Discard empty container in trash.
 Recommended cleansing agents: Water, if necessary together with cleansing agents. 	

Trade name: Window Cleaner & Stainless Steel Cleaner

(Contd. from page 8)

14 Transport information		
• 14.1 UN-Number • DOT, ADR, IMDG, IATA	N/A	
• 14.2 proper shipping name • DOT	Compound, cleaning, NOI, liquid	
• 14.3 Transport hazard class(es)		
• DOT		
\Diamond		
• Class	N/A	
• Label	LTD. QTY.	
• 14.4 Packing group • DOT, ADR, IMDG, IATA	N/A	
14.5 Environmental hazards:Marine pollutant:	No	
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
• ADR		
Limited quantities (LQ)	5L	
Transport category	N/A	
Tunnel restriction code	D/E	
UN "Model Regulation":	Compound, cleaning, NOI, liquid	

15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- · SARA

Product as SOLD	Product at USE DILUTION
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	Not applicable.
Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	None of the ingredients is listed.
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	All ingredients are listed.
Proposition 65 (California):	
Chemicals known to cause cancer:	
None of the ingredients is listed.	None of the ingredients is listed.

(Contd. on page 10)

Trade name: Window Cleaner & Stainless Steel Cleaner

			(Contd. from pa
	own to cause reproductive tox	icity for fen	
None of the in	gredients is listed.		None of the ingredients is listed.
• Chemicals kn	own to cause reproductive tox	icity for ma	iles:
None of the ingredients is listed.			None of the ingredients is listed.
	own to cause developmental to refers specifically to alcoholic be		sumption and is not applicable for product.
64-17-5	ethanol		Not applicable.
 Carcinogenic 	Categories		
• EPA (Environ	mental Protection Agency)		
None of the in	gredients is listed.		None of the ingredients is listed.
• IARC (Interna	tional Agency for Research on	Cancer)	
64-17-5	ethanol	1	Not applicable.
• TLV (Thresho	ld Limit Value established by A	CGIH)	
64-17-5	ethanol	A3	Not applicable.
• NIOSH-Ca (Na	ational Institute for Occupation	al Safety ar	nd Health)
•	gredients is listed.		None of the ingredients is listed.
• OSHA-Ca (Oc	cupational Safety & Health Adr	 ninistration	
All ingredients	are listed.		All ingredients are listed.
• Canada			
	mestic Substances List (DSL)		
			All ingredients are listed.
• Canadian Dor All ingredients		%)	All ingredients are listed.
• Canadian Dor All ingredients	are listed.	%)	All ingredients are listed. Not applicable.
• Canadian Dor All ingredients • Canadian Ingredients	are listed. redient Disclosure list (limit 0.1		
• Canadian Dor All ingredients • Canadian Ingredients	are listed. redient Disclosure list (limit 0.1 ethanol		
 Canadian Dor All ingredients Canadian Ingredients 64-17-5 Canadian Ingredients 64-17-5 	are listed. redient Disclosure list (limit 0.1 ethanol redient Disclosure list (limit 0.1	1%)	Not applicable.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

(Contd. on page 11)

Trade name: Window Cleaner & Stainless Steel Cleaner

(Contd. from page 10)

R10 Flammable.

R36/38 Irritating to eyes and skin.

R67 Vapours may cause drowsiness and dizziness...

SDS File Name: WK10 Window and Stainless Steel Cleaner SDS

NSF Certified: C2, 7/20/04

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: Nationa**9**Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

Sources

SDS Prepared by: ChemTel Inc.

1305 North Florida Avenue Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

Revision: 10/12/2017

Steams Packaging Corporation makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of his own use, handling and disposal of this product. Since actual use by others is beyond our control, no warranty, expressed or implied, is made by Steams Packaging Corporation as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor does Steams Packaging Corporation assume any liability arising out of the use by others of this product referred to herein. The data in this SDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Steams Packaging Corporation does not recommend blending this product with any other chemicals. All information, recommendations and data contained herein concerning this product are based upon information available at the time of writing from recognized technical sources.