

# Champion Chemical Company

## Material Safety Data Sheet

### SECTION I: PRODUCT INFORMATION

Product Name (as it appears on label):  
**GRAFFITTI-X**  
 Product Number: 420

Type of Product:  
**Mark Remover**

Champion Chemical Company  
 8319 S. Greenleaf Ave.  
 Whittier, CA. 90602

Technical Information: 1-(800)-621-7868  
 Medical Emergency: 1-(800)-451-8346 (24 hours)  
 Chemical Leak/Spill: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description:	Cleaning compounds, liquid, n.o.s.
-----------------------	------------------------------------

NFPA Ratings:		HMIS Ratings:	
Health:	1 - Slight	Health:	1 - Slight
Fire:	2 - Moderate	Fire:	2 - Moderate
Reactivity:	1 - Slight	Reactivity:	1 - Slight

### SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

Chemical Name(s)	% W	CAS Registry No.	Reference Table			Carcinogen
			TWA mg/m <sup>3</sup>	STEL mg/m <sup>3</sup>	CEILING mg/m <sup>3</sup>	
Amyl Acetate	1-5	628-63-7	100 ppm (air)	100 ppm (air)	100 ppm (air)	No
d-Limonene	1-5	5989-27-5	Not Established	Not Established	Not Established	No
Diethylene Glycol Butyl Ether	40-60	112-34-5	Not Established	Not Established	Not Established	No
N-Methylpyrrolidone	10-15	872-50-4	Not Established	Not Established	Not Established	No

### SECTION III: PHYSICAL DATA

Boiling Point:	290 °F	Vapor Pressure:	0.03 Approximately
Vapor Density (AIR = 1):	Unknown	Solubility in Water:	Complete
pH:	N/A	Specific Gravity (H <sub>2</sub> O=1):	0.98
Evaporation Rate (but.ace.=1):	<1	Percent Solid by Weight:	100% Active
Physical State:	Liquid		

Appearance & Odor:	Amber liquid, lemon scent
--------------------	---------------------------

**SECTION IV: FIRE & EXPLOSIVE HAZARD DATA**

Flash Point:	146 F	Method Used:	ASTM-D56
Flammable Limits:	N/A	Flame Extension:	N/A
Extinguishing Media:	Water spray, Carbon dioxide, Dry chemical, Foam		
Special Fire Fighting Procedures:	Must wear NIOSH/MSHA approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.		
Unusual Fire & Explosive Hazards:	Some of the vapors are heavier than air and may travel along the ground to source of ignition.		

**SECTION V: HEALTH HAZARD DATA**

Threshold Limit Value:	Not Established	Primary Routes of Entry:	Inhalation, Skin Contact, Eyes
Effects of Overexposure-Conditions to Avoid:	Eyes: May cause eye irritation. Avoid contact with eyes. Skin: May cause defatting of skin on prolonged contact. Inhalation: Dizziness		
Conditions Aggravated by Use:	Unknown		

**Emergency & First Aid Procedures:**

Eyes:	In case of contact, flush eyes with water for at least 15 minutes. Remove contact lenses. If irritation persists, call a physician.
Skin:	Wash with soap and water. If irritation occurs, get medical attention.
Ingestion:	If swallowed, give large quantities of water. Do not induce vomiting. Get medical attention. Never give anything by mouth to an unconscious person.
Inhalation:	In case of respiratory irritation, move person to fresh air.

**SECTION VI: REACTIVITY DATA**

Stability:	Stable	Incompatible Materials:	Strong oxidizers
Hazardous Decomposition Products:	CO, CO <sub>2</sub> (May also include unidentified toxic and/or irritating compounds.)	Hazardous Polymerization:	Will Not Occur

**SECTION VII: SPILL OR LEAK PROCEDURES**

Steps to be Taken in Case Material is Released or Spilled:	Flush with water through sanitary sewer.
Waste Disposal Method:	Same as above.



#### SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection:	None required
Ventilation:	Good general ventilation should be sufficient for most conditions. Local exhaust ventilation may be necessary for some operations.
Protective Gloves:	Rubber or neoprene gloves are recommended to minimize skin contact.
Eye Protection:	Splash goggles and/or face shield.
Other Protective Equipment:	Eye wash stations and washing facilities should be readily accessible. See 29 CFR 1910.132-128

#### SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing:	Store at temperatures below 140 F. Keep container closed until used. Do not contaminate drinking water; food or feed by storage or disposal. Keep out of reach of children.
Other Precautions:	Do not mix with other chemical products. Do not transfer to unmarked containers.

GRAFFITI-X

Effective Date: 06/01/03

PRODUCT NO. 420  
Ref: 29 CFR 1910.1200  
(OSHA)

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.